

# Flyweight Design Pattern




**Bryan Hansen**

@bh5k



# Flyweight



# Concepts

Efficient memory usage

Large number of similar objects

Immutable


Extrinsic object state

Examples:


`java.lang.String`

`java.lang.Integer#valueOf(int)`

`Boolean, Byte, Character, Short, Long`



# Design




Pattern of patterns

Utilizes a Factory

Encompasses Creation and Structure


Client, Factory, Flyweight, ConcreteFlyweight

# UML



## Everyday Example - Integer

```
Integer firstInt = Integer.valueOf(5);
```



```
Integer secondInt = Integer.valueOf(5);
```

```
Integer thirdInt = Integer.valueOf(10);
```

```
System.out.println(System.identityHashCode(firstInt));
```

```
System.out.println(System.identityHashCode(secondInt));
```

```
System.out.println(System.identityHashCode(thirdInt));
```

# Exercise Flyweight

Inventory Management System

Client, Catalog, Order, Item



# Pitfalls



**Complex pattern**

**Premature optimization**

**Must understand Factory**

**Not a graphical pattern**



# Contrast

## Flyweight

**Memory Optimization**  
**Optimization Pattern**  
**Immutable Objects**

**VS**

## Facade

**Refactoring pattern**  
**Simplified Client**  
**Provides a different interface**

# Flyweight Summary



Great for Memory Management

A little bit complex

Used frequently by core API