

DEV 422 BELLEVUE COLLEGE
SUPERVISOR UZMAN RIZI
STUDENT PP TROENDLE
NOV 1 2025

CHECKLIST

`http://localhost:5051/swagger/v1/swagger.json`
is then imported to Postman

localhost:5051/swagger/index.html

The screenshot displays the Swagger UI for an API named 'LoginAPI' (version 1.0, OAS 3.0). The URL is `http://localhost:5051/swagger/v1/swagger.json`. The interface is organized into sections:

- Appointment**: A list of endpoints with their respective HTTP methods and paths:
 - POST** `/api/Appointment/book`
 - GET** `/api/Appointment/my`
 - GET** `/api/Appointment/all`
 - GET** `/api/Appointment/{username}`
 - PUT** `/api/Appointment/status/{id}`
 - DELETE** `/api/Appointment/{id}`
- Auth**: A list of endpoints:
 - POST** `/api/Auth/login`
 - POST** `/api/Auth/register`
- Schemas**: A list of data models:
 - Appointment**
 - AppointmentStatus**
 - UserLogin**
 - UserRegisterDto**

Postman Testing Checklist

Healthcare appointment API running on port 5051.

Peta's Workspace
New
Import

Collections
+
Search collections

Healthcare API

POST Register Patient
POST Register Doctor
POST Login Patient
POST Book Appointment
GET Get Appointments
PUT Update Appointment Status
DEL Delete Appointment

My Collection
GET Get data
POST Post data

Environments
Flows
History

Healthcare API / Register Patient
Save
Share

POST
http://localhost:5051/api/auth/register
Send

Params
Auth
Headers (10)
Body
Scripts
Settings

raw
JSON
Schema

```

1 {
2   "username": "johndoe",
3   "password": "SecurePass123!",
4   "email": "john@example.com",
5   "firstName": "John",
6   "lastName": "Doe",
7   "role": "Patient"
8 }

```

Peta's Workspace
New
Import

Collections
+
Search collections

Healthcare API

POST Register Patient
POST Register Doctor
POST Login Patient
POST Book Appointment
GET Get Appointments
PUT Update Appointment Status
DEL Delete Appointment

My Collection
GET Get data
POST Post data

Environments
Flows
History

Healthcare API / Register Doctor
Save
Share

POST
http://localhost:5051/api/auth/register
Send

Params
Auth
Headers (10)
Body
Scripts
Settings

raw
JSON
Schema
Beautify

```

1 {
2   "username": "drsmith",
3   "password": "StrongPass456!",
4   "email": "drsmith@example.com",
5   "firstName": "John",
6   "lastName": "Smith",
7   "role": "Doctor"
8 }

```

Body
400 Bad Request
10 ms
175 B

Raw
Preview
Debug with AI

1 Username already exists.

Role	Endpoint	Tested?
Patient	POST /api/auth/register	OK
Doctor	POST /api/auth/register	OK
Admin	POST /api/auth/register (or seed)	OK

Login & Token Retrieval

Role	Endpoint	Token Stored?
Patient	POST /api/auth/login	☐
Doctor	POST /api/auth/login	☐
Admin	POST /api/auth/login	☐

Appointment Management

Action	Role	Endpoint	Tested?
Book Appointment	Patient	POST /api/appointment/book	☐
View Own Appointments	Patient	GET /api/appointment/my	☐
View Appointments	Doctor	GET /api/appointment/doctor	☐
Manage Appointments	Doctor	PUT /api/appointment/{id}	☐
View All Appointments	Admin	GET /api/appointment/all	☐
Cancel Appointment	Patient	DELETE /api/appointment/{id}	☐

Role-Based Authorization

Role	Restricted Endpoint Example	Access Blocked for Others?
Admin	GET /api/appointment/all	☐
Doctor	GET /api/appointment/doctor	☐
Patient	GET /api/appointment/my	☐

User Profile Management


Action	Endpoint	Tested?
View Profile	GET /api/user/profile	☐
Update Info	PUT /api/user/update	☐
Change Password	PUT /api/user/change-password	☐

Appointment Status Handling

Role	Action	Endpoint	Tested?
Doctor	Update Status	PUT /api/appointment/{id}/status	☐
Admin	Update Status	PUT /api/appointment/{id}/status	☐

Register Doctor. I ran it the second time so it gave 400 as it was a repeat

1. Run **Login Patient** → token will auto-save to `{{token}}`.
2. Test:



- **Book Appointment** (with patientUsername).

Peta's Workspace New Import

Search collections

Healthcare API

- POST Register Patient
- POST Register Doctor
- POST Login Patient
- POST Book Appointment**
- GET Get Appointments
- PUT Update Appointment Status
- DEL Delete Appointment

My Collection

- GET Get data
- POST Post data

Healthcare API / **Book Appointment**

POST http://localhost:5051/api/appointment/book Send

Params Auth Headers (11) **Body** Scripts Settings Cookies

raw JSON Schema Beautify

```

1 {
2   "patientUsername": "johndoe",
3   "doctorUsername": "drsmith",
4   "appointmentDate": "2025-11-10T14:00:00Z",
5   "reason": "Routine check-up"
6 }

```

Body 200 OK 64 ms 291 B Schema Beautify

JSON Preview Visualize

```

1 {
2   "id": 1,
3   "patientUsername": "johndoe",
4   "doctorUsername": "drsmith",
5   "appointmentDate": "2025-11-10T14:00:00Z",
6   "reason": "Routine check-up",
7   "status": 0
8 }

```

- **Get Appointments** (view appointments).

Peta's Workspace New Import

Search collections

Healthcare API

- POST Register Patient
- POST Register Doctor
- POST Login Patient
- POST Book Appointment
- GET Get My Appointments**
- GET Get All Appointments
- PUT Update Appointment Status
- DEL Delete Appointment

My Collection

- GET Get data
- POST Post data

Healthcare API / **Get My Appointments**

GET http://localhost:5051/api/appointment/my Send

Params Auth Headers (8) **Body** Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body 200 OK 19 ms 293 B Schema Beautify

JSON Preview Visualize

```

1 [
2   {
3     "id": 1,
4     "patientUsername": "johndoe",
5     "doctorUsername": "drsmith",
6     "reason": "Routine check-up",
7     "appointmentDate": "2025-11-10T14:00:00Z",
8     "status": 0
9   }
10 ]

```

- **Update Appointment Status** (change to Confirmed).
- **Delete Appointment** (cancel appointment).

- **Role-Based Access:**

- Register and login as **Doctor**.

The screenshot shows the Postman interface for a workspace named "Peta's Workspace". The left sidebar displays a collection tree with "Healthcare API" expanded, showing sub-collections for "Patient" and "Doctor". The "Doctor" collection is selected, and the "POST Register Doctor" endpoint is highlighted. The main panel shows the details of this endpoint, including the URL "http://localhost:5051/api/auth/register" and the method "POST". The "Query Params" section is empty. The "Body" tab is selected, showing a JSON response: {"message": "Registration successful."}. The status bar at the bottom indicates a "200 OK" response with a 4 ms duration and 186 B of data.

Healthcare API / Doctor / Register Doctor

POST http://localhost:5051/api/auth/register

Params Auth Headers (10) Body Scripts Settings Cookies

Query Params


Key	Value	Description
Key	Value	Description

Body


200 OK 4 ms 186 B

```
{
  "message": "Registration successful."
}
```


- Register and login as **Admin**



- Test GET /api/appointment as Admin (should see all).
- Test PUT and DELETE as Admin (should succeed).
- **Validation:**
 - Try booking without patientUsername → expect 400.
 - Try accessing endpoints without token → expect 401.



- Try unauthorized role (e.g., Patient updating status) → expect 403.



404

- **Security:**
 - Confirm passwords are hashed in DB (not plain text).
- **Screenshots:**
 - Capture Postman tests for Register, Login, Book, Get, Update, Delete.
 - Optional: Swagger UI screenshot.

JSON for PostMan Unit Test

```
{
  "info": {
    "name": "Healthcare API",
    "schema": "https://schema.getpostman.com/json/collection/v2.1.0/collection.json"
  },
  "item": [
    {
      "name": "Register Patient",
      "request": {
        "method": "POST",
        "header": [
          {
            "key": "Content-Type",
            "value": "application/json"
          }
        ],
        "body": {
```

```

        "mode": "raw",
        "raw": "{\n  \"username\": \"johndoe\", \n  \"password\": \"SecurePass123!\", \n  \"email\": \"john@example.com\", \n  \"firstName\": \"John\", \n  \"lastName\": \"Doe\", \n  \"role\": \"Patient\"\n}"
      },
      "url": {
        "raw": "http://localhost:5051/api/auth/register",
        "protocol": "http",
        "host": [
          "localhost"
        ],
        "port": "5051",
        "path": [
          "api",
          "auth",
          "register"
        ]
      }
    },
    {
      "name": "Register Doctor",
      "request": {
        "method": "POST",
        "header": [
          {
            "key": "Content-Type",
            "value": "application/json"
          }
        ],
        "body": {
          "mode": "raw",
          "raw": "{\n  \"username\": \"drsmith\", \n  \"password\": \"StrongPass456!\", \n  \"email\": \"drsmith@example.com\", \n  \"firstName\": \"John\", \n  \"lastName\": \"Smith\", \n  \"role\": \"Doctor\"\n}"
        }
      },
      "url": {
        "raw": "http://localhost:5051/api/auth/register",
        "protocol": "http",
        "host": [
          "localhost"
        ],
        "port": "5051",
        "path": [
          "api",
          "auth",
          "register"
        ]
      }
    }
  ]
}

```

```

    }
  },
  {
    "name": "Login Patient",
    "request": {
      "method": "POST",
      "header": [
        {
          "key": "Content-Type",
          "value": "application/json"
        }
      ],
      "body": {
        "mode": "raw",
"raw": "{\n  \"username\": \"johndoe\", \n  \"password\": \"SecurePass123!\" \n}"
      },
      "url": {
"raw": "http://localhost:5051/api/auth/login",
        "protocol": "http",
        "host": [
          "localhost"
        ],
        "port": "5051",
        "path": [
          "api",
          "auth",
          "login"
        ]
      },
      "event": [
        {
          "listen": "test",
          "script": {
            "exec": [
              "var jsonData = pm.response.json();",
              "pm.collectionVariables.set(\"token\", jsonData.token);"
            ],
            "type": "text/javascript"
          }
        }
      ],
    },
    {
      "name": "Book Appointment",
      "request": {
        "method": "POST",
        "header": [
          {

```

```

        "key": "Content-Type",
        "value": "application/json"
    },
    {
        "key": "Authorization",
        "value": "Bearer {{token}}"
    }
],
    "body": {
        "mode": "raw",
        "raw": "{\n  \"patientUsername\": \"johndoe\", \n  \"doctorUsername\": \"drsmith\", \n  \"appointmentDate\": \"2025-11-10T14:00:00Z\", \n  \"reason\": \"Routine check-up\" \n}"
    },
    "url": {
        "raw": "http://localhost:5051/api/appointment/book",
        "protocol": "http",
        "host": [
            "localhost"
        ],
        "port": "5051",
        "path": [
            "api",
            "appointment",
            "book"
        ]
    },
    {
        "name": "Get Appointments",
        "request": {
            "method": "GET",
            "header": [
                {
                    "key": "Authorization",
                    "value": "Bearer {{token}}"
                }
            ],
            "url": {
                "raw": "http://localhost:5051/api/appointment",
                "protocol": "http",
                "host": [
                    "localhost"
                ],
                "port": "5051",
                "path": [
                    "api",
                    "appointment"
                ]
            }
        }
    }
]

```

```

        }
    },
    {
        "name": "Update Appointment Status",
        "request": {
            "method": "PUT",
            "header": [
                {
                    "key": "Content-Type",
                    "value": "application/json"
                },
                {
                    "key": "Authorization",
                    "value": "Bearer {{token}}"
                }
            ],
            "body": {
                "mode": "raw",
                "raw": "{\n  \"status\": \"Confirmed\"\n}"
            },
            "url": {
                "raw": "http://localhost:5051/api/appointment/1",
                "protocol": "http",
                "host": [
                    "localhost"
                ],
                "port": "5051",
                "path": [
                    "api",
                    "appointment",
                    "1"
                ]
            }
        },
        {
            "name": "Delete Appointment",
            "request": {
                "method": "DELETE",
                "header": [
                    {
                        "key": "Authorization",
                        "value": "Bearer {{token}}"
                    }
                ],
                "url": {
                    "raw": "http://localhost:5051/api/appointment/1",
                    "protocol": "http",

```

```
    "host": [  
      "localhost"  
    ],  
    "port": "5051",  
    "path": [  
      "api",  
      "appointment",  
      "1"  
    ]  
  }  
}  
},  
"variable": [  
  {  
    "key": "token",  
    "value": ""  
  }  
]  
}
```