


Postman Testing Checklist
Healthcare appointment API running on port 5051.

DEV 422 BELLEVUE COLLEGE
SUPERVISOR UZMAN RIZI
STUDENT PP TROENDLE
NOV 1 2025

CHECKLIST

`http://localhost:5051/swagger/v1/swagger.json`
is then imported to Postman



Healthcare Appointment Booking System API – Minimal Checklist

1. User Registration

- **POST** /api/auth/register OK ENDPOINT 200
 - Can register **Patient, Doctor, Admin** with role assigned.

2. Authentication

- **POST** /api/auth/login OK ENDPOINT 200
 - Returns **JWT token** for valid credentials.
- Token used to access protected endpoints.

3. Role-Based Authorization

- Patient can **book** and **view own appointments** only.
- Doctor can **view/manage own appointments** only.
- Admin can **view all appointments** only.
- Access blocked for unauthorized roles.

4. Appointment Management

- **POST** /api/appointment/book – Patient books appointment. OK ENDPOINT 200
- **GET** /api/appointment/my – Patient views own appointments. OK ENDPOINT 200
- **GET** /api/appointment/doctor – Doctor views appointments. OK ENDPOINT 200
- **GET** /api/appointment/all – Admin views all appointments.
- **PUT** /api/appointment/{id} – Doctor/Admin updates appointment.
- **DELETE** /api/appointment/{id} – Patient cancels appointment.

5. Appointment Status

- Doctor/Admin can update status (Pending → Confirmed → Canceled).

6. User Profile

- **GET** /api/user/profile – View profile.
- **PUT** /api/user/update – Update info.
- **PUT** /api/user/change-password – Change password.

7. Testing

- All endpoints tested in **Postman** or **Swagger**.
- Verify JWT authentication and role restrictions.

POST /api/auth/register

POST /api/auth/login

The image displays two screenshots of the Peta's Workspace API client interface, showing the configuration and execution of API requests.

Top Screenshot: Register Patient

- Endpoint:** POST /api/auth/register
- Method:** POST
- Body (JSON):**

```
1 {
2   "username": "johndoe",
3   "password": "SecurePass123!",
4   "email": "john@example.com",
5   "firstName": "John",
6   "lastName": "Doe",
7   "role": "Patient"
8 }
```
- Response:** Not visible, indicating a successful request.


Bottom Screenshot: Register Doctor

- Endpoint:** POST /api/auth/register
- Method:** POST
- Body (JSON):**

```
1 {
2   "username": "drsmith",
3   "password": "StrongPass456!",
4   "email": "drsmith@example.com",
5   "firstName": "John",
6   "lastName": "Smith",
7   "role": "Doctor"
8 }
```
- Response:** 400 Bad Request - 10 ms - 175 B. The response body shows:

```
1 Username already exists.
```

Patient can **book** and **view own appointments** only.



Register Doctor. I ran it the second time so it gave 400 as it was a repeat

1. Run **Login Patient** → token will auto-save to `{{token}}`.
2. Test:

The screenshot displays the Postman application interface. On the left, the 'Peta's Workspace' sidebar shows a collection named 'Healthcare API' with several endpoints. The 'Login Patient' endpoint is selected. The main panel shows the details of the selected endpoint, which is a POST request to 'http://localhost:5051/api/auth/login'. The 'Pre-request Scripts' tab is active, showing two lines of JavaScript code: `var jsonData = pm.response.json();` and `pm.collectionVariables.set("token", jsonData.token);`. The 'Post-response' tab is also visible. At the bottom, the 'Body' tab shows the response in JSON format, indicating a successful status of 200 OK. The response body contains a 'token' field with a long alphanumeric string.

Peta's Workspace New Import

Search collections

Healthcare API

- POST Register Patient
- POST Register Doctor
- POST Login Patient
- POST Book Appointment
- GET Get Appointments
- PUT Update Appointment Status
- DELETE Delete Appointment

My Collection

- GET Get data
- POST Post data

Healthcare API / Login Patient

POST http://localhost:5051/api/auth/login Send

Params Auth Headers (10) Body Scripts Settings Cookies

Pre-req

```
1. var jsonData = pm.response.json();
2. pm.collectionVariables.set("token", jsonData.token);
```

Post-res

Body 200 OK 29 ms 365 B

JSON Preview Visualize

```
1 {
2   "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1bm1xdWVibmFtZSI6ImprvaG8kb2VlLCJyb2xiIjoiaUGF0aWVudCIsIm51ZiI6MTc2MjIwNzE3MSwzZXh0Ij09NzYyMjA4OTUxLzI3pYXQ10jE3VjIyM0cXNTF9.Okyec3kqAT183t4gIZHid0eU3Ly188xYKdpeFIV-n5"
3 }
```

- **Book Appointment (with patientUsername).**

Peta's Workspace

Healthcare API / Book Appointment

POST http://localhost:5051/api/appointment/book

Body (JSON)

```
1 {
2   "patientUsername": "johndoe",
3   "doctorUsername": "dpsmith",
4   "appointmentDate": "2025-11-10T14:00:00Z",
5   "reason": "Routine check-up"
6 }
```

Body (JSON)

```
1 {
2   "id": 1,
3   "patientUsername": "johndoe",
4   "doctorUsername": "dpsmith",
5   "appointmentDate": "2025-11-10T14:00:00Z",
6   "reason": "Routine check-up",
7   "status": 0
8 }
```

- **Get Appointments (view appointments).**

Peta's Workspace

Healthcare API / Get My Appointments


GET http://localhost:5051/api/appointment/my

Body (JSON)



```
1 [
```

As
Admin

- Register and login as **Doctor**.



- Try unauthorized role (e.g., Patient updating status) → expect 403.



- Try accessing endpoints without token → expect 401.

The screenshot shows the Peta's Workspace REST client interface. The left sidebar displays a collection tree with 'Healthcare API' expanded, showing endpoints like 'POST Register Patient', 'POST Login Patient', and 'POST Book Appointment'. The main panel shows the 'POST Book Appointment' endpoint selected, with the URL 'http://localhost:5051/api/appointment/book' and a 'Send' button. The request body is a JSON object:

```
{  "doctorUsername": "dzswith",  "appointmentDate": "2026-11-10T14:00:00Z",  "reason": "Routine check-up"}
```

. The response status is '401 Unauthorized' with a 4 ms duration and 128 B body. The response body is shown in raw format.

Peta's Workspace

New Import

Healthcare API / Patient / Book Appointment

POST http://localhost:5051/api/appointment/book

Send

Params Auth Headers (11) Body Scripts Settings Cookies


raw JSON Schema Beautify

```
1 {
2   "doctorUsername": "dzswith",
3   "appointmentDate": "2026-11-10T14:00:00Z",
4   "reason": "Routine check-up"
5 }
```

Body 401 Unauthorized - 4 ms - 128 B

Raw Preview Debug with AI

{{baseUrl}}/api/Appointment/patient1



{{baseUrl}}/api/Appointment/my

LoginAPI Collection / Get My Appointments

SaveShare

GET{{baseUrl}}/api/Appointment/mySend

ParamsAuthorizationHeaders (9)BodyScriptsSettings

Auth Type

Inh...

The authorization header will be automatically generated when you send the request. Learn more about [authorization](#).

Bearer Token

Token

{{jwtToken}}

Edit Auth in collection

BodyCookiesHeaders (4)Test Results

200 OK • 11 ms • 150 BSave Response

{ } JSONPreviewVisualize

1 []

{{baseUrl}}/api/Appointment/doctor1

LoginAPI Collection / Get Appointments by Username

SaveShare

GET{{baseUrl}}/api/Appointment/doctor1Send

ParamsAuthorizationHeaders (9)BodyScriptsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQL

This request does not have a body

BodyCookiesHeaders (4)Test Results

200 OK • 5 ms • 150 BSave Response

{ } JSONPreviewVisualize

1 []

Postman Test Flow

1. Register Patient

```
POST {{baseUrl}}/api/Auth/register
Body:
{
  "username": "patient1",
  "password": "NewPass123!",
  "email": "patient@example.com",
  "firstName": "John",
  "lastName": "Doe",
  "role": "Patient"
}
Expected: 200 OK
```

2. Register Doctor

```
POST {{baseUrl}}/api/Auth/register
Body:
{
  "username": "doctor1",
  "password": "DocPass123!",
  "email": "doctor@example.com",
  "firstName": "Alice",
  "lastName": "Smith",
  "role": "Doctor"
}
Expected: 200 OK
```

3. Login Patient

```
POST {{baseUrl}}/api/Auth/login
Body:
{
  "username": "patient1",
  "password": "NewPass123!"
}
```

4.

POST `{{baseUrl}}/api/Auth/login` **Send**

Params Auth Headers (11) **Body** Scripts Settings Cookies

Raw JSON Schema Beautify

```

1
2 {
3   "username": "patient1",
4   "password": "NewPass123!"
5 }
6

```

200 OK • 150 ms • 580 B • 🌐 📄 ⋮

JSON Preview Visualize

```

1 {
2   "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJodHRwOi8vc2NoZW1hcy54bWxzb2FwLm9yZy93cy8yMDA1LzA1L2lkZW50aXR5L2NsYWltcy9uYW1lIjoicGF0aWVudDEiLCJodHRwOi8vc2NoZW1hcy54bWxzb2FwLm9yZy93cy8yMDA1LzA1L2lkZW50aXR5L2NsYWltcy91bWVpY2FkZHIjL3MlOiJwYXRpZW50QGV4YW1wbGUuY29tIiwiaHR0cDovL3NjaGVtYXMuY29udC8yMDA1LzA1L2lkZW50aXR5L2NsYWltcy9yY2x1IjoicGF0aWVudCIsImV4cCI6MTc2MjQxNzIxMH0.rw3PZMG7HbdH-uXCMW34qY_8cmHBevHzYPXqz1M9CZw"
3 }

```

Book Appointment (Patient only)

POST `{{baseUrl}}/api/Appointment/book`

Headers:

Authorization: Bearer <token>

Body:

```

{
  "doctorUsername": "doctor1",
  "reason": "Routine checkup",
  "appointmentDate": "2025-11-10T10:00:00",
  "status": 0
}

```

Expected: 200 OK with appointment details


6. Admin View All

```
GET {{baseUrl}}/api/Appointment/all
```

Headers:

Authorization: Bearer <admin token>

Expected: All appointments



Peta's Workspace

NewImport

<LogPOST BooGET Get MGET Get A>+vLoginAPI

Collections

+Search collections

LoginAPI Collection

POST Login

POST Register

POST Book Appointment

GET Get My Appointments

GET Get All Appointments

GET Get Appointments by Username

PUT Update Appointment Status

DEL Delete Appointment

HTTP

LoginAPI Collection / Get All Appointments

SavevShare

GETv

{{baseUrl}}/api/Appointment/all

Send

ParamsAuthHeaders (9)BodyScriptsSettings

nonev

This request does not have a body

Bodyv

200 OK8 ms467 B

{}JSONvPreviewVisualizev

1[
2 {
3 "id": 1,
4 "username": null,
5 "patientUsername": "patient1",
6 "doctorUsername": "doctor1",
7 "reason": "Routine checkup",
8 "appointmentDate": "2025-11-10T10:00:00",
9 "status": 0
10 },
11 {
12 "id": 2,
13 "username": null,
14 "patientUsername": "patient1",
15 "doctorUsername": "doctor2",
16 "reason": "Routine checkup",
17 "appointmentDate": "2025-11-10T10:00:00",
18 "status": 0

Peta's Workspace

NewImport

Search collections

LoginAPI Collection

- POST Login
- POST Register
- POST Book Appointment
- GET Get My Appointments
- GET Get All Appointments
- GET Get Appointments by Username
- PUT Update Appointment Status
- DEL Delete Appointment

HTTP LoginAPI Collection / Delete Appointment

SaveShare

DELETE{{baseUrl}}/api/Appointment/1Send

ParamsAuthHeaders (9)BodyScriptsSettingsCookies

Query Params

	Key	Value	Description		Bulk Edit
	Key	Value	Description		

Body200 OK14 ms182 BPreviewVisualize

```
1 {
2   "message": "Appointment deleted."
3 }
```