Magellan Mission Dictionary

NASA Planetary Data System

USER GUIDE

1	Introduction	3
2	Overview of the Magellan Mission Data Dictionary	5
3	How to Include the Magellan Mission Data Dictionary in a PDS4 Label	7
4	Organization of Classes and Attributes 4.1 Magellan_Parameters Class	9 9
5	Definitions	11
6	Examples	17

The Magellan Mission Dictionary (mgn) contains classes and attributes specific to the Magellan mission and its instruments.

PDS4 Magellan Mission Dictionary User's Guide 2023-10-06 Jennifer Ward

USER GUIDE 1

2 USER GUIDE

CHAPTER

ONE

INTRODUCTION

- 1. Purpose of this User's Guide
- This User's Guide provides an overview of the Magellan Mission Data Dictionary. It details how to include the dictionary in a PDS4 label, describes the organization of classes and attributes, provides definitions of the classes and attributes, and lists examples of labels that use it.
- 2. Audience
- This User's Guide should be useful to data providers intending to archive Magellan data with PDS as well as PDS Nodes who are working with these data providers.

C	ш	۸	PΊ	re	D
L	П	А	Р.		ĸ

TWO

OVERVIEW OF THE MAGELLAN MISSION DATA DICTIONARY

The Magellan Mission Data Dictionary contains classes and attributes specific to the Magellan mission and its instruments. Steward: Jennifer Ward, PDS Geosciences Node, geosci@wunder.wustl.edu



HOW TO INCLUDE THE MAGELLAN MISSION DATA DICTIONARY IN A PDS4 LABEL

The dictionary consists of a set of files with names in the form PDS4_MGN_xxxx_yyyy.ext, where

- xxxx = the PDS4 Information Model version, e.g. 1K00
- yyyy = the MRO Mission Dictionary version, e.g. 1000

and the file extensions are

- .csv = A comma-separated value table of dictionary attributes
- .JSON = The dictionary contents in JSON format
- .sch = The dictionary "rules" as an XML Schematron file
- .txt = The report generated when the dictionary was built
- .xml = The PDS4 label that describes this set of files
- .xsd = The dictionary contents as an XML schema file

Only the schema and Schematron files are needed for validating a PDS4 label.

The version PDS latest of this dictionary may be found on the web site at https://pds.nasa.gov/datastandards/dictionaries/index-missions.shtml#mgn.

The following is an example showing the use of this dictionary in a PDS4 label.

The following is an example showing the location of the Magellan dictionary classes and attributes in a PDS4 label.

```
<0bservation_Area>
    ...
<Mission_Area>
```

(continues on next page)

(continued from previous page)

The namespace for the Magellan Mission Dictionary is http://pds.nasa.gov/pds4/mission/mgn/v1, abbreviated "mgn:".

ORGANIZATION OF CLASSES AND ATTRIBUTES

See the schematic for a visual representation of the classes and attributes (not yet available).

Below is a list showing the hierarchy of classes in order of appearance in the PDS4 label. See the Definitions section for complete definitions.

• Magellan_Parameters class

Below are lists showing the hierarchy of class attributes in order of appearance in the PDS4 label. See the Definitions section for complete definitions.

4.1 Magellan_Parameters Class

- product_type
- · product_version_id
- mapping_cycle
- orbit_number
- · start_orbit_number
- stop_orbit_number
- mission_phase_name
- radar_look_direction
- spacecraft_clock_count_partition
- spacecraft_clock_start_count
- spacecraft_clock_stop_count
- producer_institution_name
- original_pds3_volume_id

DEFINITIONS

Classes (in alphabetical order)

Magellan_Parameters

- The Magellan_Parameters class is the container for mission-specific metadata elements.
- Minimum occurrences: 1
- Maximum occurrences: 1

Attributes (in alphabetical order)

mapping_cycle The mapping cycle in which the data were acquired. Should be 1 to 6.

• PDS4 data type: ASCII_NonNegative_Integer

• Valid values: N/A

Minimum occurrences: 0Maximum occurrences: 1

• Nillable: No

Minimum value: 1Maximum value: 6

mission_phase_name The mission_phase_name attribute provides the mission-defined name of a time period within the mission.

- PDS4 data type: ASCII_Short_String_Collapsed
- Valid values: Mapping Cycle 1, Mapping Cycle 2, Mapping Cycle 3, Mapping Cycle 4, Mapping Cycle 5, Mapping Cycle 6, Aerobraking, Primary Mission
 - Mapping Cycle 1 The first mapping cycle extended from completion of the orbit trim and checkout phase until completion of one cycle of radar mapping (approximately 243 days). Started 1990-09-15 and ended 1991-05-15.
 - Mapping Cycle 2 The second mapping cycle extended from completion of the first mapping cycle through an additional cycle of mapping. Acquisition of 'right-looking' SAR data was emphasized. Radio occultation measurements were carried out on orbits 3212-3214. A period of battery reconditioning followed completion of Cycle 2. Started 1991-05-16 and ended 1992-01-17.
 - Mapping Cycle 3 The third mapping cycle extended from completion of battery reconditioning through an additional cycle of mapping (approximately 243 days). Acquisition of 'stereo' SAR data was emphasized. The last orbit in the third cycle was orbit 5747. Started 1992-01-24 and ended 1992-09-14.

- Mapping Cycle 4 The fourth mapping cycle extended from completion of the third mapping cycle through an additional cycle of mapping. Acquisition of radio tracking data for gravity studies was emphasized. Radio occultation measurements were carried out on orbits 6369, 6370, 6471, and 6472. Because of poor observing geometry for gravity data collection at the beginning of the cycle, this cycle was extended 10 days beyond the nominal 243 days. Orbits included within the fourth cycle were 5748 through 7626. Periapsis was lowered on orbit 5752 to improve sensitivity to gravity features in Cycle 4. Started 1992-09-14 and ended 1993-05-25.
- Mapping Cycle 5 The fifth mapping cycle extended from completion of the aerobraking phase through an additional cycle of mapping (approximately 243 days). Acquisition of radio tracking data for gravity studies was emphasized. The first orbit in the fifth cycle was orbit 8393. Started on 1993-08-16 and ended on 1994-04-15.
- Mapping Cycle 6 The sixth mapping cycle extended from completion of the fifth mapping cycle through an additional cycle of mapping (approximately 243 days). Acquisition of radio tracking data for gravity studies was emphasized. The first orbit in the sixth cycle was orbit 12249. Started on 1994-04-16.
- Aerobraking The aerobraking phase extended from completion of the fourth mapping cycle through achievement of a near-circular orbit. Circularization was achieved more quickly than expected; the first gravity data collection in the circular orbit was not scheduled until 11 days later. Orbits included within the aerobraking phase were 7627 through 8392. Started 1993-05-26 and ended on 1993-08-05.
- Primary Mission The prime science phase of the mission. This value occurs in the original PDS labels of the MIDR products.

• Minimum occurrences: 0

• Maximum occurrences: 1

• Nillable: No

orbit_number The orbit_number attribute identifies the number of the orbital revolution around a target body.

PDS4 data type: ASCII_NonNegative_Integer

· Valid values: N/A

Minimum occurrences: 0Maximum occurrences: 1

• Nillable: No

• Minimum value: 1

• Maximum value: 20000

original_pds_volume_id The original PDS volume_id of where the Magellan data are located.

• PDS4 data type: ASCII_Short_String_Collapsed

· Valid values: N/A

Minimum occurrences: 0Maximum occurrences: 1

· Nillable: No

producer_institution_name The producer_institution_name attribute identifies a university, research center, NASA center, or other institution associated with the production of a data product.

• PDS4 data type: ASCII_Short_String_Collapsed

• Valid values: N/A

- Minimum occurrences: 0
- Maximum occurrences: 1
- Nillable: No

product_type The product_type attribute indicates the type of data for an individual data product. The values are based on the values used by the Magellan project for their delivery to PDS.

- PDS4 data type: ASCII_Short_String_Collapsed
- Valid values: F-MIDR, C1-MIDR, C2-MIDR, C3-MIDR, P-MIDR, F-BIDR, C-BIDR, ARCDR, GTDR, GEDR, GREDR, GSDR, GXDR, SCVDR, GVDR, BSR, LOSAPDR, SHXDR
 - F-MIDR Full resolution Mosaicked Image Data Record
 - C1-MIDR Compressed one time Mosaicked Image Data Record
 - C2-MIDR Compressed two times Mosaicked Image Data Record
 - C3-MIDR Compressed three times Mosaicked Image Data Record
 - P-MIDR Polar projected Mosaicked Image Data Record
 - F-BIDR Full resolution Basic Image Data Record
 - C-BIDR Compressed Basic Image Data Record
 - ARCDR Altimetry and Radiometry Composite Data Record
 - GTDR Global topography map data record
 - GEDR Global emissivity map data record
 - GREDR Global reflectivity map data record
 - GSDR Global slope map data record
 - GXDR Global map image Data Record with maps for topography, emissivity, slope and reflectivity
 - SCVDR Surface Characteristics Vector Data Record
 - GVDR Global Vector Data Record
 - BSR Bistatic Radar
 - LOSAPDR Line Of Sight Acceleration Profile Data Record
 - SHXDR Spherical Harmononic Data Record for topography and gravity models
- Minimum occurrences: 1
- Maximum occurrences: 1
- Nillable: No

product_version_id The product_version_id attribute identifies the version of an individual data product.

- PDS4 data type: ASCII_Short_String_Collapsed
- · Valid values: N/A
- Minimum occurrences: 0
- Maximum occurrences: 1
- Nillable: No

radar_look_direction The radar_look_direction attribute provides the direction the radar antenna was pointing relative to the spacecraft ground track along a given orbit. Most cases were Left or Right. Stereo indicates left looking with an incidence angle for stereo measurements. Maxwell is a special case for observing the Maxwell feature.

- PDS4 data type: ASCII_Short_String_Collapsed
- Valid values: Left, Right, Mixed, Stereo, Maxwell
 - Left Left
 - Right Right
 - Mixed Mixed
 - Stereo Stereo
 - Maxwell Maxwell
- Minimum occurrences: 0
- Maximum occurrences: 1
- Nillable: No

spacecraft_clock_count_partition The spacecraft_clock_count_partition attribute indicates the clock partition active for the spacecraft_clock_start_count and spacecraft_clock_stop_count attributes.

- PDS4 data type: ASCII_NonNegative_Integer
- · Valid values: N/A
- Minimum occurrences: 0
- Maximum occurrences: 1
- Nillable: No

spacecraft_clock_start_count The spacecraft_clock_start_count attribute provides the value of the spacecraft clock at the beginning of a time period of interest.

- PDS4 data type: ASCII_Short_String_Collapsed
- · Valid values: N/A
- Minimum occurrences: 0
- Maximum occurrences: 1
- Nillable: Yes

spacecraft_clock_stop_count The spacecraft_clock_start_count attribute provides the value of the spacecraft clock at the end of a time period of interest.

- PDS4 data type: ASCII_Short_String_Collapsed
- Valid values: N/A
- Minimum occurrences: 0
- Maximum occurrences: 1
- Nillable: Yes

start_orbit_number Provides the the lowest revolution orbit number that contributed data to a given data product.

- PDS4 data type: ASCII_NonNegative_Integer
- · Valid values: N/A
- Minimum occurrences: 0

• Maximum occurrences: 1

• Nillable: No

• Minimum value: 1

• Maximum value: 20000

stop_orbit_number Provides the highest revolution orbit number that contributed data to a given data product.

• PDS4 data type: ASCII_NonNegative_Integer

• Valid values: N/A

Minimum occurrences: 0 Maximum occurrences: 1

• Nillable: No

• Minimum value: 1

• Maximum value: 20000

CHAPTER

SIX

EXAMPLES

Example PDS4 label snippet for a Magellan F-MIDR data product: