

## Legend

Dataset Level: N National S State D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID

## dConfiguration

1 : M	dConfiguration.ConfigurationGroup					C	U
1 : 1	dConfiguration.01 - State Associated with this Configuration			N	S	M	
1 : M	dConfiguration.ProcedureGroup					C	U
1 : 1	dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure			N	S	M	
1 : M	dConfiguration.07 - EMS Agency Procedures			N	S	M	C
1 : M	dConfiguration.MedicationGroup					C	U
1 : 1	dConfiguration.08 - EMS Certification Levels Permitted to Administer Each Medication			N	S	M	
1 : M	dConfiguration.09 - EMS Agency Medications			N	S	M	C
1 : M	dConfiguration.10 - EMS Agency Protocols			N	S	M	C
0 : M	dConfiguration.11 - EMS Agency Specialty Service Capability			S	E	N, L	C
0 : 1	dConfiguration.12 - Billing Status			O			
1 : 1	dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area			N	S	M	
0 : M	dConfiguration.14 - EMD Vendor			S	E	N, L	C
0 : M	dConfiguration.15 - Patient Monitoring Capability(ies)			S	E	N, L	C
1 : M	dConfiguration.16 - Crew Call Sign			N	S	M	C
0 : M	dConfiguration.17 - Dispatch Center (CAD) Name or ID			O		C	

## dConfiguration

### Associated Validation Rules

Rule ID	Level	Message
nemSch_d005	Error	UUID must be universally unique.