dCustomResults.01 - Custom Data Element Result

Definition

The actual value or values chosen (if values listed in dCustomConfiguration.06) or result (free text, Date/Time, or number) documented for the Custom Data Element.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Mandatory	Recurrence	1 : M

Attributes

NOT Values (NV)

Pertinent Negatives (PN)

NV

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

PN

8801001 - Contraindication Noted	8801003 - Denied By Order	8801005 - Exam Finding Not Present
8801007 - Medication Allergy	8801009 - Medication Already Taken	8801013 - No Known Drug Allergy
8801015 - None Reported	8801017 - Not Performed by EMS	8801019 - Refused
8801021 - Unresponsive	8801023 - Unable to Complete	8801025 - Not Immunized
8801027 - Order Criteria Not Met	8801029 - Approximate	8801031 - Symptom Not Present

Constraints

Data Type	minLength	maxLength
string	1	100000

Data Element Comment

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

Associated Validation Rules

Rule ID	Level	Message
nemSch_d001	Error	When Custom Data Element Result is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_d002	Error	When Custom Data Element Result has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.