NEMSIS
Data Dictionary

NHTSA v3.3.4
Build 160713 Critical Patch 2

EMS Data Standard

National Elements Only

Version Date: July 13, 2016

NEMSIS Data Dictionary Version 3.3.4
NEMSIS Overview and Summary

This data dictionary represents 24 months of effort collaborating with the EMS industry through web-based reviews, public comment periods, focus groups, industry dialogue, topic focused projects, and consensus. The National EMS Information System Version 3 represents a revision from the existing version 2.1.1 released in 2005. Adopting a broad perspective, the initiative to move to a 3rd version of the NEMSIS data dictionary was fueled by the need to improve data quality, enhance our ability to assess EMS performance, augment the flexibility of the standard for state adoption and, prepare for our initial movement of this standard into Health Level 7 (HL7) for approval as an American National Standards Institute (ANSI) standard. At the time of this initial publication, NEMSIS Version 3 has passed several ballots within HL7 in an effort to be recognized as a federal healthcare information standard. Final HL7 adoption of NEMSIS Version 3 is expected in 2012. HL7 will be the permanent home for the NEMSIS standard once fully adopted and future revisions will occur through the HL7 process.

NEMSIS Version 3 Element Configuration from v2.2.1

NEMSIS NHTSA Uniform PreHospital Dataset	Version 2.2.1	Version 3
Demographic (Agency) NEMSIS Version 3 Data Elements	110 (26%)	155 (24%)
Existing (version 2.2.1)	88 (80%)	88 (58%)
New		67 (42%)
Retired	22 (20%)	
EMS (ePCR) NEMSIS Version 3 Data Elements	315 (74%)	423 (73%)
Existing (version 2.2.1)	258 (82%)	258 (61%)
New		165 (39%)
Retired	57 (18%)	
Overall Total NEMSIS Version 3 Data Elements	425	578
Existing (version 2.2.1)	346 (81%)	346 (60%)
New		232 (40%)
Retired	79 (19%)	

NEMSIS Version 3 Element Configuration

Total Elements including the Custom Elements: 578
Excluding the Demographic and EMS (ePCR) Custom Elements: 556

Total National Elements	166	Total State Elements	103	Total "Other" Element	309
Mandatory	37	Recommended	82	Excluding the custom elements	287
Required	129	Optional	21	Demographic (Agency) Elements	88
Demographic (Agency) Elements	35	Demographic (Agency) Elements	32	Excluding the custom elements	77
Mandatory	22	Recommended	32	EMS (ePCR) Elements	221
Required	13	Optional	0	Excluding the custom elements	210
EMS (ePCR) Elements	131	EMS (ePCR) Elements	71		
Mandatory	15	Recommended	50		
Required	116	Optional	21		

NEMSIS Version 3.3.4 Data Dictionary Content

**Note: The numbers to the right of the content listed below represent the location for each element on the Sample Page of the Data Dictionary (page vi).

Data Element Number (#1)

The NEMSIS Version 3 element numbering system has been revised to improve the information that can be derived from just the data element number. An example of a

data element number is dAgency.01.

- The data element number begins with either a "d" representing the demographic (agency) section or an "e" representing the EMS PCR section.
- A one word descriptor for each section is now included in the data element number.
- A period separates the section (e.g. dAgency) from the data element number (e.g. 01).

Data Element Name (#3)

The name for the data element.

National and State Element Indicator (#2, #5, #6)

National = Yes, is an indication that the data element is required to be collected:
- at the local EMS agency level and submitted to the state

State = Yes, is an indication that the data element is recommended to be collected at the "State" level.

Data Element Definition (#4)

The definition for the data element.

Version 2 Number (#7)

The NEMSIS Version 2.2.1 Data Element Number.

If the Data Element is new to Version 3.3.4, the Version 2 Number will be blank.

Data Structure Information

Recurrence (#12)
- Indication that the data element can have more than one value.

Represented by two characters separated by a colon. The configuration includes:

0:1 = element is not required and can occur only once

0:M = element is not required and can repeat multiple times

1:1 = element is required and can occur only once

1:M = element is required and can repeat multiple times

Usage (#8)
- Indication of when the data element is expected to be collected.

Mandatory = Must be completed and does not allow for NOT values

Required = Must be completed and allows NOT values

Recommended = Does not need to be completed and allows NOT values

Optional = Does not need to be completed and does not allow for NOT values

NOT Value Characteristics (#10)
- Indication that the data element can have NOT values.
- NOT Values are used (where permitted) to document that a data element was not applicable to the EMS response / request for service, was not or could not be completed.
- NOT Values are documented as "an attribute" of an element. It allows the documentation of NOT value when a "real" value is not documented. *(Please reference the NEMSIS White Paper describing the use of NOT Values, Pertinent Negatives, and Nill.)*

NOT Values Accepted (#14)
- Indication of which of the following three NOT values is acceptable.
- Not all data elements accept NOT values.

- NOT Values have been condensed in Version 3.

    Not Applicable = *The data element is not applicable or pertinent to the EMS event.*

    Not Recorded = *If a data element was unintentionally left blank the EMS software should auto-populate it with "Not Recorded".*

    Not Reporting = *The data element is not collected by the EMS agency or state. This NOT value does not apply to National elements where "Usage = Required".*

Pertinent Negative Values (PN) **(#9, #14)**

- A list of Pertinent Negative Values which can be associated with a data element.
- <u>Not all data elements accept Pertinent Negative Values.</u>
- Pertinent Negative Values are documented as "an attribute" of an element. It allows the documentation of pertinent negative value in addition to the documentation of a "real" value. *(Please reference the NEMSIS White Paper describing the use of NOT Values, Pertinent Negatives, and Nill.)*
- Example of use:

    Example #1 - Aspirin Administration:

    If the medication Aspirin is part of the agency protocol for Chest Pain but was not administered by the responding crew, the reason why should be documented. This is done through the use of Pertinent Negative Values. If the patient took the Aspirin prior to the EMS arrival on scene, the value "Medication Already Taken" should be documented in addition to "Aspirin".

    Example #2 - Gunshot Wound Entry & Exit Assessment

    If the patient was injured by a gunshot the assessment should document not only the entry but the exit of the bullet. In the abdominal assessment if "Gunshot Wound-Entry" was documented in the Right Upper Quadrant the EMS professional should be looking for an exit wound. If upon assessment of the back/spine no "Gunshot Wound-Exit" was identified then both "Gunshot Wound-Exit" and the pertinent negative value of "Exam Finding Not Present" should be documented.

Is Nillable **(#11)**

- Indication that the element can accept a "blank" value.
- If the element is left "blank" the software must submit an appropriate value of one of the two attributes: Pertinent Negative or NOT Values.

Associated Performance Measure Initiatives **(#13)**

Indication that the data element has value in describing, defining, or measuring EMS from a performance perspective. Performance Measures can be associated with EMS service delivery, patient care, or both. The following service delivery or time dependent illness/injury performance measure topics have been included in NEMSIS Version 3:

- Airway - Airway Management
- Cardiac Arrest - Out of Hospital Cardiac Arrest
- Pediatric - Acute Pediatric Care
- Response - EMS Response Time
- STEMI - ST Elevation Myocardial Infarction (STEMI)
- Stroke - Acute Stroke Care
- Trauma - Acute Injury/Trauma Care

Attributes **(#14)**

An attribute provides extra information within an element. For information related to the

first three attributes please see the NEMSIS document 'How to Utilize NEMSIS V3 "NOT values/pertinent negatives/nillable"'. The following are possible attributes:

- PN (Pertinent Negative)
    - 8801001 - Contraindication Noted
    - 8801003 - Denied By Order
    - 8801005 - Exam Finding Not Present
    - 8801007 - Medication Allergy
    - 8801009 - Medication Already Taken
    - 8801013 - No Known Drug Allergies
    - 8801015 - None Reported
    - 8801017 - Not Performed by EMS
    - 8801019 - Refused
    - 8801021 - Unresponsive
    - 8801023 - Unable to Complete

- NV (Not Value)
    - 7701001 - Not Applicable
    - 7701003 - Not Recorded
    - 7701005 - Not Reporting

- Nillable xsi:nil="true"

- Code Type
    - 9924001 - ICD10
    - 9924003 - RxNorm

- CorrelationID
    - Date Type = String
    - minLength = 0
    - maxLength = 255

- DistanceUnit
    - 9921001 - Kilometers
    - 9921003 - Miles

- EmailAddressType
    - 9904001 - Personal
    - 9904003 - Work

- nemsisCode
    - Date Type = String

- nemsisElement
    - Date Type = String

- nemsisValueDescription
    - Date Type = String

- PhoneNumberType
    - 9913001 - Fax
    - 9913003 - Home

9913005 - Mobile
9913007 - Pager
9913009 - Work

- ProcedureGroupCorrelationID
    Date Type = CorrelationID

- StreetAddress2
    Date Type = String
    minLength = 1
    maxLength = 55

- TIMESTAMP
    Date Type = DateTime
    minValue = 1950-01-01T00:00:00-00:00
    maxValue = 2050-01-01T00:00:00-00:00

- VelocityUnit
    9921001 - Kilometers
    9921003 - Miles

Code List (#16)

A list of values associated with the data element. Not all data elements have predefined value sets.

Codes for each value:

- The codes are based on a 7-digit number, in a 2-2-3 pattern (without dashes).
    The first set of two numbers represent the data section
    The second set of two numbers represent the element number
    The last set is a 3-digit number for each value beginning at 001; The codes increase in increments of two (2).
- Codes are typically sequential (by two) and alphabetical. Some ordering is provided in an effort to present information based on workflow.
- Several values and codes reference external standards such as ICD-10, RxNorm, SNOMED, etc. NEMSIS will assist in providing a recommended list of EMS specific values and codes from these larger standards for most elements using these external standards.

Data Element Editorial Comments (#17)

Comments are provided to describe additions, changes, clarifications, or provide additional insight into the data element.

Version 3 Changes Implemented (#18)

Comments providing insight into specific Version 3 changes such as new or revised data elements.

Element Deprecated(#19)

Elements that are signified as "deprecated" will be removed from a future version of the NEMSIS standard. Their use should now be avoided, but will be supported until they are removed from the standard.

NEMSIS Version 3.3.4 Change Summary

NEMSIS Version 3 includes several new types of information to better describe EMS from an industry, workforce, EMS service delivery, and patient care perspective. Examples of new Version 3 content include:

Demographic (Agency) Content

EMS Agencies can list more than one state in which they offer EMS service delivery.
EMS Agencies can indicate multiple Agency numbers.
Multiple EMS Agency contacts can now be managed within the Demographic Section.
EMS Agency Location and GIS information has been enhanced.
EMS Professional and Workforce information has been enhanced.

EMS (PCR) Content

EMS Crew level information has been enhanced
Scene location information has been enhanced to improve geo-coding and location analysis.
Provider Impression (diagnosis), Symptoms, Cause of Injury, Medical/Surgical History, and Incident Location are now based on ICD-10.
Procedures are now based on SNOMED.
Medications are now stored using the RxNorm standard
Cardiac Arrest information has been enhanced to add focus on CPR and post arrest cooling.
Automated Collision Notification information has been included.
The data elements required to document and evaluate the CDC Field Triage Algorithm for trauma have been included.
Vital Sign and patient monitoring information have been enhanced
A new section for Laboratory and Diagnostic Imaging results has been added.
The Exam section has been reconfigured to improve documentation and ease of use.
Much of the medical device information has been mapped into the vital sign section for direct import via the XML standard.
Inclusion of electronic signatures and external electronic documents.
An Airway section has been added to better document and evaluate airway management.
Improved Work Related Illness and Injury documentation capability.
Disposition information has been enhanced especially associated with Specialty Centers and time dependent illness/injury Systems of Care.
EMS Response and Transport Modes have been enhanced to better define emergent, non-emergent, scheduled, and non-scheduled variation.
EMS Response and Transport Mode Descriptors have been added to allow for documentation of Lights and Sirens Use and Intersection Navigation tools.
The Payment/Billing section has been greatly expanded to meet current electronic billing requirements.
Outcome information has been expanded to include additional Emergency Department and Hospital Outcome information (often obtained through linkage).

General Improvements

Version 3 content has focused on objective performance measures to better describe and evaluate EMS service delivery and patient care.
State level configuration and customized data elements have been enhanced without changing the NEMSIS Version 3 Standard.

(19) Deprecated

(1) eMedications.01

(2) State National

(3) eMedications.01 - Date/Time Medication Administered

(4) Definition

The date/time medication administered to the patient

(5) National Element	Yes	Pertinent Negatives (PN) **(9)**	Yes
(6) State Element	Yes	NOT Values **(10)**	Yes
(7) Version 2 Element	E18_01	Is Nillable **(11)**	Yes
(8) Usage	Required	Recurrence **(12)**	1 : M

(13) Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

(14) Attributes

NOT Values
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Pertinent Negatives
8801001 - Contraindication Noted   8801003 - Denied By Order   8801007 - Medication Allergy
8801009 - Medication Already Taken 8801019 - Refused   8801023 - Unable to Complete

Email Address
9904001 - Personal   9904003 - Work

Phone Number
9913001 - Fax   9913003 - Home   9913005 - Mobile   9913007 - Pager   9913009 - Work

Current Status
A - Active   I - Inactive

Current Status Date
Data Type: DateTime   **minInclusive:** 1950-01-01T00:00:00   **maxInclusive:** 2050-01-01T00:00:00
Pattern: [0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Correlation ID
Data Type: String   **minLength:** 0   **maxLength:** 255

(15) Constraints

Data Type	**minValue**	**maxValue**
dateTime	1950-01-01T00:00:00	2050-01-01T00:00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

(16) Code List

Code	Description
SSEE001	Value A
SSEE003	Value B
SSEE005	Value C

(17) Data Element Comment

Comments for this element

(18) Version 3 Changes Implemented

Version 3 Changes implemented for this element

Table of Contents

dDevice — 159

dFacility — 167

dCustomResults — 183

eState — 188

eScene   346

eSituation   371

eInjury   391

eArrest   423

eHistory — 444

eNarrative — 465

eVitals — 468

eLabs   505

eExam   516

DEMDataSet

Legend	Dataset Level: N National S State
	Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

DEMDataSet

0 : 1	dState
0 : 1	dCustomConfiguration
1 : M	DemographicReport
	1 : 1	dAgency
	0 : 1	dContact
	1 : 1	dConfiguration
	0 : 1	dLocation
	0 : 1	dVehicle
	0 : 1	dPersonnel
	0 : 1	dDevice
	0 : 1	dFacility
	0 : 1	dCustomResults

DEMDataSet

EMSDataSet

Legend

Dataset Level: **N** National **S** State

Usage: **M** = Mandatory , **R** = Required , **E** = Recommended, or **O** = Optional

Attributes: **N** = Not Values, **P** = Pertinent Negatives , **L** = Nillable, and/or **C** = Correlation ID

EMSDataSet

0 : 1	eState				
1 : M	Header				
	1 : 1	DemographicGroup			
		1 : 1	dAgency.01 - EMS Agency Unique State ID	N S M	
		1 : 1	dAgency.02 - EMS Agency Number	N S M	
		1 : 1	dAgency.04 - EMS Agency State	N S M	
	0 : 1	eCustomConfiguration			
	1 : M	PatientCareReport			
		1 : 1	eRecord		
		1 : 1	eResponse		
		1 : 1	eDispatch		
		0 : 1	eCrew		
		1 : 1	eTimes		
		1 : 1	ePatient		
		1 : 1	ePayment		
		1 : 1	eScene		
		1 : 1	eSituation		
		1 : 1	eInjury		
		1 : 1	eArrest		
		1 : 1	eHistory		
		0 : 1	eNarrative		
		1 : 1	eVitals		
		0 : 1	eLabs		
		0 : 1	eExam		
		1 : 1	eProtocols		
		1 : 1	eMedications		
		1 : 1	eProcedures		
		0 : 1	eAirway		
		0 : 1	eDevice		
		1 : 1	eDisposition		
		1 : 1	eOutcome		
		0 : 1	eCustomResults		
		1 : 1	eOther		

dState

dState

0 : M	dState.01 - State Required Element	O

dState

dState.01 - State Required Element

Definition

Indicates which elements are required by the state.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

TIMESTAMP
Data Type: String   **minInclusive:** 1950-01-01T00:00:00-00:00   **maxInclusive:** 2050-01-01T00:00:00-00:00
Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Constraints

Data Type	minLength	maxLength
string	1	100

Data Element Comment

This element was created to document elements required by the state. The TIMESTAMP attribute describes the active date of the element.

dCustomConfiguration

dCustomConfiguration

0 : M	dCustomConfiguration.CustomGroup	
1 : 1	dCustomConfiguration.01 - Custom Data Element Title	M
1 : 1	dCustomConfiguration.02 - Custom Definition	M
1 : 1	dCustomConfiguration.03 - Custom Data Type	M
1 : 1	dCustomConfiguration.04 - Custom Data Element Recurrence	M
1 : 1	dCustomConfiguration.05 - Custom Data Element Usage	M
0 : M	dCustomConfiguration.06 - Custom Data Element Potential Values	O
0 : M	dCustomConfiguration.07 - Custom Data Element Potential NOT Values (NV)	O
0 : M	dCustomConfiguration.08 - Custom Data Element Potential Pertinent Negative Values (PN)	O

dCustomConfiguration

dCustomConfiguration.01 - Custom Data Element Title

Definition

This is the title of the custom data element created to collect information that is not defined formally in NEMSIS Version 3.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Attributes

nemsisElement
Data Type: anySimpleType **whiteSpace:** preserve

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

This is grouped with all data elements in this section and can have multiple instances.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

dCustomConfiguration.02 - Custom Definition

Definition

The definition of the custom element and how it should be used.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	0	255

Data Element Comment

dCustomConfiguration.03 - Custom Data Type

Definition

The data type of the custom element.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9902001	Binary
9902003	Date/Time
9902005	Integer/Number
9902007	Other (Not Listed)
9902009	Text/String
9902011	Boolean

Data Element Comment

dCustomConfiguration.04 - Custom Data Element Recurrence

Definition

Indication if the data element will accept multiple values.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

dCustomConfiguration.05 - Custom Data Element Usage

Definition

The Usage (Mandatory, Required, Recommended, or Optional) for the Custom Data Element.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9903001	Mandatory
9903003	Required
9903005	Recommended
9903007	Optional

Data Element Comment

Mandatory = Must be completed and will not accept null values
Required = Must be completed but will accept null values
Recommended = Not required but if collected will accept null values
Optional = Not required but if collected, it cannot be a null value.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

dCustomConfiguration.06 - Custom Data Element Potential Values

Definition

The values which are associated with the Custom Data Element. Values would be the choices provided to the user when they document the Custom Data Element

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

nemsisCode
Data Type: anySimpleType **whiteSpace:** preserve

customValueDescription
Data Type: anySimpleType **whiteSpace:** preserve

Constraints

Data Type	minLength	maxLength
string	1	100

Data Element Comment

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

dCustomConfiguration.07 - Custom Data Element Potential NOT Values (NV)

Definition

NOT Values (NV) associated with the custom element

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Code List

Code	Description
7701001	Not Applicable
7701003	Not Recorded
7701005	Not Reporting

Data Element Comment

dCustomConfiguration.08 - Custom Data Element Potential Pertinent Negative Values (PN)

Definition

Pertinent Negative Values (PN) associated with the custom element

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Code List

Code	Description
8801001	Contraindication Noted
8801003	Denied By Order
8801005	Exam Finding Not Present
8801007	Medication Allergy
8801009	Medication Already Taken
8801013	No Known Drug Allergy
8801015	None Reported
8801017	Not Performed by EMS
8801019	Refused
8801021	Unresponsive
8801023	Unable to Complete

Data Element Comment

dAgency

Legend	Dataset Level: N National	S State	D Deprecated
	Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

dAgency

1 : 1	dAgency.01 - EMS Agency Unique State ID	N S M
1 : 1	dAgency.02 - EMS Agency Number	N S M
0 : 1	dAgency.03 - EMS Agency Name	S E N, L
1 : 1	dAgency.04 - EMS Agency State	N S M
1 : M	**dAgency.AgencyServiceGroup**	C
	1 : 1	dAgency.05 - EMS Agency Service Area States	N S M
	1 : M	dAgency.06 - EMS Agency Service Area County(ies)	N S M C
	1 : M	dAgency.07 - EMS Agency Census Tracts	N S R N, L C
	1 : M	dAgency.08 - EMS Agency Service Area ZIP Codes	N S R N, L C
1 : 1	dAgency.09 - Primary Type of Service	N S M
0 : M	dAgency.10 - Other Types of Service	S E N, L C
1 : 1	dAgency.11 - Level of Service	N S M
1 : 1	dAgency.12 - Organization Status	N S M
1 : 1	dAgency.13 - Organizational Type	N S M
1 : 1	dAgency.14 - EMS Agency Organizational Tax Status	N S M
1 : M	**dAgency.AgencyYearGroup**	C
	1 : 1	dAgency.15 - Statistical Calendar Year	N S M
	1 : 1	dAgency.16 - Total Primary Service Area Size	N S R N, L
	1 : 1	dAgency.17 - Total Service Area Population	N S R N, L
	1 : 1	dAgency.18 - 911 EMS Call Center Volume per Year	N S R N, L
	1 : 1	dAgency.19 - EMS Dispatch Volume per Year	N S R N, L
	1 : 1	dAgency.20 - EMS Patient Transport Volume per Year	N S R N, L
	1 : 1	dAgency.21 - EMS Patient Contact Volume per Year	N S R N, L
	0 : 1	dAgency.22 - EMS Billable Calls per Year	S E N, L
0 : 1	dAgency.23 - EMS Agency Time Zone	O
0 : 1	dAgency.24 - EMS Agency Daylight Savings Time Use	O
1 : M	dAgency.25 - National Provider Identifier	N S R N, L C
1 : M	dAgency.26 - Fire Department ID Number	N S R N, L C

dAgency

State National

dAgency.01 - EMS Agency Unique State ID

Definition

The unique ID assigned to the EMS Agency which is associated with all state licensure numbers and information.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

This may be the EMS Agency Name or a unique number assigned by the state EMS office. This is required to document multiple license types and numbers associated with the same EMS Agency.

dAgency.02

dAgency.02 - EMS Agency Number

Definition

The state-assigned provider number of the responding agency

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Constraints

Data Type	**minLength**	**maxLength**
string	1	15

Data Element Comment

This is the primary identifier for the entire Demographic Section. Each of the Demographic sections must be associated with an EMS Agency Number. An EMS Agency can have more than one Agency Number within a state. This reflects the ability for an EMS Agency to have a different number for each service type or location (based on state implementation). The EMS Agency Number in dAgency.02 can be used to auto-populate eResponse.01 EMS Agency Number in the EMS Event section.

State

dAgency.03 - EMS Agency Name

Definition

The formal name of the agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_02	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	2	100

Data Element Comment

dAgency.04

State National

dAgency.04 - EMS Agency State

Definition

The state/territory which assigned the EMS agency number.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_03	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Constraints

Data Type   **length**
string   2

Data Element Comment

This has been clarified to reflect that it is the state in which the EMS Agency resides and the state associated with the EMS Agency number.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

State   National

dAgency.05 - EMS Agency Service Area States

Definition

The states in which the EMS Agency provides services including the state associated with the EMS Agency Number.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Each state is captured as a group where the EMS agency provides service. The group includes dAgency.05, dAgency.06, dAgency.07, and Agency.08.

Element added to document all of the states in which the EMS agency provides services. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

State National

dAgency.06 - EMS Agency Service Area County(ies)

Definition

The county(ies) within each state for which the agency formally provides service.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Data Type	**length**
string	5

Data Element Comment

Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state. County codes are based on ISO/ANSI codes. It is a 5-digit code based on state (2-digit) and county (3-digit).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

State   National

dAgency.07 - EMS Agency Census Tracts

Definition

The US census tracts in which the EMS agency formally provides service.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Pattern
[0-9]{11}

Data Element Comment

This data element was added to better document the service area of the EMS Agency. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

The format of the census tract number must be an 11-digit number, based upon the 2010 census, using the pattern:
2-digit State Code 3-digit County Code 6-digit Census Tract Number (no decimal)

Example: NEMSIS TAC office (UT, Salt Lake County, Census Tract - located at 295 Chipeta Way, Salt Lake City, UT) 49035101400

Census Tract Data Website (files and descriptions): http://www.census.gov/geo/www/2010census/tract_rel/tract_rel.html

State   National

dAgency.08 - EMS Agency Service Area ZIP Codes

Definition

The ZIP codes for the EMS Agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Pattern
[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

This data element was added to better document the service area of the EMS Agency. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

Zip Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

State National

dAgency.09 - Primary Type of Service

Definition

The primary service type provided by the agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_05	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
9920001	911 Response (Scene) with Transport Capability
9920003	911 Response (Scene) without Transport Capability
9920005	Air Medical
9920007	ALS Intercept
9920011	Hazmat
9920013	Medical Transport (Convalescent, Interfacility Transfer Hospital and Nursing Home)
9920015	Rescue
9920017	Community Paramedicine
9920019	Critical Care (Ground)

Data Element Comment

The Primary Type of Service is associated with each of the EMS Agency Numbers.

dAgency.10 - Other Types of Service

Definition

The other service type(s) which are provided by the agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_06	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
9920001	911 Response (Scene) with Transport Capability
9920003	911 Response (Scene) without Transport Capability
9920005	Air Medical
9920007	ALS Intercept
9920011	Hazmat
9920013	Medical Transport (Convalescent, Interfacility Transfer Hospital and Nursing Home)
9920015	Rescue
9920017	Community Paramedicine
9920019	Critical Care (Ground)

Data Element Comment

If no other services are provided beyond the Primary Service Type, Not Applicable should be used. This should include all of the types of services not listed in (dAgency.09) Primary Type of Service.

State | National

dAgency.11 - Level of Service

Definition

The level of service which the agency provides EMS care for every request for service (the minimum certification level). This may be the license level granted by the state EMS office.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_07	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
9917001	2009 Advanced Emergency Medical Technician (AEMT)
9917003	2009 Emergency Medical Responder (EMR)
9917005	2009 Emergency Medical Technician (EMT)
9917007	2009 Paramedic
9917009	First Responder
9917011	EMT-Basic
9917013	EMT-Intermediate
9917015	EMT-Paramedic
9917017	Nurse DEPRECATED
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

Data Element Comment

The Level of Service is associated with the specific EMS Agency Number (dAgency.02) for the EMS Agency. For example a BLS licensed ambulance service (EMT-Basic) with EMT-Intermediate or EMT-Paramedic on staff, the appropriate level of service is "EMT-Basic". This is because the care provided to patients is limited to BLS skills.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

State National

dAgency.12 - Organization Status

Definition

The primary organizational status of the agency. The definition of Volunteer or Non-Volunteer is based on state or local definitions.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_09	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
1016001	Mixed
1016003	Non-Volunteer
1016005	Volunteer

Data Element Comment

The Organizational Status is associated with the EMS Agency and the specific EMS Agency Number (dAgency.02).

State National

dAgency.13 - Organizational Type

Definition

The organizational structure from which EMS services are delivered (fire, hospital, county, etc.)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_08	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
9912001	Fire Department
9912003	Governmental, Non-Fire
9912005	Hospital
9912007	Private, Nonhospital
9912009	Tribal

Data Element Comment

Organizational Type is associated with the EMS Agency and the specific EMS Agency Number (dAgency.02).

State | National

dAgency.14 - EMS Agency Organizational Tax Status

Definition

The EMS Agencies business/corporate organizational tax status

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	**Description**
1018001	For Profit
1018003	Other (ex: Government)
1018005	Not For Profit

Data Element Comment

Associated with the EMS Agency for the specific EMS Agency Number (dAgency.02).

State National

dAgency.15 - Statistical Calendar Year

Definition

The calendar year to which the information pertains for the EMS Agency and the specific EMS Agency Number (dAgency.02).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_10	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
integer	1900	2050

Data Element Comment

Added Calendar Year to the definition to remove confusion noted in draft comments. Will allow multiple entry to allow data to be stored on several years. This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02) and elements dAgency.16 through dAgency.22

State | National

dAgency.16 - Total Primary Service Area Size

Definition

The total square miles in the agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_12	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
positiveInteger	1	4,000,000

Data Element Comment

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year

State   National

dAgency.17 - Total Service Area Population

Definition

The total population in the agency's service area based if possible on year 2010 census data.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_13	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	4,000,000

Data Element Comment

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

State   National

dAgency.18 - 911 EMS Call Center Volume per Year

Definition

The number of 911 calls received by the call center during the last calendar year

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	4,000,000

Data Element Comment

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

Version 3 Changes Implemented

Name Clarified with "Call Center"

State   National

dAgency.19 - EMS Dispatch Volume per Year

Definition

The number of EMS dispatches during the last calendar year

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	4,000,000

Data Element Comment

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

State   National

dAgency.20 - EMS Patient Transport Volume per Year

Definition

The number of EMS transports per year based on last calendar year.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	4,000,000

Data Element Comment

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

State National

dAgency.21 - EMS Patient Contact Volume per Year

Definition

The number of EMS patient contacts per year based on last calendar year.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_17	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	4,000,000

Data Element Comment

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

dAgency.22 - EMS Billable Calls per Year

Definition

The number of EMS patient encounters which are billable based on the last calendar year.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_18	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	4,000,000

Data Element Comment

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

dAgency.23 - EMS Agency Time Zone

Definition

The time zone for the EMS Agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D01_19	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
1027001	All other time zones
1027003	GMT-04:00 Atlantic Time
1027005	GMT-05:00 Eastern Time
1027007	GMT-06:00 Central Time
1027009	GMT-07:00 Mountain Time
1027011	GMT-08:00 Pacific Time
1027013	GMT-09:00 Alaska
1027015	GMT-10:00 Hawaii
1027017	GMT-11:00 Midway Island, Samoa

Data Element Comment

Associated with each of the EMS Agency Number (dAgency.02). If more than one Time Zone is located within the EMS Agency service area, please chose the time zone covering the greatest volume of EMS events.

dAgency.24 - EMS Agency Daylight Savings Time Use

Definition

Indicate if the EMS Agency conforms to Daylight Savings Time.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D01_20	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Associated with each of the EMS Agency Number (dAgency.02). If the EMS Agency service area contains areas with variations in Daylight Savings Time implementation, choose the response which best represents the majority of the EMS events.

State | National

dAgency.25 - National Provider Identifier

Definition

The National Provider Identifier issued by CMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_21	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID

Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Data Type	**length**
string	10

Data Element Comment

Only EMS Agencies billing for service will have an NPI number.

CMS (Centers for Medicare and Medicaid Services) NPI Registry lookup:
https://npiregistry.cms.hhs.gov/

State | National

dAgency.26 - Fire Department ID Number

Definition

The state assigned Fire Department ID Number for EMS Agency(ies) operating within a Fire Department.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Data Type	minLength	maxLength
string	1	20

Data Element Comment

Fire Department ID was added to better integrate Fire Department EMS Agencies and linkage to other EMS related data systems such as NFIRS.

Version 3 Changes Implemented

Added to better associate Fire and EMS licensure and operational identifiers.

dContact

Dataset Level: **N** National   **S** State   **D** Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

dContact

0 : M	dContact.ContactInfoGroup	C

0 : 1	dContact.01 - Agency Contact Type	S	E	N, L
0 : 1	dContact.02 - Agency Contact Last Name	S	E	N, L
0 : 1	dContact.03 - Agency Contact First Name	S	E	N, L
0 : 1	dContact.04 - Agency Contact Middle Name/Initial	O		
0 : 1	dContact.05 - Agency Contact Address	S	E	N, L
0 : 1	dContact.06 - Agency Contact City	S	E	N, L
0 : 1	dContact.07 - Agency Contact State	S	E	N, L
0 : 1	dContact.08 - Agency Contact ZIP Code	S	E	N, L
0 : 1	dContact.09 - Agency Contact Country	O		
0 : M	dContact.10 - Agency Contact Phone Number	S	E	N, L	C
0 : M	dContact.11 - Agency Contact Email Address	S	E	N, L	C
0 : 1	dContact.12 - EMS Agency Contact Web Address	S	E	N, L

0 : 1	dContact.EMSMedicalDirectorGroup

0 : 1	dContact.13 - Agency Medical Director Degree	S	E	N, L
0 : M	dContact.14 - Agency Medical Director Board Certification Type	S	E	N, L	C
0 : 1	dContact.15 - Medical Director Compensation	O		
0 : 1	dContact.16 - EMS Medical Director Fellowship Trained Status	O		

dContact

dContact.01 - Agency Contact Type

Definition

The contact type within the EMS agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Code List

Code	Description
1101001	Administrative Assistant
1101003	EMS Agency Director/Chief/Lead Administrator/CEO
1101005	EMS Assistant Agency Director/Chief/Administrator/CEO
1101007	EMS Assistant Medical Director
1101009	EMS IT/Data Specialist
1101011	EMS Medical Director
1101013	EMS Quality/Performance Improvement Specialist
1101015	EMS Training/Education Specialist
1101017	Other (Not Listed)

Data Element Comment

dContact.02 - Agency Contact Last Name

Definition

The Last Name of the agency's primary contact.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D02_01	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	1	50

Data Element Comment

dContact.03 - Agency Contact First Name

Definition

The first name of the agency's primary contact.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D02_03	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

dContact.04 - Agency Contact Middle Name/Initial

Definition

The middle name or initial of the agency's primary contact.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D02_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

dContact.05 - Agency Contact Address

Definition

The street address of the agency contact's mailing address.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D02_04	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

StreetAddress2
Data Type: string   **minLength:** 1   **maxLength:** 55

Constraints

Data Type	minLength	maxLength
string	1	55

Data Element Comment

The address for the director/chief/lead administrator/CEO/ should be the main address for the EMS agency.

dContact.06 - Agency Contact City

Definition

The city of the EMS contact's mailing address.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D02_05	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Data Element Comment

The city should be the mailing address for each contact type for the EMS agency. The EMS agency primary address information (e.g. City) should be entered for the Agency Contact Type (dContact.05) "EMS Agency Director/Chief/Lead Administrator/CEO".

City codes are based on GNIS Feature Class. The primary Feature Class to use is "Civil" with "Populated Place" and "Military" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

State

dContact.07 - Agency Contact State

Definition

The state of the Agency contact's mailing address.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D02_06	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type | **length**
string | 2

Data Element Comment

The address for the director/chief/lead administrator/CEO/ should be the main address for the EMS agency. Based on the state ANSI Code. For individuals living outside the USA full address to be entered in the address line.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

dContact.08 - Agency Contact ZIP Code

Definition

The ZIP code of the Agency's contact's mailing address.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D02_07	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Constraints

Pattern

[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

The address for the director/chief/lead administrator/CEO/ should be the main address for the EMS agency.

Zip Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition.

dContact.09 - Agency Contact Country

Definition	
The Country code of the Agency's contact's mailing address.	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
CA	Canada
MX	Mexico
US	United States

Data Element Comment

The International Organization for Standardization (ISO) ISO 3166-1-alpha-2 code element for the country. The address for the director/chief/lead administrator/CEO/ should be the main address for the EMS agency. For individuals living outside the USA full address to be entered in the address line.

ANSI Country Codes (ISO 3166): http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

dContact.10 - Agency Contact Phone Number

Definition

Agency contact phone number.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D02_08	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

CorrelationID

Data Type: string	**minLength:** 0	**maxLength:** 255

PhoneNumberType

9913001 - Fax	9913003 - Home	9913005 - Mobile
9913007 - Pager	9913009 - Work	

Constraints

Pattern

[2-9][0-9][0-9]-[2-9][0-9][0-9]-[0-9][0-9][0-9][0-9]

Data Element Comment

dContact.11 - Agency Contact Email Address

Definition

The primary email address of the Agency contact.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D02_10	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

CorrelationID

Data Type: string	**minLength:** 0	**maxLength:** 255

EmailAddressType

9904001 - Personal	9904003 - Work

Constraints

Data Type	**minLength**	**maxLength**
string	3	100

Pattern
.+@.+

Data Element Comment

The address for the director/chief/lead administrator/CEO/ should be the main address for the EMS agency.

dContact.12 - EMS Agency Contact Web Address

Definition

The primary website address of the agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D02_11	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	3	255

Data Element Comment

The EMS agency website address should be entered for the Agency Contact Type (dContact.05) "EMS Agency Director/Chief/Lead Administrator/CEO". The EMS agency website address or other websites are optional for other contact types (e.g. Administrative Assistant, EMS Medical Director, etc.).

dContact.13 - Agency Medical Director Degree

Definition

The medical school degree type of the EMS Medical Director.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Code List

Code	Description
1113001	Doctor of Medicine
1113003	Doctor of Osteopathy

Data Element Comment

The Medical Director Information has been merged into Section dContact. This data element is now associated with the Medical Director and Assistant Medical Director Contacts in Section dContact.

dContact.14 - Agency Medical Director Board Certification Type

Definition

Documentation of the type of board certification of the EMS Agency Medical Director.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
1114001	Allergy and Immunology
1114003	Anesthesiology
1114005	Colon and Rectal Surgery
1114007	Dermatology
1114009	Emergency Medicine
1114011	Family Medicine
1114013	Internal Medicine
1114015	Neurological Surgery
1114017	Neurology
1114019	None (Not Board Certified)
1114021	Obstetrics and Gynecology
1114023	Ophthalmology
1114025	Orthopedic Surgery
1114027	Otolaryngology
1114029	Pediatrics
1114031	Physical Medicine and Rehabilitation
1114033	Plastic Surgery
1114035	Psychiatry
1114037	Surgery
1114039	Thoracic Surgery
1114041	Urology
1114043	Vascular Surgery

Data Element Comment

This is based on the American Board of Medical Specialties List of Certifications. The Medical Director Information from Section D02 of NEMSIS Version 2.2.1 has been merged into Version 3 Section dContact.

dContact.15 - Medical Director Compensation

Definition	
Indication of Medical Director's Compensation.	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
1115001	Compensated
1115003	Non-Compensated

Data Element Comment

Associated with EMS Medical Directors only.

dContact.16 - EMS Medical Director Fellowship Trained Status

Definition	
Indication if the EMS Medical Director is Fellowship trained.	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

dConfiguration

Legend	Dataset Level: N National S State D Deprecated
	Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

dConfiguration

1 : M	dConfiguration.ConfigurationGroup		C
	1 : 1	dConfiguration.01 - State Associated with the Certification/Licensure Levels	N S M
	1 : M	dConfiguration.02 - State Certification/Licensure Levels	N S M C
	1 : M	dConfiguration.03 - Procedures Permitted by the State	N S R N, L C
	1 : M	dConfiguration.04 - Medications Permitted by the State	N S R N, L C
	1 : M	dConfiguration.05 - Protocols Permitted by the State	N S R N, L C
	1 : M	dConfiguration.ProcedureGroup	C
		1 : 1	dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure	N S M
		1 : M	dConfiguration.07 - EMS Agency Procedures	N S M C
	1 : M	dConfiguration.MedicationGroup	C
		1 : 1	dConfiguration.08 - EMS Certification Levels Permitted to Administer Each Medication	N S M
		1 : M	dConfiguration.09 - EMS Agency Medications	N S M C
	1 : M	dConfiguration.10 - EMS Agency Protocols	N S M C
	1 : M	dConfiguration.11 - EMS Agency Specialty Service Capability	N S M C
	0 : 1	dConfiguration.12 - Billing Status	O
	1 : 1	dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area	S E M
	0 : M	dConfiguration.14 - EMD Vendor	S E N, L C
	1 : M	dConfiguration.15 - Patient Monitoring Capability(ies)	N S M C
	1 : M	dConfiguration.16 - Crew Call Sign	N S M C
	0 : M	dConfiguration.17 - Dispatch Center (CAD) Name or ID	O C

dConfiguration

dConfiguration.01

State | National

dConfiguration.01 - State Associated with the Certification/Licensure Levels

Definition

The state associated with the state certification/licensure levels.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Associated with the state (dAgency.01 - EMS Agency State).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

The state EMS system does not need to import this information into their database. Reference the Demographic Dataset Submission Guide for further details.

State National

dConfiguration.02 - State Certification/Licensure Levels

Definition

All of the potential levels of certification/licensure for EMS personnel recognized by the state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
9911001	2009 Advanced Emergency Medical Technician (AEMT)
9911003	2009 Emergency Medical Responder (EMR)
9911005	2009 Emergency Medical Technician (EMT)
9911007	2009 Paramedic
9911009	EMT-Basic
9911011	EMT-Intermediate
9911013	EMT-Paramedic
9911015	First Responder
9911017	Nurse DEPRECATED
9911019	Other
9911021	Physician
9911023	Critical Care Paramedic
9911025	Community Paramedicine
9911027	Nurse Practitioner
9911029	Physician Assistant
9911031	Licensed Practical Nurse (LPN)
9911033	Registered Nurse

Data Element Comment

The new 2009 Education Levels have been added. The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

The state EMS system does not need to import this information into their database. Reference the Demographic Dataset Submission Guide for further details.

State   National

dConfiguration.03 - Procedures Permitted by the State

Definition

A list of all of the procedures permitted by the EMS Agency's licensing state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Data Type	**maxInclusive**	**minInclusive**
integer	999999999999999	100000

Data Element Comment

This data element should capture all of the procedures permitted by the state for any/all levels of EMS personnel in the state. This is associated with the EMS Agency State (dAgency.01). This is related to the EMS Agency's procedures (dConfiguration.07) which have been implemented within the EMS System.

State EMS systems which have regulatory authority to determine the procedures statewide may identify SNOMEDCT procedure codes based on medical direction and their own need.

Code list is represented in SNOMEDCT: Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

SNOMEDCT
Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Product: Product - UMLS Metathesaurus

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

State   National

dConfiguration.04 - Medications Permitted by the State

Definition

A list of all of the medications permitted by the state to be used by each EMS state certification/licensure level.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Data Type	minLength	maxLength
string	2	7

Data Element Comment

This data element should capture all of the medications permitted by the state for any/all levels of EMS personnel in the state. This should be stored as an RxNorm (RXCUI) Code. This is associated with the EMS Agency State (dAgency.01).

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

Version 3 Changes Implemented

State EMS systems which have regulatory authority to identify medications to be administered within the state may identify specific RxNorm codes based on medical direction and their own need.

List of medications based on RxNorm (RXCUI) code.

Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

RxNorm
Website - http://uts.nlm.nih.gov

Product - UMLS Metathesaurus
Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html
Product - RxNorm Full Monthly Release

State | National

dConfiguration.05 - Protocols Permitted by the State

Definition

A list of all of the protocols permitted by the state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
9914001	Airway
9914003	Airway-Failed
9914005	Airway-Obstruction/Foreign Body
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
9914009	Airway-Sedation Assisted (Non-Paralytic)
9914011	Cardiac Arrest-Asystole
9914013	Cardiac Arrest-Hypothermia-Therapeutic
9914015	Cardiac Arrest-Pulseless Electrical Activity
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
9914019	Cardiac Arrest-Post Resuscitation Care
9914021	Environmental-Altitude Sickness
9914023	Environmental-Cold Exposure
9914025	Environmental-Frostbite/Cold Injury
9914027	Environmental-Heat Exposure/Exhaustion
9914029	Environmental-Heat Stroke/Hyperthermia
9914031	Environmental-Hypothermia
9914033	Exposure-Airway/Inhalation Irritants
9914035	Exposure-Biological/Infectious
9914037	Exposure-Blistering Agents
9914039	Exposure-Carbon Monoxide/Smoke Inhalation DEPRECATED
9914041	Exposure-Chemicals to Eye
9914043	Exposure-Cyanide
9914045	Exposure-Explosive/ Blast Injury
9914047	Exposure-Nerve Agents
9914049	Exposure-Radiologic Agents
9914051	General-Back Pain
9914053	General-Behavioral/Patient Restraint
9914055	General-Cardiac Arrest
9914057	General-Dental Problems
9914059	General-Epistaxis
9914061	General-Fever
9914063	General-Individualized Patient Protocol
9914065	General-Indwelling Medical Devices/Equipment
9914067	General-IV Access
9914069	General-Medical Device Malfunction
9914071	General-Pain Control
9914073	General-Spinal Immobilization/Clearance
9914075	General-Universal Patient Care/ Initial Patient Contact

9914077	Injury-Amputation
9914079	Injury-Bites and Envenomations-Land
9914081	Injury-Bites and Envenomations-Marine
9914083	Injury-Bleeding/ Hemorrhage Control
9914085	Injury-Burns-Thermal
9914087	Injury-Cardiac Arrest
9914089	Injury-Crush Syndrome
9914091	Injury-Diving Emergencies
9914093	Injury-Drowning/Near Drowning
9914095	Injury-Electrical Injuries
9914097	Injury-Extremity
9914099	Injury-Eye
9914101	Injury-Head
9914103	Injury-Impaled Object
9914105	Injury-Multisystem
9914107	Injury-Spinal Cord
9914109	Medical-Abdominal Pain
9914111	Medical-Allergic Reaction/Anaphylaxis
9914113	Medical-Altered Mental Status
9914115	Medical-Bradycardia
9914117	Medical-Cardiac Chest Pain
9914119	Medical-Diarrhea
9914121	Medical-Hyperglycemia
9914123	Medical-Hypertension
9914125	Medical-Hypoglycemia/Diabetic Emergency
9914127	Medical-Hypotension/Shock (Non-Trauma)
9914129	Medical-Influenza-Like Illness/ Upper Respiratory Infection
9914131	Medical-Nausea/Vomiting
9914133	Medical-Newborn/ Neonatal Resuscitation
9914135	Medical-Overdose/Poisoning/Toxic Ingestion
9914137	Medical-Pulmonary Edema/CHF
9914139	Medical-Respiratory Distress/Asthma/COPD/Croup/Reactive Airway
9914141	Medical-Seizure
9914143	Medical-ST-Elevation Myocardial Infarction (STEMI)
9914145	Medical-Stroke/TIA
9914147	Medical-Supraventricular Tachycardia (Including Atrial Fibrillation)
9914149	Medical-Syncope
9914151	Medical-Ventricular Tachycardia (With Pulse)
9914153	Not Done
9914155	OB/GYN-Childbirth/Labor/Delivery
9914157	OB/GYN-Eclampsia
9914159	OB/GYN-Gynecologic Emergencies
9914161	OB/GYN-Pregnancy Related Emergencies
9914163	OB/GYN-Post-partum Hemorrhage
9914165	Other
9914167	Exposure-Carbon Monoxide
9914169	Cardiac Arrest-Do Not Resuscitate
9914171	Cardiac Arrest-Special Resuscitation Orders
9914173	Exposure-Smoke Inhalation
9914175	General-Community Paramedicine / Mobile Integrated Healthcare
9914177	General-Exception Protocol
9914179	General-Extended Care Guidelines
9914181	General-Interfacility Transfers
9914183	General-Law Enforcement - Blood for Legal Purposes
9914185	General-Law Enforcement - Assist with Law Enforcement Activity
9914187	General-Neglect or Abuse Suspected
9914189	General-Refusal of Care
9914191	Injury-Mass/Multiple Casualties
9914193	Injury-Thoracic
9914195	Medical-Adrenal Insufficiency
9914197	Medical-Apparent Life Threatening Event (ALTE)
9914199	Medical-Tachycardia

Data Element Comment

This data element should capture all of the protocols permitted by the state for any/all levels of EMS personnel in the state. This is associated with the EMS Agency State (dAgency.01).

States can add additional protocols to the list but the additional state protocols must map to these uniform codes.

The list is defined by the NASEMSO State Medical Directors.

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

Version 3 Changes Implemented

Added to better identify states with statewide protocols and define state EMS capability and care.

State   National

dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure

Definition

EMS certification levels which are permitted to perform the procedure listed in dConfiguration.07.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_05	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
9917001	2009 Advanced Emergency Medical Technician (AEMT)
9917003	2009 Emergency Medical Responder (EMR)
9917005	2009 Emergency Medical Technician (EMT)
9917007	2009 Paramedic
9917009	First Responder
9917011	EMT-Basic
9917013	EMT-Intermediate
9917015	EMT-Paramedic
9917017	Nurse DEPRECATED
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

Data Element Comment

Using each certification level within the agency, indicate the approved procedures allowed utilizing dConfiguration.07 (EMS Agency Procedures).

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

State National

dConfiguration.07 - EMS Agency Procedures

Definition

A list of all procedures that the agency has implemented and available for use by any/all EMS certification levels.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Data Type	maxInclusive	minInclusive
integer	999999999999999	100000

Data Element Comment

This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities. Each procedure is associated with the EMS professional certification levels permitted to perform the procedure.

EMS Agencies may identify additional SNOMEDCT procedure codes based on medical direction and their own need. If an agency resides in a state with statewide approved procedures, they should be listed/implemented here.

Code list is represented in SNOMEDCT: Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

SNOMEDCT
Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Product: Product - UMLS Metathesaurus

State   National

dConfiguration.08 - EMS Certification Levels Permitted to Administer Each Medication

Definition

All EMS certification levels which are permitted to administer the medications listed in dConfiguration.09 (EMS Agency Medications).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_07	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
9917001	2009 Advanced Emergency Medical Technician (AEMT)
9917003	2009 Emergency Medical Responder (EMR)
9917005	2009 Emergency Medical Technician (EMT)
9917007	2009 Paramedic
9917009	First Responder
9917011	EMT-Basic
9917013	EMT-Intermediate
9917015	EMT-Paramedic
9917017	Nurse DEPRECATED
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

Data Element Comment

Using each certification level within the agency, indicate the approved medications allowed utilizing dConfiguration.09 (EMS Agency Medications).

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

State National

dConfiguration.09 - EMS Agency Medications

Definition

A list of all medications the agency has implemented and have available for use.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_06	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Data Type	minLength	maxLength
string	2	7

Data Element Comment

The medication list is stored as the RxNorm (RXCUI) Code. This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities.

List of medications based on RxNorm (RXCUI) code. Reference the NEMSIS Suggested Lists at:
http://nemsis.org/v3/resources.html

RxNorm
Website - http://uts.nlm.nih.gov

Product - UMLS Metathesaurus
Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html
Product - RxNorm Full Monthly Release

dConfiguration.10 - EMS Agency Protocols

Definition

A list of all of the EMS field protocols that the agency has in place and available for use.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_08	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
9914001	Airway
9914003	Airway-Failed
9914005	Airway-Obstruction/Foreign Body
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
9914009	Airway-Sedation Assisted (Non-Paralytic)
9914011	Cardiac Arrest-Asystole
9914013	Cardiac Arrest-Hypothermia-Therapeutic
9914015	Cardiac Arrest-Pulseless Electrical Activity
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
9914019	Cardiac Arrest-Post Resuscitation Care
9914021	Environmental-Altitude Sickness
9914023	Environmental-Cold Exposure
9914025	Environmental-Frostbite/Cold Injury
9914027	Environmental-Heat Exposure/Exhaustion
9914029	Environmental-Heat Stroke/Hyperthermia
9914031	Environmental-Hypothermia
9914033	Exposure-Airway/Inhalation Irritants
9914035	Exposure-Biological/Infectious
9914037	Exposure-Blistering Agents
9914039	Exposure-Carbon Monoxide/Smoke Inhalation DEPRECATED
9914041	Exposure-Chemicals to Eye
9914043	Exposure-Cyanide
9914045	Exposure-Explosive/ Blast Injury
9914047	Exposure-Nerve Agents
9914049	Exposure-Radiologic Agents
9914051	General-Back Pain
9914053	General-Behavioral/Patient Restraint
9914055	General-Cardiac Arrest
9914057	General-Dental Problems
9914059	General-Epistaxis
9914061	General-Fever
9914063	General-Individualized Patient Protocol
9914065	General-Indwelling Medical Devices/Equipment
9914067	General-IV Access
9914069	General-Medical Device Malfunction
9914071	General-Pain Control
9914073	General-Spinal Immobilization/Clearance
9914075	General-Universal Patient Care/ Initial Patient Contact
9914077	Injury-Amputation
9914079	Injury-Bites and Envenomations-Land

9914081	Injury-Bites and Envenomations-Marine
9914083	Injury-Bleeding/ Hemorrhage Control
9914085	Injury-Burns-Thermal
9914087	Injury-Cardiac Arrest
9914089	Injury-Crush Syndrome
9914091	Injury-Diving Emergencies
9914093	Injury-Drowning/Near Drowning
9914095	Injury-Electrical Injuries
9914097	Injury-Extremity
9914099	Injury-Eye
9914101	Injury-Head
9914103	Injury-Impaled Object
9914105	Injury-Multisystem
9914107	Injury-Spinal Cord
9914109	Medical-Abdominal Pain
9914111	Medical-Allergic Reaction/Anaphylaxis
9914113	Medical-Altered Mental Status
9914115	Medical-Bradycardia
9914117	Medical-Cardiac Chest Pain
9914119	Medical-Diarrhea
9914121	Medical-Hyperglycemia
9914123	Medical-Hypertension
9914125	Medical-Hypoglycemia/Diabetic Emergency
9914127	Medical-Hypotension/Shock (Non-Trauma)
9914129	Medical-Influenza-Like Illness/ Upper Respiratory Infection
9914131	Medical-Nausea/Vomiting
9914133	Medical-Newborn/ Neonatal Resuscitation
9914135	Medical-Overdose/Poisoning/Toxic Ingestion
9914137	Medical-Pulmonary Edema/CHF
9914139	Medical-Respiratory Distress/Asthma/COPD/Croup/Reactive Airway
9914141	Medical-Seizure
9914143	Medical-ST-Elevation Myocardial Infarction (STEMI)
9914145	Medical-Stroke/TIA
9914147	Medical-Supraventricular Tachycardia (Including Atrial Fibrillation)
9914149	Medical-Syncope
9914151	Medical-Ventricular Tachycardia (With Pulse)
9914153	Not Done
9914155	OB/GYN-Childbirth/Labor/Delivery
9914157	OB/GYN-Eclampsia
9914159	OB/GYN-Gynecologic Emergencies
9914161	OB/GYN-Pregnancy Related Emergencies
9914163	OB/GYN-Post-partum Hemorrhage
9914165	Other
9914167	Exposure-Carbon Monoxide
9914169	Cardiac Arrest-Do Not Resuscitate
9914171	Cardiac Arrest-Special Resuscitation Orders
9914173	Exposure-Smoke Inhalation
9914175	General-Community Paramedicine / Mobile Integrated Healthcare
9914177	General-Exception Protocol
9914179	General-Extended Care Guidelines
9914181	General-Interfacility Transfers
9914183	General-Law Enforcement - Blood for Legal Purposes
9914185	General-Law Enforcement - Assist with Law Enforcement Activity
9914187	General-Neglect or Abuse Suspected
9914189	General-Refusal of Care
9914191	Injury-Mass/Multiple Casualties
9914193	Injury-Thoracic
9914195	Medical-Adrenal Insufficiency
9914197	Medical-Apparent Life Threatening Event (ALTE)
9914199	Medical-Tachycardia

Data Element Comment

This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities.

State and local entities can add additional protocols to the list but the additional protocols must map to these uniform codes.

The list is defined by the NASEMSO State Medical Directors.

State   National

dConfiguration.11 - EMS Agency Specialty Service Capability

Definition

Special training or services provided by the EMS Agency and available to the EMS service area/community.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
1211001	Air Rescue
1211003	CBRNE
1211005	Community Health Medicine
1211007	Disaster Medical Assistance Team (DMAT)
1211009	Disaster Mortuary (DMORT)
1211011	Dive Rescue
1211013	Farm Rescue
1211015	High Angle Rescue
1211017	Machinery Disentanglement
1211019	None
1211021	Ski / Snow Rescue
1211023	Tactical EMS
1211025	Trench / Confined Space Rescue
1211027	Urban Search and Rescue (USAR)
1211029	Vehicle Extrication
1211031	Veterinary Medical Assistance Team (VMAT)
1211033	Water or Ice Related Rescue (Incl Swift Water)
1211035	Wilderness Search and Rescue

Data Element Comment

dConfiguration.12 - Billing Status

Definition

Indication of whether the EMS agency routinely bills for any segment of the patient population.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D04_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Billing status is associated with each EMS Agency for the specific EMS Agency Number (dAgency.02).

State National

dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area

Definition

Indication as to whether Emergency Medical Dispatch is provided to the EMS Agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code   **Description**
1213001   No
1213003   Yes, 100% of the EMS Agency's Service Area
1213005   Yes, Less than 100% of the EMS Agency's Service Area

Data Element Comment

Added to better document the implementation of Emergency Medical Dispatch. Associated with each EMS Agency and the specific EMS Agency Number (dAgency.02).

State

dConfiguration.14 - EMD Vendor

Definition

The vendor or company associated with the EMD Card set and algorithms.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D04_17	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

State | National

dConfiguration.15 - Patient Monitoring Capability(ies)

Definition

The EMS Agency's patient monitoring capability which can be provided to any/all patients presenting to EMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
1215001	Capnography-Numeric
1215003	Capnography-Waveform
1215005	ECG-12 Lead or Greater
1215007	ECG-Less than 12 Lead (Cardiac Monitor)
1215009	Oximetry-Carbon Monoxide
1215011	Oximetry-Oxygen
1215013	Pressure Measurement-Invasive (Arterial, CVP, Swan, etc.)
1215015	Pressure Measurement-Non-Invasive (Blood Pressure, etc.)
1215017	Ventilator-Transport
1215019	Vital Sign Monitoring

Data Element Comment

Added to identify the patient monitoring capability of the EMS Agency. Associated with each EMS Agency Number (dAgency.02) since each EMS Agency Number may have a different capability within each EMS Agency. Other patient monitoring capability may exist but NEMSIS Version 3 only includes these specific capabilities.

dConfiguration.16 - Crew Call Sign

Definition

The EMS crew call sign used to dispatch and communicate with the unit. This may be the same as the EMS Unit/Vehicle Number in many agencies.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_02	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

dConfiguration.17 - Dispatch Center (CAD) Name or ID

Definition

The name or ID of the dispatch center (Primary or Secondary Service Answering Point - PSAP) that dispatches the EMS agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string　　　　**minLength:** 0　　　　　　　　**maxLength:** 255

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

This element can be used to identify the dispatch center (Primary or Secondary Service Answering Point - PSAP) that dispatches the EMS agency. If the EMS agency is able to populate the Patient Care Report (PCR) with CAD specific details (times, incident address information, crew information, EMD, etc) the name or ID of the dispatch center should be documented. Information in dConfiguration.17 may be used to populate eDispatch.04 - Computer Aided Dispatch (CAD) Name or ID if a CAD integration exists.

Version 3 Changes Implemented

Added to the dataset to assist in identifying the CAD / dispatch center providing information to the EMS agency and ePCR when there are multiple dispatch centers sending resources to the same EMS incident.

dLocation

	Dataset Level: N National S State D Deprecated
	Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

dLocation

0 : M	dLocation.LocationGroup		C
0 : 1	dLocation.01 - EMS Location Type	O	
0 : 1	dLocation.02 - EMS Location Name	O	
0 : 1	dLocation.03 - EMS Location Number	O	
0 : 1	dLocation.04 - EMS Location GPS	O	
0 : 1	dLocation.05 - EMS Location US National Grid Coordinates	O	
0 : 1	dLocation.06 - EMS Location Address	O	
0 : 1	dLocation.07 - EMS Location City	O	
0 : 1	dLocation.08 - EMS Location State	O	
0 : 1	dLocation.09 - EMS Station or Location ZIP Code	O	
0 : 1	dLocation.10 - EMS Location County	O	
0 : 1	dLocation.11 - EMS Location Country	O	
0 : M	dLocation.12 - EMS Location Phone Number	O	C

dLocation

dLocation.01 - EMS Location Type

Definition

The type of EMS Location which could be a fixed station or a pre-determined staging area.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
1301001	EMS Agency Headquarters
1301003	EMS Staging Area
1301005	EMS Station
1301007	Other (Not Listed)

Data Element Comment

This is associated with the EMS Agency associated with the EMS Agency Number (dAgency.02).

Version 3 Changes Implemented

Added to allow multiple locations to be documented for an EMS Agency.

dLocation.02 - EMS Location Name

Definition

The name of the EMS Location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D05_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

dLocation.03 - EMS Location Number

Definition

The ID number of the EMS Location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D05_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

dLocation.04 - EMS Location GPS

Definition
The GPS coordinate of the EMS location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D05_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
(\+|-)?(90(\.[0]{1,6})?|([1-8][0-9]|[0-9])(\.[0-9]{1,6})?),(\+|-)?(180(\.[0]{1,6})?|(1[0-7][0-9]|[1-9][0-9]|[0-9])(\.[0-9]{1,6})?)

Data Element Comment

The pattern for GPS location is in the format "*latitude,longitude*" where:
- *latitude* has a minimum of -90 and a maximum of 90 with up to 6 decimal places
- *longitude* has a minimum of -180 and a maximum of 180 with up to 6 decimal places

dLocation.05 - EMS Location US National Grid Coordinates

Definition	

The US National Grid Coordinates of the EMS location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints	

Pattern
([1-9]|[1-5][0-9]|60)[C-HJ-NP-X][A-HJ-NP-Z][A-HJ-NP-V][0-9]{8}

Data Element Comment	

For more information go to www.fgdc.gov/usng.

dLocation.06 - EMS Location Address

Definition
The address of the EMS Location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D05_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

StreetAddress2
Data Type: string   **minLength:** 1   **maxLength:** 55

Constraints

Data Type	**minLength**	**maxLength**
string	1	55

Data Element Comment

dLocation.07 - EMS Location City

Definition

The city of the EMS location type (e.g. fixed station, sub-station, staging area, etc).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D05_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Data Element Comment

City codes are based on GNIS Feature Class. The primary Feature Class to use is "Civil" with "Populated Place" and "Military" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

dLocation.08 - EMS Location State

Definition

The state of the EMS Location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D05_07	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Based on the ANSI Code.

ANSI Country Codes (ISO 3166) Website:http://geonames.usgs.gov/domestic/download_data.htm

dLocation.09 - EMS Station or Location ZIP Code

Definition

The ZIP code of the EMS Location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D05_08	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

Zip Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

dLocation.10 - EMS Location County

Definition

The county of the EMS Location

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   5

Data Element Comment

County codes are based on ISO/ANSI codes. A 5-digit code based on state (2-digits) and county (5-digit).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

dLocation.11 - EMS Location Country

Definition

The country of the EMS location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
CA	Canada
MX	Mexico
US	United States

Data Element Comment

The International Organization for Standardization (ISO) ISO 3166-1-alpha-2 code element for the country.

ANSI Country Codes (ISO 3166) Website: http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

Version 3 Changes Implemented

Added to improve international implementations.

dLocation.12 - EMS Location Phone Number

Definition

The phone number of the EMS Location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D05_09	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

PhoneNumberType
9913001 - Fax   9913003 - Home   9913005 - Mobile
9913007 - Pager   9913009 - Work

Constraints

Pattern
[2-9][0-9][0-9]-[2-9][0-9][0-9]-[0-9][0-9][0-9][0-9]

Data Element Comment

dVehicle

Legend

Dataset Level: N National   S State   D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

dVehicle

0 : M	dVehicle.VehicleGroup		C
	0 : 1	dVehicle.01 - Unit/Vehicle Number	S E N, L
	0 : 1	dVehicle.02 - Vehicle Identification Number	O
	0 : 1	dVehicle.03 - EMS Unit Call Sign	O
	0 : 1	dVehicle.04 - Vehicle Type	S E N, L
	0 : M	dVehicle.VehicleCertificationLevelsGroup	C
		0 : 1	dVehicle.05 - Crew State Certification/Licensure Levels	O
		0 : 1	dVehicle.06 - Number of Each EMS Personnel Level on Normal 911 Ambulance Response	O
		0 : 1	dVehicle.07 - Number of Each EMS Personnel Level on Normal 911 Response (Non-Transport) Vehicle	O
		0 : 1	dVehicle.08 - Number of Each EMS Personnel Level on Normal Medical (Non-911) Transport Ambulance	O
	0 : 1	dVehicle.09 - Vehicle Initial Cost	O
	0 : 1	dVehicle.10 - Vehicle Model Year	S E N, L
	0 : M	dVehicle.YearGroup	C
		0 : 1	dVehicle.11 - Year Miles/Kilometers Hours Accrued	O
		0 : 1	dVehicle.12 - Annual Vehicle Hours	O
		0 : 1	dVehicle.13 - Annual Vehicle Miles/Kilometers	O

dVehicle

State

dVehicle.01 - Unit/Vehicle Number

Definition

The unique ID number for the unit which is specific for each vehicle. This ID number may be the state's vehicle's permit number.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D06_01	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	1	25

Data Element Comment

This element can be used in EMS PCR documentation to document the vehicle. This element should be used to populate eResponse.13 (EMS Vehicle (Unit) Number).

dVehicle.02 - Vehicle Identification Number

Definition

The manufacturer's VIN associated with the vehicle.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	17	17

Data Element Comment

Consider VIN standard ISO-3779 and ISO-3780.

dVehicle.03 - EMS Unit Call Sign

Definition

The EMS unit number used to dispatch and communicate with the unit. This may be the same as the EMS Unit/Vehicle Number in many agencies.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

dVehicle.04

State

dVehicle.04 - Vehicle Type

Definition

The vehicle type of the unit (ambulance, fire, truck, etc.).

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D06_03	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Code List

Code	Description
1404001	Ambulance
1404003	ATV
1404005	Bicycle
1404007	Fire Apparatus
1404009	Fixed Wing
1404011	Motorcycle
1404013	Other
1404015	Personal Vehicle
1404017	Quick Response Vehicle (Non-Transport Vehicle other than Fire Apparatus)
1404019	Rescue
1404021	Rotor Craft
1404023	Snow Vehicle
1404025	Watercraft

Data Element Comment

dVehicle.05 - Crew State Certification/Licensure Levels

Definition

The certification/licensure level of the ambulance by the state or the certification/licensure level at which the vehicle is most commonly staffed.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D06_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9917001	2009 Advanced Emergency Medical Technician (AEMT)
9917003	2009 Emergency Medical Responder (EMR)
9917005	2009 Emergency Medical Technician (EMT)
9917007	2009 Paramedic
9917009	First Responder
9917011	EMT-Basic
9917013	EMT-Intermediate
9917015	EMT-Paramedic
9917017	Nurse DEPRECATED
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

Data Element Comment

The new 2009 EMS Educational Levels have been added. The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

dVehicle.06 - Number of Each EMS Personnel Level on Normal 911 Ambulance Response

Definition

The number of each personnel level associated with the vehicle crew.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D06_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	12

Data Element Comment

Indicate the number of each of the following EMS Personnel levels on the crew. Associated with each Certification/Licensure Level in dVehicle.05 (Crew State Certification/Licensure Levels).

dVehicle.07 - Number of Each EMS Personnel Level on Normal 911 Response (Non-Transport) Vehicle

Definition			
The number of each personnel level for your EMS Agency's Medical (Non-911) Non-Transport Ambulance.			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints		
Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	12

Data Element Comment
Indicate the number of each of the following EMS Personnel levels on the crew. Associated with each Certification/Licensure Level in dVehicle.05 (Crew State Certification/Licensure Levels).

dVehicle.08 - Number of Each EMS Personnel Level on Normal Medical (Non-911) Transport Ambulance

Definition

The number of each personnel level for your EMS Agency's Medical (Non-911) Transport Ambulance.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	12

Data Element Comment

Indicate the number of each of the following EMS Personnel levels on the crew. Associated with each Certification/Licensure Level in dVehicle.05(Crew State Certification/Licensure Levels).

dVehicle.09 - Vehicle Initial Cost

Definition

Initial costs of vehicles held by agency excluding all medical and other equipment not associated with the vehicle. This cost should be inclusive of all sources of funding including grants, donations, and any other capital.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D06_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
positiveInteger	1	10,000,000

Data Element Comment

dVehicle.10 - Vehicle Model Year

Definition

The year the vehicle was manufactured.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D06_07	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minInclusive	maxInclusive
integer	1900	2050

Data Element Comment

dVehicle.11 - Year Miles/Kilometers Hours Accrued

Definition

The year the hours and miles/kilometers were accumulated.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D06_08	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	1900	2050

Data Element Comment

The grouping dVehicle.YearGroup, allows multiple year information to be stored for each EMS vehicle. This includes elements dVehicle.11 - Year Miles/Kilometers Hours Accrued, dVehicle.12 - Annual Vehicle Hours, and dVehicle.13 - Annual Vehicle Miles/Kilometers.

dVehicle.12 - Annual Vehicle Hours

Definition

The number of hours the vehicle was in service for the agency for the defined year.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D06_09	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	10,000

Data Element Comment

Associated with each year of element dVehicle.11 (Year Miles/Hours Accrued).

dVehicle.13 - Annual Vehicle Miles/Kilometers

Definition

The number of miles/kilometers the vehicle accumulated in service for the agency for the defined year (Odometer Reading).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D06_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

DistanceUnit
9929001 - Kilometers 9929003 - Miles

Constraints

Data Type	**totalDigits**	**fractionDigits**
decimal	7	1

Data Element Comment

Associated with each year of (dVehicle.11) Year Miles/Kilometers Hours Accrued.

dPersonnel

dPersonnel

0 : M	**dPersonnel.PersonnelGroup**			C

	0 : 1	**dPersonnel.NameGroup**	

		0 : 1	dPersonnel.01 - EMS Personnel's Last Name	S	E	N, L
		0 : 1	dPersonnel.02 - EMS Personnel's First Name	S	E	N, L
		0 : 1	dPersonnel.03 - EMS Personnel's Middle Name/Initial	S	E	N, L

	0 : 1	**dPersonnel.AddressGroup**	

		0 : 1	dPersonnel.04 - EMS Personnel's Mailing Address	O
		0 : 1	dPersonnel.05 - EMS Personnel's City of Residence	O
		0 : 1	dPersonnel.06 - EMS Personnel's State	O
		0 : 1	dPersonnel.07 - EMS Personnel's ZIP Code	O
		0 : 1	dPersonnel.08 - EMS Personnel's Country	O

	0 : M	dPersonnel.09 - EMS Personnel's Phone Number	O	C
	0 : M	dPersonnel.10 - EMS Personnel's Email Address	O	C
	0 : 1	dPersonnel.11 - EMS Personnel's Date of Birth	S	E	N, L
	0 : 1	dPersonnel.12 - EMS Personnel's Gender	S	E	N, L
	0 : M	dPersonnel.13 - EMS Personnel's Race	S	E	N, L	C
	0 : 1	dPersonnel.14 - EMS Personnel's Citizenship	O
	0 : 1	dPersonnel.15 - EMS Personnel's Highest Educational Degree	O
	0 : M	dPersonnel.16 - EMS Personnel's Degree Subject/Field of Study	O	C
	0 : M	dPersonnel.17 - EMS Personnel's Motor Vehicle License Type	O	C

	0 : M	**dPersonnel.ImmunizationsGroup**		C

		0 : 1	dPersonnel.18 - EMS Personnel's Immunization Status	O
		0 : 1	dPersonnel.19 - EMS Personnel's Immunization Year	O

	0 : M	dPersonnel.20 - EMS Personnel's Foreign Language Ability	O	C
	0 : 1	dPersonnel.21 - EMS Personnel's Agency ID Number	O

	0 : M	**dPersonnel.LicensureGroup**		C

		0 : 1	dPersonnel.22 - EMS Personnel's State of Licensure	S	E	N, L
		0 : 1	dPersonnel.23 - EMS Personnel's State's Licensure ID Number	S	E	N, L
		0 : 1	dPersonnel.24 - EMS Personnel's State EMS Certification Licensure Level	S	E	N, L
		0 : 1	dPersonnel.25 - EMS Personnel's State EMS Current Certification Date	O
		0 : 1	dPersonnel.26 - EMS Personnel's Initial State's Licensure Issue Date	O
		0 : 1	dPersonnel.27 - EMS Personnel's Current State's Licensure Expiration Date	O

0 : 1	dPersonnel.28 - EMS Personnel's National Registry Number	O
0 : 1	dPersonnel.29 - EMS Personnel's National Registry Certification Level	O
0 : 1	dPersonnel.30 - EMS Personnel's Current National Registry Expiration Date	O
0 : 1	dPersonnel.31 - EMS Personnel's Employment Status	S E N, L
0 : 1	dPersonnel.32 - EMS Personnel's Employment Status Date	S E N, L
0 : 1	dPersonnel.33 - EMS Personnel's Hire Date	O
0 : 1	dPersonnel.34 - EMS Personnel's Primary EMS Job Role	S E N, L
0 : M	dPersonnel.35 - EMS Personnel's Other Job Responsibilities	S E N, L C
0 : 1	dPersonnel.36 - EMS Personnel's Total Length of Service in Years	O
0 : 1	dPersonnel.37 - EMS Personnel's Date Length of Service Documented	O
0 : M	dPersonnel.CertificationLevelGroup	C
0 : 1	dPersonnel.38 - EMS Professional's Practice Level	O
0 : 1	dPersonnel.39 - Date of Professional's Certification or Licensure for Agency	O

dPersonnel

dPersonnel.01 - EMS Personnel's Last Name

Definition

The last name of the personnel.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D08_01	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	1	50

Data Element Comment

dPersonnel.02 - EMS Personnel's First Name

Definition

The first name of the personnel.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D08_03	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	1	50

Data Element Comment

dPersonnel.03 - EMS Personnel's Middle Name/Initial

Definition

The middle name or initial of the personnel.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D08_02	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

dPersonnel.04 - EMS Personnel's Mailing Address

Definition

The Street or PO Box of the personnel's mailing address.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D08_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

StreetAddress2
Data Type: string   **minLength:** 1   **maxLength:** 55

Constraints

Data Type	minLength	maxLength
string	1	55

Data Element Comment

For individuals living outside the USA the full address can be entered in the address line.

dPersonnel.05 - EMS Personnel's City of Residence

Definition

The city of the personnel's mailing address.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D08_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Data Element Comment

City codes are based on GNIS Feature Class. The primary Feature Class to use is "Civil" with "Populated Place" and "Military" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

dPersonnel.06 - EMS Personnel's State

Definition

The state of the personnel's mailing address.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D08_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Based on ANSI Code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

dPersonnel.07 - EMS Personnel's ZIP Code

Definition

The ZIP code of the personnel's mailing address.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D08_07	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

Zip Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

dPersonnel.08 - EMS Personnel's Country

Definition

The country of the personnel mailing address.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
CA	Canada
MX	Mexico
US	United States

Data Element Comment

Based on ANSI Code.

ANSI Country Codes (ISO 3166) Website: http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

dPersonnel.09 - EMS Personnel's Phone Number

Definition

The phone number for the personnel.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D08_08	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

PhoneNumberType
9913001 - Fax   9913003 - Home   9913005 - Mobile
9913007 - Pager   9913009 - Work

Constraints

Pattern
[2-9][0-9][0-9]-[2-9][0-9][0-9]-[0-9][0-9][0-9][0-9]

Data Element Comment

dPersonnel.10 - EMS Personnel's Email Address

Definition

The primary email address of the personnel.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D08_10	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

EmailAddressType
9904001 - Personal   9904003 - Work

Constraints

Data Type	**minLength**	**maxLength**
string	3	100

Pattern
.+@.+

Data Element Comment

State

dPersonnel.11 - EMS Personnel's Date of Birth

Definition

The personnel's date of birth.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D08_11	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minInclusive	maxInclusive
date	1900-01-01	2050-01-01

Data Element Comment

dPersonnel.12 - EMS Personnel's Gender

Definition

The personnel's gender.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D08_12	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Code List

Code	Description
9906001	Female
9906003	Male
9906005	Unknown (Unable to Determine)

Data Element Comment

dPersonnel.13 - EMS Personnel's Race

Definition

The personnel's race as defined by the OMB (US Office of Management and Budget).

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D08_13	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
1513001	American Indian or Alaska Native
1513003	Asian
1513005	Black or African American
1513007	Hispanic or Latino
1513009	Native Hawaiian or Other Pacific Islander
1513011	White

Data Element Comment

OMB requirements are provided at: https://grants.nih.gov/grants/guide/notice-files/NOT-OD-15-089.html. A single multiple choice question methodology is being implemented to improve the completion of ethnicity information. Ethnicity (Version 2.1.1: D08_14) has been merged with this data element and retired.

dPersonnel.14 - EMS Personnel's Citizenship

Definition

The documentation of the personnel's citizenship.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type **length**
string 2

Data Element Comment

Website: http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

dPersonnel.15 - EMS Personnel's Highest Educational Degree

Definition

The highest educational degree completed by the personnel.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
1515001	No Schooling Completed
1515003	Nursery School to 4th Grade
1515005	5th Grade or 6th Grade
1515007	7th Grade or 8th Grade
1515009	9th Grade
1515011	10th Grade
1515013	11th Grade
1515015	12th Grade, No Diploma
1515017	High School Graduate-Diploma or the Equivalent (GED)
1515019	Some College Credit, but Less than 1 Year
1515021	1 or More Years of College, No Degree
1515023	Associate Degree
1515025	Bachelor's Degree
1515027	Master's Degree
1515029	Professional Degree (i.e. MD, DDS, DVM, LLB, JD)
1515031	Doctorate Degree (i.e. PhD, EdD)

Data Element Comment

Based on Census 2000 Educational Attainment Question.

dPersonnel.16 - EMS Personnel's Degree Subject/Field of Study

Definition

The area of the personnel's post high-school (post-secondary) degree.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
1516001	Agriculture and Natural Resources
1516003	Architecture and Related Services
1516005	Area, Ethnic, Cultural, and Gender Studies
1516007	Biological and Biomedical Sciences
1516009	Business
1516011	Communication, Journalism, and Related Programs
1516013	Communications Technologies
1516015	Computer and Information Sciences
1516017	Education
1516019	Emergency Medical Services
1516021	Engineering
1516023	Engineering Technologies
1516025	English Language and Literature/Letters
1516027	Family and Consumer Sciences/Human Sciences
1516029	Fire Science
1516031	Foreign Languages, Literatures, and Linguistics
1516033	Health Professions and Related Clinical Sciences, Not Including Emergency Medical Services
1516035	Legal Professions and Studies
1516037	Liberal Arts and Sciences, General Studies, and Humanities
1516039	Library Science
1516041	Mathematics and Statistics
1516043	Military Technologies
1516045	Multi/Interdisciplinary Studies
1516047	Not Classified by Field of Study
1516049	None
1516051	Parks, Recreation, Leisure and Fitness Studies
1516053	Philosophy and Religious Studies
1516055	Physical Sciences and Science Technologies
1516057	Precision Production
1516059	Psychology
1516061	Public Administration and Social Services
1516063	Security and Protective Services, Not Including Fire Science
1516065	Social Sciences and History
1516067	Theology and Religious Vocations
1516069	Transportation and Materials Moving
1516071	Visual and Performing Arts

Data Element Comment

dPersonnel.17 - EMS Personnel's Motor Vehicle License Type

Definition

The type of motor vehicle license (i.e. Class A, B, Pilot, etc.) of the EMS personnel.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
1517001	All-Terrain Vehicle (ATV)
1517003	Commercial Class A
1517005	Commercial Class B
1517007	Commercial Class C
1517009	Motorcycle-Class M
1517011	None
1517013	Operator Class D (Normal)
1517015	Other (Not Listed)
1517017	Pilot-Rotor Wing Air
1517019	Pilot-Fixed Wing Air
1517021	Snowmobile
1517023	Taxi and Livery Class E

Data Element Comment

dPersonnel.18 - EMS Personnel's Immunization Status

Definition

The type of immunization status.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9910001	Anthrax
9910003	Cholera
9910005	DPT (Diphtheria, Pertussis, Tetanus)
9910007	Hemophilus Influenza B
9910009	Hepatitis A
9910011	Hepatitis B
9910013	Human Papilloma Virus (HPV)
9910015	Influenza-H1N1
9910017	Influenza-Other
9910019	Influenza-Seasonal (In past 12 months)
9910021	Lyme Disease
9910023	Meningococcus
9910025	MMR (Measles, Mumps, Rubella)
9910027	Other-Not Listed
9910029	Plague
9910031	Pneumococcal (Pneumonia)
9910033	Polio
9910035	Rabies
9910037	Rotavirus
9910039	Shingles
9910041	Small Pox
9910043	Tetanus
9910045	Tuberculosis
9910047	Typhoid
9910049	Varicella (Chickenpox)
9910051	Yellow Fever

Data Element Comment

dPersonnel.19 - EMS Personnel's Immunization Year

Definition

The year associated with each immunization type.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	1900	2050

Data Element Comment

dPersonnel.20 - EMS Personnel's Foreign Language Ability

Definition

The languages spoken (other than English) by the personnel with at least an elementary level of proficiency.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
amh	Amharic
ara	Arabic
arm	Armenian
ben	Bengali
crp	Cajun (Creole and Pidgins)
chi	Chinese
hrv	Croatian
cze	Czech
dan	Danish
dut	Dutch
fin	Finnish
tai	Formosan
fre	French
cpf	French Creole
ger	German
gre	Greek
guj	Gujarati
heb	Hebrew
hin	Hindi (Urdu)
hun	Hungarian
ilo	Ilocano
itl	Italian
jpn	Japanese
kor	Korean
kro	Kru
lit	Lithuanian
mal	Malayalam
hmn	Miao (Hmong)
mkh	Mon-Khmer (Cambodian)
nav	Navaho
nno	Norwegian
pan	Panjabi
gem	Pennsylvania Dutch (Germanic Other)
per	Persian
pol	Polish
por	Portuguese
rum	Romanian
rus	Russian
smo	Samoan
srp	Serbo-Croatian
slo	Slovak
spa	Spanish
swe	Swedish
syr	Syriac
tgl	Tagalog
tha	Thai (Laotian)
tur	Turkish

ukr   Ukrainian
vie   Vietnamese
yid   Yiddish

Data Element Comment

Version 3 Changes Implemented

Added to better describe the EMS workforce.

dPersonnel.21 - EMS Personnel's Agency ID Number

Definition			
The local agency ID number for the personnel.			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D07_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	50

Data Element Comment

This is a local ID and not the ID associated with the state credential. This may be the same as the state credential ID depending on the state and local implementation. This should be a unique number and not reused.

dPersonnel.22 - EMS Personnel's State of Licensure

Definition

The state of the certification/licensure ID number assigned to the personnel member.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Constraints

Data Type   **length**
string   2

Data Element Comment

dPersonnel.23 - EMS Personnel's State's Licensure ID Number

Definition

The state's licensure/certification ID number for the personnel.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D07_02	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	2	50

Data Element Comment

dPersonnel.24 - EMS Personnel's State EMS Certification Licensure Level

Definition

The personnel's state EMS certification level.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D08_15	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9925001	2009 Advanced Emergency Medical Technician (AEMT)
9925003	2009 Emergency Medical Responder (EMR)
9925005	2009 Emergency Medical Technician (EMT)
9925007	2009 Paramedic
9925013	First Responder
9925015	EMT-Basic
9925017	EMT-Intermediate
9925019	EMT-Paramedic
9925021	Nurse DEPRECATED
9925023	Other Healthcare Professional
9925025	Other Non-Healthcare Professional
9925027	Physician
9925029	Respiratory Therapist
9925031	Student
9925033	Critical Care Paramedic
9925035	Community Paramedicine
9925037	Nurse Practitioner
9925039	Physician Assistant
9925041	Licensed Practical Nurse (LPN)
9925043	Registered Nurse

Data Element Comment

Added 2009 EMS Education Levels.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

Some listed health care providers may not have an EMS certification/licensure number, however their level should be indicated from the list above and the state licensure number should be indicated in dPersonnel.23 - EMS Personnel's State's Licensure ID Number.

dPersonnel.25 - EMS Personnel's State EMS Current Certification Date

Definition

The date of the personnel's current EMS certification/licensure.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D08_17	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
date	1900-01-01	2050-01-01

Data Element Comment

Clarified as the current certification/licensure.

dPersonnel.26 - EMS Personnel's Initial State's Licensure Issue Date

Definition

The date on which the EMS personnel's state's EMS certification/licensure was originally issued. This is the date of the first certification/licensure for the EMS level.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D08_18	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
date	1900-01-01	2050-01-01

Data Element Comment

Clarified as the FIRST (original) certification/licensure date.

dPersonnel.27 - EMS Personnel's Current State's Licensure Expiration Date

Definition
The date on which the EMS personnel's (highest) state EMS certification/licensure expires.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
date	1900-01-01	2050-01-01

Data Element Comment

dPersonnel.28 - EMS Personnel's National Registry Number

Definition

The National Registry number associated with the level of certification/licensure obtained through NREMT.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
[A-Z][A-Z0-9][0-9]{6}

Data Element Comment

dPersonnel.29 - EMS Personnel's National Registry Certification Level

Definition

The level of the current National Registry of Emergency Medical Technicians (NREMT) certification.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
1529901	2009 Advanced Emergency Medical Technician(AEMT)
1529003	2009 Emergency Medical Responder (EMR)
1529005	2009 Emergency Medical Technician
1529007	2009 Paramedic
1529009	EMT-Basic
1529011	EMT-Intermediate
1529013	EMT-Paramedic
1529015	First Responder

Data Element Comment

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

dPersonnel.30 - EMS Personnel's Current National Registry Expiration Date

Definition
The date on which the EMS Personnel's National Registry of EMTs certification/licensure expires

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
date	1900-01-01	2050-01-01

Data Element Comment

dPersonnel.31 - EMS Personnel's Employment Status

Definition

The personnel's primary employment status for this agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D07_03	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Code List

Code	Description
1531001	Full Time Paid Employee
1531003	Part Time Paid Employee
1531005	Volunteer
1531007	Neither an Employee Nor a Volunteer

Data Element Comment

State

dPersonnel.32 - EMS Personnel's Employment Status Date

Definition

The personnel's employment status date.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D07_04	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Constraints

Data Type	minInclusive	maxInclusive
date	1900-01-01	2050-01-01

Data Element Comment

dPersonnel.33 - EMS Personnel's Hire Date

Definition	
The date the employee was hired by the EMS agency for this current job.	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
date	1900-01-01	2050-01-01

Data Element Comment

This is intended to collect information based on the current employment/job. If the EMS personnel has a come and go status, this should reflect the most recent employment/job.

dPersonnel.34 - EMS Personnel's Primary EMS Job Role

Definition

The individuals primary/main EMS role at the EMS agency. This is the function which is performed the majority of the time for the EMS personnel.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Code List

Code	Description
1534001	Administrator/Manager
1534003	Driver/Pilot
1534005	Educator/Preceptor
1534007	Fire Suppression
1534009	First-Line Supervisor
1534011	Law Enforcement
1534013	Other (Not Listed)
1534015	Patient Care Provider
1534017	Rescue

Data Element Comment

This is a single choice data element which should reflect the EMS Personnel's primary/main job role for which he/she functions. It is understood that most EMS personnel perform more than one role as a part of their position. Other roles should be documented in dPersonnel.35 (EMS Personnel's Other Job Responsibilities).

dPersonnel.35 - EMS Personnel's Other Job Responsibilities

Definition

The EMS personnel's other job responsibilities at the agency beyond their primary role documented in dPersonnel.34 (EMS Personnel's Primary EMS Job Role).

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
1534001	Administrator/Manager
1534003	Driver/Pilot
1534005	Educator/Preceptor
1534007	Fire Suppression
1534009	First-Line Supervisor
1534011	Law Enforcement
1534013	Other (Not Listed)
1534015	Patient Care Provider
1534017	Rescue

Data Element Comment

dPersonnel.36 - EMS Personnel's Total Length of Service in Years

Definition

The personnel's total length of EMS service at any level (years).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D08_19	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	0	80

Data Element Comment

dPersonnel.37 - EMS Personnel's Date Length of Service Documented

Definition			
The date which the length of EMS service was documented.			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D08_20	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
date	1900-01-01	2050-01-01

Data Element Comment

Associated with dPersonnel.37 (EMS Personnel's Total Length of Service in Years).

dPersonnel.38 - EMS Professional's Practice Level

Definition

The EMS certification level at which the individual is providing patient care services for the EMS agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D07_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9925001	2009 Advanced Emergency Medical Technician (AEMT)
9925003	2009 Emergency Medical Responder (EMR)
9925005	2009 Emergency Medical Technician (EMT)
9925007	2009 Paramedic
9925013	First Responder
9925015	EMT-Basic
9925017	EMT-Intermediate
9925019	EMT-Paramedic
9925021	Nurse DEPRECATED
9925023	Other Healthcare Professional
9925025	Other Non-Healthcare Professional
9925027	Physician
9925029	Respiratory Therapist
9925031	Student
9925033	Critical Care Paramedic
9925035	Community Paramedicine
9925037	Nurse Practitioner
9925039	Physician Assistant
9925041	Licensed Practical Nurse (LPN)
9925043	Registered Nurse

Data Element Comment

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

dPersonnel.39 - Date of Professional's Certification or Licensure for Agency

Definition

The date that the Certification/Licensure was achieved for the local EMS agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D07_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
date	1900-01-01	2050-01-01

Data Element Comment

dDevice

dDevice

0 : M	dDevice.DeviceGroup	C
0 : 1	dDevice.01 - Medical Device Serial Number	O
0 : 1	dDevice.02 - Medical Device Name or ID	O
0 : M	dDevice.03 - Medical Device Type	O C
0 : 1	dDevice.04 - Medical Device Manufacturer	O
0 : 1	dDevice.05 - Medical Device Model Number	O
0 : 1	dDevice.06 - Medical Device Purchase Date	O

dDevice

dDevice.01 - Medical Device Serial Number

Definition

The unique manufacturer's serial number associated with a medical device.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D09_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	50

Data Element Comment

dDevice.02 - Medical Device Name or ID

Definition

The local number or configurable Name/ID of the medical device.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D09_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	50

Data Element Comment

dDevice.03 - Medical Device Type

Definition

The type of medical device.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
1603001	Capnography-Numeric
1603003	Capnography-Waveform
1603005	Chemistry Measurement-Blood or Serum
1603007	Chemistry Measurement-Glucometer
1603009	Chemistry Measurement-Urine
1603011	CPR-External Device
1603013	Defibrillator-Automated
1603015	Defibrillator-Manual
1603017	ECG-12 Lead or Greater
1603019	ECG-Less than 12 Lead (Cardiac Monitor)
1603021	Medication Infusion Pump
1603023	Other (Not Listed)
1603025	Oximetry-Carbon Monoxide
1603027	Oximetry-Oxygen
1603029	Pressure Monitors-Invasive
1603031	Pressure Monitors-Non-Invasive
1603033	Respirator (BLS)
1603035	Ventilator (ALS)
1603037	Ventilator Assistance-BiPAP
1603039	Ventilator Assistance-CPAP

Data Element Comment

This is multiple choice to allow documentation of various multifunction device configurations.

dDevice.04 - Medical Device Manufacturer

Definition

The manufacturer of the medical device.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D09_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	50

Data Element Comment

dDevice.05 - Medical Device Model Number

Definition

The specific manufacturer's model number associated with medical device.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D09_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	50

Data Element Comment

dDevice.06 - Medical Device Purchase Date

Definition

The date the device was purchased or placed in service by the EMS agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D09_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
date	1900-01-01	2050-01-01

Data Element Comment

dFacility

dFacility

0 : M dFacilityGroup   C

  0 : 1 dFacility.01 - Type of Facility   O

  0 : M dFacility.FacilityGroup   C

    0 : 1 dFacility.02 - Facility Name   O

    0 : 1 dFacility.03 - Facility Location Code   O

    0 : M dFacility.04 - Hospital Designations   O   C

    0 : 1 dFacility.05 - Facility National Provider Identifier   O

    0 : 1 dFacility.06 - Facility Room, Suite, or Apartment   O

    0 : 1 dFacility.07 - Facility Street Address   O

    0 : 1 dFacility.08 - Facility City   O

    0 : 1 dFacility.09 - Facility State   O

    0 : 1 dFacility.10 - Facility ZIP Code   O

    0 : 1 dFacility.11 - Facility County   O

    0 : 1 dFacility.12 - Facility Country   O

    0 : 1 dFacility.13 - Facility GPS Location   O

    0 : 1 dFacility.14 - Facility US National Grid Coordinates   O

dFacility

dFacility.01 - Type of Facility

Definition

The type of facility (healthcare or other) that the EMS agency transports patients to or from.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D04_15	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
1701001	Assisted Living Facility
1701003	Clinic
1701005	Hospital
1701007	Nursing Home
1701009	Other (Not Listed)
1701011	Urgent Care

Data Element Comment

dFacility.02 - Facility Name

Definition

The name of the facility.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D04_11	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

dFacility.03 - Facility Location Code

Definition

The code of the facility as assigned by the state or the EMS agency.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	D04_12	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	2	50

Data Element Comment

The information contained within this element could be used to populate eScene.09 (Incident Facility Code) or eDisposition.02 (Destination/Transferred To, Code) via a drop down list created at either the EMS Agency or State level.

dFacility.04 - Hospital Designations

Definition	
The designation(s) associated with the hospital (e.g. Trauma, STEMI, Peds, etc)	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string　　　　　　**minLength:** 0　　　　　　　　　　　**maxLength:** 255

Code List

Code	Description
9908001	Behavioral Health
9908003	Burn Center
9908005	Critical Access Hospital
9908007	Hospital (General)
9908009	Neonatal Center
9908011	Pediatric Center
9908013	STEMI DEPRECATED
9908015	STEMI Center (24/7) DEPRECATED
9908017	Stroke Center
9908019	Rehab Center
9908021	Trauma Center Level 1
9908023	Trauma Center Level 2
9908025	Trauma Center Level 3
9908027	Trauma Center Level 4
9908029	Trauma Center Level 5
9908031	Cardiac-STEMI/PCI Capable
9908033	Cardiac-STEMI/PCI Capable (24/7)
9908035	Cardiac-STEMI/Non-PCI Capable

Data Element Comment

dFacility.05 - Facility National Provider Identifier

Definition	
The facility National Provider Identifier associated with National Provider System (NPS).	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints	

Data Type   **length**
string   10

Data Element Comment	

dFacility.06 - Facility Room, Suite, or Apartment

Definition	
The number of the specific room, suite, or apartment of the facility.	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints	

Data Type	minLength	maxLength
string	1	15

Data Element Comment	

dFacility.07 - Facility Street Address

Definition
The address where the facility is located.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

StreetAddress2
Data Type: string   **minLength:** 1   **maxLength:** 55

Constraints		
Data Type	**minLength**	**maxLength**
string	1	55

Data Element Comment

The information contained within this element could be used to populate the address information within eScene.18 (Incident State) and/or eDisposition.03 (Destination Street Address) as appropriate.

dFacility.08 - Facility City

Definition	

The city where the facility is located (physical address).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Data Element Comment	

The information contained within this element could be used to populate the address information within eScene.17 (Incident City) and/or eDisposition.04 (Destination City) as appropriate.

City codes are based on GNIS Feature Class. The primary Feature Class to use is "Civil" with "Populated Place" and "Military" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

dFacility.09 - Facility State

Definition

The state where the facility is located.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Based on the ANSI Code. The information contained within this element could be used to populate the address information within eScene.18 (Incident State) and/or eDisposition.05 (Destination State) as appropriate.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

dFacility.10 - Facility ZIP Code

Definition			
The zip code where the facility is located.			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

The information contained within this element could be used to populate the address information within eScene.19 (Incident ZIP Code) and/or eDisposition.07 (Destination ZIP Code) as appropriate.

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

dFacility.11 - Facility County

Definition

The county where the facility is located.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	length
string	5

Data Element Comment

Based on the ANSI Code. The information contained within this element could be used to populate the address information within eScene.21 (Incident County) and/or eDisposition.06 (Destination County) as appropriate.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

dFacility.12 - Facility Country

Definition

The country where the facility is located.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
CA	Canada
MX	Mexico
US	United States

Data Element Comment

Based on the ANSI Code. The information contained within this element could be used to populate the address information within eScene.22 (Incident Country) and/or eDisposition.08 (Destination Country) as appropriate.

ANSI Country Codes (ISO 3166) Website: http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

dFacility.13 - Facility GPS Location

Definition				
The facility GPS Coordinates.				

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
(\+|-)?(90(\.[0]{1,6})?|([1-8][0-9]|[0-9])(\.[0-9]{1,6})?),(\+|-)?(180(\.[0]{1,6})?|(1[0-7][0-9]|[1-9][0-9]|[0-9])(\.[0-9]{1,6})?)

Data Element Comment

The information contained within this element could be used to populate the address information within eScene.10 (Scene GPS Location) and/or eDisposition.09 (Destination GPS Location) as appropriate.

The pattern for GPS location is in the format "*latitude*,*longitude*" where:
- *latitude* has a minimum of -90 and a maximum of 90 with up to 6 decimal places
- *longitude* has a minimum of -180 and a maximum of 180 with up to 6 decimal places

dFacility.14 - Facility US National Grid Coordinates

Definition	

Facility US National Grid Coordinates

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints	

Pattern
([1-9]|[1-5][0-9]|60)[C-HJ-NP-X][A-HJ-NP-Z][A-HJ-NP-V][0-9]{8}

Data Element Comment	

Standard found at www.fgdc.gov/usng. The information contained within this element could be used to populate the address information within eScene.11 (Scene US National Grid Coordinates) and/or eDisposition.10 (Disposition Location US National Grid Coordinates) as appropriate.

dCustomResults

dCustomResults

0 : M	dCustomResults.ResultsGroup		C
1 : M	dCustomResults.01 - Custom Data Element Result	M	N, L, P
1 : 1	dCustomResults.02 - Custom Element ID Referenced	M	
0 : 1	dCustomResults.03 - CorrelationID of DemographicReport Element or Group	O	

dCustomResults

dCustomResults.01 - Custom Data Element Result

Definition

The actual value or values chosen (if values listed in dCustomConfiguration.06) or result (free text, Date/Time, or number) documented for the Custom Data Element

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Mandatory	Recurrence	1 : M

Attributes

NOT Values (NV)

Pertinent Negatives (PN)

NV

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

PN

8801001 - Contraindication Noted	8801003 - Denied By Order	8801005 - Exam Finding Not Present
8801007 - Medication Allergy	8801009 - Medication Already Taken	8801013 - No Known Drug Allergy
8801015 - None Reported	8801017 - Not Performed by EMS	8801019 - Refused
8801021 - Unresponsive	8801023 - Unable to Complete	

Constraints

Data Type	minLength	maxLength
string	1	100000

Data Element Comment

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

dCustomResults.02 - Custom Element ID Referenced

Definition

References the CustomElementID attribute for dCustomConfiguration.CustomGroup

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	0	255

Data Element Comment

dCustomResults.03 - CorrelationID of DemographicReport Element or Group

Definition	
References the CorrelationID attribute of an element or group in the DemographicReport section	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints		
Data Type	**minLength**	**maxLength**
string	0	255

Data Element Comment

eState

eState

0 : M   eState.01 - State Required Element   O

eState

eState.01 - State Required Element

Definition

Indicates which elements are required by the state

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

TIMESTAMP
Data Type: String   **minInclusive:** 1950-01-01T00:00:00-00:00   **maxInclusive:** 2050-01-01T00:00:00-00:00
Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Constraints

Data Type	minLength	maxLength
string	1	100

Data Element Comment

This element was created to document elements required by the state. The TIMESTAMP attribute describes the active date of the element.

eCustomConfiguration

eCustomConfiguration

0 : M	eCustomConfiguration.CustomGroup	
1 : 1	eCustomConfiguration.01 - Custom Data Element Title	M
1 : 1	eCustomConfiguration.02 - Custom Definition	M
1 : 1	eCustomConfiguration.03 - Custom Data Type	M
1 : 1	eCustomConfiguration.04 - Custom Data Element Recurrence	M
1 : 1	eCustomConfiguration.05 - Custom Data Element Usage	M
0 : M	eCustomConfiguration.06 - Custom Data Element Potential Values	O
0 : M	eCustomConfiguration.07 - Custom Data Element Potential NOT Values (NV)	O
0 : M	eCustomConfiguration.08 - Custom Data Element Potential Pertinent Negative Values (PN)	O

eCustomConfiguration

eCustomConfiguration.01 - Custom Data Element Title

Definition

This is the title of the custom data element created to collect information that is not defined formally in NEMSIS Version 3.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Attributes

nemsisElement
Data Type: anySimpleType **whiteSpace:** preserve

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

This is grouped with all data elements in this section and can have multiple instances.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

eCustomConfiguration.02 - Custom Definition

Definition

The definition of the custom element and how it should be used.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	0	255

Data Element Comment

eCustomConfiguration.03 - Custom Data Type

Definition	
The data type of the custom element.	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9902001	Binary
9902003	Date/Time
9902005	Integer/Number
9902007	Other (Not Listed)
9902009	Text/String
9902011	Boolean

Data Element Comment

eCustomConfiguration.04 - Custom Data Element Recurrence

Definition

Indication if the data element will accept multiple values.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

eCustomConfiguration.05 - Custom Data Element Usage

Definition

The Usage (Mandatory, Required, Recommended or Optional) for the Custom Data Element.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9903001	Mandatory
9903003	Required
9903005	Recommended
9903007	Optional

Data Element Comment

Mandatory = Must be completed and will not accept null values
Required = Must be completed but will accept null values
Recommended = Not required but if collected will accept null values
Optional = Not required but if collected, it cannot be a null value.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

eCustomConfiguration.06 - Custom Data Element Potential Values

Definition

The values which are associated with the Custom Data Element. Values would be the choices provided to the user when they document the Custom Data Element

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

nemsisCode
Data Type: anySimpleType **whiteSpace:** preserve

customValueDescription
Data Type: anySimpleType **whiteSpace:** preserve

Constraints

Data Type	minLength	maxLength
string	1	100

Data Element Comment

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

eCustomConfiguration.07 - Custom Data Element Potential NOT Values (NV)

Definition	
NOT Values (NV) associated with the custom element	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Code List

Code	Description
7701001	Not Applicable
7701003	Not Recorded
7701005	Not Reporting

Data Element Comment

eCustomConfiguration.08 - Custom Data Element Potential Pertinent Negative Values (PN)

Definition

Pertinent Negative Values (PN) associated with the custom element

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Code List

Code	Description
8801001	Contraindication Noted
8801003	Denied By Order
8801005	Exam Finding Not Present
8801007	Medication Allergy
8801009	Medication Already Taken
8801013	No Known Drug Allergy
8801015	None Reported
8801017	Not Performed by EMS
8801019	Refused
8801021	Unresponsive
8801023	Unable to Complete

Data Element Comment

eRecord

eRecord

1 : 1	eRecord.01 - Patient Care Report Number	N S M
1 : 1	eRecord.SoftwareApplicationGroup	
1 : 1	eRecord.02 - Software Creator	N S M
1 : 1	eRecord.03 - Software Name	N S M
1 : 1	eRecord.04 - Software Version	N S M

eRecord

State National

eRecord.01 - Patient Care Report Number

Definition

The unique number automatically assigned by the EMS agency for each Patient Care Report (PCR). This should be a unique number for the EMS agency for all of time.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Constraints

Data Type	minLength	maxLength
string	3	32

Data Element Comment

State | National

eRecord.02 - Software Creator

Definition

The name of the vendor, manufacturer, and developer who designed the application that created this record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_02	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

This is required to document the software used to generate the Patient Care Report. This is not the last software which aggregated/stored the Patient Care Report after it was sent from another software.

State National

eRecord.03 - Software Name

Definition

The name of the application used to create this record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_03	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

This is the EMS Agency's software, not the state or other level software which electronically received the data from the local EMS Agency.

State   National

eRecord.04 - Software Version

Definition

The version of the application used to create this record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

eResponse

eResponse

1 : 1	**eResponse.AgencyGroup**		
	1 : 1	eResponse.01 - EMS Agency Number	N S M
	0 : 1	eResponse.02 - EMS Agency Name	S E N, L
1 : 1	eResponse.03 - Incident Number		N S R N, L
1 : 1	eResponse.04 - EMS Response Number		N S R N, L
1 : 1	**eResponse.ServiceGroup**		
	1 : 1	eResponse.05 - Type of Service Requested	N S M
	0 : 1	eResponse.06 - Standby Purpose	O
1 : 1	eResponse.07 - Primary Role of the Unit		N S M
1 : M	eResponse.08 - Type of Dispatch Delay		N S R N, L C
1 : M	eResponse.09 - Type of Response Delay		N S R N, L C
1 : M	eResponse.10 - Type of Scene Delay		N S R N, L C
1 : M	eResponse.11 - Type of Transport Delay		N S R N, L C
1 : M	eResponse.12 - Type of Turn-Around Delay		N S R N, L C
1 : 1	eResponse.13 - EMS Vehicle (Unit) Number		N S M
1 : 1	eResponse.14 - EMS Unit Call Sign		N S M
1 : 1	eResponse.15 - Level of Care of This Unit		N S M
0 : 1	eResponse.16 - Vehicle Dispatch Location		O
0 : 1	eResponse.17 - Vehicle Dispatch GPS Location		O
0 : 1	eResponse.18 - Vehicle Dispatch US National Grid Location		O
0 : 1	eResponse.19 - Beginning Odometer Reading of Responding Vehicle		S O
0 : 1	eResponse.20 - On-Scene Odometer Reading of Responding Vehicle		S O
0 : 1	eResponse.21 - Patient Destination Odometer Reading of Responding Vehicle		S O
0 : 1	eResponse.22 - Ending Odometer Reading of Responding Vehicle		S O
1 : 1	eResponse.23 - Response Mode to Scene		N S M
1 : M	eResponse.24 - Additional Response Mode Descriptors		N S R N, L C

eResponse

State National

eResponse.01 - EMS Agency Number

Definition

The state-assigned provider number of the responding agency

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Constraints

Data Type	**minLength**	**maxLength**
string	1	15

Data Element Comment

The EMS Agency Number in eResponse.01 can auto-populate from dAgency.02 EMS Agency Number in the demographic section.

eResponse.02 - EMS Agency Name

Definition

EMS Agency Name

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

Added to better identify the EMS Agency associated with the EMS event.

eResponse.03

eResponse.03 - Incident Number

Definition

The incident number assigned by the 911 Dispatch System

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	minLength	maxLength
string	3	32

Data Element Comment

This number can be used to associate multiple EMS responses, dispatch information, and other information to the same EMS event or patient.

State National

eResponse.04 - EMS Response Number

Definition

The internal EMS response number which is unique for each EMS Vehicle's (Unit) response to an incident within an EMS Agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	minLength	maxLength
string	3	32

Data Element Comment

State   National

eResponse.05 - Type of Service Requested

Definition

The type of service or category of service requested of the EMS Agency responding for this specific EMS event

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
2205001	911 Response (Scene)
2205003	Intercept
2205005	Interfacility Transport
2205007	Medical Transport
2205009	Mutual Aid
2205011	Public Assistance/Other Not Listed
2205013	Standby

Data Element Comment

"Interfacility Transfer" has been changed to "Interfacility Transport. "Public Assistance/Other Not Listed" added for EMS expanded scope events such as elderly assistance, injury prevention, public education, immunization programs, etc.

eResponse.06 - Standby Purpose

Definition

The main reason the EMS Unit is on Standby as the Primary Type of Service for the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2206001	Disaster Event-Drill/Exercise
2206003	Disaster Event-Live Staging
2206005	Education
2206007	EMS Staging-Improve Coverage
2206009	Fire Support-Rehab
2206011	Fire Support-Standby
2206013	Mass Gathering-Concert/Entertainment Event
2206015	Mass Gathering-Fair/Community Event
2206017	Mass Gathering-Sporting Event
2206019	Other (Not Listed)
2206021	Public Safety Support

Data Element Comment

Added to document the reason for "Standby" when populated in eResponse.05 (Type of Service Requested). This information will assist in administrative analysis of EMS service delivery, special event coverage, etc.

State National

eResponse.07 - Primary Role of the Unit

Definition

The primary role of the EMS Unit which responded to this specific EMS event

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_05	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
2207001	Air Transport DEPRECATED
2207003	Ground Transport
2207005	Non-Transport Administrative (e.g., Supervisor)
2207007	Non-Transport Assistance
2207009	Non-Transport Rescue
2207011	Air Transport-Helicopter
2207013	Air Transport-Fixed Wing

Data Element Comment

Supervisor clarified to Administrative Only. If the Supervisor is responding to assist, that would be considered Non-Transport. Transport separated into Air and Ground. In Version 2 there was no way to identify Air Transport.

State   National

eResponse.08 - Type of Dispatch Delay

Definition

The dispatch delays, if any, associated with the dispatch of the EMS unit to the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2208001	Caller (Uncooperative)
2208003	Diversion/Failure (of previous unit)
2208005	High Call Volume
2208007	Language Barrier
2208009	Location (Inability to Obtain)
2208011	No EMS Vehicles (Units) Available
2208013	None/No Delay
2208015	Other (Not Listed)
2208017	Technical Failure (Computer, Phone etc.)

Data Element Comment

A dispatch delay is any time delay that occurs from the time of PSAP call (eTimes.01) to the time the unit is notified by dispatch (eTimes.03).

State National

eResponse.09 - Type of Response Delay

Definition

The response delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2209001	Crowd
2209003	Directions/Unable to Locate
2209005	Distance
2209007	Diversion (Different Incident)
2209009	HazMat
2209011	None/No Delay
2209013	Other (Not Listed)
2209015	Rendezvous Transport Unavailable
2209017	Route Obstruction (e.g., train)
2209019	Scene Safety (Not Secure for EMS)
2209021	Staff Delay
2209023	Traffic
2209025	Vehicle Crash Involving this Unit
2209027	Vehicle Failure of this Unit
2209029	Weather
2209031	Mechanical Issue-Unit, Equipment, etc.
2209033	Flight Planning

Data Element Comment

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc to return to service.

A response delay is any time delay that occurs from the time the unit is notified by dispatch (eTimes.03) to the time the unit arrived on scene (eTimes.06).

State National

eResponse.10 - Type of Scene Delay

Definition

The scene delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2210001	Awaiting Air Unit
2210003	Awaiting Ground Unit
2210005	Crowd
2210007	Directions/Unable to Locate
2210009	Distance
2210011	Extrication
2210013	HazMat
2210015	Language Barrier
2210017	None/No Delay
2210019	Other (Not Listed)
2210021	Patient Access
2210023	Safety-Crew/Staging
2210025	Safety-Patient
2210027	Staff Delay
2210029	Traffic
2210031	Triage/Multiple Patients
2210033	Vehicle Crash Involving this Unit
2210035	Vehicle Failure of this Unit
2210037	Weather
2210039	Mechanical Issue-Unit, Equipment, etc

Data Element Comment

A scene delay is any time delay that occurs from the time the unit arrived on scene (eTimes.06) to the time the unit left the scene (eTimes.09).

State | National

eResponse.11 - Type of Transport Delay

Definition

The transport delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_09	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2211001	Crowd
2211003	Directions/Unable to Locate
2211005	Distance
2211007	Diversion
2211009	HazMat
2211011	None/No Delay
2211013	Other (Not Listed)
2211015	Rendezvous Transport Unavailable
2211017	Route Obstruction (e.g., Train)
2211019	Safety
2211021	Staff Delay
2211023	Traffic
2211025	Vehicle Crash Involving this Unit
2211027	Vehicle Failure of this Unit
2211029	Weather
2211031	Patient Condition Change (e.g. Unit Stopped)

Data Element Comment

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc.

A transport delay is any time delay that occurs from the time the unit left the scene (eTimes.09) to the time the patient arrived at the destination (eTimes.10).

State | National

eResponse.12 - Type of Turn-Around Delay

Definition

The turn-around delays, if any, of EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_10	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Response

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2212001	Clean-up
2212003	Decontamination
2212005	Distance
2212007	Documentation
2212009	ED Overcrowding / Transfer of Care
2212011	Equipment Failure
2212013	Equipment/Supply Replenishment
2212015	None/No Delay
2212017	Other (Not Listed)
2212019	Rendezvous Transport Unavailable
2212021	Route Obstruction (e.g. Train)
2212023	Staff Delay
2212025	Traffic
2212027	Vehicle Crash of this Unit
2212029	Vehicle Failure of this Unit
2212031	Weather
2212033	EMS Crew Accompanies Patient for Facility Procedure

Data Element Comment

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc to return to service.

If a patient is being transported by the unit, turn-around delay is any time delay that occurs from the time the patient arrived at the destination (eTimes.10) until the time the unit is back in service (eTimes.13) or unit back at the home location (eTimes15) [whichever is the greater of the two times].

If no patient is being transported by the unit, turn-around delay is any time delay that occurs from the time the unit arrived on scene (eTimes.06) until the unit is back in service (eTimes.13) or the unit back at the home location (eTimes.15) [whichever is the greater of the two times].

State   National

eResponse.13 - EMS Vehicle (Unit) Number

Definition
The unique physical vehicle number of the responding unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_11	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	1	25

Data Element Comment

This is recommended to be the State Vehicle Permit Number if unique to the vehicle. If the vehicle is not licensed by the state, this should be a unique number only associated with a specific vehicle. This element should be populated from dVehicle.01 - Unit/Vehicle Number.

State National

eResponse.14 - EMS Unit Call Sign

Definition

The EMS unit number used to dispatch and communicate with the unit. This may be the same as the EMS Unit/Vehicle Number in many agencies.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_12	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

"This element could be populated from a list created in dVehicle.03 EMS Unit Call Sign or dConfiguration.16 (Crew Call Sign).

eResponse.15 - Level of Care of This Unit

Definition

The level of care (BLS or ALS) the unit is able to provide based on the units' treatment capabilities for this EMS response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
2215001	BLS-First Responder/EMR
2215003	BLS-Basic /EMT
2215005	BLS-AEMT
2215007	BLS-Intermediate
2215023	BLS-Community Paramedicine
2215009	ALS-AEMT
2215011	ALS-Intermediate
2215013	ALS-Paramedic
2215015	ALS-Community Paramedicine
2215017	ALS-Nurse
2215019	ALS-Physician
2215021	Specialty Critical Care

Data Element Comment

Added to identify the level of care (license level) the EMS unit/crew can provide regardless of patient need, based on this unit's capabilities.

For example, if a unit/crew is staffed with an EMT-Intermediate or EMT-Paramedic but the unit is either licensed or stocked at a BLS level the appropriate level of care is "BLS-Basic". This is because the care provided to patients is limited to BLS skills.

eResponse.16 - Vehicle Dispatch Location

Definition

The EMS Location or healthcare facility name representing the geographic location of the vehicle at the time of dispatch.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_13	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	2	100

Data Element Comment

This element can be populated from dLocation.02 EMS Location Name or dFacility information. Depending on the information the EMS Agency or State is interested in knowing the following elements can be utilized:

1. dLocation.02 EMS Location Name
2. dFacility.02 Facility Name
3. dFacility.03 Facility Code

eResponse.17 - Vehicle Dispatch GPS Location

Definition

The GPS coordinates associated with the EMS unit at the time of dispatch documented in decimal degrees.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E02_15	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Response

Constraints

Pattern

(\+|-)?(90(\.[0]{1,6})?|([1-8][0-9]|[0-9])(\.[0-9]{1,6})?),(\+|-)?(180(\.[0]{1,6})?|(1[0-7][0-9]|[1-9][0-9]|[0-9])(\.[0-9]{1,6})?)

Data Element Comment

The pattern for GPS location is in the format "*latitude,longitude*" where:
- *latitude* has a minimum of -90 and a maximum of 90 with up to 6 decimal places
- *longitude* has a minimum of -180 and a maximum of 180 with up to 6 decimal places

eResponse.18 - Vehicle Dispatch US National Grid Location

Definition

The US National Grid Coordinates for the EMS Vehicle's Dispatch Location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
([1-9]|[1-5][0-9]|60)[C-HJ-NP-X][A-HJ-NP-Z][A-HJ-NP-V][0-9]{8}

Data Element Comment

Standard found at www.fgdc.gov/usng. Used by the EMS components of US Governmental entities such as national parks and military agencies.

eResponse.19 - Beginning Odometer Reading of Responding Vehicle

Definition

The mileage (counter or odometer reading) of the vehicle at the beginning of the call (when the wheels begin moving). If EMS vehicle/unit is via water or air travel document the number in "hours" as it relates to the documentation of Boat, Fixed Wing, or Rotor Craft in eDisposition.16 (EMS Transport Method)

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_16	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**fractionDigits**	**totalDigits**
decimal	2	8

Data Element Comment

If a mileage counter is being used instead of an odometer, this value would be 0.

eResponse.20 - On-Scene Odometer Reading of Responding Vehicle

Definition

The mileage (counter or odometer reading) of the vehicle when it arrives at the scene. If EMS vehicle/unit is via water or air travel document the number in "hours" as it relates to the documentation of Boat, Fixed Wing, or Rotor Craft in eDisposition.16 (EMS Transport Method)

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_17	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	fractionDigits	totalDigits
decimal	2	8

Data Element Comment

If using a counter, this is the mileage traveled from dispatch to the scene starting from 0.

State

eResponse.21 - Patient Destination Odometer Reading of Responding Vehicle

Definition

The mileage (counter or odometer reading) of the vehicle when it arrives at the patient's destination. If EMS vehicle/unit is via water or air travel document the number in "hours" as it relates to the documentation of Boat, Fixed Wing, or Rotor Craft in eDisposition.16 (EMS Transport Method)

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_18	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	fractionDigits	totalDigits
decimal	2	8

Data Element Comment

If using a counter, this is the mileage traveled from dispatch to the patient's transport destination starting from 0.

eResponse.22 - Ending Odometer Reading of Responding Vehicle

Definition

If using a counter, this is the mileage traveled beginning with dispatch through the transport of the patient to their destination and ending when back in service, starting from 0. If EMS vehicle/unit is via water or air travel document the number in "hours" as it relates to the documentation of boat, Fixed Wing, or Rotor Craft in eDisposition.16

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_19	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**fractionDigits**	**totalDigits**
decimal	2	8

Data Element Comment

State | National

eResponse.23 - Response Mode to Scene

Definition

The indication whether the response was emergent or non-emergent. An emergent response is an immediate response (typically using lights and sirens).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_20	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
2223001	Emergent (Immediate Response)
2223003	Emergent Downgraded to Non-Emergent
2223005	Non-Emergent
2223007	Non-Emergent Upgraded to Emergent

Data Element Comment

Information now split between eResponse.23 (Response Mode to Scene) and eResponse.24 (Additional Response Mode Descriptors)

State National

eResponse.24 - Additional Response Mode Descriptors

Definition

The documentation of response mode techniques used for this EMS response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2224001	Intersection Navigation-Against Normal Light Patterns
2224003	Intersection Navigation-With Automated Light Changing Technology
2224005	Intersection Navigation-With Normal Light Patterns
2224007	Scheduled
2224009	Speed-Enhanced per Local Policy
2224011	Speed-Normal Traffic
2224013	Unscheduled
2224015	Lights and Sirens
2224017	Lights and No Sirens
2224019	No Lights or Sirens
2224021	Initial No Lights or Sirens, Upgraded to Lights and Sirens
2224023	Initial Lights and Sirens, Downgraded to No Lights or Sirens

Data Element Comment

Descriptors have been added to better describe the EMS Response. This includes information on whether the EMS event was schedule or unscheduled.

eDispatch

eDispatch

1 : 1	eDispatch.01 - Complaint Reported by Dispatch	N S M
1 : 1	eDispatch.02 - EMD Performed	N S R N, L
0 : 1	eDispatch.03 - EMD Card Number	O
0 : 1	eDispatch.04 - Dispatch Center Name or ID	O
0 : 1	eDispatch.05 - Dispatch Priority (Patient Acuity)	O

eDispatch

State National

eDispatch.01 - Complaint Reported by Dispatch

Definition

The complaint dispatch reported to the responding unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E03_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Code List

Code	Description
2301001	Abdominal Pain/Problems
2301003	Allergic Reaction/Stings
2301005	Animal Bite
2301007	Assault
2301009	Automated Crash Notification
2301011	Back Pain (Non-Traumatic)
2301013	Breathing Problem
2301015	Burns/Explosion
2301017	Carbon Monoxide/Hazmat/Inhalation/CBRN
2301019	Cardiac Arrest/Death
2301021	Chest Pain (Non-Traumatic)
2301023	Choking
2301025	Convulsions/Seizure
2301027	Diabetic Problem
2301029	Electrocution/Lightning
2301031	Eye Problem/Injury
2301033	Falls
2301035	Fire
2301037	Headache
2301039	Healthcare Professional/Admission
2301041	Heart Problems/AICD
2301043	Heat/Cold Exposure
2301045	Hemorrhage/Laceration
2301047	Industrial Accident/Inaccessible Incident/Other Entrapments (Non-Vehicle)
2301049	Medical Alarm
2301051	No Other Appropriate Choice
2301053	Overdose/Poisoning/Ingestion
2301055	Pandemic/Epidemic/Outbreak
2301057	Pregnancy/Childbirth/Miscarriage
2301059	Psychiatric Problem/Abnormal Behavior/Suicide Attempt
2301061	Sick Person
2301063	Stab/Gunshot Wound/Penetrating Trauma
2301065	Standby
2301067	Stroke/CVA
2301069	Traffic/Transportation Incident
2301071	Transfer/Interfacility/Palliative Care
2301073	Traumatic Injury
2301075	Well Person Check
2301077	Unconscious/Fainting/Near-Fainting
2301079	Unknown Problem/Person Down
2301081	Drowning/Diving/SCUBA Accident
2301083	Airmedical Transport

Data Element Comment

Added Pandemic/Epidemic/Outbreak.
Added Automated Crash Notification

Added Healthcare Professional Admission
Added Transfer/Interfacility/Palliative Care
- Other entries expanded based on current national EMD Dispatch List

State National

eDispatch.02 - EMD Performed

Definition

Indication of whether Emergency Medical Dispatch was performed for this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E03_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
2302001	No
2302003	Yes, With Pre-Arrival Instructions
2302005	Yes, Without Pre-Arrival Instructions
2302007	Yes, Unknown if Pre-Arrival Instructions Given

Data Element Comment

eDispatch.03 - EMD Card Number

Definition

The EMD card number reported by dispatch, consisting of the card number, dispatch level, and dispatch mode

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E03_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Constraints

Data Type	minLength	maxLength
string	1	10

Data Element Comment

eDispatch.04 - Dispatch Center Name or ID

Definition

The name or ID of the dispatch center providing electronic data to the PCR for the EMS agency, if applicable.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	2	100

Data Element Comment

This element can be used to identify the dispatch center (Primary or Secondary Public Safety Answering Point - PSAP) that dispatches the EMS agency. If the EMS agency is able to populate the Patient Care Report (PCR) with CAD specific details (times, incident address information, crew information, EMD, etc) the name or ID of the dispatch center should be documented.

Version 3 Changes Implemented

Added to the dataset to assist in identifying the CAD / dispatch center providing information to the EMS agency and ePCR when there are multiple dispatch centers sending resources to the same EMS incident.

eDispatch.05 - Dispatch Priority (Patient Acuity)

Definition

The actual, apparent, or potential acuity of the patient's condition as determined through information obtained during the EMD process.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code   **Description**
2305001   Priority 1 (Critical)
2305003   Priority 2 (Emergent)
2305005   Priority 3 (Lower Acuity)
2305007   Priority 4 (Non-Acute [e.g. Scheduled Transfer or Standby])

Data Element Comment

The use of priority and acuity values vary by EMS agency. Some systems may utilize fewer than four priority levels and some more. The use of four priority levels is to capture the majority and allow for the inclusion of the NHTSA National EMS Core Content definitions for patient acuity, specifically: Critical, Emergent, and Lower Acuity.

Provided below is an example application only. This example bears no relationship to any particular federal, state, or agency billing requirement

For EMS Agencies and CAD / EMD systems utilizing Alpha-Echo, Omega levels for determining the priority level for dispatch of the EMS unit, the recommended mapping is:

Echo = Priority 1	Charlie = Priority 2	Alpha = Priority 3
Delta = Priority 1	Bravo = Priority 2	Omega = Priority 4

Priority 1 is typically an emergent (lights and sirens) response
Priority 2 is typically an emergent response without the use lights and sirens
Priority 3 is typically a non-emergent response for nursing home, hospital-to-hospital transfers, etc.
Priority 4 is typically a scheduled response (scheduled transfer) or standby event

Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at
http://www.nhtsa.gov/people/injury/ems/emscorecontent/images/EMSCoreContent.pdf

For Air Medical Transports the most appropriate values choices should be limited to two: Emergent (Priority 2) and Non-Emergent (Priority 4).

eCrew

eCrew

0 : M	eCrew.CrewGroup				C
0 : 1	eCrew.01 - Crew Member ID	S	E	N, L	
0 : 1	eCrew.02 - Crew Member Level	S	E	N, L	
0 : M	eCrew.03 - Crew Member Response Role	S	E	N, L	C

eCrew

eCrew.01 - Crew Member ID

Definition

The state certification/licensure ID number assigned to the crew member.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E04_01	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	2	15

Data Element Comment

Document the state certification/licensure ID for the state where the event occurred.

State

eCrew.02 - Crew Member Level

Definition

The functioning level of the crew member ID during this EMS patient encounter.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E04_03	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway　　Cardiac Arrest　　Pediatric　　Response　　STEMI　　Stroke　　Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable　　　　7701003 - Not Recorded　　　　7701005 - Not Reporting

Code List

Code	Description
9925001	2009 Advanced Emergency Medical Technician (AEMT)
9925003	2009 Emergency Medical Responder (EMR)
9925005	2009 Emergency Medical Technician (EMT)
9925007	2009 Paramedic
9925013	First Responder
9925015	EMT-Basic
9925017	EMT-Intermediate
9925019	EMT-Paramedic
9925021	Nurse DEPRECATED
9925023	Other Healthcare Professional
9925025	Other Non-Healthcare Professional
9925027	Physician
9925029	Respiratory Therapist
9925031	Student
9925033	Critical Care Paramedic
9925035	Community Paramedicine
9925037	Nurse Practitioner
9925039	Physician Assistant
9925041	Licensed Practical Nurse (LPN)
9925043	Registered Nurse

Data Element Comment

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

eCrew.03 - Crew Member Response Role

Definition

The role(s) of the role member during response, at scene treatment, and/or transport.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E04_02	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2403001	Driver/Pilot-Response
2403003	Driver/Pilot-Transport
2403005	Other (Not Listed)
2403007	Other Patient Caregiver-At Scene
2403009	Other Patient Caregiver-Transport
2403011	Primary Patient Caregiver-At Scene
2403013	Primary Patient Caregiver-Transport

Data Element Comment

This element has been changed to allow for multiple selections. There must be a driver for response and transport. There must be a primary patient caregiver for scene and transport.

eTimes

Legend

Dataset Level: **N** National **S** State **D** Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eTimes

1 : 1	eTimes.01 - PSAP Call Date/Time	N S R N, L
0 : 1	eTimes.02 - Dispatch Notified Date/Time	O
1 : 1	eTimes.03 - Unit Notified by Dispatch Date/Time	N S M
0 : 1	eTimes.04 - Dispatch Acknowledged Date/Time	O
1 : 1	eTimes.05 - Unit En Route Date/Time	N S R N, L
1 : 1	eTimes.06 - Unit Arrived on Scene Date/Time	N S R N, L
1 : 1	eTimes.07 - Arrived at Patient Date/Time	N S R N, L
0 : 1	eTimes.08 - Transfer of EMS Patient Care Date/Time	S E N, L
1 : 1	eTimes.09 - Unit Left Scene Date/Time	N S R N, L
0 : 1	eTimes.10 - Arrival at Destination Landing Area Date/Time	O
1 : 1	eTimes.11 - Patient Arrived at Destination Date/Time	N S R N, L
1 : 1	eTimes.12 - Destination Patient Transfer of Care Date/Time	N S R N, L
1 : 1	eTimes.13 - Unit Back in Service Date/Time	N S M
0 : 1	eTimes.14 - Unit Canceled Date/Time	S O
0 : 1	eTimes.15 - Unit Back at Home Location Date/Time	O
0 : 1	eTimes.16 - EMS Call Completed Date/Time	O

eTimes

eTimes.01 - PSAP Call Date/Time

Definition

The date/time the phone rings (911 call to public safety answering point or other designated entity) requesting EMS services.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

This date/time might be the same as Dispatch Notified Date/Time (eTimes.02).

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eTimes.02 - Dispatch Notified Date/Time

Definition

The date/time dispatch was notified by the 911 call taker (if a separate entity).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

This date/time might be the same as PSAP Call Date/Time (eTimes.01).

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State | National

eTimes.03 - Unit Notified by Dispatch Date/Time

Definition

The date/time the responding unit was notified by dispatch.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E05_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eTimes.04 - Dispatch Acknowledged Date/Time

Definition

The date/time the dispatch was acknowledged by the EMS Unit.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **minInclusive**   **maxInclusive**
dateTime   1950-01-01T00:00:00-00:00   2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

This is the end of turnout time or the beginning of response time. Added per Fire Service to better calculate NFPA 1710.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State National

eTimes.05 - Unit En Route Date/Time

Definition

The date/time the unit responded; that is, the time the vehicle started moving.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State | National

eTimes.06 - Unit Arrived on Scene Date/Time

Definition

The date/time the responding unit arrived on the scene; that is, the time the vehicle stopped moving at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eTimes.07 - Arrived at Patient Date/Time

Definition

The date/time the responding unit arrived at the patient's side.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eTimes.08 - Transfer of EMS Patient Care Date/Time

Definition

The date/time the patient was transferred from this EMS agency to another EMS agency for care.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_08	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eTimes.09 - Unit Left Scene Date/Time

Definition

The date/time the responding unit left the scene with a patient (started moving).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_09	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eTimes.10 - Arrival at Destination Landing Area Date/Time

Definition

The date/time the Air Medical vehicle arrived at the destination landing area.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State   National

eTimes.11 - Patient Arrived at Destination Date/Time

Definition

The date/time the responding unit arrived with the patient at the destination or transfer point.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_10	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State   National

eTimes.12 - Destination Patient Transfer of Care Date/Time

Definition

The date/time that patient care was transferred to the destination healthcare facilities staff.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

This was added to better document delays in ED transfer of care due to ED crowding or other issues beyond EMS control.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eTimes.13 - Unit Back in Service Date/Time

Definition

The date/time the unit back was back in service and available for response (finished with call, but not necessarily back in home location).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E05_11	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Response

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eTimes.14 - Unit Canceled Date/Time

Definition

The date/time the unit was canceled.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E05_12	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Response

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

This date/time is to be documented if the unit went en route but neither arrived on scene nor made patient contact.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eTimes.15 - Unit Back at Home Location Date/Time

Definition

The date/time the responding unit was back in their service area. With agencies who utilized Agency Status Management, home location means the service area as assigned through the agency status management protocol.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E05_13	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Response

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eTimes.16 - EMS Call Completed Date/Time

Definition

The date/time the responding unit completed all tasks associated with the event including transfer of the patient, and such things as cleaning and restocking.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Response

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

For many EMS agencies, this would equal Unit Back in Service Date/Time (eTimes.13) if no travel is required to be back in service.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

ePatient

Legend	Dataset Level: [N] National [S] State [D] Deprecated
	Usage: [ ] M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes: [ ] N = Not Values , P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

ePatient

0 : 1	ePatient.01 - EMS Patient ID	O
0 : 1	**ePatient.PatientNameGroup**	
	0 : 1 ePatient.02 - Last Name	S E N, L, P
	0 : 1 ePatient.03 - First Name	S E N, L, P
	0 : 1 ePatient.04 - Middle Initial/Name	O
0 : 1	ePatient.05 - Patient's Home Address	S O
0 : 1	ePatient.06 - Patient's Home City	S O
1 : 1	ePatient.07 - Patient's Home County	N S R N, L
1 : 1	ePatient.08 - Patient's Home State	N S R N, L
1 : 1	ePatient.09 - Patient's Home ZIP Code	N S R N, L
0 : 1	ePatient.10 - Patient's Home Country	S O
0 : 1	ePatient.11 - Patient Home Census Tract	O
0 : 1	ePatient.12 - Social Security Number	O
1 : 1	ePatient.13 - Gender	N S R N, L
1 : M	ePatient.14 - Race	N S R N, L C
1 : 1	**ePatient.AgeGroup**	
	1 : 1 ePatient.15 - Age	N S R N, L
	1 : 1 ePatient.16 - Age Units	N S R N, L
0 : 1	ePatient.17 - Date of Birth	S E N, L, P
0 : M	ePatient.18 - Patient's Phone Number	O C
0 : M	ePatient.19 - Patient's Email Address	O C
0 : 1	ePatient.20 - State Issuing Driver's License	O
0 : 1	ePatient.21 - Driver's License Number	O

ePatient

ePatient.01 - EMS Patient ID

Definition

The unique ID for the patient within the Agency

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	2	100

Data Element Comment

This has been inserted to allow each patient to be tracked across multiple PCRs within an EMS Agency.

ePatient.02 - Last Name

Definition

The patient's last (family) name

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_01	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

Pertinent negatives accepted with option of "Unable to Complete" or "Refused".

ePatient.03 - First Name

Definition

The patient's first (given) name

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_02	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

Pertinent negatives accepted with option of "Unable to Complete" or "Refused".

ePatient.04 - Middle Initial/Name

Definition

The patient's middle name, if any

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

ePatient.05 - Patient's Home Address

Definition

Patient's address of residence

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E06_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

StreetAddress2
Data Type: string   **minLength:** 1   **maxLength:** 55

Constraints

Data Type	minLength	maxLength
string	1	55

Data Element Comment

This is a CMS standard. According to the Medicare Claims Processing Manual, Chapter 15 - Ambulance, Ambulance suppliers bill using CMS-1500 form or CMS-1450 form for institution-based ambulance providers. This standard adheres to CMS-1500 and 1450.

This element allows for a two line documentation of the address. For out of country addresses the second line should be used to document, city, country, postal code and any other pertinent information.

ePatient.06 - Patient's Home City

Definition

The patient's primary city or township of residence.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E06_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Data Element Comment

City codes are based on GNIS Feature Class. The primary Feature Class to use is "Civil" with "Populated Place" and "Military" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

State National

ePatient.07 - Patient's Home County

Definition

The patient's home county or parish of residence.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type   **length**
string   5

Data Element Comment

Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

State National

ePatient.08 - Patient's Home State

Definition	

The state, territory, or province where the patient resides.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type   **length**
string   2

Data Element Comment

The ANSI Code Selection by text but stored as ANSI code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

State   National

ePatient.09 - Patient's Home ZIP Code

Definition

The patient's ZIP code of residence.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Pattern
[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

State

ePatient.10 - Patient's Home Country

Definition

The country of residence of the patient.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E06_09	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**length**
string	2

Data Element Comment

Based on the ISO Country Code.

ANSI Country Codes (ISO 3166) Website: http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

ePatient.11 - Patient Home Census Tract

Definition

The census tract in which the patient lives

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Constraints

Pattern
[0-9]{11}

Data Element Comment

This data element was added to better document the service area of the EMS Agency. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

The format of the census tract number must be an 11-digit number, based upon the 2010 census, using the pattern:
2-digit State Code 3-digit County Code 6-digit Census Tract Number (no decimal)

Example: NEMSIS TAC office (UT, Salt Lake County, Census Tract - located at 295 Chipeta Way, Salt Lake City, UT) 49035101400

Census Tract Data Website (files and descriptions): http://www.census.gov/geo/www/2010census/tract_rel/tract_rel.html

ePatient.12 - Social Security Number

Definition

The patient's social security number

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	maxInclusive	minInclusive
integer	999999999	000000000

Data Element Comment

State National

ePatient.13 - Gender

Definition

The Patient's Gender

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_11	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9906001	Female
9906003	Male
9906005	Unknown (Unable to Determine)

Data Element Comment

ePatient.14 - Race

Definition

The patient's race as defined by the OMB (US Office of Management and Budget)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_12	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2514001	American Indian or Alaska Native
2514003	Asian
2514005	Black or African American
2514007	Hispanic or Latino
2514009	Native Hawaiian or Other Pacific Islander
2514011	White

Data Element Comment

OMB requirements are provided at: https://grants.nih.gov/grants/guide/notice-files/NOT-OD-15-089.html . Using single multiple choice question methodology to improve the completion of ethnicity information.

Ethnicity (Version 2.2.1: E06_13) has been merged with this data element and retired.

State National

ePatient.15 - Age

Definition

The patient's age (either calculated from date of birth or best approximation)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
integer	1	120

Data Element Comment

State   National

ePatient.16 - Age Units

Definition

The unit used to define the patient's age

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
2516001	Days
2516003	Hours
2516005	Minutes
2516007	Months
2516009	Years

Data Element Comment

State

ePatient.17 - Date of Birth

Definition

The patient's date of birth

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_16	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Pertinent Negatives (PN)

8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
date	1890-01-01	2050-01-01

Data Element Comment

ePatient.18 - Patient's Phone Number

Definition

The patient's phone number

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_17	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

PhoneNumberType
9913001 - Fax   9913003 - Home   9913005 - Mobile
9913007 - Pager   9913009 - Work

Constraints

Pattern
[2-9][0-9][0-9]-[2-9][0-9][0-9]-[0-9][0-9][0-9][0-9]

Data Element Comment

This element contains an attribute to define what type of phone number is being documented i.e. Fax, Home, Mobile, Pager, and Work.

ePatient.19 - Patient's Email Address

Definition

The email address of the patient

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

EmailAddressType
9904001 - Personal   9904003 - Work

Constraints

Data Type	**minLength**	**maxLength**
string	3	100

Pattern
.+@.+

Data Element Comment

Added to improve follow-up and billing communication.

ePatient.20 - State Issuing Driver's License

Definition

The state that issued the drivers license

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_18	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type　　　　**length**
string　　　　　　　2

Data Element Comment

Stored as the ANSI State Code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

ePatient.21 - Driver's License Number

Definition

The patient's drivers license number

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E06_19	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	30

Data Element Comment

ePayment

ePayment

1 : 1	ePayment.01 - Primary Method of Payment	N S R N, L

ePayment.CertificateGroup (0 : 1)

0 : 1	ePayment.02 - Physician Certification Statement	O
0 : 1	ePayment.03 - Date Physician Certification Statement Signed	O
0 : M	ePayment.04 - Reason for Physician Certification Statement	O C
0 : 1	ePayment.05 - Healthcare Provider Type Signing Physician Certification Statement	O
0 : 1	ePayment.06 - Last Name of Individual Signing Physician Certification Statement	O
0 : 1	ePayment.07 - First Name of Individual Signing Physician Certification Statement	O

0 : 1	ePayment.08 - Patient Resides in Service Area	O

ePayment.InsuranceGroup (0 : M)   C

0 : 1	ePayment.09 - Insurance Company ID	O
0 : 1	ePayment.10 - Insurance Company Name	O
0 : 1	ePayment.11 - Insurance Company Billing Priority	O
0 : 1	ePayment.12 - Insurance Company Address	O
0 : 1	ePayment.13 - Insurance Company City	O
0 : 1	ePayment.14 - Insurance Company State	O
0 : 1	ePayment.15 - Insurance Company ZIP Code	O
0 : 1	ePayment.16 - Insurance Company Country	O
0 : 1	ePayment.17 - Insurance Group ID/Name	O
0 : 1	ePayment.18 - Insurance Policy ID Number	O
0 : 1	ePayment.19 - Last Name of the Insured	O
0 : 1	ePayment.20 - First Name of the Insured	O
0 : 1	ePayment.21 - Middle Initial/Name of the Insured	O
0 : 1	ePayment.22 - Relationship to the Insured	O

ePayment.ClosestRelativeGroup (0 : 1)

0 : 1	ePayment.23 - Closest Relative/Guardian Last Name	O
0 : 1	ePayment.24 - Closest Relative/ Guardian First Name	O
0 : 1	ePayment.25 - Closest Relative/ Guardian Middle Initial/Name	O
0 : 1	ePayment.26 - Closest Relative/ Guardian Street Address	O
0 : 1	ePayment.27 - Closest Relative/ Guardian City	O
0 : 1	ePayment.28 - Closest Relative/ Guardian State	O
0 : 1	ePayment.29 - Closest Relative/ Guardian ZIP Code	O

0 : 1	ePayment.30 - Closest Relative/ Guardian Country	O	
0 : M	ePayment.31 - Closest Relative/ Guardian Phone Number	O	C
0 : 1	ePayment.32 - Closest Relative/ Guardian Relationship	O	

0 : 1	ePayment.EmployerGroup		
	0 : 1	ePayment.33 - Patient's Employer	O
	0 : 1	ePayment.34 - Patient's Employer's Address	O
	0 : 1	ePayment.35 - Patient's Employer's City	O
	0 : 1	ePayment.36 - Patient's Employer's State	O
	0 : 1	ePayment.37 - Patient's Employer's ZIP Code	O
	0 : 1	ePayment.38 - Patient's Employer's Country	O
	0 : 1	ePayment.39 - Patient's Employer's Primary Phone Number	O

0 : 1	ePayment.40 - Response Urgency	O	
0 : M	ePayment.41 - Patient Transport Assessment	O	C
0 : M	ePayment.42 - Specialty Care Transport Care Provider	O	C
0 : 1	ePayment.43 - Ambulance Transport Code	D	O
0 : M	ePayment.44 - Ambulance Transport Reason Code	O	C
0 : 1	ePayment.45 - Round Trip Purpose Description	O	
0 : 1	ePayment.46 - Stretcher Purpose Description	O	
0 : M	ePayment.47 - Ambulance Conditions Indicator	O	C
0 : 1	ePayment.48 - Mileage to Closest Hospital Facility	O	
0 : 1	ePayment.49 - ALS Assessment Performed and Warranted	O	
1 : 1	ePayment.50 - CMS Service Level	N	S	R	N, L
0 : M	ePayment.51 - EMS Condition Code	O	C
0 : M	ePayment.52 - CMS Transportation Indicator	O	C
0 : 1	ePayment.53 - Transport Authorization Code	O	
0 : 1	ePayment.54 - Prior Authorization Code Payer	O	

0 : M	ePayment.SupplyItemGroup		C
	0 : 1	ePayment.55 - Supply Item Used Name	O
	0 : 1	ePayment.56 - Number of Supply Item(s) Used	O

ePayment

State | National

ePayment.01 - Primary Method of Payment

Definition

The primary method of payment or type of insurance associated with this EMS encounter

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E07_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
2601001	Insurance
2601003	Medicaid
2601005	Medicare
2601007	Not Billed (for any reason)
2601009	Other Government
2601011	Self Pay
2601013	Workers Compensation
2601015	Payment by Facility
2601017	Contracted Payment
2601019	Community Network
2601021	No Insurance Identified
2601023	Other Payment Option

Data Element Comment

ePayment.02 - Physician Certification Statement

Definition

Indication of whether a physician certification statement (PCS) is available documenting the medical necessity or the EMS encounter.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9922001	No
9922003	Unknown
9922005	Yes

Data Element Comment

Data Element Name changed from Certificate of Medical Necessity to Physician Certification Statement. The PCS statement and documentation of medical necessity is a requirement of the Centers for Medicare & Medicaid Services. The circumstances are defined in 42 CFR 410.40 (d)(2) and (d)(3). http://www.cms.gov/

A PCS is required for the following non-emergency transport:
1) Non-Emergency Repetitive Scheduled
2) Non Emergency Non-Repetitive-Scheduled
3) Non Emergency Services - Non Scheduled - Under direct care of a physician

ePayment.03 - Date Physician Certification Statement Signed

Definition	

The date the Physician Certification Statement was signed

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints	

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment	

Added to assist in billing documentation. Associated with ePayment.02: Physician Certification Statement.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

ePayment.04 - Reason for Physician Certification Statement

Definition

The reason for EMS transport noted on the Physician Certification Statement

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2604001	Bed Confined
2604003	Cardiac/Hemodynamic monitoring required during transport
2604005	Confused, combative, lethargic, comatose
2604007	Contractures
2604009	Danger to self or others-monitoring
2604011	Danger to self or others-seclusion (flight risk)
2604013	DVT requires elevation of lower extremity
2604015	IV medications/fluids required during transport
2604017	Moderate to severe pain on movement
2604019	Morbid Obesity requires additional personnel/equipment to handle
2604021	Non-healing fractures
2604023	Orthopedic device (backboard, halo, use of pins in traction, etc) requiring special handling in transit
2604025	Restraints (Physical or Chemical) anticipated or used during transport
2604027	Risk of falling off wheelchair or stretcher while in motion (not related to obesity)
2604029	Severe Muscular weakness and de-conditioned state precludes any significant physical activity
2604031	Special handling en route-Isolation
2604033	Third Party assistance/attendant required to apply, administer, or regulate or adjust oxygen en route
2604035	Unable to maintain erect sitting position in a chair for time needed to transport, due to moderate muscular weakness and de-conditioning.
2604037	Unable to sit in chair or wheelchair due to Grade II or greater decubitus ulcers on buttocks.

Data Element Comment

Added to assist in billing documentation.

ePayment.05 - Healthcare Provider Type Signing Physician Certification Statement

Definition

The type of healthcare provider who signed the Physician Certification Statement

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2605001	Clinical Nurse Specialist
2605003	Discharge Planner
2605005	Physician (MD or DO)
2605007	Physician Assistant
2605009	Registered Nurse
2605011	Registered Nurse Practitioner

Data Element Comment

CMS defines the individual signing the PCS as a person who has personal knowledge of the beneficiary's condition at the time the ambulance transport is ordered or the service is furnished.

ePayment.06 - Last Name of Individual Signing Physician Certification Statement

Definition

The last name of the healthcare provider who signed the Physician Certification Statement.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

Added to assist in billing documentation.

ePayment.07 - First Name of Individual Signing Physician Certification Statement

Definition			
The first name of the healthcare provider who signed the Physician Certification Statement.			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints		
Data Type	**minLength**	**maxLength**
string	1	50

Data Element Comment
Added to assist in billing documentation.

ePayment.08 - Patient Resides in Service Area

Definition

An indication of whether the patient's current residence is within the EMS agency service area.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2608001	Resident Within EMS Service Area
2608003	Not a Resident Within EMS Service Area

Data Element Comment

Added to assist in billing documentation.

ePayment.09 - Insurance Company ID

Definition

The ID Number of the patient's insurance company.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	60

Data Element Comment

This element should be used as the Health Plan ID (HPID) field in X12. It is currently under development for X12 and will be a future release.

ePayment.10 - Insurance Company Name

Definition

The name of the patient's insurance company.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

ePayment.11 - Insurance Company Billing Priority

Definition

The billing priority or order for the insurance company.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2611001	Other
2611003	Primary
2611005	Secondary
2611007	Tertiary
2611009	Payer Responsibility Four
2611011	Payer Responsibility Five
2611013	Payer Responsibility Six
2611015	Payer Responsibility Seven
2611017	Payer Responsibility Eight
2611019	Payer Responsibility Nine
2611021	Payer Responsibility Ten
2611023	Payer Responsibility Eleven
2611025	Unknown

Data Element Comment

ePayment.12 - Insurance Company Address

Definition

The mailing address of the Insurance Company

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

StreetAddress2
Data Type: string   **minLength:** 1   **maxLength:** 55

Constraints

Data Type	minLength	maxLength
string	1	55

Data Element Comment

ePayment.13 - Insurance Company City

Definition

The insurance company's city or township used for mailing purposes.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Data Element Comment

City codes are based on GNIS Feature Class. The primary Feature Class to use is ""Civil"" with ""Populated Place"" and ""Military"" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

ePayment.14 - Insurance Company State

Definition

The insurance company's state, territory, or province, or District of Columbia.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_07	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Based on the ANSI State Code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

ePayment.15 - Insurance Company ZIP Code

Definition			
The insurance company's ZIP Code			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_08	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

ePayment.16 - Insurance Company Country

Definition

The insurance company's country

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Based on the ISO Country Code.

ANSI Country Codes (ISO 3166) Website: http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

Version 3 Changes Implemented

Added to better document international addresses.

ePayment.17 - Insurance Group ID/Name

Definition

The ID number or name of the patient's insurance group

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_09	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	30

Data Element Comment

ePayment.18 - Insurance Policy ID Number

Definition

The ID number of the patient's insurance policy

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	30

Data Element Comment

ePayment.19 - Last Name of the Insured

Definition

The last (family) name of the person insured by the insurance company.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_11	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

ePayment.20 - First Name of the Insured

Definition

The first (given) name of the person insured by the insurance company

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_12	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

ePayment.21 - Middle Initial/Name of the Insured

Definition

The middle name, if any, of the person insured by the insurance company.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_13	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

ePayment.22 - Relationship to the Insured

Definition	
The relationship of the patient to the primary insured person	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_14	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List	

Code	Description
2622001	Self
2622003	Spouse
2622005	Child/Dependent
2622007	Other DEPRECATED
2622009	Cadaver Donor
2622011	Employee
2622013	Life/Domestic Partner
2622015	Organ Donor
2622017	Unknown
2622019	Other Relationship

Data Element Comment	
Descriptors are consistent with X12 Loop 2000C PAT01, Specifies the patient's relationship to the person insured.	

Definition

The last (family) name of the patient's closest relative or guardian

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_18	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

ePayment.24 - Closest Relative/ Guardian First Name

Definition

The first (given) name of the patient's closest relative or guardian

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_19	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

ePayment.25 - Closest Relative/ Guardian Middle Initial/Name

Definition

The middle name/initial, if any, of the closest patient's relative or guardian.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_20	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

ePayment.26 - Closest Relative/ Guardian Street Address

Definition			
The street address of the residence of the patient's closest relative or guardian.			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_21	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

StreetAddress2
Data Type: string   **minLength:** 1   **maxLength:** 55

Constraints

Data Type	minLength	maxLength
string	1	55

Data Element Comment

This element allows for a two line documentation of the address. For out of country addresses the second line should be used to document, city, country, postal code and any other pertinent information.

ePayment.27 - Closest Relative/ Guardian City

Definition

The primary city or township of residence of the patient's closest relative or guardian.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_22	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Data Element Comment

City codes are based on GNIS Feature Class. The primary Feature Class to use is "Civil" with "Populated Place" and ""Military" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

ePayment.28 - Closest Relative/ Guardian State

Definition

The state of residence of the patient's closest relative or guardian.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_23	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Based on ANSI State Code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

ePayment.29 - Closest Relative/ Guardian ZIP Code

Definition

The ZIP Code of the residence of the patient's closest relative or guardian.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_24	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

ePayment.30 - Closest Relative/ Guardian Country

Definition			
The country of residence of the patient's closest relative or guardian.			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints		
Data Type	**length**	
string	2	

Data Element Comment

Based on the ISO Country Code.

ANSI Country Codes (ISO 3166) Website: http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

Version 3 Changes Implemented

Added to improve international compatibility.

ePayment.31 - Closest Relative/ Guardian Phone Number

Definition

The phone number of the patient's closest relative or guardian

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_25	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

PhoneNumberType
9913001 - Fax   9913003 - Home   9913005 - Mobile
9913007 - Pager   9913009 - Work

Constraints

Pattern
[2-9][0-9][0-9]-[2-9][0-9][0-9]-[0-9][0-9][0-9][0-9]

Data Element Comment

ePayment.32 - Closest Relative/ Guardian Relationship

Definition

The relationship of the patient's closest relative or guardian

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_26	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2632001	Appointed Guardian
2632003	Child/Dependent
2632005	Father
2632007	Mother
2632009	Other (Non-Relative)
2632011	Other (Relative)
2632013	Sibling
2632015	Spouse
2632017	Employee
2632019	Life/Domestic Partner
2632021	Unknown

Data Element Comment

ePayment.33 - Patient's Employer

Definition

The patient's employers Name

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_27	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	60

Data Element Comment

ePayment.34 - Patient's Employer's Address

Definition

The street address of the patient's employer

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_28	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

StreetAddress2
Data Type: string   **minLength:** 1   **maxLength:** 55

Constraints

Data Type	minLength	maxLength
string	1	55

Data Element Comment

This element allows for a two line documentation of the address. For out of country addresses the second line should be used to document, city, country, postal code and any other pertinent information.

ePayment.35 - Patient's Employer's City

Definition			
The city or township of the patient's employer used for mailing purposes.			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_29	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Data Element Comment
City codes are based on GNIS Feature Class. The primary Feature Class to use is "Civil" with "Populated Place" and "Military" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

ePayment.36 - Patient's Employer's State

Definition

The state of the patient's employer

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_30	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Based on ANSI State Code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

ePayment.37 - Patient's Employer's ZIP Code

Definition

The ZIP Code of the patient's employer

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_31	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

ePayment.38 - Patient's Employer's Country

Definition

The country of the patient's employer

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Based on the ISO Country Code.

ANSI Country Codes (ISO 3166) Website: http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

Version 3 Changes Implemented

Added to improve international compatibility.

ePayment.39 - Patient's Employer's Primary Phone Number

Definition
The employer's primary phone number.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_32	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

PhoneNumberType

9913001 - Fax	9913003 - Home	9913005 - Mobile
9913007 - Pager	9913009 - Work	

Constraints

Pattern
[2-9][0-9][0-9]-[2-9][0-9][0-9]-[0-9][0-9][0-9][0-9]

Data Element Comment

ePayment.40 - Response Urgency

Definition

The urgency in which the EMS agency began to mobilize resources for this EMS encounter.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_33	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2640001	Immediate
2640003	Non-Immediate

Data Element Comment

This is for billing documentation.

ePayment.41 - Patient Transport Assessment

Definition

Documentation of the patient's transport need based on mobility and/or physical capability.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2641001	Unable to sit without assistance
2641003	Unable to stand without assistance
2641005	Unable to walk without assistance

Data Element Comment

Added to better justify the medical necessity of the transport. Based on CMS 42 CFR Ch IV (10-1-02 Edition) & 410.40 (d) medical necessity requirement (1)

ePayment.42 - Specialty Care Transport Care Provider

Definition

Documentation to show the patient care provided to the patient met the Specialty Care Transport Base Rate requirements.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2642001	Advanced EMT-Paramedic
2642003	Nurse
2642005	Nurse Practitioner
2642007	Physician (MD, DO)
2642009	Physician Assistant
2642011	2009 Emergency Medical Responder (EMR)
2642013	2009 Emergency Medical Technician (EMT)
2642015	2009 Advanced Emergency Medical Technician (AEMT)
2642017	2009 Paramedic
2642019	First Responder
2642021	EMT-Basic
2642023	EMT-Intermediate
2642025	EMT-Paramedic
2642027	Other Healthcare Professional
2642029	Other Non-Healthcare Professional
2642031	Respiratory Therapist
2642033	Student
2642035	Critical Care Paramedic
2642037	Community Paramedicine
2642039	Registered Nurse

Data Element Comment

Added to improve Specialty Care Transport billing justification. In accordance with CMS requirements Specialty Care Transport (SCT): ""Additional training" means the specific additional training that a State requires a paramedic to complete in order to qualify to furnish specialty care to a critically ill or injured patient during an SCT."

Deprecated

ePayment.43 - Ambulance Transport Code

Definition

Indicator about the type of transport of the patient.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
I	Initial Trip
R	Return Trip
X	Round Trip
T	Transfer Trip

Data Element Comment

Added to improve billing with electronic claims using X12. The Ambulance Transport Code values are those determined by US Dept of HHS for the "Code indicating the type of ambulance transport". The Accredited Standards Committee X12 organization maintains the standard. See the X12 website http://www.x12.org or United States Health Information Knowledgebase website for more information:

http://ushik.org/dr.ui.drData_Page?system=mdr&Search=xxKEYIDxx&KeyOrgID=18&KeyRID=24821000&Referer=DataElement

Deprecated Comment

Originally added to improve billing with electronic claims using X12. This element has been retired from the X12 5010 standard.

ePayment.44 - Ambulance Transport Reason Code

Definition	
The CMS Ambulance Transport Reason Code for the transport.	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
A	Patient was transported to the nearest facility for care of symptoms, complaints, or both
B	Patient was transported for the benefit of a preferred physician
C	Patient was transported for the nearness of family members
D	Patient was transported for the care of a specialist or for availability of equipment
E	Patient was transferred to a Rehabilitation Facility

Data Element Comment

Added to improve billing with electronic claims using the ASC X12 Standard. The Ambulance Transport Code values are those determined by US Dept of HHS for the "Code indicating the type of ambulance transport". The Accredited Standards Committee X12 organization maintains the standard. See the X12 website http://www.x12.org or United States Health Information Knowledgebase website for more information:
https://ushik.ahrq.gov/ViewItemDetails?system=sdo&itemKey=133080000

ePayment.45 - Round Trip Purpose Description

Definition

Free text description providing the purpose of the round trip EMS transport based on CR109 field for CMS.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	2	80

Data Element Comment

Added to improve billing documentation for CMS X12 based transactions.

This element should be documented when ePayment.43 (Ambulance Transport Code) code = X (Round Trip).

Ambulance providers can use this field to provide additional information regarding the circumstances of a round trip transport or for other medical necessity documentation.

Version 3 Changes Implemented

Added to improve billing with electronic claims using X12

ePayment.46 - Stretcher Purpose Description

Definition

Free Text Documentation providing the reason for use of a stretcher in the EMS patient transport.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	80

Data Element Comment

Added to improve billing using CMS X12 transactions based on CR110. Documentation of Stretcher Purpose Description (ePayment.46) is required when needed to justify use of a stretcher. (X12 - Loop 2300 CR110).

ePayment.47 - Ambulance Conditions Indicator

Definition

Documentation of the CRC03 through CRC07 requirements for CMS billing using X12 transactions.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
01	Patient was admitted to a hospital
04	Patient was moved by stretcher
05	Patient was unconscious or in shock
06	Patient was transported in an emergency situation
07	Patient had to be physically restrained
08	Patient had visible hemorrhaging
09	Ambulance service was medically necessary
12	Patient is confined to a bed or chair (Use code 12 to indicate patient was bedridden during transport.)

Data Element Comment

Added to improve billing documentation and justification.

Version 3 Changes Implemented

Added to improve billing with electronic claims using X12. The Codes and Descriptors updated Sept 2013 to meet the X12 5010 standard.

ePayment.48 - Mileage to Closest Hospital Facility

Definition

The mileage to the closest hospital facility from the scene. Documented only if the patient was transported to a facility farther away than the closest hospital.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	fractionDigits	minInclusive	maxInclusive
decimal	2	1	1000

Data Element Comment

Added to clarify billing mileage when the patient is not taken to the closest facility.

Version 3 Changes Implemented

Added for improved billing documentation.

ePayment.49 - ALS Assessment Performed and Warranted

Definition

Documentation that the patient required an ALS assessment and it was performed.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Added to improve billing justification

Version 3 Changes Implemented

Added to improve billing justification

State   National

ePayment.50 - CMS Service Level

Definition

The CMS service level for this EMS encounter.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E07_34	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
2650001	ALS, Level 1
2650003	ALS, Level 1 Emergency
2650005	ALS, Level 2
2650007	BLS
2650009	BLS, Emergency
2650011	Fixed Wing (Airplane)
2650013	Paramedic Intercept
2650015	Specialty Care Transport
2650017	Rotary Wing (Helicopter)

Data Element Comment

ePayment.51 - EMS Condition Code

Definition

The condition code associated with the CMS EMS negotiated rule-making process.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_35	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Pattern
[A-Z][0-9]{2}((\.[0-9A-Z]{1,3})?)

Data Element Comment

Code list is represented in ICD-10-CM Codes:
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

ePayment.52 - CMS Transportation Indicator

Definition

The CMS Ambulance Fee Schedule Transportation and Air Medical Transportation Indicators are used to better describe why it was necessary for the patient to be transported in a particular way or circumstance.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_37	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
C1	Interfacility Transport (Requires Higher level of care)
C2	Interfacility Transport (service not available)
C3	Emergency Trauma Dispatch Condition Code (Major Incident or Mechanism of Injury)
C4	Medically Necessary Transport (Facility on Divert or Services Unavailable)
C5	BLS Transport of ALS Patient (ALS not available)
C6	ALS Response (Based on Dispatch Info) to BLS Patient (Condition)
C7	IV Medications required en route (ALS)
D1	Long Distance-patient's condition requires rapid transportation over a long distance
D2	Rare Circumstances, Traffic Patterns Precludes Ground Transport
D3	Time to the closest appropriate hospital due to the patient's condition precludes ground transport; maximize clinical benefits
D4	Pick up Point not Accessible by Ground Transport

Data Element Comment

Name changed from Condition Code Modifier to CMS Transportation Indicator

Version 3 Changes Implemented

Name changed from Condition Code Modifier to CMS Transportation Indicator

ePayment.53 - Transport Authorization Code

Definition

Prior authorization code provided by the insurance carrier/payer.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	52

Data Element Comment

Version 3 Changes Implemented

Added to improve billing documentation.

ePayment.54 - Prior Authorization Code Payer

Definition

The Payer who has provided the Prior Authorization Code.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	1	50

Data Element Comment

Added to document Prior Authorization Codes for an EMS Transport.

Version 3 Changes Implemented

Added to improve billing documentation.

ePayment.55 - Supply Item Used Name

Definition

The name of the supply used on the patient by the EMS Crew during the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	80

Data Element Comment

Added to track EMS supplies for billing. The list of supplies would be created by the EMS Agency. There is no master list of supply items defined.

Version 3 Changes Implemented

Added to track EMS supplies for billing.

ePayment.56 - Number of Supply Item(s) Used

Definition

The number of the specific supply item used on the patient by the EMS Crew during the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
positiveInteger	1	100,000,000

Data Element Comment

Associated with ePayment.56 (Supply Item Used Name). Used to better track supply items for billing

Version 3 Changes Implemented

Added to track EMS supplies for billing.

eScene

eScene

1 : 1	eScene.01 - First EMS Unit on Scene	N S R N, L
0 : M	eScene.ResponderGroup	C
0 : 1	eScene.02 - Other EMS or Public Safety Agencies at Scene	O
0 : 1	eScene.03 - Other EMS or Public Safety Agency ID Number	O
0 : 1	eScene.04 - Type of Other Service at Scene	O
0 : 1	eScene.05 - Date/Time Initial Responder Arrived on Scene	O
1 : 1	eScene.06 - Number of Patients at Scene	N S R N, L
1 : 1	eScene.07 - Mass Casualty Incident	N S R N, L
1 : 1	eScene.08 - Triage Classification for MCI Patient	N S R N, L
1 : 1	eScene.09 - Incident Location Type	N S R N, L
0 : 1	eScene.10 - Incident Facility Code	S E N, L
0 : 1	eScene.11 - Scene GPS Location	S O
0 : 1	eScene.12 - Scene US National Grid Coordinates	S O
0 : 1	eScene.13 - Incident Facility or Location Name	S O
0 : 1	eScene.14 - Mile Post or Major Roadway	S E N, L
0 : 1	eScene.15 - Incident Street Address	S E N, L
0 : 1	eScene.16 - Incident Apartment, Suite, or Room	S E N, L
0 : 1	eScene.17 - Incident City	S E N, L
1 : 1	eScene.18 - Incident State	N S R N, L
1 : 1	eScene.19 - Incident ZIP Code	N S R N, L
0 : 1	eScene.20 - Scene Cross Street or Directions	S E N, L
1 : 1	eScene.21 - Incident County	N S R N, L
0 : 1	eScene.22 - Incident Country	O
0 : 1	eScene.23 - Incident Census Tract	O

eScene

eScene.01 - First EMS Unit on Scene

Definition

Documentation that this EMS Unit was the first EMS Unit for the EMS Agency on the Scene

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Added to improve the evaluation of Response Times when multiple EMS units are responding to the same scene.

eScene.02 - Other EMS or Public Safety Agencies at Scene

Definition

Other EMS agency names that were at the scene, if any

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

eScene.03 - Other EMS or Public Safety Agency ID Number

Definition	
The ID number for the EMS Agency or Other Public Safety listed in eScene.02	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	25

Data Element Comment

The ID should be the state ID (license number) for the EMS agency or ID number for the law enforcement. This may be an ID assigned by the state or created by the EMS agency.

eScene.04 - Type of Other Service at Scene

Definition

The type of public safety or EMS service associated with Other Agencies on Scene

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_02	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2704001	EMS Mutual Aid
2704003	Fire
2704005	First Responder
2704007	Hazmat
2704009	Law
2704011	Other
2704013	Other EMS Agency
2704015	Other Health Care Provider
2704017	Rescue
2704019	Utilities

Data Element Comment

Associated with each Other Service in eScene.02

eScene.05 - Date/Time Initial Responder Arrived on Scene

Definition

The time that the initial responder arrived on the scene, if applicable.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E08_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   STEMI   Trauma

Constraints

Data Type   **minInclusive**   **maxInclusive**
dateTime   1950-01-01T00:00:00-00:00   2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State National

eScene.06 - Number of Patients at Scene

Definition

Indicator of how many total patients were at the scene

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
2707001	Multiple
2707003	None
2707005	Single

Data Element Comment

eScene.07 - Mass Casualty Incident

Definition

Indicator if this event would be considered a mass casualty incident (overwhelmed existing EMS resources)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

State | National

eScene.08 - Triage Classification for MCI Patient

Definition

The color associated with the initial triage assessment/classification of the MCI patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
2708001	Red - Immediate
2708003	Yellow - Delayed
2708005	Green - Minimal (Minor)
2708007	Gray - Expectant
2708009	Black - Deceased

Data Element Comment

This element is documented when eScene.07 (Mass Casualty Incident) = Yes.

Examples of triage systems include START and SALT.

Adapted from: SALT mass casualty triage: concept endorsed by the American College of Emergency Physicians, American College of Surgeons Committee on Trauma, American Trauma Society, National Association of EMS Physicians, National Disaster Life Support Education Consortium, and State and Territorial Injury Prevention Directors Association. Disaster Med Public Health Prep. 2008 Dec;2(4):245-6.

START reference: Benson M, Koenig KL, Schultz CH. Disaster triage: START, then SAVE-a new method of dynamic triage for victims of a catastrophic earthquake. Prehospital Disaster Med. 1996; Apr-Jun; 11(2): 117-24

State   National

eScene.09 - Incident Location Type

Definition

The kind of location where the incident happened

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Pattern
Y92\.[0-9]{1,3}

Data Element Comment

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

eScene.10 - Incident Facility Code

Definition

The state, regulatory, or other unique number (code) associated with the facility if the Incident is a Healthcare Facility.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_08	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	2	50

Data Element Comment

This may be populated from a list created within dFacility.03 (Facility Location Code) or dFacility.05 (Facility National Provider Identifier).

eScene.11 - Scene GPS Location

Definition

The GPS coordinates associated with the Scene.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E08_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Constraints

Pattern
(\+|-)?(90(\.[0]{1,6})?|([1-8][0-9]|[0-9])(\.[0-9]{1,6})?),(\+|-)?(180(\.[0]{1,6})?|(1[0-7][0-9]|[1-9][0-9]|[0-9])(\.[0-9]{1,6})?)

Data Element Comment

The pattern for GPS location is in the format "*latitude*,*longitude*" where:
- *latitude* has a minimum of -90 and a maximum of 90 with up to 6 decimal places
- *longitude* has a minimum of -180 and a maximum of 180 with up to 6 decimal places

eScene.12 - Scene US National Grid Coordinates

Definition

The US National Grid Coordinates for the Scene.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
([1-9]|[1-5][0-9]|60)[C-HJ-NP-X][A-HJ-NP-Z][A-HJ-NP-V][0-9]{8}

Data Element Comment

Standard found at www.fgdc.gov/usng

eScene.13 - Incident Facility or Location Name

Definition

The name of the facility, business, building, etc. associated with the scene of the EMS event.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

This element may be populated from a list created within dFacility.02 (Facility Name).

eScene.14 - Mile Post or Major Roadway

Definition			
The mile post or major roadway associated with the incident locations			

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**maxLength**	**minLength**
string	35	2

Data Element Comment

eScene.15 - Incident Street Address

Definition

The street address where the patient was found, or, if no patient, the address to which the unit responded.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_11	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

StreetAddress2
Data Type: string   **minLength:** 1   **maxLength:** 55

Constraints

Data Type	minLength	maxLength
string	1	55

Data Element Comment

eScene.16 - Incident Apartment, Suite, or Room

Definition

The number of the specific apartment, suite, or room where the incident occurred.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minLength**	**maxLength**
string	1	15

Data Element Comment

eScene.17 - Incident City

Definition

The city or township (if applicable) where the patient was found or to which the unit responded (or best approximation)

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_12	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Data Element Comment

City codes are based on GNIS Feature Class. The primary Feature Class to use is "Civil" with "Populated Place" and "Military" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

State National

eScene.18 - Incident State

Definition

The state, territory, or province where the patient was found or to which the unit responded (or best approximation)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type   **length**
string   2

Data Element Comment

Based on the ANSI State Code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

State National

eScene.19 - Incident ZIP Code

Definition

The ZIP code of the incident location

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Pattern
[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

eScene.20 - Scene Cross Street or Directions

Definition

The nearest cross street to the incident address or directions from a recognized landmark or the second street name of an intersection.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	2	50

Data Element Comment

Version 3 Changes Implemented

Added to better locate/document the scene (incident) location.

State | National

eScene.21 - Incident County

Definition

The county or parish where the patient was found or to which the unit responded (or best approximation)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_13	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type   **length**
string   5

Data Element Comment

Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

eScene.22 - Incident Country

Definition

The country of the incident location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

Based on the ISO Country Code.

ANSI Country Codes (ISO 3166) Website: http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

Version 3 Changes Implemented

Added for international compatibility.

eScene.23 - Incident Census Tract

Definition

The census tract in which the incident occurred.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Constraints

Pattern
[0-9]{11}

Data Element Comment

This data element was added to better document the service area of the EMS Agency. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

The format of the census tract number must be an 11-digit number, based upon the 2010 census, using the pattern:
2-digit State Code 3-digit County Code 6-digit Census Tract Number (no decimal)

Example: NEMSIS TAC office (UT, Salt Lake County, Census Tract - located at 295 Chipeta Way, Salt Lake City, UT) 49035101400

Census Tract Data Website (files and descriptions): http://www.census.gov/geo/www/2010census/tract_rel/tract_rel.html

Version 3 Changes Implemented

Added to improve the ability to use census and other demographic information within EMS research.

eSituation

eSituation

1 : 1	eSituation.01 - Date/Time of Symptom Onset/Last Normal	N	S	R	N, L
1 : 1	eSituation.02 - Possible Injury	N	S	R	N, L
0 : M	eSituation.PatientComplaintGroup				C
0 : 1	eSituation.03 - Complaint Type		S	E	N, L
0 : 1	eSituation.04 - Complaint		S	E	N, L
0 : 1	eSituation.05 - Duration of Complaint		S	E	N, L
0 : 1	eSituation.06 - Time Units of Duration of Complaint		S	E	N, L
1 : 1	eSituation.07 - Chief Complaint Anatomic Location	N	S	R	N, L
1 : 1	eSituation.08 - Chief Complaint Organ System	N	S	R	N, L
1 : 1	eSituation.09 - Primary Symptom	N	S	R	N, L
1 : M	eSituation.10 - Other Associated Symptoms	N	S	R	N, L	C
1 : 1	eSituation.11 - Provider's Primary Impression	N	S	R	N, L
1 : M	eSituation.12 - Provider's Secondary Impressions	N	S	R	N, L	C
1 : 1	eSituation.13 - Initial Patient Acuity	N	S	R	N, L
0 : 1	eSituation.WorkRelatedGroup				
0 : 1	eSituation.14 - Work-Related Illness/Injury		S	E	N, L
0 : 1	eSituation.15 - Patient's Occupational Industry				O
0 : 1	eSituation.16 - Patient's Occupation				O
0 : M	eSituation.17 - Patient Activity		S	E	N, L	C

eSituation

State   National

eSituation.01 - Date/Time of Symptom Onset/Last Normal

Definition

The date and time the symptom began as it relates to this EMS event. This is described or estimated by the patient, family, and/or healthcare professionals.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

For stroke related events, this is the date and time the patient was last seen normal. For cardiac or respiratory arrest related events, this is the date and time the patient was last known to have a pulse or when interaction was had with the patient. For drowning related events, this is the date and time the patient was last seen. The intent of this element is to document the estimate date and time the patient was last known to be in their normal state.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better define the EMS patient event.

State National

eSituation.02 - Possible Injury

Definition

Indication whether or not there was an injury

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9922001	No
9922003	Unknown
9922005	Yes

Data Element Comment

This data element provides documentation to classify the EMS Reason for Encounter as either injury or non-injury related based on mechanism and not on actual injury. eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

eSituation.03 - Complaint Type

Definition

The type of patient healthcare complaint being documented.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Code List

Code	Description
2803001	Chief (Primary)
2803003	Other (Not Listed)
2803005	Secondary

Data Element Comment

This was added to group complaints in a more efficient manner

Version 3 Changes Implemented

Added to improve data integrity.

eSituation.04 - Complaint

Definition

The statement of the problem by the patient or the history provider.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_05	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	1	255

Data Element Comment

eSituation.05 - Duration of Complaint

Definition

The duration of the complaint

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_06	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minInclusive**	**maxInclusive**
integer	1	365

Data Element Comment

Associated with eSituation.06 (Time Units of Duration of the Complaint).

eSituation.06 - Time Units of Duration of Complaint

Definition

The time units of the duration of the patient's complaint

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_07	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Code List

Code	Description
2806001	Seconds
2806003	Minutes
2806005	Hours
2806007	Days
2806009	Weeks
2806011	Months
2806013	Years

Data Element Comment

Associated with eSituation.05 (Duration of the Complaint).

eSituation.07 - Chief Complaint Anatomic Location

Definition

The primary anatomic location of the chief complaint as identified by EMS personnel

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_11	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
2807001	Abdomen
2807003	Back
2807005	Chest
2807007	Extremity-Lower
2807009	Extremity-Upper
2807011	General/Global
2807013	Genitalia
2807015	Head
2807017	Neck

Data Element Comment

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

State | National

eSituation.08 - Chief Complaint Organ System

Definition

The primary organ system of the patient injured or medically affected.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_12	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
2808001	Behavioral/Psychiatric
2808003	Cardiovascular
2808005	CNS/Neuro
2808007	Endocrine/Metabolic
2808009	GI
2808011	Global/General
2808013	Lymphatic/Immune
2808015	Musculoskeletal/Skin
2808017	Reproductive
2808019	Pulmonary
2808021	Renal

Data Element Comment

Altered to follow the anatomical organ systems as defined by general anatomy. Added Lymphatic/Immune; Merged Skin with Muscular-Skeletal. Changed OB/Gyn to Reproductive.

Retained non-organ system designations for Global/General and Behavioral/Psychiatric.

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

eSituation.09 - Primary Symptom

Definition

The primary sign and symptom present in the patient or observed by EMS personnel

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_13	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Pattern
(R[0-6][0-9](\.[0-9]{1,4})?|(R73\.9)|(R99))|([A-QSTZ][0-9]{2})((\.[0-9A-Z]{1,4})?)

Data Element Comment

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

Code list is represented in ICD-10-CM Diagnosis Codes. Reference the NEMSIS Suggested Lists at:
http://nemsis.org/v3/resources.html

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

State   National

eSituation.10 - Other Associated Symptoms

Definition

Other symptoms identified by the patient or observed by EMS personnel

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Pattern
(R[0-6][0-9](\.[0-9]{1,4})?|(R73\.9)|(R99))|([A-QSTZ][0-9]{2})((\.[0-9A-Z]{1,4})?)

Data Element Comment

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

State | National

eSituation.11 - Provider's Primary Impression

Definition

The EMS personnel's impression of the patient's primary problem or most significant condition which led to the management given to the patient (treatments, medications, or procedures).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Pattern
(R[0-6][0-9](\.[0-9]{1,3})?|(R73\.9)|(R99))|([A-QSTZ][0-9]{2})((\.[0-9A-Z]{1,4})?)

Data Element Comment

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

State   National

eSituation.12 - Provider's Secondary Impressions

Definition

The EMS personnel's impression of the patient's secondary problem or most significant condition which led to the management given to the patient (treatments, medications, or procedures).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Pattern
(R[0-6][0-9](\.[0-9]{1,3})?|(R73\.9)|(R99))|([A-QSTZ][0-9]{2})((\.[0-9A-Z]{1,4})?)

Data Element Comment

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

State | National

eSituation.13 - Initial Patient Acuity

Definition

The acuity of the patient's condition upon EMS arrival at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway　　Cardiac Arrest　　Pediatric　　STEMI　　Stroke　　Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable　　　　7701003 - Not Recorded

Code List

Code	Description
2813001	Critical (Red)
2813003	Emergent (Yellow)
2813005	Lower Acuity (Green)
2813007	Dead without Resuscitation Efforts (Black)

Data Element Comment

Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at
http://www.nhtsa.gov/people/injury/ems/emscorecontent/images/EMSCoreContent.pdf

Dead without Resuscitation Efforts would be appropriate if resuscitation was initiated by non-EMS personnel but discontinued immediately upon evaluation by first arriving EMS personnel.

State

eSituation.14 - Work-Related Illness/Injury

Definition

Indication of whether or not the illness or injury is work related.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E07_15	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Code List

Code	Description
9922001	No
9922003	Unknown
9922005	Yes

Data Element Comment

Moved from Version 2.2.1 E07_15 to allow more complete documentation of work related illness and injury.

eSituation.15 - Patient's Occupational Industry

Definition

The occupational industry of the patient's work.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_16	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2815001	Accommodation and Food Services
2815003	Administrative and Support and Waste Management and Remediation Services
2815005	Agriculture, Forestry, Fishing and Hunting
2815007	Arts, Entertainment, and Recreation
2815009	Construction
2815011	Educational Services
2815013	Finance and Insurance
2815015	Health Care and Social Assistance
2815017	Information
2815019	Management of Companies and Enterprises
2815021	Manufacturing
2815023	Mining, Quarrying, and Oil and Gas Extraction
2815025	Other Services (except Public Administration)
2815027	Professional, Scientific, and Technical Services
2815029	Public Administration
2815031	Real Estate and Rental and Leasing
2815033	Retail Trade
2815035	Transportation and Warehousing
2815037	Utilities
2815039	Wholesale Trade

Data Element Comment

From the North American Industry Classification System (NAICS) from US Bureau of Labor Statistics
(http://www.census.gov/cgi-bin/sssd/naics/naicsrch?chart=2007).

eSituation.16 - Patient's Occupation

Definition

The occupation of the patient.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E07_17	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2816001	Architecture and Engineering Occupations
2816003	Arts, Design, Entertainment, Sports, and Media Occupations
2816005	Building and Grounds Cleaning and Maintenance Occupations
2816007	Business and Financial Operations Occupations
2816009	Community and Social Services Occupations
2816011	Computer and Mathematical Occupations
2816013	Construction and Extraction Occupations
2816015	Education, Training, and Library Occupations
2816017	Farming, Fishing and Forestry Occupations
2816019	Food Preparation and Serving Related Occupations
2816021	Healthcare Practitioners and Technical Occupations
2816023	Healthcare Support Occupations
2816025	Installation, Maintenance, and Repair Occupations
2816027	Legal Occupations
2816029	Life, Physical, and Social Science Occupations
2816031	Management Occupations
2816033	Military Specific Occupations
2816035	Office and Administrative Support Occupations
2816037	Personal Care and Service Occupations
2816039	Production Occupations
2816041	Protective Service Occupations
2816043	Sales and Related Occupations
2816045	Transportation and Material Moving Occupations

Data Element Comment

Based on the Standard Occupational Classification of the US Bureau of Labor Statistics
(http://www.bls.gov/soc/major_groups.htm)

Version 3 Changes Implemented

Added to better describe work related injury.

eSituation.17 - Patient Activity

Definition

The activity the patient was involved in at the time the patient experienced the onset of symptoms or experienced an injury.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Pattern
Y93\.[A-Za-z0-9]{1,4}

Data Element Comment

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

Code list is represented in ICD-10 Codes.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

eInjury

Legend	Dataset Level: N National S State D Deprecated
	Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes: N = Not Values , P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eInjury

1 : M	eInjury.01 - Cause of Injury	N S R N, L C
0 : M	eInjury.02 - Mechanism of Injury	S E N, L C
1 : M	eInjury.03 - Trauma Center Criteria	N S R N, L C
1 : M	eInjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor	N S R N, L, P C
0 : 1	eInjury.05 - Main Area of the Vehicle Impacted by the Collision	S O
0 : 1	eInjury.06 - Location of Patient in Vehicle	S O
0 : M	eInjury.07 - Use of Occupant Safety Equipment	S E N, L C
0 : M	eInjury.08 - Airbag Deployment	S O C
0 : 1	eInjury.09 - Height of Fall (feet)	S O
0 : M	eInjury.10 - OSHA Personal Protective Equipment Used	O C

0 : 1	eInjury.CollisionGroup	
	0 : 1	eInjury.11 - ACN System/Company Providing ACN Data	O
	0 : 1	eInjury.12 - ACN Incident ID	O
	0 : M	eInjury.13 - ACN Call Back Phone Number	O C
	0 : 1	eInjury.14 - Date/Time of ACN Incident	O
	0 : 1	eInjury.15 - ACN Incident Location	O
	0 : 1	eInjury.16 - ACN Incident Vehicle Body Type	O
	0 : 1	eInjury.17 - ACN Incident Vehicle Manufacturer	O
	0 : 1	eInjury.18 - ACN Incident Vehicle Make	O
	0 : 1	eInjury.19 - ACN Incident Vehicle Model	O
	0 : 1	eInjury.20 - ACN Incident Vehicle Model Year	O
	0 : 1	eInjury.21 - ACN Incident Multiple Impacts	O
	0 : M	eInjury.22 - ACN Incident Delta Velocity	O C
	0 : 1	eInjury.23 - ACN High Probability of Injury	O
	0 : 1	eInjury.24 - ACN Incident PDOF	O
	0 : 1	eInjury.25 - ACN Incident Rollover	O

0 : M	eInjury.SeatGroup	C
	0 : 1	eInjury.26 - ACN Vehicle Seat Location	O
	0 : 1	eInjury.27 - Seat Occupied	O
	0 : 1	eInjury.28 - ACN Incident Seatbelt Use	O
	0 : 1	eInjury.29 - ACN Incident Airbag Deployed	O

eInjury

State | National

eInjury.01 - Cause of Injury

Definition

The category of the reported/suspected external cause of the injury.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E10_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Pattern
([TV-Y][0-9]{2})((\.[0-9A-Z]{1,7})?)

Data Element Comment

Suggested code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at:
http://nemsis.org/v3/resources.html

Code list is represented in ICD-10 Codes.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

eInjury.02 - Mechanism of Injury

Definition

The mechanism of the event which caused the injury

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E10_03	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2902001	Blunt
2902003	Burn
2902005	Other
2902007	Penetrating

Data Element Comment

eInjury.03

State   National

eInjury.03 - Trauma Center Criteria

Definition

Physiologic and Anatomic Field Trauma Triage Criteria (steps 1 and 2) as defined by the Centers for Disease Control.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2903001	Amputation proximal to wrist or ankle
2903003	Crushed, degloved, mangled, or pulseless extremity
2903005	Chest wall instability or deformity (e.g., flail chest)
2903007	Glasgow Coma Score < 14
2903009	Open or depressed skull fracture
2903011	Paralysis
2903013	Pelvic fractures
2903015	All penetrating injuries to head, neck, torso, and extremities proximal to elbow or knee
2903017	Respiratory Rate <10 or >29 breaths per minute (<20 in infants aged <1 year) or need for ventilatory support
2903019	Systolic Blood Pressure <90 mmHg
2903021	Two or more proximal long-bone fractures

Data Element Comment

2011 Guidelines for the Field Triage of Injured Patients - value choices for Steps 1 and 2. For falls, one story is equal to 10 feet.

Version 3 Changes Implemented

Added to better evaluate the CDC-ACS 2011 Guidelines for the Field Triage of Injured Patients.
Website: http://www.cdc.gov/mmwr/pdf/rr/rr6101.pdf

State | National

eInjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor

Definition

Mechanism and Special Considerations Field Trauma Triage Criteria (steps 3 and 4) as defined by the Centers for Disease Control.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E10_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2904001	Auto v. Pedestrian/Bicyclist Thrown, Run Over, or > 20 MPH Impact
2904003	Fall Adults: > 20 ft. (one story is equal to 10 ft.)
2904005	Fall Children: > 10 ft. or 2-3 times the height of the child
2904007	Crash Death in Same Passenger Compartment
2904009	Crash Ejection (partial or complete) from vehicle
2904011	Crash Intrusion, including roof: > 12 in. occupant site; > 18 in. any site
2904013	Crash Vehicle Telemetry Data (AACN) Consistent with High Risk of Injury
2904015	Motorcycle Crash > 20 MPH
2904017	SBP < 110 for age > 65
2904019	Anticoagulants and Bleeding Disorders
2904021	Pregnancy > 20 weeks
2904023	EMS Provider Judgment

Data Element Comment

Assesses mechanism of injury and evidence of high-energy impact (Step 3) AND Assess special patient or system considerations (Step 4) based on CDC 2011 Guidelines for the Field Triage of Injured Patients Step 3 and 4. Website: http://www.cdc.gov/FieldTriage/.

Version 3 Changes Implemented

Added to better evaluate the CDC-ACS 2011 Guidelines for the Field Triage of Injured Patients.
Website: http://www.cdc.gov/mmwr/pdf/rr/rr6101.pdf

eInjury.05

eInjury.05 - Main Area of the Vehicle Impacted by the Collision

Definition

The area or location of initial impact on the vehicle based on 12-point clock diagram.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E10_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	1	12

Data Element Comment

The front of the vehicle is 12, passenger (right) side is 3, rear is 6, etc.

Based on MMUCC via areas(s) of impact & FARS coding manual clock diagram.

eInjury.06 - Location of Patient in Vehicle

Definition

The seat row location of the vehicle at the time of the crash with the front seat numbered as 1

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E10_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2906001	Front Seat-Left Side (or motorcycle driver)
2906003	Front Seat-Middle
2906005	Front Seat-Right Side
2906007	Passenger in other enclosed passenger or cargo area (non-trailing unit such as a bus, etc.)
2906009	Passenger in unenclosed passenger or cargo area (non-trailing unit such as a pickup, etc.)
2906011	Riding on Vehicle Exterior (non-trailing unit)
2906013	Second Seat-Left Side (or motorcycle passenger)
2906015	Second Seat-Middle
2906017	Second Seat-Right Side
2906019	Sleeper Section of Cab (truck)
2906021	Third Row-Left Side (or motorcycle passenger)
2906023	Third Row-Middle
2906025	Third Row-Right Side
2906027	Trailing Unit
2906029	Unknown

Data Element Comment

MMUCC P6 data element

eInjury.07 - Use of Occupant Safety Equipment

Definition

Safety equipment in use by the patient at the time of the injury

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E10_08	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2907001	Child Booster Seat
2907003	Eye Protection
2907005	Helmet Worn
2907007	Infant Car Seat Forward Facing
2907009	Infant Car Seat Rear Facing
2907015	None
2907017	Other
2907019	Personal Floatation Device
2907021	Protective Clothing
2907023	Protective Non-Clothing Gear
2907027	Shoulder and Lap Belt Used
2907029	Lap Belt Only Used
2907031	Shoulder Belt Only Used

Data Element Comment

MMUCC P7 data element used as baseline information. Data element expanded for added definition in non-vehicular settings.

eInjury.08 - Airbag Deployment

Definition

Indication of Airbag Deployment

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E10_09	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
2908001	Airbag Deployed Front
2908003	Airbag Deployed Side
2908005	Airbag Deployed Other (knee, air belt, etc.)
2908007	No Airbag Deployed
2908009	No Airbag Present

Data Element Comment

MMUCC P8 data element baseline was used for this element.

eInjury.09 - Height of Fall (feet)

Definition

The distance in feet the patient fell, measured from the lowest point of the patient to the ground

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E10_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
integer	0	10000

Data Element Comment

Classify same level falls as 0 feet

eInjury.10 - OSHA Personal Protective Equipment Used

Definition

Documentation of the use of OSHA required protective equipment used by the patient at the time of injury.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string　　　　**minLength:** 0　　　　**maxLength:** 255

Code List

Code	Description
2910001	Eye and Face Protection
2910003	Foot Protection
2910005	Head Protection
2910007	Hearing Protection
2910009	Respiratory Protection
2910011	Safety Belts, lifelines, and lanyards
2910013	Safety Nets

Data Element Comment

Version 3 Changes Implemented

Added to better document personal protection equipment used by the patient associated with an injury.

eInjury.11 - ACN System/Company Providing ACN Data

Definition

The agency providing the Automated Collision Notification (ACN) Data.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	30

Data Element Comment

Based on Vehicular Emergency Data Set: Provider Name. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN) Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.12 - ACN Incident ID

Definition

The Automated Collision Notification Incident ID.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	2	100

Data Element Comment

Based on Vehicular Emergency Data Set: Incident ID. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.13 - ACN Call Back Phone Number

Definition

The Automated Collision Notification Call Back Phone Number (US Only).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

PhoneNumberType
9913001 - Fax   9913003 - Home   9913005 - Mobile
9913007 - Pager   9913009 - Work

Constraints

Pattern
[2-9][0-9][0-9]-[2-9][0-9][0-9]-[0-9][0-9][0-9][0-9]

Data Element Comment

Based on Vehicular Emergency Data Set: Call Back Number. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.14 - Date/Time of ACN Incident

Definition

The Automated Collision Notification Incident Date and Time.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **minInclusive**   **maxInclusive**
dateTime   1950-01-01T00:00:00-00:00   2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

Based on Vehicular Emergency Data Set: Incident Date and Time. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.15 - ACN Incident Location

Definition

The Automated Collision Notification GPS Location.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
(\+|-)?(90(\.[0]{1,6})?|([1-8][0-9]|[0-9])(\.[0-9]{1,6})?),(\+|-)?(180(\.[0]{1,6})?|(1[0-7][0-9]|[1-9][0-9]|[0-9])(\.[0-9]{1,6})?)

Data Element Comment

Based on Vehicular Emergency Data Set: Location (combining Latitude and Longitude). Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group. The pattern for GPS location is in the format "*latitude,longitude*" where:
- *latitude* has a minimum of -90 and a maximum of 90 with up to 6 decimal places
- *longitude* has a minimum of -180 and a maximum of 180 with up to 6 decimal places

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.16 - ACN Incident Vehicle Body Type

Definition

The Automated Collision Notification Vehicle Body Type.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	2	100

Data Element Comment

Based on Vehicular Emergency Data Set: Body Type. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.17 - ACN Incident Vehicle Manufacturer

Definition

The Automated Collision Notification Vehicle Manufacturer (e.g. General Motors, Ford, BMW).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	2	100

Data Element Comment

Based on Vehicular Emergency Data Set: Manufacturer. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.18 - ACN Incident Vehicle Make

Definition

The Automated Collision Notification Vehicle Make (e.g. Cadillac, Ford, BMW).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	2	100

Data Element Comment

Based on Vehicular Emergency Data Set: Make. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.19 - ACN Incident Vehicle Model

Definition

The Automated Collision Notification Vehicle Model (e.g. Escalade, Taurus, X6M).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	1	100

Data Element Comment

Based on Vehicular Emergency Data Set: Model. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.20 - ACN Incident Vehicle Model Year

Definition

The Automated Collision Notification Vehicle Model Year (e.g. 2010).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	1900	2050

Data Element Comment

Based on Vehicular Emergency Data Set: Year. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.21 - ACN Incident Multiple Impacts

Definition

The Automated Collision Notification Indication of Multiple Impacts associated with the collision.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Based on Vehicular Emergency Data Set: Multiple Impacts. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.22 - ACN Incident Delta Velocity

Definition

The Automated Collision Notification Delta Velocity (Delta V) force associated with the crash.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

DeltaVelocityOrdinal
Data Type: integer   **minInclusive:** 1

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

VelocityUnit
9921001 - Kilometers per Hour   9921003 - Miles per Hour

Constraints

Data Type	minInclusive	maxInclusive
integer	0	999

Data Element Comment

Based on Vehicular Emergency Data Set: Delta Velocity. The force of impact based on the change in velocity over the duration of the crash pulse. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.23 - ACN High Probability of Injury

Definition

The Automated Collision Notification of the High Probability of Injury.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Trauma

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.24 - ACN Incident PDOF

Definition

The Automated Collision Notification Principal Direction of Force (PDOF).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
integer	1	12

Data Element Comment

Based on Vehicular Emergency Data Set: PDOF. Principal direction of the force of the impact to nearest o'clock reading. Values are 1 through 12 (e.g. 12=Frontal collision, 3=passenger side (right) collision, etc). Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.25 - ACN Incident Rollover

Definition

The Automated Collision Notification Indication that the Vehicle Rolled Over.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
Y	Yes
N	No

Data Element Comment

Based on Vehicular Emergency Data Set: Rollover. Indicates if the vehicle rolled over during the collision/event (e.g. True=Rollover, False=No Rollover). Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.26 - ACN Vehicle Seat Location

Definition

The Automated Collision Notification Indication of the Occupant(s) Seat Location(s) within the vehicle.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
2926001	Driver Front Seat
2926003	Front Row Middle Seat
2926005	Passenger Front Seat
2926007	Second Row Left Seat
2926009	Second Row Middle Seat
2926011	Second Row Right Seat
2926013	Third Row Left Seat
2926015	Third Row Middle Seat
2926017	Third Row Right Seat

Data Element Comment

Based on Vehicular Emergency Data Set: Seat - Multiple entry for each seats data. Indicates seatbelt and seat sensor data for individual seat position in the vehicle. These elements come from passenger vehicle. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.27 - Seat Occupied

Definition

Indication if seat is occupied based on seat sensor data.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
Y	Yes
N	No

Data Element Comment

Based on Vehicular Emergency Data Set: Occupied - Associated with each seat. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

eInjury.28 - ACN Incident Seatbelt Use

Definition

The Automated Collision Notification Indication of Seatbelt use by the occupant(s).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
Y	Yes
N	No

Data Element Comment

Based on Vehicular Emergency Data Set: Belt Fastened - Associated with each Seat. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented

Added to better incorporate advanced automated collision notification information.

Definition	

The Automated Collision Notification Indication of Airbag Deployment.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List	

Code	Description
Y	Yes
N	No

Data Element Comment	

Based on Vehicular Emergency Data Set: Deployed - Associated with each seat. Indicates if airbag is deployed. Vehicular Emergency Data Set (VEDS) Recommendations. Version 3.0 Prepared: (February 2011) by the Advanced Automatic Crash Notification (AACN)Joint APCO/NENA Data Standardization Working Group.

Version 3 Changes Implemented	

Added to better incorporate advanced automated collision notification information.

eArrest

eArrest

1 : 1	eArrest.01 - Cardiac Arrest	N S R N, L
1 : 1	eArrest.02 - Cardiac Arrest Etiology	N S R N, L
1 : M	eArrest.03 - Resuscitation Attempted By EMS	N S R N, L C
1 : M	eArrest.04 - Arrest Witnessed By	N S R N, L C
1 : 1	eArrest.05 - CPR Care Provided Prior to EMS Arrival	N S R N, L
0 : M	eArrest.06 - Who Provided CPR Prior to EMS Arrival	S O C
1 : 1	eArrest.07 - AED Use Prior to EMS Arrival	N S R N, L
0 : M	eArrest.08 - Who Used AED Prior to EMS Arrival	S O C
1 : M	eArrest.09 - Type of CPR Provided	N S R N, L C
1 : 1	eArrest.10 - Therapeutic Hypothermia Initiated	N S R N, L
1 : 1	eArrest.11 - First Monitored Arrest Rhythm of the Patient	N S R N, L
1 : M	eArrest.12 - Any Return of Spontaneous Circulation	N S R N, L C
0 : 1	eArrest.13 - Neurological Outcome at Hospital Discharge	O
1 : 1	eArrest.14 - Date/Time of Cardiac Arrest	N S R N, L
0 : 1	eArrest.15 - Date/Time Resuscitation Discontinued	S E N, L
1 : 1	eArrest.16 - Reason CPR/Resuscitation Discontinued	N S R N, L
1 : M	eArrest.17 - Cardiac Rhythm on Arrival at Destination	N S R N, L C
1 : 1	eArrest.18 - End of EMS Cardiac Arrest Event	N S R N, L

eArrest

eArrest.01 - Cardiac Arrest

Definition

Indication of the presence of a cardiac arrest at any time during this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3001001	No
3001003	Yes, Prior to EMS Arrival
3001005	Yes, After EMS Arrival

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria.

If this EMS event is for an interfacility transfer of a patient with a recent history of a cardiac arrest with ROSC, and who does not experience another cardiac arrest during transport, then do not document Cardiac Arrest (eArrest.01) with "Yes, Prior to EMS Arrival".

State National

eArrest.02 - Cardiac Arrest Etiology

Definition

Indication of the etiology or cause of the cardiac arrest (classified as cardiac, non-cardiac, etc.)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3002001	Cardiac (Presumed)
3002003	Drowning/Submersion
3002005	Drug Overdose
3002007	Electrocution
3002009	Exsanguination
3002011	Other (Not Listed)
3002013	Respiratory/Asphyxia
3002015	Trauma

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria.

Following the UTSTEIN standard of cardiac arrest etiology the values were determined based on the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

State National

eArrest.03 - Resuscitation Attempted By EMS

Definition

Indication of an attempt to resuscitate the patient who is in cardiac arrest (attempted, not attempted due to DNR, etc.)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3003001	Attempted Defibrillation
3003003	Attempted Ventilation
3003005	Initiated Chest Compressions
3003007	Not Attempted-Considered Futile
3003009	Not Attempted-DNR Orders
3003011	Not Attempted-Signs of Circulation

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports".
http://circ.ahajournals.org/cgi/content/full/110/21/3385

State National

eArrest.04 - Arrest Witnessed By

Definition

Indication of who the cardiac arrest was witnessed by

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3004001	Not Witnessed
3004003	Witnessed by Family Member
3004005	Witnessed by Healthcare Provider
3004007	Witnessed by Lay Person

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports".
http://circ.ahajournals.org/cgi/content/full/110/21/3385

State National

eArrest.05 - CPR Care Provided Prior to EMS Arrival

Definition

Documentation of the CPR provided prior to EMS arrival

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

State

eArrest.06 - Who Provided CPR Prior to EMS Arrival

Definition

Documentation of who performed CPR prior to this EMS unit's arrival.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3006001	Family Member
3006003	First Responder (Fire, Law, EMS)
3006005	Healthcare Professional (Non-EMS)
3006007	Lay Person (Non-Family)
3006009	Other EMS Professional (not part of dispatched response)

Data Element Comment

Associated with eArrest.05 (CPR Care Provided Prior to EMS Arrival) but only required if CPR was provided prior to EMS arrival.

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

State National

eArrest.07 - AED Use Prior to EMS Arrival

Definition

Documentation of AED use Prior to EMS Arrival

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3007001	No
3007003	Yes, Applied without Defibrillation
3007005	Yes, With Defibrillation

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

eArrest.08 - Who Used AED Prior to EMS Arrival

Definition

Documentation of who used the AED prior to this EMS unit's arrival.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3008001	Family Member
3008003	First Responder (Fire, Law, EMS)
3008005	Healthcare Professional (Non-EMS)
3008007	Lay Person (Non-Family)
3008009	Other EMS Professional (not part of dispatched response)

Data Element Comment

Associated with eArrest.07 (AED Use Prior to EMS Arrival).

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

State   National

eArrest.09 - Type of CPR Provided

Definition

Documentation of the type/technique of CPR used by EMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3009001	Compressions-Continuous
3009003	Compressions-External Band Type Device
3009005	Compressions-External Plunger Type Device
3009007	Compressions-External Thumper Type Device
3009009	Compressions-Intermittent with Ventilation
3009011	Compressions-Other Device (Not Listed)
3009013	Ventilation-Bag Valve Mask
3009015	Ventilation-Impedance Threshold Device
3009017	Ventilation-Mouth to Mouth
3009019	Ventilation-Pocket Mask

Data Element Comment

Added to capture special CPR techniques.

State National

eArrest.10 - Therapeutic Hypothermia Initiated

Definition

Documentation of EMS initiation of Therapeutic Hypothermia.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

State National

eArrest.11 - First Monitored Arrest Rhythm of the Patient

Definition	
Documentation of what the first monitored arrest rhythm which was noted	

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3011001	Asystole
3011003	Bradycardia DEPRECATED
3011005	PEA
3011007	Unknown AED Non-Shockable Rhythm
3011009	Unknown AED Shockable Rhythm
3011011	Ventricular Fibrillation
3011013	Ventricular Tachycardia-Pulseless

Data Element Comment

Added term "Arrest" to title to clarify this is the arrest rhythm
Values "Other" and "Normal Sinus Rhythm" removed since they are not Cardiac Arrest Rhythms.
Value "Ventricular Tachycardia" has been changed to "Ventricular Tachycardia-Pulseless".

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports".
http://circ.ahajournals.org/cgi/content/full/110/21/3385

State   National

eArrest.12 - Any Return of Spontaneous Circulation

Definition

Indication whether or not there was any return of spontaneous circulation.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3012001	No
3012003	Yes, At Arrival at the ED
3012005	Yes, Prior to Arrival at the ED
3012007	Yes, Sustained for 20 consecutive minutes

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports".
http://circ.ahajournals.org/cgi/content/full/110/21/3385

This element needs to be documented when the patient has been in cardiac arrest and transported to a healthcare facility to show the change in patient condition, if any.

Any ROSC is defined as any brief (approximately >30 seconds) restoration of spontaneous circulation that provides evidence of more than an occasional gasp, occasional fleeting palpable pulse, or arterial waveform.

eArrest.13 - Neurological Outcome at Hospital Discharge

Definition

The level of cerebral performance of the patient at the time of discharge from the Hospital

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E11_07	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Code List

Code	Description
3013001	CPC 1 Good Cerebral Performance
3013003	CPC 2 Moderate Cerebral Disability
3013005	CPC 3 Severe Cerebral Disability
3013007	CPC 4 Coma or Vegetative State

Data Element Comment

1 = Good Cerebral Performance: Conscious, Alert, able to work and lead a normal life.

2 = Moderate Cerebral Disability: Conscious and able to function independently (dress, travel, prepare food) may have hemiplegia, seizures, or permanent memory or mental changes.

3 = Severe Cerebral Disability: Conscious, dependent on others for daily support, functions only in an institution or at home with exceptional family effort.

4 = Coma or vegetative state: any degree of coma without the presence of all brain death criteria. Unawareness, even if appears awake (vegetative state) without interaction with environment; may have spontaneous eye opening and sleep/awake cycles. Cerebral unresponsiveness.

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

eArrest.14 - Date/Time of Cardiac Arrest

Definition

The date/time of the cardiac arrest (if not known, please estimate).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

Changed from estimated time prior to EMS arrival to date/time of cardiac arrest.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eArrest.15 - Date/Time Resuscitation Discontinued

Definition

The date/time the CPR was discontinued (or could be time of death)

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_09	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State National

eArrest.16 - Reason CPR/Resuscitation Discontinued

Definition

The reason that CPR or the resuscitation efforts were discontinued.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_10	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3016001	DNR
3016003	Medical Control Order
3016005	Obvious Signs of Death
3016007	Physically Unable to Perform
3016009	Protocol/Policy Requirements Completed
3016011	Return of Spontaneous Circulation (pulse or BP noted)

Data Element Comment

Added Resuscitation to Title to allow better documentation of disposition.

State National

eArrest.17 - Cardiac Rhythm on Arrival at Destination

Definition

The patient's cardiac rhythm upon delivery or transfer to the destination

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_11	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID

Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
9901001	Agonal/Idioventricular
9901003	Asystole
9901005	Artifact
9901007	Atrial Fibrillation
9901009	Atrial Flutter
9901011	AV Block-1st Degree
9901013	AV Block-2nd Degree-Type 1
9901015	AV Block-2nd Degree-Type 2
9901017	AV Block-3rd Degree
9901019	Junctional
9901021	Left Bundle Branch Block
9901023	Non-STEMI Anterior Ischemia
9901025	Non-STEMI Inferior Ischemia
9901027	Non-STEMI Lateral Ischemia
9901029	Non-STEMI Posterior Ischemia
9901031	Other (Not Listed)
9901033	Paced Rhythm
9901035	PEA
9901037	Premature Atrial Contractions
9901039	Premature Ventricular Contractions
9901041	Right Bundle Branch Block
9901043	Sinus Arrhythmia
9901045	Sinus Bradycardia
9901047	Sinus Rhythm
9901049	Sinus Tachycardia
9901051	STEMI Anterior Ischemia
9901053	STEMI Inferior Ischemia
9901055	STEMI Lateral Ischemia
9901057	STEMI Posterior Ischemia
9901059	Supraventricular Tachycardia
9901061	Torsades De Points
9901063	Unknown AED Non-Shockable Rhythm
9901065	Unknown AED Shockable Rhythm
9901067	Ventricular Fibrillation
9901069	Ventricular Tachycardia (With Pulse)
9901071	Ventricular Tachycardia (Pulseless)

Data Element Comment

This element needs to be documented when the patient has been in cardiac or respiratory arrest and transported to a

healthcare facility to show the change in patient condition, if any. The cardiac rhythm list has been updated to be the same for eVitals.03 (Cardiac Rhythm Electrocardiography (ECG)). They are using the common type: CardiacRhythm. ST segment changes consistent (or not consistent) with STEMI criteria should be documented as Ischemia in the appropriate location

State | National

eArrest.18 - End of EMS Cardiac Arrest Event

Definition

The patient's outcome at the end of the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3018001	Expired in ED
3018003	Expired in the Field
3018005	Ongoing Resuscitation in ED
3018007	ROSC in the Field
3018009	ROSC in the ED
3018011	Ongoing Resuscitation by Other EMS

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

Version 3 Changes Implemented

Added to better identify the outcome of EMS cardiac arrest patients.

eHistory

Dataset Level: **N** National **S** State **D** Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eHistory

1 : M	eHistory.01 - Barriers to Patient Care	N S R N, L C
0 : M	eHistory.PractitionerGroup	C
0 : 1	eHistory.02 - Last Name of Patient's Practitioner	O
0 : 1	eHistory.03 - First Name of Patient's Practitioner	O
0 : 1	eHistory.04 - Middle Name/Initial of Patient's Practitioner	O
0 : M	eHistory.05 - Advance Directives	S E N, L C
0 : M	eHistory.06 - Medication Allergies	S E N, L, P C
0 : M	eHistory.07 - Environmental/Food Allergies	O C
0 : M	eHistory.08 - Medical/Surgical History	S E N, L, P C
0 : M	eHistory.09 - Medical History Obtained From	O C
0 : M	eHistory.ImmunizationsGroup	C
0 : 1	eHistory.10 - The Patient's Type of Immunization	O
0 : 1	eHistory.11 - Immunization Date	O
0 : M	eHistory.CurrentMedsGroup	C
0 : 1	eHistory.12 - Current Medications	S E N, L, P
0 : 1	eHistory.13 - Current Medication Dose	O
0 : 1	eHistory.14 - Current Medication Dosage Unit	O
0 : 1	eHistory.15 - Current Medication Administration Route	O
0 : 1	eHistory.16 - Presence of Emergency Information Form	O
1 : M	eHistory.17 - Alcohol/Drug Use Indicators	N S R N, L, P C
0 : 1	eHistory.18 - Pregnancy	O L, P
0 : 1	eHistory.19 - Last Oral Intake	O

eHistory

State | National

eHistory.01 - Barriers to Patient Care

Definition

Indication of whether or not there were any patient specific barriers to serving the patient at the scene

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3101001	Cultural, Custom, Religious
3101003	Developmentally Impaired
3101005	Hearing Impaired
3101007	Language
3101009	None Noted
3101011	Obesity
3101013	Physical Barrier (Unable to Access Patient)
3101015	Physically Impaired
3101017	Physically Restrained
3101019	Psychologically Impaired
3101021	Sight Impaired
3101023	Speech Impaired
3101025	Unattended or Unsupervised (including minors)
3101027	Unconscious
3101029	Uncooperative

Data Element Comment

Added Obesity, Sight Impaired, Psychologically Impaired

eHistory.02 - Last Name of Patient's Practitioner

Definition	
The last name of the patient's practitioner	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_06	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints	

Data Type	minLength	maxLength
string	1	50

Data Element Comment	

eHistory.03 - First Name of Patient's Practitioner

Definition	

The first name of the patient's practitioner

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints	

Data Type	minLength	maxLength
string	1	50

Data Element Comment	

eHistory.04 - Middle Name/Initial of Patient's Practitioner

Definition

The middle name or initial of the patient's practitioner.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

eHistory.05 - Advance Directives

Definition

The presence of a valid DNR form, living will, or document directing end of life or healthcare treatment decisions.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_07	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3105001	Family/Guardian request DNR (but no documentation)
3105003	Living Will
3105005	None
3105007	Other (Not Listed)
3105009	Other Healthcare Advanced Directive Form
3105011	State EMS DNR or Medical Order Form

Data Element Comment

Advanced Directive and Do Not Resuscitate are both included in this data element.

eHistory.06 - Medication Allergies

Definition

The patient's medication allergies

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_08	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Pertinent Negatives (PN)

8801013 - No Known Drug Allergy   8801019 - Refused   8801023 - Unable to Complete

CorrelationID

Data Type: string   **minLength:** 0   **maxLength:** 255

CodeType

9924001 - ICD10   9924003 - RxNorm

Constraints

Pattern

(Z88\.[0-9])|([a-zA-Z0-9]{2,7})

Data Element Comment

The list of medication allergies is based on RxNorm (RXCUI) Codes. In addition, a specific list of ICD-10 CM codes can be used for medication groups.

Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

Code list is represented in two separate UMLS datasets:
1) ICD-10 Codes.
2) RxNorm

Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus
Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html
Product - RxNorm Full Monthly Release

eHistory.07 - Environmental/Food Allergies

Definition

The patient's known allergies to food or environmental agents.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_09	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Data Type	**maxInclusive**	**minInclusive**
integer	999999999999999	100000

Data Element Comment

Data Element Comment Section:
Code list is represented in SNOMEDCT. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

SNOMEDCT
Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Product: Product - UMLS Metathesaurus

eHistory.08 - Medical/Surgical History

Definition

The patient's pre-existing medical and surgery history of the patient

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_10	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801015 - None Reported   8801019 - Refused   8801023 - Unable to Complete
8801021 - Unresponsive

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Pattern
([A-QSTZ][0-9]{2})((\.[0-9A-Z]{1,3})?)

Data Element Comment

Code list is represented by ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

eHistory.09 - Medical History Obtained From

Definition

Type of person medical history obtained from

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_11	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3109001	Bystander/Other
3109003	Family
3109005	Health Care Personnel
3109007	Patient

Data Element Comment

eHistory.10 - The Patient's Type of Immunization

Definition

The immunization type of the patient.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_12	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9910001	Anthrax
9910003	Cholera
9910005	DPT (Diphtheria, Pertussis, Tetanus)
9910007	Hemophilus Influenza B
9910009	Hepatitis A
9910011	Hepatitis B
9910013	Human Papilloma Virus (HPV)
9910015	Influenza-H1N1
9910017	Influenza-Other
9910019	Influenza-Seasonal (In past 12 months)
9910021	Lyme Disease
9910023	Meningococcus
9910025	MMR (Measles, Mumps, Rubella)
9910027	Other-Not Listed
9910029	Plague
9910031	Pneumococcal (Pneumonia)
9910033	Polio
9910035	Rabies
9910037	Rotavirus
9910039	Shingles
9910041	Small Pox
9910043	Tetanus
9910045	Tuberculosis
9910047	Typhoid
9910049	Varicella (Chickenpox)
9910051	Yellow Fever

Data Element Comment

eHistory.11 - Immunization Date

Definition

The year associated with each immunization type

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_13	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	1900	2050

Data Element Comment

eHistory.12 - Current Medications

Definition

The medications the patient currently takes

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_14	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Pertinent Negatives (PN)

8801015 - None Reported	8801019 - Refused	8801021 - Unresponsive
8801023 - Unable to Complete		

Constraints

Data Type	minLength	maxLength
string	2	7

Data Element Comment

List of medications based on RxNorm (RXCUI) code.

Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

RxNorm
Website - http://uts.nlm.nih.gov

Product - UMLS Metathesaurus
Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html
Product - RxNorm Full Monthly Release

eHistory.13 - Current Medication Dose

Definition

The numeric dose or amount of the patient's current medication

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_15	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	totalDigits	fractionDigits
decimal	9	3

Data Element Comment

Associated with eHistory.12 (Current Medications)

eHistory.14 - Current Medication Dosage Unit

Definition

The dosage unit of the patient's current medication

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_16	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
3114001	cm
3114003	gms
3114005	gtts (drops)
3114007	inches
3114009	iu
3114011	kvo (keep vein open)
3114013	l/min (fluid administration)
3114015	liters
3114017	LPM (gas administration)
3114019	mcg
3114021	mcg/kg/min
3114023	mcg/min
3114025	meq
3114027	metered dose
3114029	mg
3114031	mg/kg
3114033	mg/kg/min
3114035	mg/min
3114037	ml
3114039	ml/hr
3114041	other (Not Listed)
3114043	puffs
3114045	units/hr

Data Element Comment

eHistory.15 - Current Medication Administration Route

Definition

The administration route (po, SQ, etc.) of the patient's current medication

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_17	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9927001	Blow-By
9927003	Buccal
9927005	Endotracheal Tube (ET)
9927007	Gastrostomy Tube
9927009	Inhalation
9927011	Intraarterial
9927013	Intradermal
9927015	Intramuscular (IM)
9927017	Intranasal
9927019	Intraocular
9927021	Intraosseous (IO)
9927023	Intravenous (IV)
9927025	Nasal Cannula
9927027	Nasogastric
9927029	Nasotracheal Tube
9927031	Non-Rebreather Mask
9927033	Ophthalmic
9927035	Oral
9927037	Other/miscellaneous
9927039	Otic
9927041	Re-breather mask
9927043	Rectal
9927045	Subcutaneous
9927047	Sublingual
9927049	Topical
9927051	Tracheostomy
9927053	Transdermal
9927055	Urethral
9927057	Ventimask
9927059	Wound

Data Element Comment

eHistory.16 - Presence of Emergency Information Form

Definition

Indication of the presence of the Emergency Information Form associated with patient's with special healthcare needs.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E12_18	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

eHistory.17 - Alcohol/Drug Use Indicators

Definition

Indicators for the potential use of alcohol or drugs by the patient related to the patient's current illness or injury.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_19	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801015 - None Reported   8801019 - Refused   8801023 - Unable to Complete

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3117001	Alcohol Containers/Paraphernalia at Scene
3117003	Drug Paraphernalia at Scene
3117005	Patient Admits to Alcohol Use
3117007	Patient Admits to Drug Use
3117009	Positive Level known from Law Enforcement or Hospital Record
3117011	Smell of Alcohol on Breath

Data Element Comment

eHistory.18 - Pregnancy

Definition

Indication of the possibility by the patient's history of current pregnancy.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E12_20	Is Nillable	Yes
Usage	Optional	Recurrence	0 : 1

Attributes

Pertinent Negatives (PN)

8801019 - Refused   8801023 - Unable to Complete

Code List

Code	Description
3118001	No
3118003	Possible, Unconfirmed
3118005	Yes, Confirmed 12 to 20 Weeks
3118007	Yes, Confirmed Greater Than 20 Weeks
3118009	Yes, Confirmed Less Than 12 Weeks
3118011	Yes, Weeks Unknown

Data Element Comment

eHistory.19 - Last Oral Intake

Definition

Date and Time of last oral intake.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better document last oral intake.

eNarrative

Dataset Level: N National   S State   D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eNarrative

| 0 : 1 | eNarrative.01 - Patient Care Report Narrative | S | E | N, L |

eNarrative

eNarrative.01 - Patient Care Report Narrative

Definition

The narrative of the patient care report (PCR).

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E13_01	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	1	10000

Data Element Comment

eVitals

Legend

Dataset Level: N National   S State   D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values , P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eVitals

1 : M	eVitals.VitalGroup	C
1 : 1	eVitals.01 - Date/Time Vital Signs Taken	N S R N, L
1 : 1	eVitals.02 - Obtained Prior to this Unit's EMS Care	N S R N, L
1 : 1	eVitals.CardiacRhythmGroup	C
1 : M	eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)	N S R N, L, P C
1 : 1	eVitals.04 - ECG Type	N S R N, L
1 : M	eVitals.05 - Method of ECG Interpretation	N S R N, L C
1 : 1	eVitals.BloodPressureGroup	
1 : 1	eVitals.06 - SBP (Systolic Blood Pressure)	N S R N, L, P
0 : 1	eVitals.07 - DBP (Diastolic Blood Pressure)	S E N, L, P
1 : 1	eVitals.08 - Method of Blood Pressure Measurement	N S R N, L
0 : 1	eVitals.09 - Mean Arterial Pressure	O
1 : 1	eVitals.HeartRateGroup	
1 : 1	eVitals.10 - Heart Rate	N S R N, L, P
0 : 1	eVitals.11 - Method of Heart Rate Measurement	O
1 : 1	eVitals.12 - Pulse Oximetry	N S R N, L, P
0 : 1	eVitals.13 - Pulse Rhythm	O
1 : 1	eVitals.14 - Respiratory Rate	N S R N, L, P
0 : 1	eVitals.15 - Respiratory Effort	O
1 : 1	eVitals.16 - Carbon Dioxide (CO2)	N S R N, L, P
0 : 1	eVitals.17 - Carbon Monoxide (CO)	S E N, L, P
1 : 1	eVitals.18 - Blood Glucose Level	N S R N, L, P
1 : 1	eVitals.GlasgowScoreGroup	
1 : 1	eVitals.19 - Glasgow Coma Score-Eye	N S R N, L, P
1 : 1	eVitals.20 - Glasgow Coma Score-Verbal	N S R N, L, P
1 : 1	eVitals.21 - Glasgow Coma Score-Motor	N S R N, L, P
1 : M	eVitals.22 - Glasgow Coma Score-Qualifier	N S R N, L C
0 : 1	eVitals.23 - Total Glasgow Coma Score	S E N, L, P
0 : 1	eVitals.TemperatureGroup	
0 : 1	eVitals.24 - Temperature	S E N, L, P
0 : 1	eVitals.25 - Temperature Method	O
1 : 1	eVitals.26 - Level of Responsiveness (AVPU)	N S R N, L

1 : 1	eVitals.PainScaleGroup					
	1 : 1	eVitals.27 - Pain Scale Score	N	S	R	N, L, P
	0 : 1	eVitals.28 - Pain Scale Type	S	E	N, L	
1 : 1	eVitals.StrokeScaleGroup					
	1 : 1	eVitals.29 - Stroke Scale Score	N	S	R	N, L, P
	1 : 1	eVitals.30 - Stroke Scale Type	N	S	R	N, L
1 : 1	eVitals.31 - Reperfusion Checklist	N	S	R	N, L, P	
0 : 1	eVitals.32 - APGAR	O	L, P			
0 : 1	eVitals.33 - Revised Trauma Score	O	L, P			

eVitals

State　　National

eVitals.01 - Date/Time Vital Signs Taken

Definition

The date/time vital signs were taken on the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway　　Cardiac Arrest　　Pediatric　　STEMI　　Stroke　　Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable　　　　7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State | National

eVitals.02 - Obtained Prior to this Unit's EMS Care

Definition

Indicates that the information which is documented was obtained prior to the documenting EMS units care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

This is the NEMSIS Version 3 method to document prior aid.

State   National

eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)

Definition

The cardiac rhythm / ECG and other electrocardiography findings of the patient as interpreted by EMS personnel.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest   STEMI

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
9901001	Agonal/Idioventricular
9901003	Asystole
9901005	Artifact
9901007	Atrial Fibrillation
9901009	Atrial Flutter
9901011	AV Block-1st Degree
9901013	AV Block-2nd Degree-Type 1
9901015	AV Block-2nd Degree-Type 2
9901017	AV Block-3rd Degree
9901019	Junctional
9901021	Left Bundle Branch Block
9901023	Non-STEMI Anterior Ischemia
9901025	Non-STEMI Inferior Ischemia
9901027	Non-STEMI Lateral Ischemia
9901029	Non-STEMI Posterior Ischemia
9901031	Other (Not Listed)
9901033	Paced Rhythm
9901035	PEA
9901037	Premature Atrial Contractions
9901039	Premature Ventricular Contractions
9901041	Right Bundle Branch Block
9901043	Sinus Arrhythmia
9901045	Sinus Bradycardia
9901047	Sinus Rhythm
9901049	Sinus Tachycardia
9901051	STEMI Anterior Ischemia
9901053	STEMI Inferior Ischemia
9901055	STEMI Lateral Ischemia
9901057	STEMI Posterior Ischemia
9901059	Supraventricular Tachycardia
9901061	Torsades De Points
9901063	Unknown AED Non-Shockable Rhythm
9901065	Unknown AED Shockable Rhythm
9901067	Ventricular Fibrillation
9901069	Ventricular Tachycardia (With Pulse)
9901071	Ventricular Tachycardia (Pulseless)

State　　National

eVitals.04 - ECG Type

Definition

The type of ECG associated with the cardiac rhythm.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

STEMI

Attributes

NOT Values (NV)

7701001 - Not Applicable　　　　　　7701003 - Not Recorded

Code List

Code	Description
3304001	3 Lead
3304003	4 Lead
3304005	5 Lead
3304007	12 Lead-Left Sided (Normal)
3304009	12 Lead-Right Sided
3304011	15 Lead
3304013	18 Lead
3304015	Other (AED, Not Listed)

Data Element Comment

Version 3 Changes Implemented

Added to better document ECG results.

eVitals.05 - Method of ECG Interpretation

Definition

The method of ECG interpretation.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

STEMI

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3305001	Computer Interpretation
3305003	Manual Interpretation
3305005	Transmission with No Interpretation
3305007	Transmission with Remote Interpretation

Data Element Comment

"Transmission with no interpretation" may be used by EMS Agency Personnel that are not trained to interpret cardiac rhythms.

Version 3 Changes Implemented

Added to better document ECG results.

eVitals.06

State National

eVitals.06 - SBP (Systolic Blood Pressure)

Definition

The patient's systolic blood pressure.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present   8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	500

Data Element Comment

Required for ACS-Field Triage and other patient scoring systems.

eVitals.07 - DBP (Diastolic Blood Pressure)

Definition

The patient's diastolic blood pressure.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_05	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Pertinent Negatives (PN)

8801005 - Exam Finding Not Present   8801019 - Refused   8801023 - Unable to Complete

Constraints

Pattern

[5][0][0]|[1-4][0-9][0-9]|[0][1-9][0-9]|P|p

Data Element Comment

Diastolic blood pressure pattern allows for the following values:
1) A number 0 through 500
2) P
3) p

State | National

eVitals.08 - Method of Blood Pressure Measurement

Definition	
Indication of method of blood pressure measurement.	

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3308001	Arterial Line
3308003	Doppler
3308005	Cuff-Automated
3308007	Cuff-Manual Auscultated
3308009	Cuff-Manual Palpated Only
3308011	Venous Line

Data Element Comment

eVitals.09 - Mean Arterial Pressure

Definition

The patient's mean arterial pressure.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	1	500

Data Element Comment

Version 3 Changes Implemented

Added for additional patient monitoring capability.

State National

eVitals.10 - Heart Rate

Definition

The patient's heart rate expressed as a number per minute.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present   8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	500

Data Element Comment

Pulse Rate and Electronic Monitor Rate have been merged with an additional data element for Method of Heart Rate Measurement.

eVitals.11 - Method of Heart Rate Measurement

Definition

The method in which the Heart Rate was measured. Values include auscultated, palpated, electronic monitor.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
3311001	Auscultated
3311003	Doppler
3311005	Electronic Monitor - Cardiac
3311007	Electronic Monitor - Pulse Oximeter
3311009	Electronic Monitor (Other)
3311011	Palpated

Data Element Comment

This data element was added when Pulse Rate and Electronic Monitor Rate were merged as EVitals.10.

Version 3 Changes Implemented

This data element was added when Pulse Rate and Electronic Monitor Rate were merged as EVitals.10.

State   National

eVitals.12 - Pulse Oximetry

Definition

The patient's oxygen saturation.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_09	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present   8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	100

Data Element Comment

eVitals.13 - Pulse Rhythm

Definition

The clinical rhythm of the patient's pulse.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E14_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
3313001	Irregularly Irregular
3313003	Regular
3313005	Regularly Irregular

Data Element Comment

State   National

eVitals.14 - Respiratory Rate

Definition

The patient's respiratory rate expressed as a number per minute.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_11	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present   8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	300

Data Element Comment

eVitals.15 - Respiratory Effort

Definition

The patient's respiratory effort.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E14_12	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
3315001	Apneic
3315003	Labored
3315005	Mechanically Assisted (BVM, CPAP,etc)
3315007	Normal
3315009	Rapid
3315011	Shallow
3315013	Weak/Agonal

Data Element Comment

eVitals.16

eVitals.16 - Carbon Dioxide (CO2)

Definition

The numeric value of the patient's end-tidal CO2 level.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_13	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	100

Data Element Comment

Generally the numeric CO2 level is measured in millimeters of mercury (mmHg). End-tidal is the same as exhaled.

eVitals.17 - Carbon Monoxide (CO)

Definition

The patient's carbon monoxide level measured in %COHb.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	100

Data Element Comment

Version 3 Changes Implemented

Added to allow use of a new patient monitoring device

eVitals.18

eVitals.18 - Blood Glucose Level

Definition

The patient's blood glucose level.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Pediatric   Stroke

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	2000

Data Element Comment

State National

eVitals.19 - Glasgow Coma Score-Eye

Definition

The patient's Glasgow Coma Score Eye opening.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Code List

Code	Description
1	No eye movement when assessed (All Age Groups)
2	Opens Eyes to painful stimulation (All Age Groups)
3	Opens Eyes to verbal stimulation (All Age Groups)
4	Opens Eyes spontaneously (All Age Groups)

Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

State   National

eVitals.20 - Glasgow Coma Score-Verbal

Definition

The patient's Glasgow Coma Score Verbal.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Code List

Code	Description
1	No verbal/vocal response (All Age Groups)
2	Incomprehensible sounds (>2 Years); Inconsolable, agitated
3	Inappropriate words (>2 Years); Inconsistently consolable, moaning
4	Confused (>2 Years); Cries but is consolable, inappropriate interactions
5	Oriented (>2 Years); Smiles, oriented to sounds, follows objects, interacts

Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

State National

eVitals.21 - Glasgow Coma Score-Motor

Definition

The patient's Glasgow Coma Score Motor

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_17	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Code List

Code	Description
1	No Motor Response (All Age Groups)
2	Extension to pain (All Age Groups)
3	Flexion to pain (All Age Groups)
4	Withdrawal from pain (All Age Groups)
5	Localizing pain (All Age Groups)
6	Obeys commands (>2Years); Appropriate response to stimulation

Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

eVitals.22 - Glasgow Coma Score-Qualifier

Definition

Documentation of factors which make the GCS score more meaningful.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_18	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3322001	Eye Obstruction Prevents Eye Assessment
3322003	Initial GCS has legitimate values without interventions such as intubation and sedation
3322005	Patient Chemically Paralyzed
3322007	Patient Chemically Sedated
3322009	Patient Intubated

Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

eVitals.23 - Total Glasgow Coma Score

Definition

The patient's total Glasgow Coma Score.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_19	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Pertinent Negatives (PN)

8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	3	15

Data Element Comment

Can be documented or calculated from EVitals.19 (GCS-Eye), EVitals.20 (GCS-Verbal), and EVitals.21 (GCS-Motor).

eVitals.24 - Temperature

Definition

The patient's body temperature in degrees Celsius/centigrade.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_20	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Pediatric

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Pertinent Negatives (PN)

8801019 - Refused	8801023 - Unable to Complete

Constraints

Data Type	totalDigits	fractionDigits	minInclusive	maxInclusive
decimal	3	1	0	50

Data Element Comment

eVitals.25 - Temperature Method

Definition

The method used to obtain the patient's body temperature.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E14_21	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
3325001	Axillary
3325003	Central (Venous or Arterial)
3325005	Esophageal
3325007	Oral
3325009	Rectal
3325011	Temporal Artery
3325013	Tympanic
3325015	Urinary Catheter
3325017	Skin Probe

Data Element Comment

State National

eVitals.26 - Level of Responsiveness (AVPU)

Definition

The patient's highest level of responsiveness.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_22	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3326001	Alert
3326003	Verbal
3326005	Painful
3326007	Unresponsive

Data Element Comment

Definition changed to indicate highest level of responsiveness.

State | National

eVitals.27 - Pain Scale Score

Definition

The patient's indication of pain from a scale of 0-10.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_23	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Pediatric   STEMI   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	10

Data Element Comment

The Pain Score can be obtained from several pain measurement tools or pain scale types (eVitals.28). The pain scale type used should have a numeric value associated with each diagram as appropriate. If the pain scale type utilizes multiple indicators/categories the total should be calculated and entered for the pain score associated with the patient assessment.

eVitals.28 - Pain Scale Type

Definition

The type of pain scale used.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Code List

Code	Description
3328001	FLACC (Face, Legs, Activity, Cry, Consolability)
3328003	Numeric (0-10)
3328005	Other (Not Listed)
3328007	Wong-Baker (FACES)

Data Element Comment

Version 3 Changes Implemented

Added to better document the patient's pain level.

State   National

eVitals.29 - Stroke Scale Score

Definition

The findings or results of the Stroke Scale Type (eVitals.30) used to assess the patient exhibiting stroke-like symptoms.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_24	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Stroke

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Code List

Code	Description
3329001	Negative
3329003	Non-Conclusive
3329005	Positive

Data Element Comment

State   National

eVitals.30 - Stroke Scale Type

Definition

The type of stroke scale used.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Stroke

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3330001	Cincinnati
3330003	Los Angeles
3330005	Massachusetts
3330007	Miami Emergency Neurologic Deficit (MEND)
3330009	NIH
3330011	Other Stroke Scale Type
3330013	F.A.S.T. Exam

Data Element Comment

Version 3 Changes Implemented

Added to include additional detail on the stroke scale used.

State   National

eVitals.31 - Reperfusion Checklist

Definition

The results of the patient's Reperfusion Checklist for potential Thrombolysis use.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_25	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

STEMI   Stroke

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801019 - Refused   8801023 - Unable to Complete

Code List

Code	Description
3331001	Definite Contraindications to Thrombolytic Use
3331003	No Contraindications to Thrombolytic Use
3331005	Possible Contraindications to Thrombolytic Use

Data Element Comment

Name changed from Thrombolytic Screen

eVitals.32 - APGAR

Definition	
The patient's total APGAR score (0-10).	

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E14_26	Is Nillable	Yes
Usage	Optional	Recurrence	0 : 1

Attributes

Pertinent Negatives (PN)
8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	10

Data Element Comment

Recommended to be taken at 1 and 5 minutes after the infants birth

eVitals.33 - Revised Trauma Score

Definition

The patient's Revised Trauma Score.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E14_27	Is Nillable	Yes
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Trauma

Attributes

Pertinent Negatives (PN)

8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	**minInclusive**	**maxInclusive**
integer	0	12

Data Element Comment

The Revised Trauma Score is a physiological scoring system that is based on the first set of vital signs obtained from the patient, and consists of Glasgow Coma Scale, Systolic Blood Pressure and Respiratory Rate.

eLabs

Dataset Level: **N** National   **S** State   **D** Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eLabs

0 : M   eLabs.LabGroup   C

    0 : 1   eLabs.01 - Date/Time of Laboratory or Imaging Result   O

    0 : 1   eLabs.02 - Study/Result Prior to this Unit's EMS Care   O

    0 : M   eLabs.LabResultGroup   C

       0 : 1   eLabs.03 - Laboratory Result Type   O

       0 : 1   eLabs.04 - Laboratory Result   O

    0 : M   eLabs.LabImageGroup   C

       0 : 1   eLabs.05 - Imaging Study Type   O

       0 : 1   eLabs.06 - Imaging Study Results   O

       0 : M   eLabs.WaveformGraphicGroup   C

          0 : 1   eLabs.07 - Imaging Study File or Waveform Graphic Type   O

          0 : 1   eLabs.08 - Imaging Study File or Waveform Graphic   O

eLabs

eLabs.01 - Date/Time of Laboratory or Imaging Result

Definition

The data and time for the specific laboratory result

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **minInclusive**   **maxInclusive**
dateTime   1950-01-01T00:00:00-00:00   2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better document patient care.

eLabs.02 - Study/Result Prior to this Unit's EMS Care

Definition			
Indicates that the laboratory result occurred prior to this EMS units care.			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Version 3 Changes Implemented

Added to better document EMS care.

eLabs.03 - Laboratory Result Type

Definition	

The type of the laboratory value.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List	

Code	Description
3403001	Alanine Transaminase
3403003	Alcohol-Blood
3403005	Alcohol-Breath
3403007	Alkaline Phosphatase
3403009	Amylase
3403013	Aspartate Transaminase
3403015	B-Type Natriuretic Peptide (BNP)
3403017	Base Excess
3403019	Bilirubin-Direct
3403021	Bilirubin-Total
3403023	BUN
3403025	Calcium-Ionized
3403027	Calcium-Serum
3403029	Carbon Dioxide-Partial Pressure
3403033	Chloride
3403035	Creatine Kinase
3403037	Creatine Kinase-MB
3403039	Creatinine
3403041	Gamma Glutamyl Transpeptidase
3403043	Glucose
3403045	Hematocrit
3403047	Hemoglobin
3403049	Human Chorionic Gonadotropin-Serum
3403051	Human Chorionic Gonadotropin-Urine
3403053	International Normalized Ratio (INR)
3403055	Lactate Dehydrogenase
3403057	Lactate-Arterial
3403059	Lactate-Venous
3403061	Lipase
3403063	Magnesium
3403065	Oxygen-Partial Pressure
3403067	Partial Thromboplastin Time
3403071	pH-ABG
3403073	pH-Venous
3403075	Platelets
3403077	Potassium
3403079	Prothrombin Time
3403081	Red Blood Cells
3403083	Sodium
3403085	Troponin
3403087	White Blood Cells
3403089	Ammonia
3403091	Bicarbonate (HCO3)
3403093	Carboxyhemoglobin
3403095	CO2, Total (Bicarbonate)
3403097	CRP (C-Reactive Protein)
3403099	Dilantin
3403101	Leukocytes
3403103	Nitrates
3403105	Phenobarbital
3403107	Protein

3403109   Salicylate
3403111   Specific Gravity
3403113   Tylenol

Data Element Comment

Version 3 Changes Implemented

Added to provide for the documentation of laboratory results obtained prior to or during and EMS patient encounter.

eLabs.04 - Laboratory Result

Definition

The value or result of the laboratory test (Units may vary).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

Version 3 Changes Implemented

Added to better document EMS care.

eLabs.05 - Imaging Study Type

Definition

The type of x-ray or imaging study.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
3405001	CAT Scan
3405003	Magnetic Resonance Imaging (MRI)
3405005	Other (Not Listed)
3405007	PET Scan
3405009	Ultrasound
3405011	X-ray
3405013	Angiography

Data Element Comment

Version 3 Changes Implemented

Added to better describe the EMS patient care.

eLabs.06 - Imaging Study Results

Definition

The description or interpretation of the results of the imaging study.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	3	5000

Data Element Comment

Version 3 Changes Implemented

Added to better describe the EMS Patient Care

eLabs.07 - Imaging Study File or Waveform Graphic Type

Definition

The description of the image study file or waveform graphic stored in Imaging Study File or Waveform Graphic (eLabs.08).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   STEMI

Constraints

Data Type	minLength	maxLength
string	1	255

Data Element Comment

The description is defined as the extension of the file type. Examples of file name extensions include "doc", "jpeg", "tiff", etc. For a list of additional extensions reference the following website(s):

3D Image formats: http://www.fileinfo.com/filetypes/3d_image

Raster Image formats: http://www.fileinfo.com/filetypes/raster_image

Vector Image formats: http://www.fileinfo.com/filetypes/vector_image

Video formats: http://www.fileinfo.com/filetypes/video

Audio formats: http://www.fileinfo.com/filetypes/audio

Comparison of formats:

Image: http://en.wikipedia.org/wiki/Comparison_of_image_file_formats

Audio: http://en.wikipedia.org/wiki/Audio_file_format

Container: http://en.wikipedia.org/wiki/Comparison_of_container_formats

A general list of image formats: http://en.wikipedia.org/wiki/Image_file_formats

Mime Types: http://en.wikipedia.org/wiki/Internet_media_type

eLabs.08 - Imaging Study File or Waveform Graphic

Definition			

The imaging study file.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   STEMI

Constraints

Data Type
base64Binary

Data Element Comment

Added to allow the imaging file to be uploaded and better document patient care.

eExam

Legend	Dataset Level: `N` National `S` State `D` Deprecated
	Usage: `M` = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes: `N` = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eExam

0 : 1	eExam.01 - Estimated Body Weight in Kilograms	`S` `E` `N, L, P`
0 : 1	eExam.02 - Length Based Tape Measure	`S` `E` `N, L, P`
0 : M	**eExam.AssessmentGroup**	`C`
	0 : 1 eExam.03 - Date/Time of Assessment	`O`
	0 : M eExam.04 - Skin Assessment	`O` `P` `C`
	0 : M eExam.05 - Head Assessment	`O` `P` `C`
	0 : M eExam.06 - Face Assessment	`O` `P` `C`
	0 : M eExam.07 - Neck Assessment	`O` `P` `C`
	0 : M eExam.08 - Chest/Lungs Assessment	`O` `P` `C`
	0 : M eExam.09 - Heart Assessment	`O` `P` `C`
	0 : M **eExam.AbdomenGroup**	`C`
	0 : 1 eExam.10 - Abdominal Assessment Finding Location	`O`
	0 : M eExam.11 - Abdomen Assessment	`O` `P` `C`
	0 : M eExam.12 - Pelvis/Genitourinary Assessment	`O` `P` `C`
	0 : M **eExam.SpineGroup**	`C`
	0 : 1 eExam.13 - Back and Spine Assessment Finding Location	`O`
	0 : M eExam.14 - Back and Spine Assessment	`O` `P` `C`
	0 : M **eExam.ExtremityGroup**	`C`
	0 : 1 eExam.15 - Extremity Assessment Finding Location	`O`
	0 : M eExam.16 - Extremities Assessment	`O` `P` `C`
	0 : M **eExam.EyeGroup**	`C`
	0 : 1 eExam.17 - Eye Assessment Finding Location	`O`
	0 : M eExam.18 - Eye Assessment	`O` `P` `C`
	0 : M eExam.19 - Mental Status Assessment	`O` `P` `C`
	0 : M eExam.20 - Neurological Assessment	`O` `P` `C`

eExam

eExam.01 - Estimated Body Weight in Kilograms

Definition

The patient's body weight in kilograms either measured or estimated

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E16_01	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Pediatric

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Pertinent Negatives (PN)

8801023 - Unable to Complete

Constraints

Data Type	totalDigits	fractionDigits	minInclusive	maxInclusive
decimal	4	1	0.1	999.9

Data Element Comment

eExam.02 - Length Based Tape Measure

Definition

The length-based color as taken from the tape.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E16_02	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Pediatric

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Pertinent Negatives (PN)

8801019 - Refused	8801023 - Unable to Complete

Code List

Code	Description
3502001	Blue
3502003	Green
3502005	Grey
3502007	Orange
3502009	Pink
3502011	Purple
3502013	Red
3502015	White
3502017	Yellow

Data Element Comment

eExam.03 - Date/Time of Assessment

Definition

The date/time of the assessment

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E16_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Stroke   Cardiac Arrest

Constraints

Data Type   **minInclusive**   **maxInclusive**
dateTime   1950-01-01T00:00:00-00:00   2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eExam.04 - Skin Assessment

Definition

The assessment findings associated with the patient's skin.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_04	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3504001	Clammy
3504003	Cold
3504005	Cyanotic
3504007	Diaphoretic
3504009	Dry
3504011	Flushed
3504013	Hot
3504015	Jaundiced
3504017	Lividity
3504019	Mottled
3504021	Normal
3504023	Not Done
3504025	Pale
3504027	Poor Turgor
3504029	Red (Erythematous)
3504031	Tenting
3504033	Warm

Data Element Comment

Element eExam.04 - Skin Assessment represents Version 2.2.1 elements E15_01 NHTSA Injury Matrix External/Skin and E16_04 Skin Assessment. The element value choices have been combined and expanded.

eExam.05 - Head Assessment

Definition

The assessment findings associated with the patient's head.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_05	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3505001	Abrasion
3505003	Avulsion
3505005	Bleeding Controlled
3505007	Bleeding Uncontrolled
3505009	Burn-Blistering
3505011	Burn-Charring
3505013	Burn-Redness
3505015	Burn-White/Waxy
3505017	Decapitation
3505019	Deformity
3505021	Drainage
3505023	Foreign Body
3505025	Gunshot Wound-Entry
3505027	Gunshot Wound-Exit
3505029	Laceration
3505031	Mass/Lesion
3505033	Normal
3505035	Not Done
3505037	Pain
3505039	Puncture/Stab Wound
3505045	Gunshot Wound-Unknown if Entry or Exit
3505047	Crush Injury
3505049	Swelling
3505051	Contusion
3505053	Tenderness

Data Element Comment

Element eExam.05 - Head Assessment represents Version 2.2.1 elements E15_02 NHTSA Injury Matrix Head and E16_05 Head/Face Assessment. The element value choices have been combined and expanded.

eExam.06 - Face Assessment

Definition

The assessment findings associated with the patient's face.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3506001	Abrasion
3506003	Asymmetric Smile or Droop
3506005	Avulsion
3506007	Bleeding Controlled
3506009	Bleeding Uncontrolled
3506011	Burn-Blistering
3506013	Burn-Charring
3506015	Burn-Redness
3506017	Burn-White/Waxy
3506019	Decapitation
3506021	Deformity
3506023	Drainage
3506025	Foreign Body
3506027	Gunshot Wound-Entry
3506029	Gunshot Wound-Exit
3506031	Laceration
3506033	Mass/Lesion
3506035	Normal
3506037	Not Done
3506039	Pain
3506041	Puncture/Stab Wound
3506047	Gunshot Wound-Unknown if Entry or Exit
3506049	Crush Injury
3506051	Tenderness
3506053	Swelling
3506055	Contusion

Data Element Comment

Element eExam.06 - Face Assessment represents Version 2.2.1 element E15_03 NHTSA Injury Matrix Face The element value choices have been expanded.

eExam.07 - Neck Assessment

Definition

The assessment findings associated with the patient's neck.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_06	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3507001	Abrasion
3507003	Avulsion
3507005	Bleeding Controlled
3507007	Bleeding Uncontrolled
3507009	Burn-Blistering
3507011	Burn-Charring
3507013	Burn-Redness
3507015	Burn-White/Waxy
3507017	Decapitation
3507019	Foreign Body
3507021	Gunshot Wound-Entry
3507023	Gunshot Wound-Exit
3507025	JVD
3507027	Laceration
3507029	Normal
3507031	Not Done
3507033	Pain
3507035	Puncture/Stab Wound
3507037	Stridor
3507039	Subcutaneous Air
3507045	Tracheal Deviation-Left
3507047	Tracheal Deviation-Right
3507049	Gunshot Wound-Unknown if Entry or Exit
3507051	Crush Injury
3507053	Swelling
3507055	Contusion
3507057	Deformity
3507059	Tenderness

Data Element Comment

Element eExam.07 - Neck Assessment represents Version 2.2.1 elements E15_04 NHTSA Injury Matrix Neck and E16_06 Neck Assessment. The element value choices have been combined and expanded.

eExam.08 - Chest/Lungs Assessment

Definition	

The assessment findings associated with the patient's chest/lungs.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_07	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives	

Airway   Pediatric

Attributes	

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List	

Code	Description
3508001	Abrasion
3508003	Avulsion
3508005	Accessory Muscles Used with Breathing
3508007	Bleeding Controlled
3508009	Bleeding Uncontrolled
3508011	Breath Sounds-Absent-Left
3508013	Breath Sounds-Absent-Right
3508015	Breath Sounds-Decreased Left
3508017	Breath Sounds-Decreased Right
3508019	Breath Sounds-Equal
3508021	Breath Sounds-Normal-Left
3508023	Breath Sounds-Normal-Right
3508025	Burn-Blistering
3508027	Burn-Charring
3508029	Burn-Redness
3508031	Burn-White/Waxy
3508033	Crush Injury
3508035	Deformity
3508037	Flail Segment-Left
3508039	Flail Segment-Right
3508041	Foreign Body
3508043	Gunshot Wound-Entry
3508045	Gunshot Wound-Exit
3508047	Increased Respiratory Effort
3508049	Implanted Device
3508051	Laceration
3508053	Normal
3508055	Not Done
3508057	Pain
3508059	Pain with Inspiration/expiration-Left
3508061	Pain with Inspiration/expiration-Right
3508063	Puncture/Stab Wound
3508065	Rales-Left
3508067	Rales-Right
3508069	Retraction
3508071	Rhonchi-Left
3508073	Rhonchi-Right
3508075	Rhonchi/Wheezing
3508077	Stridor-Left
3508079	Stridor-Right
3508085	Tenderness-Left
3508087	Tenderness-Right

3508089   Wheezing-Expiratory - Left
3508091   Wheezing-Expiratory - Right
3508093   Wheezing-Inspiratory - Left
3508095   Wheezing-Inspiratory - Right
3508097   Gunshot Wound-Unknown if Entry or Exit
3508099   Swelling
3508101   Contusion
3508103   Tenderness

Data Element Comment

Element eExam.08 - Chest/Lungs Assessment represents Version 2.2.1 element E16_07 Chest/Lungs Assessment. The element value choices have been expanded.

eExam.09 - Heart Assessment

Definition

The assessment findings associated with the patient's heart.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_08	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3509001	Clicks
3509003	Heart Sounds Decreased
3509005	Murmur-Diastolic
3509007	Murmur-Systolic
3509009	Normal
3509011	Not Done
3509013	Rubs
3509015	S1
3509017	S2
3509019	S3
3509021	S4

Data Element Comment

Element eExam.09 - Heart Assessment represents Version 2.2.1 element E16_08 Heart Assessment. The element value choices have been expanded.

eExam.10 - Abdominal Assessment Finding Location

Definition

The location of the patient's abdomen assessment findings.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
3510001	Generalized
3510003	Left Lower Quadrant
3510005	Left Upper Quadrant
3510007	Periumbilical
3510009	Right Lower Quadrant
3510011	Right Upper Quadrant

Data Element Comment

"Element eExam.10 - Abdominal Assessment Finding Location represents Version 2.2.1 elements E15_06 NHTSA Injury Matrix Abdomen AND E16_09 Abdomen Left Upper Assessment, E16_10 Abdomen Left Lower Assessment,E16_11 Abdomen Right Upper Assessment, and E16_12 Abdomen Right Lower Assessment. The element value choices have been combined and expanded."

eExam.11 - Abdomen Assessment

Definition

The assessment findings associated with the patient's abdomen.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_09	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3511001	Abrasion
3511003	Avulsion
3511005	Bleeding Controlled
3511007	Bleeding Uncontrolled
3511009	Bowel Sounds-Absent
3511011	Bowel Sounds-Present
3511013	Burn-Blistering
3511015	Burn-Charring
3511017	Burn-Redness
3511019	Burn-White/Waxy
3511021	Distention
3511023	Foreign Body
3511025	Guarding
3511027	Gunshot Wound-Entry
3511029	Gunshot Wound-Exit
3511031	Laceration
3511033	Mass/Lesion
3511035	Mass-Pulsating
3511037	Normal
3511039	Not Done
3511041	Pain
3511043	Pregnant-Palpable Uterus
3511045	Puncture/Stab Wound
3511051	Tenderness
3511053	Gunshot Wound-Unknown if Entry or Exit
3511055	Crush Injury
3511057	Swelling
3511059	Contusion
3511061	Deformity

Data Element Comment

"Element eExam.11 - Abdomen Assessment represents Version 2.2.1 elements E15_06 NHTSA Injury Matrix Abdomen AND E16_09 Abdomen Left Upper Assessment, E16_10 Abdomen Left Lower Assessment,E16_11 Abdomen Right Upper Assessment, and E16_12 Abdomen Right Lower Assessment. The element value choices have been combined and expanded."

eExam.12 - Pelvis/Genitourinary Assessment

Definition

The assessment findings associated with the patient's pelvis/genitourinary.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_13	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3512001	Abrasion
3512003	Avulsion
3512005	Bleeding Controlled
3512007	Bleeding Uncontrolled
3512009	Bleeding-Rectal
3512011	Bleeding-Urethral
3512013	Bleeding-Vaginal
3512015	Burn-Blistering
3512017	Burn-Charring
3512019	Burn-Redness
3512021	Burn-White/Waxy
3512023	Deformity
3512025	Foreign Body
3512027	Genital Injury
3512029	Gunshot Wound-Entry
3512031	Gunshot Wound-Exit
3512033	Laceration
3512035	Mass/Lesion
3512037	Normal
3512039	Not Done
3512041	Pain
3512043	Pelvic Fracture
3512045	Pelvic Instability
3512047	Penile Priapism/Erection
3512049	Pregnant-Crowning
3512051	Puncture/Stab Wound
3512057	Tenderness
3512059	Gunshot Wound-Unknown if Entry or Exit
3512061	Crush Injury
3512063	Swelling
3512065	Contusion

Data Element Comment

Element eExam.12 - Pelvis/Genitourinary Assessment represents Version 2.2.1 elements E15_09 NHTSA Injury Matrix Pelvis and E16_13 GU Assessment. The element value choices have been combined and expanded.

eExam.13 - Back and Spine Assessment Finding Location

Definition

The location of the patient's back and spine assessment findings.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
3513001	Back-General
3513003	Cervical-Left
3513005	Cervical-Midline
3513007	Cervical-Right
3513009	Lumbar-Left
3513011	Lumbar-Midline
3513013	Lumbar-Right
3513015	Thoracic-Left
3513017	Thoracic-Midline
3513019	Thoracic-Right
3513021	Sacral-Left
3513023	Sacral-Midline
3513025	Sacral-Right
3513027	Crush Injury

Data Element Comment

Element eExam.14 - Back and Spine Assessment represents Version 2.2.1 NHTSA Injury Matrix elements E15_07 Spine and E15_05 Thorax AND AND E16_14 Back Cervical Assessment, E16_15 Back Thoracic Assessment, and E16_16 Back Lumbar/Sacral Assessment. The element value choices have been combined and expanded.

eExam.14 - Back and Spine Assessment

Definition

The assessment findings associated with the patient's spine (Cervical, Thoracic, Lumbar, and Sacral) and back exam.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_14	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3514001	Abrasion
3514003	Avulsion
3514005	Bleeding Controlled
3514007	Bleeding Uncontrolled
3514009	Burn-Blistering
3514011	Burn-Charring
3514013	Burn-Redness
3514015	Burn-White/Waxy
3514017	Deformity
3514019	Foreign Body
3514021	Gunshot Wound-Entry
3514023	Gunshot Wound-Exit
3514025	Laceration
3514027	Normal
3514029	Not Done
3514031	Pain
3514033	Pain with Range of Motion
3514035	Puncture/Stab Wound
3514041	Tenderness Costovertebral Angle
3514043	Tenderness Midline Spinous Process
3514045	Tenderness Paraspinous
3514047	Gunshot Wound-Unknown if Entry or Exit
3514049	Crush Injury
3514051	Swelling
3514053	Contusion
3514055	Tenderness

Data Element Comment

Element eExam.14 - Back and Spine Assessment represents Version 2.2.1 NHTSA Injury Matrix elements E15_07 Spine and E15_05 Thorax AND E16_14 Back Cervical Assessment, E16_15 Back Thoracic Assessment, and E16_16 Back Lumbar/Sacral Assessment. The element value choices have been combined and expanded.

eExam.15 - Extremity Assessment Finding Location

Definition

The location of the patient's extremity assessment findings.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
3515001	Ankle-Left
3515003	Ankle-Right
3515005	Arm-Upper-Left
3515007	Arm-Upper-Right
3515009	Elbow-Left
3515011	Elbow-Right
3515013	Finger-2nd (Index)-Left
3515015	Finger-2nd (Index)-Right
3515017	Finger-3rd (Middle)-Left
3515019	Finger-3rd (Middle)-Right
3515021	Finger-4th (Ring)-Left
3515023	Finger-4th (Ring)-Right
3515025	Finger-5th (Smallest)-Left
3515027	Finger-5th (Smallest)-Right
3515029	Foot-Dorsal-Left
3515031	Foot-Dorsal-Right
3515033	Foot-Plantar-Left
3515035	Foot-Plantar-Right
3515037	Forearm-Left
3515039	Forearm-Right
3515041	Hand-Dorsal-Left
3515043	Hand-Dorsal-Right
3515045	Hand-Palm-Left
3515047	Hand-Palm-Right
3515049	Hip-Left
3515051	Hip-Right
3515053	Knee-Left
3515055	Knee-Right
3515057	Leg-Lower-Left
3515059	Leg-Lower-Right
3515061	Leg-Upper-Left
3515063	Leg-Upper-Right
3515065	Shoulder-Left
3515067	Shoulder-Right
3515069	Thumb-Left
3515071	Thumb-Right
3515073	Toe-1st (Big)-Left
3515075	Toe-1st (Big)-Right
3515077	Toe-2nd-Left
3515079	Toe-2nd-Right
3515081	Toe-3rd-Left
3515083	Toe-3rd-Right
3515085	Toe-4th-Left
3515087	Toe-4th-Right
3515089	Toe-5th (Smallest)-Left
3515091	Toe-5th (Smallest)-Right
3515093	Wrist-Left
3515095	Wrist-Right

Data Element Comment

Element eExam.16 - Extremities Assessment represents Version 2.2.1 NHTSA Injury Matrix elements E15_08 Upper

Extremities and E15_10 Lower Extremities AND E16_17 Extremities-Right Upper Assessment, E16_18 Extremities-Right Lower Assessment, E16_19 Extremities-Left Upper Assessment, and E16_20 Extremities-Left Lower Assessment. The element value choices have been combined and expanded.

eExam.16 - Extremities Assessment

Definition

The assessment findings associated with the patient's extremities.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_17	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3516001	Abrasion
3516003	Amputation-Acute
3516005	Amputation-Previous
3516007	Avulsion
3516009	Bleeding Controlled
3516011	Bleeding Uncontrolled
3516013	Burn-Blistering
3516015	Burn-Charring
3516017	Burn-Redness
3516019	Burn-White/Waxy
3516021	Clubbing (of fingers)
3516023	Crush Injury
3516025	Deformity
3516027	Dislocation
3516029	Edema
3516031	Foreign Body
3516033	Fracture-Closed
3516035	Fracture-Open
3516037	Gunshot Wound-Entry
3516039	Gunshot Wound-Exit
3516041	Laceration
3516043	Motor Function-Abnormal/Weakness
3516045	Motor Function-Absent
3516047	Motor Function-Normal
3516049	Normal
3516051	Not Done
3516053	Pain
3516055	Paralysis
3516057	Pulse-Abnormal
3516059	Pulse-Absent
3516061	Pulse-Normal
3516063	Puncture/Stab Wound
3516065	Sensation-Abnormal
3516067	Sensation-Absent
3516069	Sensation-Normal
3516075	Tenderness
3516077	Gunshot Wound-Unknown if Entry or Exit
3516079	Swelling
3516081	Contusion

Data Element Comment

Element eExam.16 - Extremities Assessment represents Version 2.2.1 NHTSA Injury Matrix elements E15_08 Upper Extremities and E15_10 Lower Extremities AND E16_17 Extremities-Right Upper Assessment, E16_18 Extremities-Right Lower Assessment, E16_19 Extremities-Left Upper Assessment, and E16_20 Extremities-Left Lower Assessment. The

element value choices have been combined and expanded.

eExam.17 - Eye Assessment Finding Location

Definition

The location of the patient's eye assessment findings.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
3517001	Bilateral
3517003	Left
3517005	Right

Data Element Comment

Element eExam.17 - Eye Assessment Finding Location represents Version 2.2.1 elements E16_21 Eyes-Left Assessment and E16_22 Eyes-Right Assessment. The eye location value choices have been expanded.

eExam.18 - Eye Assessment

Definition

The assessment findings of the patient's eye examination.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_21	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3518001	1-mm
3518003	2-mm
3518005	3-mm
3518007	4-mm
3518009	5-mm
3518011	6-mm
3518013	7-mm
3518015	8-mm or >
3518017	Blind
3518019	Cataract Present
3518021	Clouded
3518023	Deformity
3518025	Dysconjugate Gaze
3518027	Foreign Body
3518029	Glaucoma Present
3518031	Hyphema
3518033	Jaundiced Sclera
3518035	Missing
3518037	Non-Reactive
3518039	Not Done
3518041	Non-Reactive Prosthetic
3518043	Nystagmus Noted
3518045	Open Globe
3518047	PERRL
3518049	Pupil-Irregular/Teardrop
3518051	Reactive
3518053	Sluggish
3518055	Swelling
3518057	Contusion
3518059	Puncture/Stab Wound

Data Element Comment

Element eExam.18 - Eye Assessment represents Version 2.2.1 elements E16_21 Eyes-Left Assessment and E16_22 Eyes-Right Assessment. The eye assessment value choices have been combined and expanded.

eExam.19 - Mental Status Assessment

Definition

The assessment findings of the patient's mental status examination.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_23	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives

Cardiac Arrest   Stroke

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3519001	Combative
3519003	Confused
3519005	Hallucinations
3519007	Normal Baseline for Patient
3519009	Not Done
3519011	Oriented-Person
3519013	Oriented-Place
3519015	Oriented-Event
3519017	Oriented-Time
3519019	Pharmacologically Sedated/Paralyzed
3519021	Unresponsive

Data Element Comment

Element eExam.19 - Mental Status Assessment represents Version 2.2.1 element E16_23 Mental Status Assessment. The element value choices have been expanded.

eExam.20 - Neurological Assessment

Definition

The assessment findings of the patient's neurological examination.

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	No
Version 2 Element	E16_24	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives

Cardiac Arrest   Stroke

Attributes

Pertinent Negatives (PN)
8801005 - Exam Finding Not Present

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3520001	Aphagia
3520003	Aphasia
3520005	Cerebellar Function-Abnormal
3520007	Cerebellar Function-Normal
3520009	Decerebrate Posturing
3520011	Decorticate Posturing
3520013	Gait-Abnormal
3520015	Gait-Normal
3520017	Hemiplegia-Left
3520019	Hemiplegia-Right
3520021	Normal Baseline for Patient
3520023	Not Done
3520025	Seizures
3520027	Speech Normal
3520029	Speech Slurring
3520031	Strength-Asymmetric
3520033	Strength-Normal
3520035	Strength-Symmetric
3520037	Tremors
3520039	Weakness-Facial Droop-Left
3520041	Weakness-Facial Droop-Right
3520043	Weakness-Left Sided
3520045	Weakness-Right Sided
3520047	Reported Stroke Symptoms Resolved Prior to EMS Arrival
3520049	Reported Stroke Symptoms Resolved in EMS Presence

Data Element Comment

Element eExam.20 - Neurological Assessment represents Version 2.2.1 element E16_24 Neurological Assessment. The element value choices have been expanded.

eProtocols

eProtocols

1 : M	eProtocols.ProtocolGroup					C
	1 : 1	eProtocols.01 - Protocols Used	N	S	R	N, L
	1 : 1	eProtocols.02 - Protocol Age Category	N	S	R	N, L

eProtocols

eProtocols.01 - Protocols Used

Definition

The protocol used by EMS personnel to direct the clinical care of the patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E17_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9914001	Airway
9914003	Airway-Failed
9914005	Airway-Obstruction/Foreign Body
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
9914009	Airway-Sedation Assisted (Non-Paralytic)
9914011	Cardiac Arrest-Asystole
9914013	Cardiac Arrest-Hypothermia-Therapeutic
9914015	Cardiac Arrest-Pulseless Electrical Activity
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
9914019	Cardiac Arrest-Post Resuscitation Care
9914021	Environmental-Altitude Sickness
9914023	Environmental-Cold Exposure
9914025	Environmental-Frostbite/Cold Injury
9914027	Environmental-Heat Exposure/Exhaustion
9914029	Environmental-Heat Stroke/Hyperthermia
9914031	Environmental-Hypothermia
9914033	Exposure-Airway/Inhalation Irritants
9914035	Exposure-Biological/Infectious
9914037	Exposure-Blistering Agents
9914039	Exposure-Carbon Monoxide/Smoke Inhalation DEPRECATED
9914041	Exposure-Chemicals to Eye
9914043	Exposure-Cyanide
9914045	Exposure-Explosive/ Blast Injury
9914047	Exposure-Nerve Agents
9914049	Exposure-Radiologic Agents
9914051	General-Back Pain
9914053	General-Behavioral/Patient Restraint
9914055	General-Cardiac Arrest
9914057	General-Dental Problems
9914059	General-Epistaxis
9914061	General-Fever
9914063	General-Individualized Patient Protocol
9914065	General-Indwelling Medical Devices/Equipment
9914067	General-IV Access
9914069	General-Medical Device Malfunction
9914071	General-Pain Control
9914073	General-Spinal Immobilization/Clearance
9914075	General-Universal Patient Care/ Initial Patient Contact
9914077	Injury-Amputation
9914079	Injury-Bites and Envenomations-Land
9914081	Injury-Bites and Envenomations-Marine

9914083	Injury-Bleeding/ Hemorrhage Control
9914085	Injury-Burns-Thermal
9914087	Injury-Cardiac Arrest
9914089	Injury-Crush Syndrome
9914091	Injury-Diving Emergencies
9914093	Injury-Drowning/Near Drowning
9914095	Injury-Electrical Injuries
9914097	Injury-Extremity
9914099	Injury-Eye
9914101	Injury-Head
9914103	Injury-Impaled Object
9914105	Injury-Multisystem
9914107	Injury-Spinal Cord
9914109	Medical-Abdominal Pain
9914111	Medical-Allergic Reaction/Anaphylaxis
9914113	Medical-Altered Mental Status
9914115	Medical-Bradycardia
9914117	Medical-Cardiac Chest Pain
9914119	Medical-Diarrhea
9914121	Medical-Hyperglycemia
9914123	Medical-Hypertension
9914125	Medical-Hypoglycemia/Diabetic Emergency
9914127	Medical-Hypotension/Shock (Non-Trauma)
9914129	Medical-Influenza-Like Illness/ Upper Respiratory Infection
9914131	Medical-Nausea/Vomiting
9914133	Medical-Newborn/ Neonatal Resuscitation
9914135	Medical-Overdose/Poisoning/Toxic Ingestion
9914137	Medical-Pulmonary Edema/CHF
9914139	Medical-Respiratory Distress/Asthma/COPD/Croup/Reactive Airway
9914141	Medical-Seizure
9914143	Medical-ST-Elevation Myocardial Infarction (STEMI)
9914145	Medical-Stroke/TIA
9914147	Medical-Supraventricular Tachycardia (Including Atrial Fibrillation)
9914149	Medical-Syncope
9914151	Medical-Ventricular Tachycardia (With Pulse)
9914153	Not Done
9914155	OB/GYN-Childbirth/Labor/Delivery
9914157	OB/GYN-Eclampsia
9914159	OB/GYN-Gynecologic Emergencies
9914161	OB/GYN-Pregnancy Related Emergencies
9914163	OB/GYN-Post-partum Hemorrhage
9914165	Other
9914167	Exposure-Carbon Monoxide
9914169	Cardiac Arrest-Do Not Resuscitate
9914171	Cardiac Arrest-Special Resuscitation Orders
9914173	Exposure-Smoke Inhalation
9914175	General-Community Paramedicine / Mobile Integrated Healthcare
9914177	General-Exception Protocol
9914179	General-Extended Care Guidelines
9914181	General-Interfacility Transfers
9914183	General-Law Enforcement - Blood for Legal Purposes
9914185	General-Law Enforcement - Assist with Law Enforcement Activity
9914187	General-Neglect or Abuse Suspected
9914189	General-Refusal of Care
9914191	Injury-Mass/Multiple Casualties
9914193	Injury-Thoracic
9914195	Medical-Adrenal Insufficiency
9914197	Medical-Apparent Life Threatening Event (ALTE)
9914199	Medical-Tachycardia

Data Element Comment

Protocols are grouped into Airway, Environmental, Exposure, General, Injury, Medical, and OB/GYN.

There is a new data element EProtocols.02 to indicate whether the protocol is Adult, Pediatric, or General (both).

State and local entities can add additional protocols to the list but the additional protocols must map to these uniform codes.
The protocol code list should be derived from dConfiguration.05 and/or dConfiguration.10

eProtocols.02

eProtocols.02 - Protocol Age Category

Definition

The age group the protocol is written to address

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3602001	Adult Only
3602003	General
3602005	Pediatric Only

Data Element Comment

Protocols are grouped into Airway, Environmental, Exposure, General, Injury, Medical, and OB/GYN. -There is a new data element to indicate whether the protocol is Adult, Pediatric, or General (both).

Version 3 Changes Implemented

Added to better document protocol use.

eMedications

Legend

Dataset Level: **N** National **S** State **D** Deprecated

Usage: ☐ M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: ☐ N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eMedications

1 : M	eMedications.MedicationGroup					C
1 : 1	eMedications.01 - Date/Time Medication Administered	N	S	R	N, L	
1 : 1	eMedications.02 - Medication Administered Prior to this Unit's EMS Care	N	S	R	N, L	
1 : 1	eMedications.03 - Medication Given	N	S	R	N, L, P	
0 : 1	eMedications.04 - Medication Administered Route		S	O		
1 : 1	eMedications.DosageGroup					
1 : 1	eMedications.05 - Medication Dosage	N	S	R	N, L	
1 : 1	eMedications.06 - Medication Dosage Units	N	S	R	N, L	
1 : 1	eMedications.07 - Response to Medication	N	S	R	N, L	
1 : M	eMedications.08 - Medication Complication	N	S	R	N, L	C
0 : 1	eMedications.09 - Medication Crew (Healthcare Professionals) ID		S	E	N, L	
1 : 1	eMedications.10 - Role/Type of Person Administering Medication	N	S	R	N, L	
0 : 1	eMedications.11 - Medication Authorization			O		
0 : 1	eMedications.12 - Medication Authorizing Physician			O		

eMedications

eMedications.01 - Date/Time Medication Administered

Definition

The date/time medication administered to the patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State | National

eMedications.02 - Medication Administered Prior to this Unit's EMS Care

Definition

Indicates that the medication administration which is documented was administered prior to this EMS units care

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	**Description**
9923001	No
9923003	Yes

Data Element Comment

This is the NEMSIS Version 3 method to document prior aid.

eMedications.03 - Medication Given

Definition

The medication given to the patient

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801001 - Contraindication Noted   8801003 - Denied By Order   8801007 - Medication Allergy
8801009 - Medication Already Taken 8801019 - Refused   8801023 - Unable to Complete

Constraints

Data Type	minLength	maxLength
string	2	7

Data Element Comment

List of medications based on RxNorm (RXCUI) code.

Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

RxNorm
Website - http://uts.nlm.nih.gov

Product - UMLS Metathesaurus
Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html
Product - RxNorm Full Monthly Release

eMedications.04 - Medication Administered Route

Definition

The route medication was administered to the patient

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E18_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9927001	Blow-By
9927003	Buccal
9927005	Endotracheal Tube (ET)
9927007	Gastrostomy Tube
9927009	Inhalation
9927011	Intraarterial
9927013	Intradermal
9927015	Intramuscular (IM)
9927017	Intranasal
9927019	Intraocular
9927021	Intraosseous (IO)
9927023	Intravenous (IV)
9927025	Nasal Cannula
9927027	Nasogastric
9927029	Nasotracheal Tube
9927031	Non-Rebreather Mask
9927033	Ophthalmic
9927035	Oral
9927037	Other/miscellaneous
9927039	Otic
9927041	Re-breather mask
9927043	Rectal
9927045	Subcutaneous
9927047	Sublingual
9927049	Topical
9927051	Tracheostomy
9927053	Transdermal
9927055	Urethral
9927057	Ventimask
9927059	Wound

Data Element Comment

This medication route list represents a sub-group of values from the Data Elements for Emergency Department Systems (DEEDS), pertaining to prehospital care.

DEEDS Version 1.0 was utilized for this list: http://www.sciencedirect.com/science/article/pii/S0196064498703178. The list can be found on page 152 of 274 of the PDF document in Section 5, 5.13 Current Therapeutic Medication Route.

eMedications.05

eMedications.05 - Medication Dosage

Definition

The dose or amount of the medication given to the patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**totalDigits**	**fractionDigits**
decimal	9	3

Data Element Comment

eMedications.06 - Medication Dosage Units

Definition

The unit of medication dosage given to patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
3706001	Grams
3706003	Inches
3706005	International Units
3706007	Keep Vein Open (To Keep Open)
3706009	Liters
3706011	Liters Per Minute
3706013	MDI Puffs
3706015	Micrograms
3706017	Micrograms per Kilogram per Minute
3706019	Milliequivalents
3706021	Milligrams
3706023	Milligrams Per Kilogram Per Minute
3706025	Milliliters
3706027	Milliliters Per Hour
3706029	Other

Data Element Comment

eMedications.07 - Response to Medication

Definition

The patient's response to the medication

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9916001	Improved
9916003	Unchanged
9916005	Worse

Data Element Comment

eMedications.08

eMedications.08 - Medication Complication

Definition

Any complication (abnormal effect on the patient) associated with the administration of the medication to the patient by EMS

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3708001	Altered Mental Status
3708003	Apnea
3708005	Bleeding
3708007	Bradycardia
3708009	Bradypnea
3708011	Diarrhea
3708013	Extravasation
3708015	Hypertension
3708017	Hyperthermia
3708019	Hypotension
3708021	Hypothermia
3708023	Hypoxia
3708025	Injury
3708027	Itching/Urticaria DEPRECATED
3708029	Nausea
3708031	None
3708033	Other (Not Listed)
3708035	Respiratory Distress
3708037	Tachycardia
3708039	Tachypnea
3708041	Vomiting
3708043	Itching
3708045	Urticaria

Data Element Comment

eMedications.09 - Medication Crew (Healthcare Professionals) ID

Definition

The statewide assigned ID number of the EMS crew member giving the treatment to the patient

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_09	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	2	15

Data Element Comment

How should the state ID for an EMS professional be record when working on an event in 2 states. The ID used would typically be based on the EMS agency's state license specific to each EMS professional. Used for eProcedures.09 (Procedure Crew Members ID) as well.

eMedications.10

State National

eMedications.10 - Role/Type of Person Administering Medication

Definition

The type (level) of EMS or Healthcare Professional Administering the Medication. For medications administered prior to EMS arrival, this may be a non-EMS healthcare professional.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9905001	2009 Advanced Emergency Medical Technician (AEMT)
9905003	2009 Emergency Medical Responder (EMR)
9905005	2009 Emergency Medical Technician (EMT)
9905007	2009 Paramedic
9905009	EMT-Basic
9905011	EMT-Intermediate
9905013	EMT-Paramedic
9905015	First Responder
9905017	Nurse DEPRECATED
9905019	Other Healthcare Professional
9905021	Other Non-Healthcare Professional
9905023	Patient/Lay Person
9905025	Physician
9905027	Respiratory Therapist
9905029	Student
9905031	Critical Care Paramedic
9905033	Community Paramedicine
9905035	Nurse Practitioner
9905037	Physician Assistant
9905039	Licensed Practical Nurse (LPN)
9905041	Registered Nurse

Data Element Comment

Added to document the type of healthcare professional administering the medication. This could be auto-completed from the crew ID but is necessary to document medication administration prior to EMS arrival. State may maintain an enumerated list but must collapse to the National Standard.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

Version 3 Changes Implemented

Added to better document the type of healthcare professional who administered the medication.

eMedications.11 - Medication Authorization

Definition

The type of treatment authorization obtained

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E18_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9918001	On-Line (Remote Verbal Order)
9918003	On-Scene
9918005	Protocol (Standing Order)
9918007	Written Orders (Patient Specific)

Data Element Comment

eMedications.12 - Medication Authorizing Physician

Definition

The name of the authorizing physician ordering the medication administration if the order was provided by any manner other than protocol (standing order) in EMedications.11

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E18_11	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

eProcedures

eProcedures

1 : M	eProcedures.ProcedureGroup				C
1 : 1	eProcedures.01 - Date/Time Procedure Performed	N	S	R	N, L
1 : 1	eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care	N	S	R	N, L
1 : 1	eProcedures.03 - Procedure	N	S	R	N, L, P
0 : 1	eProcedures.04 - Size of Procedure Equipment	O			
1 : 1	eProcedures.05 - Number of Procedure Attempts	N	S	R	N, L
1 : 1	eProcedures.06 - Procedure Successful	N	S	R	N, L
1 : M	eProcedures.07 - Procedure Complication	N	S	R	N, L C
1 : 1	eProcedures.08 - Response to Procedure	N	S	R	N, L
0 : 1	eProcedures.09 - Procedure Crew Members ID	S	E	N, L	
1 : 1	eProcedures.10 - Role/Type of Person Performing the Procedure	N	S	R	N, L
0 : 1	eProcedures.11 - Procedure Authorization	O			
0 : 1	eProcedures.12 - Procedure Authorizing Physician	O			
0 : 1	eProcedures.13 - Vascular Access Location	S	E	N, L	

eProcedures

eProcedures.01 - Date/Time Procedure Performed

Definition

The date/time the procedure was performed on the patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care

Definition

Indicates that the procedure which was performed and documented was performed prior to this EMS units care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

This is the NEMSIS Version 3 method to document prior aid.

State National

eProcedures.03 - Procedure

Definition

The procedure performed on the patient.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Pertinent Negatives (PN)
8801001 - Contraindication Noted   8801003 - Denied By Order   8801019 - Refused
8801023 - Unable to Complete

Constraints

Data Type	maxInclusive	minInclusive
integer	999999999999999	100000

Data Element Comment

Procedures which are recorded as a Vital Sign do not have to be documented in the Procedure Section.
Code list is represented in SNOMEDCT. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

SNOMEDCT
Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Product: Product - UMLS Metathesaurus

eProcedures.04 - Size of Procedure Equipment

Definition

The size of the equipment used in the procedure on the patient

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E19_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	20

Data Element Comment

Need business logic to require detail of size appropriate for the procedure.

eProcedures.05 - Number of Procedure Attempts

Definition

The number of attempts taken to complete a procedure or intervention regardless of success.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
integer	1	10

Data Element Comment

eProcedures.06 - Procedure Successful

Definition

Indicates that this procedure attempt which was performed on the patient was successful

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

eProcedures.07 - Procedure Complication

Definition

Any complication (abnormal effect on the patient) associated with the performance of the procedure on the patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway   Pediatric   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
3907001	Altered Mental Status
3907003	Apnea
3907005	Bleeding
3907007	Bradypnea
3907009	Diarrhea
3907011	Esophageal Intubation-immediately
3907013	Esophageal Intubation-other
3907015	Extravasation
3907017	Hypertension
3907019	Hyperthermia
3907021	Hypotension
3907023	Hypothermia
3907025	Hypoxia
3907027	Injury
3907029	Itching/Urticaria
3907031	Nausea
3907033	None
3907035	Other (Not Listed)
3907037	Portacath
3907039	Respiratory Distress
3907041	Tachycardia
3907043	Tachypnea
3907045	Vomiting
3907047	Bradycardia

Data Element Comment

eProcedures.08

State National

eProcedures.08 - Response to Procedure

Definition

The patient's response to the procedure

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9916001	Improved
9916003	Unchanged
9916005	Worse

Data Element Comment

eProcedures.09 - Procedure Crew Members ID

Definition

The statewide assigned ID number of the EMS crew member performing the procedure on the patient

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_09	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	2	15

Data Element Comment

For an incident that occurs in multiple states, the certification ID number the EMS agency would typically use is based on the EMS agency's state license specific to each EMS professional. If the incident needs to be reported to each state, then the EMS Agency Number for each state should be submitted as well as the certification ID numbers for each EMS professional on the unit.

eProcedures.10 - Role/Type of Person Performing the Procedure

Definition

The type (level) of EMS or Healthcare Professional performing the procedure. For procedures performed prior to EMS arrival, this may be a non-EMS healthcare professional.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9905001	2009 Advanced Emergency Medical Technician (AEMT)
9905003	2009 Emergency Medical Responder (EMR)
9905005	2009 Emergency Medical Technician (EMT)
9905007	2009 Paramedic
9905009	EMT-Basic
9905011	EMT-Intermediate
9905013	EMT-Paramedic
9905015	First Responder
9905017	Nurse DEPRECATED
9905019	Other Healthcare Professional
9905021	Other Non-Healthcare Professional
9905023	Patient/Lay Person
9905025	Physician
9905027	Respiratory Therapist
9905029	Student
9905031	Critical Care Paramedic
9905033	Community Paramedicine
9905035	Nurse Practitioner
9905037	Physician Assistant
9905039	Licensed Practical Nurse (LPN)
9905041	Registered Nurse

Data Element Comment

Added to document the type of healthcare professional administering the medication. This could be auto-completed from the crew ID but is necessary to document medication administration prior to EMS arrival. State may maintain an enumerated list but must collapse to the National Standard.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

Version 3 Changes Implemented

Added to document the type of healthcare professional performing the procedure.

eProcedures.11 - Procedure Authorization

Definition			
The type of treatment authorization obtained			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E19_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9918001	On-Line (Remote Verbal Order)
9918003	On-Scene
9918005	Protocol (Standing Order)
9918007	Written Orders (Patient Specific)

Data Element Comment

eProcedures.12 - Procedure Authorizing Physician

Definition

The name of the authorizing physician ordering the procedure, if the order was provided by any manner other than protocol (standing order) in eProcedures.11

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E19_11	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

eProcedures.13 - Vascular Access Location

Definition

The location of the vascular access site attempt on the patient, if applicable.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_12	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Code List

Code	Description
3913001	Antecubital-Left
3913003	Antecubital-Right
3913005	External Jugular-Left
3913007	External Jugular-Right
3913009	Femoral-Left IV
3913011	Femoral-Right IV
3913013	Foot-Right
3913015	Foot-Left
3913017	Forearm-Left
3913019	Forearm-Right
3913021	Hand-Left
3913023	Hand-Right
3913025	Internal Jugular-Left
3913027	Internal Jugular-Right
3913029	IO-Iliac Crest-Left
3913031	IO-Iliac Crest-Right
3913033	IO-Femoral-Left Distal
3913035	IO-Femoral-Right Distal
3913037	IO-Humeral-Left
3913039	IO-Humeral-Right
3913041	IO-Tibia-Left Distal
3913043	IO-Sternum
3913045	IO-Tibia-Right Distal
3913047	IO-Tibia-Left Proximal
3913049	IO-Tibia-Right Proximal
3913051	Lower Extremity-Left
3913053	Lower Extremity-Right
3913055	Other Peripheral (Not Listed)
3913057	Other Central (PICC, Portacath, Not Listed)
3913059	Scalp
3913061	Subclavian-Left
3913063	Subclavian-Right
3913065	Umbilical
3913067	Venous Cutdown-Left Lower Extremity
3913069	Venous Cutdown-Right Lower Extremity
3913071	Upper Arm-Left
3913073	Upper Arm-Right
3913075	Radial-Left
3913077	Radial-Right

Data Element Comment

This is now associated with the Date/Time of the procedure and therefore changed to single choice. This allows the location to be documented with each procedure and attempt. If the vascular access has been established prior to EMS, this should be documented as such.

eAirway

Legend	Dataset Level: N National S State D Deprecated
	Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eAirway

0 : 1	**eAirway.AirwayGroup**	
	0 : M eAirway.01 - Indications for Invasive Airway	S E N, L C
	0 : M **eAirway.ConfirmationGroup**	C
	0 : 1 eAirway.02 - Date/Time Airway Device Placement Confirmation	S E N, L
	0 : 1 eAirway.03 - Airway Device Being Confirmed	S E N, L
	0 : M eAirway.04 - Airway Device Placement Confirmed Method	S E N, L C
	0 : 1 eAirway.05 - Tube Depth	O
	0 : 1 eAirway.06 - Type of Individual Confirming Airway Device Placement	S E N, L
	0 : 1 eAirway.07 - Crew Member ID	S E N, L
	0 : M eAirway.08 - Airway Complications Encountered	S E N, L C
	0 : M eAirway.09 - Suspected Reasons for Failed Airway Procedure	S O C
	0 : 1 eAirway.10 - Date/Time Decision to Manage the Patient with an Invasive Airway	O
	0 : 1 eAirway.11 - Date/Time Invasive Airway Placement Attempts Abandoned	O

eAirway

eAirway.01 - Indications for Invasive Airway

Definition

The clinical indication for performing invasive airway management.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

CorrelationID

Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4001001	Adequate Airway Reflexes/Effort, Potential for Compromise
4001003	Airway Reflex Compromised
4001005	Apnea or Agonal Respirations
4001007	Illness Involving Airway
4001009	Injury Involving Airway
4001011	Other (Not Listed)
4001013	Ventilatory Effort Compromised

Data Element Comment

Version 3 Changes Implemented

Added to better document airway management.

eAirway.02 - Date/Time Airway Device Placement Confirmation

Definition

The date and time the airway device placement was confirmed.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

SAD=Supraglottic Airway Device

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better document airway management.

eAirway.03 - Airway Device Being Confirmed

Definition

The airway device in which placement is being confirmed.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Code List

Code	Description
4003001	Cricothyrotomy Tube
4003003	Endotracheal Tube
4003005	Other-Invasive Airway
4003007	SAD-Combitube
4003009	SAD-King
4003011	SAD-LMA
4003013	SAD-Other
4003015	Tracheostomy Tube

Data Element Comment

Version 3 Changes Implemented

Added to better document airway management. SAD means Supraglottic Airway Device.

eAirway.04 - Airway Device Placement Confirmed Method

Definition

The method used to confirm the airway device placement.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4004001	Auscultation
4004003	Bulb/Syringe Aspiration
4004005	Colorimetric ETCO2
4004007	Condensation in Tube
4004009	Digital (Numeric) ETCO2
4004011	Direct Re-Visualization of Tube in Place
4004013	Endotracheal Tube Whistle (BAAM, etc)
4004015	Other (Not Listed)
4004017	Visualization of Vocal Cords
4004019	Waveform ETCO2

Data Element Comment

If the invasive airway is confirmed via multiple methods each method should be documented individually by time, method, and type of individual.

Version 3 Changes Implemented

Added to better document airway management.

eAirway.05 - Tube Depth

Definition

The measurement at the patient's teeth/lip of the tube depth in centimeters (cm) of the invasive airway placed.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway

Constraints

Data Type	**minInclusive**	**maxInclusive**
integer	8	32

Data Element Comment

Tube Depth added to better document the initial placement of the airway device and subsequent assessments.

eAirway.06 - Type of Individual Confirming Airway Device Placement

Definition

The type of individual who confirmed the airway device placement.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Code List

Code	Description
4006001	Another Person on the Same Crew
4006003	Other (Not Listed)
4006005	Person Performing Intubation
4006007	Receiving Air Medical/EMS Crew
4006009	Receiving Hospital Team

Data Element Comment

Version 3 Changes Implemented

Added to better document airway management.

eAirway.07 - Crew Member ID

Definition

The crew member id during this EMS patient encounter at this date and time.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	2	15

Data Element Comment

Version 3 Changes Implemented

Added to better document airway management.

eAirway.08 - Airway Complications Encountered

Definition

The airway management complications encountered during the patient care episode.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

CorrelationID

Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4008001	Adverse Event from Facilitating Drugs
4008003	Bradycardia (<50)
4008005	Cardiac Arrest
4008007	Esophageal Intubation-Delayed Detection (After Tube Secured)
4008009	Esophageal Intubation-Detected in Emergency Department
4008011	Failed Intubation Effort
4008013	Injury or Trauma to Patient from Airway Management Effort
4008015	Other (Not Listed)
4008017	Oxygen Desaturation (<90%)
4008019	Patient Vomiting/Aspiration
4008021	Tube Dislodged During Transport/Patient Care
4008023	Tube Was Not in Correct Position when EMS Crew/Team Assumed Care of the Patient

Data Element Comment

Version 3 Changes Implemented

Added to better document airway management.

eAirway.09 - Suspected Reasons for Failed Airway Procedure

Definition

The reason(s) the airway was unable to be successfully managed.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4009001	Difficult Patient Airway Anatomy
4009003	ETI Attempted, but Arrived At Destination Facility Before Accomplished
4009005	Facial or Oral Trauma
4009007	Inability to Expose Vocal Cords
4009009	Inadequate Patient Relaxation/Presence of Protective Airway Reflexes
4009011	Jaw Clenched (Trismus)
4009013	Other (Not Listed)
4009015	Poor Patient Access
4009017	Secretions/Blood/Vomit
4009019	Unable to Position or Access Patient

Data Element Comment

Version 3 Changes Implemented

Added to better document airway management.

eAirway.10 - Date/Time Decision to Manage the Patient with an Invasive Airway

Definition

The date and time the decision was made to manage the patient's airway with an invasive airway device.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better document airway management.

eAirway.11 - Date/Time Invasive Airway Placement Attempts Abandoned

Definition

The date and time that the invasive airway attempts were abandoned for the patient.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway

Constraints

Data Type **minInclusive** **maxInclusive**
dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better document airway management.

eDevice

Dataset Level: **N** National   **S** State   **D** Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eDevice

0 : M	eDevice.DeviceGroup	C
	0 : 1 eDevice.01 - Medical Device Serial Number	O
	0 : 1 eDevice.02 - Date/Time of Event (per Medical Device)	O
	0 : M eDevice.03 - Medical Device Event Type	O C
	0 : 1 eDevice.WaveformGroup	
	0 : 1 eDevice.04 - Medical Device Waveform Graphic Type	O
	0 : 1 eDevice.05 - Medical Device Waveform Graphic	O
	0 : 1 eDevice.06 - Medical Device Mode (Manual, AED, Pacing, CO2, O2, etc)	O
	0 : M eDevice.07 - Medical Device ECG Lead	O C
	0 : 1 eDevice.08 - Medical Device ECG Interpretation	O
	0 : 1 eDevice.ShockGroup	
	0 : 1 eDevice.09 - Type of Shock	O
	0 : 1 eDevice.10 - Shock or Pacing Energy	O
	0 : 1 eDevice.11 - Total Number of Shocks Delivered	O
	0 : 1 eDevice.12 - Pacing Rate	O

eDevice

eDevice.01 - Medical Device Serial Number

Definition

The unique manufacturer's serial number associated with a medical device.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	50

Data Element Comment

eDevice.02 - Date/Time of Event (per Medical Device)

Definition

The time of the event recorded by the device's internal clock

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   STEMI

Constraints

Data Type   **minInclusive**   **maxInclusive**
dateTime   1950-01-01T00:00:00-00:00   2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eDevice.03 - Medical Device Event Type

Definition

The type of event documented by the medical device.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_02	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   STEMI

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4103001	12-Lead ECG
4103003	Analysis (Button Pressed)
4103005	CO2
4103007	Date Transmitted
4103009	Defibrillation
4103011	ECG-Monitor
4103013	Heart Rate
4103015	Invasive Pressure 1
4103017	Invasive Pressure 2
4103019	No Shock Advised
4103021	Non-Invasive BP
4103023	Other
4103025	Pacing Electrical Capture
4103027	Pacing Started
4103029	Pacing Stopped
4103031	Patient Connected
4103033	Power On
4103035	Pulse Oximetry
4103037	Pulse Rate
4103039	Respiratory Rate
4103041	Shock Advised
4103043	Sync Off
4103045	Sync On
4103047	Temperature 1
4103049	Temperature 2

Data Element Comment

Can be displayed in the Vital Signs or Procedure Sections.

eDevice.04 - Medical Device Waveform Graphic Type

Definition

The description of the waveform file stored in Waveform Graphic (eDevice.05).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   STEMI

Constraints

Data Type	**minLength**	**maxLength**
string	1	255

Data Element Comment

The description is defined as the extension of the file type. Examples of file name extensions include "doc", "jpeg", "tiff", etc.
For a list of additional extensions reference the following website(s):

　　3D Image formats: http://www.fileinfo.com/filetypes/3d_image

　　Raster Image formats: http://www.fileinfo.com/filetypes/raster_image

　　Vector Image formats: http://www.fileinfo.com/filetypes/vector_image

　　Video formats: http://www.fileinfo.com/filetypes/video

　　Audio formats: http://www.fileinfo.com/filetypes/audio

　　Comparison of formats:

　　Image: http://en.wikipedia.org/wiki/Comparison_of_image_file_formats

　　Audio: http://en.wikipedia.org/wiki/Audio_file_format

　　Container: http://en.wikipedia.org/wiki/Comparison_of_container_formats

　　A general list of image formats: http://en.wikipedia.org/wiki/Image_file_formats

　　Mime Types: http://en.wikipedia.org/wiki/Internet_media_type

eDevice.05 - Medical Device Waveform Graphic

Definition

The graphic waveform file.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   STEMI

Constraints

Data Type
base64Binary

Data Element Comment

eDevice.06 - Medical Device Mode (Manual, AED, Pacing, CO2, O2, etc)

Definition

The mode of operation the device is operating in during the defibrillation, pacing, or rhythm analysis by the device (if appropriate for the event)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_05	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
4106001	Advisory
4106003	Automated
4106005	Demand
4106007	Manual
4106009	Mid-Stream
4106011	Sensing
4106013	Side-Stream

Data Element Comment

eDevice.07 - Medical Device ECG Lead

Definition

The lead or source which the medical device used to obtain the rhythm (if appropriate for the event)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_06	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   STEMI

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4107001	I
4107003	II
4107005	III
4107007	AVR
4107009	AVL
4107011	AVF
4107013	Paddle
4107015	Pads
4107017	V1
4107019	V2
4107021	V3
4107023	V3r
4107025	V4
4107027	V4r
4107029	V5
4107031	V5r
4107033	V6
4107035	V6r
4107037	V7
4107039	V8
4107041	V9

Data Element Comment

Can be displayed in the Vital Signs or Procedure Sections.

eDevice.08 - Medical Device ECG Interpretation

Definition

The interpretation of the rhythm by the device (if appropriate for the event)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_07	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   STEMI

Constraints

Data Type	minLength	maxLength
string	1	2000

Data Element Comment

The rhythm interpretation text imported from the device.

eDevice.09 - Type of Shock

Definition

The type of shock used by the device for the defibrillation (if appropriate for the event)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_08	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Code List

Code	Description
4109001	Biphasic
4109003	Monophasic

Data Element Comment

eDevice.10 - Shock or Pacing Energy

Definition

The energy (in joules) used for the shock or pacing (if appropriate for the event)

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_09	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Constraints

Data Type	totalDigits	fractionDigits	minInclusive	maxInclusive
decimal	5	1	1	9000

Data Element Comment

eDevice.11 - Total Number of Shocks Delivered

Definition

The number of times the patient was defibrillated, if the patient was defibrillated during the patient encounter.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_10	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Constraints

Data Type	minInclusive	maxInclusive
integer	1	100

Data Element Comment

eDevice.12 - Pacing Rate

Definition

The rate the device was calibrated to pace during the event, if appropriate.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E21_11	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	1	1000

Data Element Comment

eDisposition

Dataset Level: **N** National   **S** State   **D** Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eDisposition

1 : 1	eDisposition.DestinationGroup		
	0 : 1	eDisposition.01 - Destination/Transferred To, Name	S E N, L
	0 : 1	eDisposition.02 - Destination/Transferred To, Code	S E N, L
	0 : 1	eDisposition.03 - Destination Street Address	S O
	0 : 1	eDisposition.04 - Destination City	S O
	1 : 1	eDisposition.05 - Destination State	N S R N, L
	1 : 1	eDisposition.06 - Destination County	N S R N, L
	1 : 1	eDisposition.07 - Destination ZIP Code	N S R N, L
	0 : 1	eDisposition.08 - Destination Country	O
	0 : 1	eDisposition.09 - Destination GPS Location	O
	0 : 1	eDisposition.10 - Disposition Location US National Grid Coordinates	O
0 : 1	eDisposition.11 - Number of Patients Transported in this EMS Unit		S E N, L
1 : 1	eDisposition.12 - Incident/Patient Disposition		N S M
0 : M	eDisposition.13 - How Patient Was Moved to Ambulance		O C
0 : M	eDisposition.14 - Position of Patient During Transport		O C
0 : 1	eDisposition.15 - How Patient Was Transported From Ambulance		O
1 : 1	eDisposition.16 - EMS Transport Method		N S R N, L
1 : 1	eDisposition.17 - Transport Mode from Scene		N S R N, L
1 : M	eDisposition.18 - Additional Transport Mode Descriptors		N S R N, L C
1 : 1	eDisposition.19 - Condition of Patient at Destination		N S R N, L
1 : M	eDisposition.20 - Reason for Choosing Destination		N S R N, L C
1 : 1	eDisposition.21 - Type of Destination		N S R N, L
1 : 1	eDisposition.22 - Hospital In-Patient Destination		N S R N, L
1 : 1	eDisposition.23 - Hospital Designation		N S R N, L
1 : M	eDisposition.HospitalTeamActivationGroup		C
	1 : 1	eDisposition.24 - Destination Team Pre-Arrival Alert or Activation	N S R N, L
	1 : 1	eDisposition.25 - Date/Time of Destination Prearrival Alert or Activation	N S R N, L
0 : M	eDisposition.26 - Disposition Instructions Provided		O C

eDisposition

eDisposition.01 - Destination/Transferred To, Name

Definition

The destination the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_01	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minLength**	**maxLength**
string	2	100

Data Element Comment

Recommended State data element since no national code for destination. May be populated from the list in dFacility.02 (Facility Name).

eDisposition.02 - Destination/Transferred To, Code

Definition

The code of the destination the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_02	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	2	50

Data Element Comment

May be populated from list in dFacility.03 (Facility Location Code) or dFacility.05 (Facility National Provider Identifier) if a health care facility. NPI codes can be found on the NEMSIS SharePoint site.

eDisposition.03

eDisposition.03 - Destination Street Address

Definition

The street address of the destination the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E20_03	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

StreetAddress2
Data Type: string   **minLength:** 1   **maxLength:** 55

Constraints

Data Type	minLength	maxLength
string	1	55

Data Element Comment

May be auto-populated if list created in dFacility.07 (Facility Street Address).

eDisposition.04 - Destination City

Definition

The city of the destination the patient was delivered or transferred to (physical address).

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E20_04	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Data Element Comment

City codes are based on GNIS Feature Class. The primary Feature Class to use is "Civil" with "Populated Place" and "Military" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

State National

eDisposition.05 - Destination State

Definition

The state of the destination the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type   **length**

string   2

Data Element Comment

Based on the ANSI Code. May be auto-populated if list created in dFacility.09 (Facility State).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

eDisposition.06 - Destination County

Definition

The destination county in which the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type   **length**

string   5

Data Element Comment

May be auto-populated if list created in dFacility.11 (Facility County). Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

eDisposition.07

State   National

eDisposition.07 - Destination ZIP Code

Definition

The destination ZIP code in which the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Pattern
[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

May be auto-populated if list created in dFacility.10 (Facility ZIP Code).

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

eDisposition.08 - Destination Country

Definition

The country of the destination.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **length**
string   2

Data Element Comment

May be auto-populated if list created in dFacility.12 (Facility Country).

ANSI Country Codes (ISO 3166) Website: http://www.iso.org/iso/country_codes/iso_3166_code_lists.htm

Version 3 Changes Implemented

Added for improved international compatibility.

eDisposition.09 - Destination GPS Location

Definition

The destination GPS Coordinates to which the patient was delivered or transferred to.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_08	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
(\+|-)?(90(\.[0]{1,6})?|([1-8][0-9]|[0-9])(\.[0-9]{1,6})?),(\+|-)?(180(\.[0]{1,6})?|(1[0-7][0-9]|[1-9][0-9]|[0-9])(\.[0-9]{1,6})?)

Data Element Comment

May be auto-populated if list created in dFacility.13 (Facility GPS Location).

The pattern for GPS location is in the format "*latitude,longitude*" where:
- *latitude* has a minimum of -90 and a maximum of 90 with up to 6 decimal places
- *longitude* has a minimum of -180 and a maximum of 180 with up to 6 decimal places

eDisposition.10 - Disposition Location US National Grid Coordinates

Definition

The US National Grid Coordinates for the Disposition Location. This may be the Healthcare Facility US National Grid Coordinates.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
([1-9]|[1-5][0-9]|60)[C-HJ-NP-X][A-HJ-NP-Z][A-HJ-NP-V][0-9]{8}

Data Element Comment

Standard found at www.fgdc.gov/usng.
Through programming this may be partially auto-populated if the list is created in dFacility.14 (Facility US National Grid Coordinates).

eDisposition.11 - Number of Patients Transported in this EMS Unit

Definition

The number of patients transported by this EMS crew and unit.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Constraints

Data Type	**minInclusive**	**maxInclusive**
positiveInteger	1	100

Data Element Comment

Added to document multiple patients being transported with the same vehicle and crew.

Version 3 Changes Implemented

Added to document multiple patients being transported with the same vehicle and crew.

State　National

eDisposition.12 - Incident/Patient Disposition

Definition

Type of disposition treatment and/or transport of the patient by this EMS Unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E20_10	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway　Cardiac Arrest　Pediatric　Response　STEMI　Stroke　Trauma

Code List

Code	Description
4212001	Assist, Agency
4212003	Assist, Public
4212005	Assist, Unit
4212007	Canceled (Prior to Arrival At Scene)
4212009	Canceled on Scene (No Patient Contact)
4212011	Canceled on Scene (No Patient Found)
4212013	Patient Dead at Scene-No Resuscitation Attempted (With Transport)
4212015	Patient Dead at Scene-No Resuscitation Attempted (Without Transport)
4212017	Patient Dead at Scene-Resuscitation Attempted (With Transport)
4212019	Patient Dead at Scene-Resuscitation Attempted (Without Transport)
4212021	Patient Evaluated, No Treatment/Transport Required
4212023	Patient Refused Evaluation/Care (With Transport)
4212025	Patient Refused Evaluation/Care (Without Transport)
4212027	Patient Treated, Released (AMA)
4212029	Patient Treated, Released (per protocol)
4212031	Patient Treated, Transferred Care to Another EMS Unit
4212033	Patient Treated, Transported by this EMS Unit
4212035	Patient Treated, Transported by Law Enforcement
4212037	Patient Treated, Transported by Private Vehicle
4212039	Standby-No Services or Support Provided
4212041	Standby-Public Safety, Fire, or EMS Operational Support Provided
4212043	Transport Non-Patient, Organs, etc.

Data Element Comment

eDisposition.13 - How Patient Was Moved to Ambulance

Definition			
The method the patient was moved to the ambulance from the scene			

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_11	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
9909001	Assisted/Walk
9909003	Backboard
9909005	Chair
9909007	Carried
9909009	Other (Not Listed)
9909011	Stairchair
9909013	Stretcher
9909015	Wheelchair

Data Element Comment

eDisposition.14 - Position of Patient During Transport

Definition

The position of the patient during transport from the scene

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_12	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4214001	Car Seat
4214003	Fowlers (Semi-Upright Sitting)
4214005	Lateral Left
4214007	Lateral Right
4214009	Other (Not Listed)
4214011	Prone
4214013	Semi-Fowlers
4214015	Sitting
4214017	Supine
4214019	Trendelenburg

Data Element Comment

eDisposition.15 - How Patient Was Transported From Ambulance

Definition

The method the patient was moved from the ambulance to the destination

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E20_13	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9909001	Assisted/Walk
9909003	Backboard
9909005	Chair
9909007	Carried
9909009	Other (Not Listed)
9909011	Stairchair
9909013	Stretcher
9909015	Wheelchair

Data Element Comment

State | National

eDisposition.16 - EMS Transport Method

Definition

Transport method by this EMS Unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
4216001	Air Medical-Fixed Wing
4216003	Air Medical-Rotor Craft
4216005	Ground-Ambulance
4216007	Ground-ATV or Rescue Vehicle
4216009	Ground-Bariatric
4216011	Ground-Other Not Listed
4216013	Ground-Mass Casualty Bus/Vehicle
4216015	Ground-Wheelchair Van
4216017	Water-Boat

Data Element Comment

Required if the patient is transported by EMS.

Version 3 Changes Implemented

Added to better describe Air and Ground Transport methods.

State National

eDisposition.17 - Transport Mode from Scene

Definition

Indication whether the transport was emergent or non-emergent.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
4217001	Emergent (Immediate Response)
4217003	Emergent Downgraded to Non-Emergent
4217005	Non-Emergent
4217007	Non-Emergent Upgraded to Emergent

Data Element Comment

Information now split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

eDisposition.18 - Additional Transport Mode Descriptors

Definition

The documentation of transport mode techniques for this EMS response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4218001	Intersection Navigation-Against Normal Light Patterns
4218003	Intersection Navigation-With Automated Light Changing Technology
4218005	Intersection Navigation-With Normal Light Patterns
4218007	Speed-Enhanced per Local Policy
4218009	Speed-Normal Traffic
4218011	Lights and Sirens
4218013	Lights and No Sirens
4218015	No Lights or Sirens
4218017	Initial No Lights or Sirens, Upgraded to Lights and Sirens
4218019	Initial Lights and Sirens, Downgraded to No Lights or Sirens

Data Element Comment

Information now split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

eDisposition.19 - Condition of Patient at Destination

Definition

The condition of the patient after care by EMS

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9916001	Improved
9916003	Unchanged
9916005	Worse

Data Element Comment

State   National

eDisposition.20 - Reason for Choosing Destination

Definition

The reason the unit chose to deliver or transfer the patient to the destination

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4220001	Closest Facility
4220003	Diversion
4220005	Family Choice
4220007	Insurance Status/Requirement
4220009	Law Enforcement Choice
4220011	On-Line/On-Scene Medical Direction
4220013	Other (Not Listed)
4220015	Patient's Choice
4220017	Patient's Physician's Choice
4220019	Protocol
4220021	Regional Specialty Center

Data Element Comment

Required if Patient Transported

State | National

eDisposition.21 - Type of Destination

Definition

The type of destination the patient was delivered or transferred to

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_17	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   Response   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
4221001	Home
4221003	Hospital-Emergency Department
4221005	Hospital-Non-Emergency Department Bed
4221007	Medical Office/Clinic
4221009	Morgue/Mortuary
4221011	Nursing Home/Assisted Living Facility
4221013	Other (Not Listed)
4221015	Other EMS Responder (air)
4221017	Other EMS Responder (ground)
4221019	Police/Jail
4221021	Urgent Care
4221023	Freestanding Emergency Department

Data Element Comment

Required if Patient Transported by EMS. "Hospital-Non-Emergency Department Bed" includes any location in the hospital except the Emergency Department. Choices include those in eDisposition.22 (Hospital In-Patient Destination).

eDisposition.22 - Hospital In-Patient Destination

Definition

The location within the hospital that the patient was taken directly by EMS (e.g. Cath Lab, ICU, etc.)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
4222001	Hospital-Burn
4222003	Hospital-Cath Lab
4222005	Hospital-CCU
4222007	Hospital-Endoscopy
4222009	Hospital-Hospice
4222011	Hospital-Hyperbaric Oxygen Treatment
4222013	Hospital-ICU
4222015	Hospital-Labor & Delivery
4222017	Hospital-Med/Surg
4222019	Hospital-Mental Health
4222021	Hospital-MICU
4222023	Hospital-NICU
4222025	Hospital-Nursery
4222027	Hospital-Peds (General)
4222029	Hospital-Peds ICU
4222031	Hospital-OR
4222033	Hospital-Orthopedic
4222035	Hospital-Other
4222037	Hospital-Out-Patient Bed
4222039	Hospital-Radiology Services - MRI
4222041	Hospital-Radiology Services - CT/PET
4222043	Hospital-Radiology Services - X-Ray
4222045	Hospital-Radiation
4222047	Hospital-Rehab
4222049	Hospital-SICU

Data Element Comment

To be documented when in eDisposition.21 "Hospital-Non-Emergency Department Bed" is selected.

Version 3 Changes Implemented

Added to identify the location within the hospital that the patient was directly taken to by EMS.

State   National

eDisposition.23 - Hospital Designation

Definition

The primary hospital capability associated with the patient's condition for this transport (e.g. Trauma, STEMI, Peds, etc).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9908001	Behavioral Health
9908003	Burn Center
9908005	Critical Access Hospital
9908007	Hospital (General)
9908009	Neonatal Center
9908011	Pediatric Center
9908013	STEMI DEPRECATED
9908015	STEMI Center (24/7) DEPRECATED
9908017	Stroke Center
9908019	Rehab Center
9908021	Trauma Center Level 1
9908023	Trauma Center Level 2
9908025	Trauma Center Level 3
9908027	Trauma Center Level 4
9908029	Trauma Center Level 5
9908031	Cardiac-STEMI/PCI Capable
9908033	Cardiac-STEMI/PCI Capable (24/7)
9908035	Cardiac-STEMI/Non-PCI Capable

Data Element Comment

To be documented when in eDisposition.21 (Type of Destination) equals "4221003: Hospital-Emergency Department" or "4221005: Hospital-In Patient Bed" is selected .

Version 3 Changes Implemented

Added to aid in determining if patients are transported to the appropriate hospital based on provider impression, assessment, and treatment.

eDisposition.24 - Destination Team Pre-Arrival Alert or Activation

Definition

Indication that an alert (or activation) was called by EMS to the appropriate destination healthcare facility team. The alert (or activation) should occur prior to the EMS Unit arrival at the destination with the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
4224001	No
4224003	Yes-Adult Trauma
4224005	Yes-Cardiac Arrest
4224007	Yes-Obstetrics
4224009	Yes-Other
4224011	Yes-Pediatric Trauma
4224013	Yes-STEMI
4224015	Yes-Stroke
4224017	Yes-Trauma (General)

Data Element Comment

Version 3 Changes Implemented

Added to better document performance measure for acute time dependent illness and injury systems of care.

eDisposition.25 - Date/Time of Destination Prearrival Alert or Activation

Definition

The Date/Time EMS alerted, notified, or activated the Destination Healthcare Facility prior to EMS arrival. The EMS assessment identified the patient as acutely ill or injured based on exam and possibly specified alert criteria.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better document performance measure for acute time dependent illness and injury systems of care.

eDisposition.26 - Disposition Instructions Provided

Definition

Information provided to patient during disposition for patients not transported or treated.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4226001	Contact 911 or see your Doctor if problem returns
4226003	Contact 911 or see your Doctor if problem worsens
4226005	Other Not Listed (Described in Narrative)
4226007	Problem Specific Instructions Provided
4226009	See Your Doctor or the Emergency Department immediately
4226011	See Your Doctor or the Emergency Department in the next 24 hours
4226013	See Your Doctor or the Emergency Department in the next 4 hours
4226015	See Your Doctor within the next one week

Data Element Comment

Version 3 Changes Implemented

Added to better document instructions given to patients not transported by EMS.

eOutcome

Legend

Dataset Level: **N** National **S** State **D** Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eOutcome

1 : 1	eOutcome.01 - Emergency Department Disposition		**N** **S** R N, L
1 : 1	eOutcome.02 - Hospital Disposition		**N** **S** R N, L
0 : M	eOutcome.ExternalDataGroup		C
	0 : 1	eOutcome.03 - External Report ID/Number Type	O
	0 : 1	eOutcome.04 - External Report ID/Number	O
	0 : 1	eOutcome.05 - Other Report Registry Type	O
0 : 1	eOutcome.06 - Emergency Department Chief Complaint		O
0 : 1	eOutcome.07 - First ED Systolic Blood Pressure		O
0 : 1	eOutcome.08 - Emergency Department Recorded Cause of Injury		O
0 : M	eOutcome.09 - Emergency Department Procedures		O C
0 : M	eOutcome.10 - Emergency Department Diagnosis		O C
0 : 1	eOutcome.11 - Date/Time of Hospital Admission		O
0 : M	eOutcome.12 - Hospital Procedures		O C
0 : M	eOutcome.13 - Hospital Diagnosis		O C
0 : 1	eOutcome.14 - Total ICU Length of Stay		O
0 : 1	eOutcome.15 - Total Ventilator Days		O
0 : 1	eOutcome.16 - Date/Time of Hospital Discharge		O
0 : 1	eOutcome.17 - Outcome at Hospital Discharge		O

eOutcome

State | National

eOutcome.01 - Emergency Department Disposition

Definition

The known disposition of the patient from the Emergency Department (ED)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E22_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
01	Discharged to home or self care (routine discharge)
02	Discharged/transferred to another short term general hospital for inpatient care
03	Discharged/transferred to a skilled nursing facility (SNF)
04	Discharged/transferred to an intermediate care facility (ICF)
05	Discharged/transferred to another type of institution not defined elsewhere in this code list
06	Discharged/transferred to home under care of organized home health service organization in anticipation of covered skills care
07	Left against medical advice or discontinued care
09	Admitted as an inpatient to this hospital.
20	Deceased/Expired (or did not recover - Religious Non Medical Health Care Patient)
21	Discharged/transferred to court/law enforcement
30	Still a patient or expected to return for outpatient services.
43	Discharged/transferred to a Federal Health Care Facility (e.g. VA or federal health care facility)
50	Discharged/transferred to Hospice - home.
51	Discharged/transferred to Hospice - medical facility
61	Discharged/transferred within this institution to a hospital based Medicare approved swing bed.
62	Discharged/transferred to a inpatient rehabilitation facility including distinct part units of a hospital.
63	Discharged/transferred to long term care hospitals
64	Discharged/transferred to a nursing facility certified under Medicaid but not certified under Medicare
65	Discharged/transferred to a psychiatric hospital or psychiatric distinct part unit of a hospital.
66	Discharged/transferred to a Critical Access Hospital (CAH).
70	Discharged/transferred to another type of health care institution not defined elsewhere in the code list.

Data Element Comment

The list of values and codes is based on and in compliance with the Medicare Claims Processing Manual Chapter 25 Completing and Processing the Form CMS-1450 Data Set, referencing the Uniform Bill - Form CMS-1450 (UB-04) and the FL 17 - Patient Discharge Status Required. (For all Part A inpatient, SNF, hospice, home health agency (HHA) and outpatient hospital services.) This code indicates the patient's status as of the "Through" date of the billing period (FL 6).

https://www.cms.gov/transmittals/downloads/R1104CP.pdf Page 35-36

Codes are available from Medicare contractors and the National Uniform Billing company (NUBC_ (www.nubc.org) via the NUBC's Official UB-04 Data Specifications Manual.

Contractor site, Knowledge Trek: http://www.ub04.net/downloads/Medicare_Pub_Ch_25.pdf Please reference the section "FL 17 - Patient Status" found on page 23-25 of 126.

State | National

eOutcome.02 - Hospital Disposition

Definition

The known disposition of the patient from the hospital, if admitted.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E22_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
01	Discharged to home or self care (routine discharge)
02	Discharged/transferred to another short term general hospital for inpatient care
03	Discharged/transferred to a skilled nursing facility (SNF)
04	Discharged/transferred to an intermediate care facility (ICF)
05	Discharged/transferred to another type of institution not defined elsewhere in this code list
06	Discharged/transferred to home under care of organized home health service organization in anticipation of covered skills care
07	Left against medical advice or discontinued care
20	Deceased/Expired (or did not recover - Religious Non Medical Health Care Patient)
21	Discharged/transferred to court/law enforcement
30	Still a patient or expected to return for outpatient services.
43	Discharged/transferred to a Federal Health Care Facility (e.g. VA or federal health care facility)
50	Discharged/transferred to Hospice - home.
51	Discharged/transferred to Hospice - medical facility
61	Discharged/transferred within this institution to a hospital based Medicare approved swing bed.
62	Discharged/transferred to a inpatient rehabilitation facility including distinct part units of a hospital.
63	Discharged/transferred to long term care hospitals
64	Discharged/transferred to a nursing facility certified under Medicaid but not certified under Medicare
65	Discharged/transferred to a psychiatric hospital or psychiatric distinct part unit of a hospital.
66	Discharged/transferred to a Critical Access Hospital (CAH).
70	Discharged/transferred to another type of health care institution not defined elsewhere in the code list.

Data Element Comment

The list of values and codes is based on and in compliance with the Medicare Claims Processing Manual Chapter 25 Completing and Processing the Form CMS-1450 Data Set, referencing the Uniform Bill - Form CMS-1450 (UB-04) and the FL 17 - Patient Discharge Status Required. (For all Part A inpatient, SNF, hospice, home health agency (HHA) and outpatient hospital services.) This code indicates the patient's status as of the "Through" date of the billing period (FL 6).

https://www.cms.gov/transmittals/downloads/R1104CP.pdf Page 35-36

Codes are available from Medicare contractors and the National Uniform Billing company (NUBC_ (www.nubc.org) via the NUBC's Official UB-04 Data Specifications Manual.

Contractor site, Knowledge Trek: http://www.ub04.net/downloads/Medicare_Pub_Ch_25.pdf Please reference the section "FL 17 - Patient Status" found on page 23-25 of 126.

eOutcome.03 - External Report ID/Number Type

Definition

The Type of External Report or Record associated with the Report/ID Number.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
4303001	Disaster Tag
4303003	Fire Incident Report
4303005	Hospital-Receiving
4303007	Hospital-Transferring
4303009	Law Enforcement Report
4303011	Other (Not Listed)
4303013	Other Registry
4303015	Other Report
4303017	Patient ID
4303019	Prior EMS Patient Care Report
4303021	STEMI Registry
4303023	Stroke Registry
4303025	Trauma Registry

Data Element Comment

This data element is a merge based on the following Version 2.2.1 elements: E22_03, E22_04, E22_05, and E22_06

Version 3 Changes Implemented

Added to allow documentation of external record and identification numbers.

eOutcome.04 - External Report ID/Number

Definition	
The ID or Number of the external report or record in eOutcome.03.	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

This data element is a merge based on the following Version 2.2.1 elements: E22_03, E22_04, E22_05, and E22_06

Version 3 Changes Implemented

Added to allow documentation of external record and identification numbers.

eOutcome.05 - Other Report Registry Type

Definition

The type of external report/registry that was documented as "other" in eOutcome.03

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	2	50

Data Element Comment

This element should be used only when other-report or other-registry is used eOutcome.03.

eOutcome.06 - Emergency Department Chief Complaint

Definition

The patient's reason for seeking care or attention, expressed in the terms as close as possible to those used by the patient or responsible informant.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

Version 3 Changes Implemented

Added to better evaluate EMS patient care.

eOutcome.07 - First ED Systolic Blood Pressure

Definition

The first recorded Emergency Department Systolic Blood Pressure.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	0	500

Data Element Comment

Version 3 Changes Implemented

Added to better evaluate the outcome of EMS care.

eOutcome.08 - Emergency Department Recorded Cause of Injury

Definition

The documented cause of injury from the emergency department record.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
([TV-Y][0-9]{2})((\.[0-9A-Z]{1,7})?)

Data Element Comment

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Version 3 Changes Implemented

Added to better evaluate EMS care.

eOutcome.09 - Emergency Department Procedures

Definition

The procedures performed on the patient during the emergency department visit.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Pattern
[0-9A-HJ-NP-Z]{3,7}

Data Element Comment

ICD-10-PCS has a seven character alphanumeric code structure. Each character contains up to 34 possible values. Each value represents a specific option for the general character definition (e.g., stomach is one of the values for the body part character). The ten digits 0-9 and the 24 letters A-H,J-N and P-Z may be used in each character. The letters O and I are not used in order to avoid confusion with the digits 0 and 1.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Version 3 Changes Implemented

Added to better evaluate EMS care.

eOutcome.10 - Emergency Department Diagnosis

Definition

The practitioner's description of the condition or problem for which Emergency Department services were provided.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string　　　　**minLength:** 0　　　　**maxLength:** 255

Constraints

Pattern
[A-Z][0-9]{2}((\.[0-9A-Z]{1,3})?)

Data Element Comment

Code list is represented in ICD-10-CM: Diagnosis Codes.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Version 3 Changes Implemented

Added to better evaluate EMS care.

Definition

The date and time the patient was admitted to the hospital.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **minInclusive**   **maxInclusive**
dateTime   1950-01-01T00:00:00-00:00   2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better evaluate EMS care.

eOutcome.12 - Hospital Procedures

Definition

Hospital Procedures performed on the patient during the hospital admission.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string　　　　**minLength:** 0　　　　　　　**maxLength:** 255

Constraints

Pattern
[0-9A-HJ-NP-Z]{3,7}

Data Element Comment

ICD-10-PCS has a seven character alphanumeric code structure. Each character contains up to 34 possible values. Each value represents a specific option for the general character definition (e.g., stomach is one of the values for the body part character). The ten digits 0-9 and the 24 letters A-H,J-N and P-Z may be used in each character. The letters O and I are not used in order to avoid confusion with the digits 0 and 1.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Version 3 Changes Implemented

Added to better evaluate EMS care.

eOutcome.13 - Hospital Diagnosis

Definition

The hospital diagnosis of the patient associated with the hospital admission.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Constraints

Pattern
[A-Z][0-9]{2}((\.[0-9A-Z]{1,4})?)

Data Element Comment

Code list is represented in ICD-10-CM: Diagnosis Codes.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Version 3 Changes Implemented

Added to better evaluate EMS care.

eOutcome.14 - Total ICU Length of Stay

Definition

The total number of patient days in any ICU (including all ICU episodes).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	1	400

Data Element Comment

Version 3 Changes Implemented

Added to better measure patient outcomes.

eOutcome.15 - Total Ventilator Days

Definition

The total number of patient days spend on a mechanical ventilator (excluding time in the operating room).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minInclusive	maxInclusive
integer	1	400

Data Element Comment

Version 3 Changes Implemented

Added to better measure and define patient outcome.

Definition

The date the patient was discharged from the hospital.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **minInclusive**   **maxInclusive**
dateTime   1950-01-01T00:00:00-00:00   2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better measure patient outcome.

eOutcome.17 - Outcome at Hospital Discharge

Definition	
The patient's functional status at time of hospital discharge.	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
4317001	No Symptoms At All
4317003	No significant disability despite symptoms; able to carry out all usual duties and activities
4317005	Slight disability; unable to carry out all previous activities, but able to look after own affairs without assistance
4317007	Moderate disability; requiring some help, but able to walk without assistance
4317009	Moderately severe disability; unable to walk without assistance and unable to attend to own bodily needs without assistance
4317011	Severe disability; bedridden, incontinent and requiring constant nursing care and attention
4317013	Dead

Data Element Comment

eCustomResults

Legend	Dataset Level: N National S State D Deprecated
	Usage: ◻ M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes: ◻ N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eCustomResults

0 : M	eCustomResults.ResultsGroup		C
1 : M	eCustomResults.01 - Custom Data Element Result	M	N, L, P
1 : 1	eCustomResults.02 - Custom Element ID Referenced	M	
0 : 1	eCustomResults.03 - CorrelationID of PatientCareReport Element or Group	O	

eCustomResults

eCustomResults.01 - Custom Data Element Result

Definition

The actual value or values chosen (if values listed in eCustomConfiguration.06) or result (free text, Date/Time, or number) documented for the Custom Data Element

National Element	No	Pertinent Negatives (PN)	Yes
State Element	No	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Mandatory	Recurrence	1 : M

Attributes

NOT Values (NV)

Pertinent Negatives (PN)

NV

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

PN

8801001 - Contraindication Noted	8801003 - Denied By Order	8801005 - Exam Finding Not Present
8801007 - Medication Allergy	8801009 - Medication Already Taken	8801013 - No Known Drug Allergy
8801015 - None Reported	8801017 - Not Performed by EMS	8801019 - Refused
8801021 - Unresponsive	8801023 - Unable to Complete	

Constraints

Data Type	minLength	maxLength
string	1	100000

Data Element Comment

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

eCustomResults.02 - Custom Element ID Referenced

Definition

References the CustomElementID attribute for eCustomConfiguration.CustomGroup

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	0	255

Data Element Comment

eCustomResults.03 - CorrelationID of PatientCareReport Element or Group

Definition	
References the CorrelationID attribute of an element or group in the PatientCareReport section	

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints	

Data Type	minLength	maxLength
string	0	255

Data Element Comment

eOther

Dataset Level: N National   S State   D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, and/or C = Correlation ID

eOther

0 : 1	eOther.01 - Review Requested	O
0 : M	eOther.02 - Potential System of Care/Specialty/Registry Patient	O C

eOther.EMSCrewMemberGroup — 1 : M — C

0 : M	eOther.03 - Personal Protective Equipment Used	O C
0 : 1	eOther.04 - EMS Professional (Crew Member) ID	O
1 : 1	eOther.05 - Suspected EMS Work Related Exposure, Injury, or Death	N S R N, L
0 : M	eOther.06 - The Type of Work-Related Injury, Death or Suspected Exposure	S E N, L C

0 : M	eOther.07 - Natural, Suspected, Intentional, or Unintentional Disaster	O C
0 : 1	eOther.08 - Crew Member Completing this Report	S E N, L

eOther.FileGroup — 0 : M — C

0 : 1	eOther.09 - External Electronic Documents	O
0 : 1	eOther.10 - File Attachment Type	O
0 : 1	eOther.11 - File Attachment Image	O

eOther.SignatureGroup — 0 : M — C

0 : 1	eOther.12 - Type of Person Signing	O
0 : 1	eOther.13 - Signature Reason	O
0 : 1	eOther.14 - Type Of Patient Representative	O
0 : 1	eOther.15 - Signature Status	O
0 : 1	eOther.16 - Signature File Name	O
0 : 1	eOther.17 - Signature File Type	O
0 : 1	eOther.18 - Signature Graphic	O
0 : 1	eOther.19 - Date/Time of Signature	O
0 : 1	eOther.20 - Signature Last Name	O
0 : 1	eOther.21 - Signature First Name	O

eOther

eOther.01 - Review Requested

Definition

Indication of whether the PCR needs review by anyone.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E23_01	Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

eOther.02 - Potential System of Care/Specialty/Registry Patient

Definition

An indication if the patient may meet the entry criteria for an injury or illness specific registry

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E23_02	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives

Airway   Cardiac Arrest   Pediatric   STEMI   Stroke   Trauma

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4502001	Airway
4502003	Burn
4502005	Cardiac/MI
4502007	CVA/Stroke
4502009	Drowning
4502011	Other (Not Listed)
4502013	Spinal Cord Injury
4502015	STEMI/Acute Cardiac
4502017	Trauma
4502019	Traumatic Brain Injury

Data Element Comment

eOther.03 - Personal Protective Equipment Used

Definition

The personal protective equipment which was used by EMS personnel during this EMS patient contact.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E23_03	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4503001	Eye Protection
4503003	Gloves
4503005	Helmet
4503007	Level A Suit
4503009	Level B Suit
4503011	Level C Suit
4503013	Level D Suit (Turn out gear)
4503015	Mask-N95
4503017	Mask-Surgical (Non-Fitted)
4503019	Other (Not Listed)
4503021	PAPR
4503023	Reflective Vest

Data Element Comment

eOther.04 - EMS Professional (Crew Member) ID

Definition

The ID number of the EMS Crew Member associated with eOther.03, eOther.05, eOther.06.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	2	15

Data Element Comment

Added to allow documentation of PPE and work related health and safety down to the individual level within each EMS crew.

Version 3 Changes Implemented

Added to better document EMS workplace health and safety issues.

State | National

eOther.05 - Suspected EMS Work Related Exposure, Injury, or Death

Definition

Indication of an EMS work related exposure, injury, or death associated with this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E23_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Associated with eOther.04 (EMS Professional (Crew Member) ID)

eOther.06 - The Type of Work-Related Injury, Death or Suspected Exposure

Definition

The type of EMS crew member work-related injury, death, or suspected exposure related to the EMS response.

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E23_06	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

CorrelationID
Data Type: string   **minLength:** 0   **maxLength:** 255

Code List

Code	Description
4506001	Death-Cardiac Arrest
4506003	Death-Injury Related
4506005	Death-Other (Not Listed)
4506007	Exposure-Airborne Respiratory/Biological/Aerosolized Secretions
4506009	Exposure-Body Fluid Contact to Broken Skin
4506011	Exposure-Body Fluid Contact with Eye
4506013	Exposure-Body Fluid Contact with Intact Skin
4506015	Exposure-Body Fluid Contact with Mucosal Surface
4506017	Exposure-Needle Stick with Body Fluid Injection
4506019	Exposure-Needle Stick without Body Fluid Injection
4506021	Exposure-Toxin/Chemical/Hazmat
4506023	Injury-Lifting/Back/Musculoskeletal
4506025	Injury-Other (Not Listed)
4506027	None
4506029	Other (Not Listed)

Data Element Comment

Associated witheOther.04 (EMS Professional (Crew Member) ID).

eOther.07 - Natural, Suspected, Intentional, or Unintentional Disaster

Definition

Event caused by natural forces or Suspected and Intentional/Unintentional Disasters (terrorism).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element	E23_04	Is Nillable	No
Usage	Optional	Recurrence	0 : M

Associated Performance Measure Initiatives

Trauma

Attributes

CorrelationID
Data Type: string　　　　　**minLength:** 0　　　　　　　　　　**maxLength:** 255

Code List

Code	Description
4507001	Biologic Agent
4507003	Building Failure
4507005	Chemical Agent
4507007	Explosive Device
4507009	Fire
4507011	Hostage Event
4507013	Mass Gathering
4507015	Mass Illness
4507017	Nuclear Agent
4507019	Radioactive Device
4507021	Secondary Destructive Device
4507023	Shooting/Sniper
4507025	Vehicular
4507027	Weather

Data Element Comment

Based on FEMA website

eOther.08 - Crew Member Completing this Report

Definition

The statewide assigned ID number of the EMS crew member which completed this patient care report

National Element	No	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E23_10	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable   7701003 - Not Recorded   7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	2	15

Data Element Comment

If the EMS Professional has a specific ID associated with two states, the ID used would typically be based on the EMS Agencies state license.

eOther.09 - External Electronic Documents

Definition

Document types which have been electronically stored with PCR.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
4509001	Audio Recording
4509003	Billing Information
4509005	Diagnostic Image (CT, X-ray, US, etc)
4509007	DNR/Living Will
4509009	ECG/Lab Results
4509011	Guardianship/Power of Attorney
4509013	Healthcare Record
4509015	Other (Not Listed)
4509017	Patient Identification
4509019	Patient Refusal Sheet
4509021	Picture/Graphic
4509023	Sound Recording
4509025	Video/Movie

Data Element Comment

Added to allow an improved implementation of electronic healthcare records.

Version 3 Changes Implemented

Added to allow an improved implementation of electronic healthcare records.

eOther.10 - File Attachment Type

Definition

The description of the file attachment stored in File Attachment Image (eOther.11).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	1	255

Data Element Comment

The description is defined as the extension of the file type. Examples of file name extensions include "doc", "jpeg", "tiff", etc. For a list of additional extensions reference the following website(s):

3D Image formats: http://www.fileinfo.com/filetypes/3d_image

Raster Image formats: http://www.fileinfo.com/filetypes/raster_image

Vector Image formats: http://www.fileinfo.com/filetypes/vector_image

Video formats: http://www.fileinfo.com/filetypes/video

Audio formats: http://www.fileinfo.com/filetypes/audio

Comparison of formats:

Image: http://en.wikipedia.org/wiki/Comparison_of_image_file_formats

Audio: http://en.wikipedia.org/wiki/Audio_file_format

Container: http://en.wikipedia.org/wiki/Comparison_of_container_formats

A general list of image formats: http://en.wikipedia.org/wiki/Image_file_formats

Mime Types: http://en.wikipedia.org/wiki/Internet_media_type

Version 3 Changes Implemented

Added to allow an improved implementation of electronic healthcare records.

eOther.11 - File Attachment Image

Definition

The file that is attached electronically to the patient care report.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type
base64Binary

Data Element Comment

Associated with eOther.09 (External Electronic Documents) and eOther.10 (File Attachment Type).

Version 3 Changes Implemented

Added to allow an improved implementation of electronic healthcare records.

eOther.12 - Type of Person Signing

Definition

The individual's signature associated with eOther.15 (Signature Status).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
4512001	EMS Crew Member (Other)
4512003	EMS Primary Care Provider (for this event)
4512005	Healthcare Provider
4512007	Medical Director
4512009	Non-Healthcare Provider
4512011	Online Medical Control Healthcare Practitioner
4512013	Other
4512015	Patient
4512017	Patient Representative
4512019	Witness

Data Element Comment

Version 3 Changes Implemented

Added to better document disposition and billing information.

eOther.13 - Signature Reason

Definition

The reason for the individuals signature.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
4513001	HIPAA acknowledgement/Release
4513003	Permission to Treat
4513005	Release for Billing
4513007	Transfer of Patient Care
4513009	Refusal of Care
4513011	Controlled Substance, Administration
4513013	Controlled Substance, Waste
4513015	Airway Verification
4513017	Patient Belongings (Receipt)
4513019	Permission to Transport
4513021	Refusal of Transport
4513023	Other

Data Element Comment

eOther.14 - Type Of Patient Representative

Definition

If Patient Representative is chosen as the owner of the signature, this documents the relationship of the individual signing to the patient.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
4514001	Aunt
4514003	Brother
4514005	Daughter
4514007	Discharge Planner
4514009	Domestic Partner
4514011	Father
4514013	Friend
4514015	Grandfather
4514017	Grandmother
4514019	Guardian
4514021	Husband
4514023	Law Enforcement
4514025	MD/DO
4514027	Mother
4514029	Nurse (RN)
4514031	Nurse Practitioner (NP)
4514033	Other Care Provider (Home health, hospice, etc.)
4514035	Other
4514037	Physician's Assistant (PA)
4514039	Power of Attorney
4514041	Relative (Not Listed)
4514043	Self
4514045	Sister
4514047	Son
4514049	Uncle
4514051	Wife

Data Element Comment

Required for Billing.

Version 3 Changes Implemented

Added to improve documentation on disposition and billing.

eOther.15 - Signature Status

Definition

Indication that a patient or patient representative signature has been collected or attempted to be collected.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
4515001	Not Signed - Crew Called out to another call
4515003	Not Signed - Deceased
4515005	Not Signed - Due to Distress Level
4515007	Not Signed - Equipment Failure
4515009	Not Signed - In Law Enforcement Custody
4515011	Not Signed - Language Barrier
4515013	Not Signed - Mental Status/Impaired
4515015	Not Signed - Minor/Child
4515017	Not Signed - Physical Impairment of Extremities
4515019	Not Signed - Refused
4515021	Not Signed - Transferred Care/No Access to Obtain Signature
4515023	Not Signed - Unconscious
4515025	Not Signed -Visually Impaired
4515027	Physical Signature/Paper Copy Obtained
4515029	Refused
4515031	Signed
4515033	Signed-Not Patient

Data Element Comment

Version 3 Changes Implemented

Added to better document disposition and billing.

eOther.16 - Signature File Name

Definition

The name of the graphic file for the signature.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type   **maxLength**
string   255

Data Element Comment

eOther.17 - Signature File Type

Definition

The description of the file attachment stored in Signature Graphic (eOther.18).

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	255

Data Element Comment

The description is defined as the extension of the file type. Examples of file name extensions include "doc", "jpeg", "tiff", etc. For a list of additional extensions reference the following website(s):

3D Image formats: http://www.fileinfo.com/filetypes/3d_image

Raster Image formats: http://www.fileinfo.com/filetypes/raster_image

Vector Image formats: http://www.fileinfo.com/filetypes/vector_image

Video formats: http://www.fileinfo.com/filetypes/video

Audio formats: http://www.fileinfo.com/filetypes/audio

Comparison of formats:

Image: http://en.wikipedia.org/wiki/Comparison_of_image_file_formats

Audio: http://en.wikipedia.org/wiki/Audio_file_format

Container: http://en.wikipedia.org/wiki/Comparison_of_container_formats

A general list of image formats: http://en.wikipedia.org/wiki/Image_file_formats

Mime Types: http://en.wikipedia.org/wiki/Internet_media_type

eOther.18 - Signature Graphic

Definition

The graphic file for the signature.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type
base64Binary

Data Element Comment

Version 3 Changes Implemented

Added to better document disposition and billing.

eOther.19 - Date/Time of Signature

Definition

The date and time the signature was captured.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minInclusive**	**maxInclusive**
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern
[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better document disposition and billing.

eOther.20 - Signature Last Name

Definition

The last name of the individual who signed the associated signature.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

Version 3 Changes Implemented

Added to better document disposition and billing.

eOther.21 - Signature First Name

Definition

The first name of the individual associated with the signature.

National Element	No	Pertinent Negatives (PN)	No
State Element	No	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	**minLength**	**maxLength**
string	1	50

Data Element Comment

Version 3 Changes Implemented

Added to better document disposition and billing.

Index

eArrest   423

eCrew   241

eCustomConfiguration   191

eCustomResults   649

ePatient   264

ePayment   287

eSituation 371

eState 188

eTimes 246

eVitals   468