

Legend

Dataset Level: **N** National **S** State **D** Deprecated

Usage: ☐ M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID
I = Custom Element ID, T = Time Stamp, G = Procedure Group Correlation ID

dConfiguration

1 : M	dConfiguration.ConfigurationGroup		C	U	
1 : 1	dConfiguration.01 - State Associated with this Configuration	N	S	M	
1 : M	dConfiguration.ProcedureGroup		C	U	
1 : 1	dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure	N	S	M	
1 : M	dConfiguration.07 - EMS Agency Procedures	N	S	M	C
1 : M	dConfiguration.MedicationGroup		C	U	
1 : 1	dConfiguration.08 - EMS Certification Levels Permitted to Administer Each Medication	N	S	M	
1 : M	dConfiguration.09 - EMS Agency Medications	N	S	M	C
1 : M	dConfiguration.10 - EMS Agency Protocols	N	S	M	C
0 : M	dConfiguration.11 - EMS Agency Specialty Service Capability	S	E	N, L	C
0 : 1	dConfiguration.12 - Billing Status	O			
1 : 1	dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area	N	S	M	
0 : M	dConfiguration.14 - EMD Vendor	S	E	N, L	C
0 : M	dConfiguration.15 - Patient Monitoring Capability(ies)	S	E	N, L	C
1 : M	dConfiguration.16 - Crew Call Sign	N	S	M	C
0 : M	dConfiguration.17 - Dispatch Center (CAD) Name or ID	O	C		

dConfiguration

Associated Validation Rules

Rule ID	Level	Message
nemSch_d005	Error	UUID must be universally unique.