

## eDisposition.19 - Acuity Upon EMS Release of Patient

## Definition

The acuity of the patient's condition after EMS release of the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

## Associated Performance Measure Initiatives

Airway    Cardiac Arrest    Pediatric    Trauma

## Attributes

**NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

## Code List

Code	Description
4219001	Critical (Red)
4219003	Emergent (Yellow)
4219005	Lower Acuity (Green)
4219007	Dead without Resuscitation Efforts (Black)
4219009	Dead with Resuscitation Efforts (Black)
4219011	Non-Acute/Routine

## Data Element Comment

Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at

[https://www.ems.gov/assets/National\\_EMS\\_Core\\_Content.pdf](https://www.ems.gov/assets/National_EMS_Core_Content.pdf)

Dead without Resuscitation Efforts would be appropriate if resuscitation was initiated by non-EMS personnel but discontinued immediately upon evaluation by first arriving EMS personnel.

"Non-Acute/Routine" added for use with patients with no clinical issues-such as a refusal for a lift assist-or for routine transfers. "Dead with Resuscitation Efforts (Black)" added for EMS units that arrived and provided resuscitation to a critical patient, but who was deceased at the end of the event (such as in a cardiac arrest).

## Version 3 Changes Implemented

With the release of v3.5.0 additional values were added to meet the needs of EMS.

## Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Acuity Upon EMS Release of Patient is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Acuity Upon EMS Release of Patient has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e168	Warning	Acuity Upon EMS Release of Patient should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".