

eArrest.07 - AED Use Prior to EMS Arrival

Definition

Documentation of AED use Prior to EMS Arrival.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

Code List

Code Description

3007001 No
 3007003 Yes, Applied without Defibrillation
 3007005 Yes, With Defibrillation

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When AED Use Prior to EMS Arrival is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When AED Use Prior to EMS Arrival has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e103	Warning	AED Use Prior to EMS Arrival should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes..."
nemSch_e104	Warning	AED Use Prior to EMS Arrival should only be recorded when Cardiac Arrest is "Yes..."
nemSch_e119	Warning	Who First Applied the AED should be recorded when AED Use Prior to EMS Arrival is "Yes..."
nemSch_e122	Warning	Who First Defibrillated the Patient should be recorded when AED Use Prior to EMS Arrival is "Yes, With Defibrillation".