NEMSIS V3 Suggested List – eSituation.09 - Primary Symptom

Date

November 17, 2011 (FINAL)

Authors

Karen E. Jacobson – NEMSIS Director Lana Moser – NEMSIS Information Coordinator Keith R. Davis – NEMSIS Data Architect N. Clay Mann – NEMSIS P.I.

eSituation.09 - Primary Symptom

The code list associated with eSituation.09 (Primary Symptom) represents a range of values found in the 10th revision of the International Classification of Diseases – Clinical Modification (CD-10-CM). The process for gaining access to the ICD-10 CM code values is provided below.

Suggested List

The suggested code range for eSituation.09 (Primary Symptom) is represented in ICD-10-CM: Symptoms, Signs and III-defined and Unknown Cause of Mortality (R00.0-R69, R73.9, and R99). However, the specific 228 suggested ICD-10-CM codes are listed below.

Licensed "Suggested Lists"

The U.S. National Library of Medicine provides access to the RxNorm code values through the Unified Medical Language System (UMLS). An applicant must accept the terms of the UMLS Metathesaurus License and create a UMLS Terminology Services (UTS) account for access to UMLS datasets and terminology browsers.

More information can be found at: http://www.nlm.nih.gov/databases/umls.html.

The NEMSIS TAC may only distribute suggested lists with specific value codes from the UMLS system to entities licensed through the UMLS system. Thus, each software developer must seek licensing and provide proof of licensing before gaining access to all of the pre-defined suggested lists available through the NEMSIS TAC.

Access to "Suggested List" Archive Files

Access to suggested code lists will be provided on a special section of the NEMSIS TAC's SharePoint site. A licensed user will be able to login to the SharePoint site and download the appropriate archive file (RxNorm, ICD-10, etc).

The UMLS license verification service helps determine if the remote user has a license to use and/or distribute certain code sets. If the user does not have a current license, access to the "suggested lists" archive will be denied.

The "suggested list" files will be zipped archives that are automatically created each time one of the licensed code databases is updated in the NEMSIS master data repository.

Viewing and Using the "Suggested List" Archive Files

The downloaded suggested list appears in a pipe-delimited text format. The proper code to utilize is the code with the name of the element and closest to the value description. Please note that the CUI, AUI, and TTY fields are included for reference purposes. These codes allow one to locate the exact code and description in the UMLS Metathesaurus that was selected for inclusion in the suggested list.

The list provides additional fields indicating when a record became active in the NEMSIS TAC's master data repository as well as the version of the source used for a particular code and description in the suggested list.

Conclusions

By maintaining a single source of these data and making it available internally as well as to our customers, we improve our data quality and consistency. This will reduce reporting errors in data submissions provided it is used as part of our own and our customer's data management best practices.

Unified Medical language System (UMLS) Term Types (TTY)

This is a partial list of Term Types in Source (TTY) from the National Library of Medicine website. The NEMSIS TAC will be using primarily the designated preferred name (PT) and occasionally the hierarchical term (HT) Term Types in its suggested lists. To view the full list of UMLS abbreviations used in data element please visit the National Library of Medicine website:

http://www.nlm.nih.gov/research/umls/knowledge_sources/metathesaurus/release/abbreviations.html.

	TTY (Term Type in Source)
DN	Display Name
DO	Domain
ET	Entry term
HC	Hierarchical class
HD	Hierarchical descriptor
HT	Hierarchical term
LT	Lower Level Term
PT	Designated preferred name
RT	Designated related term

ICD-10 CM Suggested List for eSituation.09 Primary Symptom

	Sign / Symptom Description	TTY Code
1	Abdominal and pelvic pain	HT
2	Abdominal distension (gaseous)	PT
3	Abdominal rigidity, unspecified site	PT
4	Abdominal tenderness	HT
5	Abnormal head movements	PT
6	Abnormal posture	PT
7	Abnormal reflex	PT
8	Abnormal sputum	PT
9	Abnormal weight gain	PT

	Sign / Symptom Description	TTY Code
115	Jaw pain	PT
116	Left lower quadrant pain	PT
117	Left upper quadrant pain	PT
118	Localized edema	PT
119	Localized swelling, mass and lump of skin and subcutaneous tissue	HT
120	Low self-esteem	PT
121	Lower abdominal pain, unspecified	PT
122	Meningismus	PT
123	Mouth breathing	PT

		TTY
	Sign / Symptom Description	Code
10	Abnormal weight loss	PT
11	Abnormalities of breathing	HT
12	Absent bowel sounds	PT
13	Acute abdomen	PT
14	Adult failure to thrive	PT
15	Age-related cognitive decline	PT
16	Age-related physical debility	PT
17	Agnosia	PT
18	Altered mental status, unspecified	PT
19	Anesthesia of skin	PT
20	Anorexia	PT
21	Aphagia	PT
22	Aphasia	PT
23	Aphonia	PT
24	Apnea, not elsewhere classified	PT
25	Apparent life threatening event in infant (ALTE)	PT
26	Apraxia	PT
27	Asphyxia	PT
28	Ataxia, unspecified	PT
29	Ataxic gait	PT
30	Attention and concentration deficit	PT
31	Auditory hallucinations	PT
32	Bizarre personal appearance	PT
33	Bradycardia, unspecified	PT
34	Cachexia	PT
35	Cardiac murmur, unspecified	PT
36	Cardiogenic shock	PT
37	Changes in skin texture	PT

		TTY
	Sign / Symptom Description	Code
124	Nasal congestion	PT
125	Nausea	PT
126	Nausea with vomiting, unspecified	PT
127	Nervousness	PT
128	Nocturia	PT
129	Nonspecific low blood-pressure reading	PT
130	Orthopnea	PT
131	Other abdominal pain	HT
132	Other abnormal bowel sounds	PT
133	Other abnormal involuntary movements	PT
134	Other abnormalities of breathing	PT
135	Other abnormalities of gait and mobility	HT
136	Other abnormalities of gait and mobility	PT
137	Other abnormalities of heart beat	PT
138	Other amnesia	PT
139	Other ascites	PT
140	Other cardiac sounds	PT
141	Other disturbances of skin sensation	PT
142	Other fatigue	PT
143	Other forms of dyspnea	PT
144	Other general symptoms and signs	PT
145	Other hallucinations	PT
146	Other lack of coordination	PT
147	Other malaise	PT
148	Other polyuria	PT
149	Other skin changes	PT
	Other specified symptoms and signs involving the	
150	circulatory and respiratory systems	PT
151	Other speech disturbances	PT

	Sign / Symptom Description	TTY Code
38	Chest pain on breathing	PT
39	Chest pain, unspecified	PT
40	Chills (without fever)	PT
41	Chronic fatigue, unspecified	PT
42	Clicking hip	PT
43	Clubbing of fingers	PT
44	Colic	PT
45	Complex febrile convulsions	PT
46	Cough	PT
47	Cramp and spasm	PT
48	Cyanosis	PT
49	Demoralization and apathy	PT
50	Diarrhea, unspecified	PT
51	Difficulty in walking, not elsewhere classified	PT
52	Disorientation, unspecified	PT
53	Dizziness and giddiness	PT
54	Dry mouth, unspecified	PT
55	Dysarthria and anarthria	PT
56	Dyslexia and alexia	PT
57	Dysphagia, unspecified	PT
58	Dysphasia	PT
59	Dysphonia	PT
60	Dyspnea, unspecified	PT
61	Dysuria	PT
62	Edema, unspecified	PT
63	Elevated blood-pressure reading, without diagnosis of hypertension	PT

		TTY
	Sign / Symptom Description	Code
152	Other symptoms and signs involving emotional state	PT
	Other symptoms and signs involving the	
153	musculoskeletal system	PT
154	Other symptoms and signs involving the nervous system	PT
155	Overactivity	PT
156	Pain in throat	PT
157	Pain, unspecified	PT
158	Painful micturition, unspecified	PT
159	Pallor	PT
160	Palpitations	PT
161	Paralytic gait	PT
162	Paresthesia of skin	PT
163	Periodic breathing	PT
164	Periumbilical pain	PT
165	Pleurisy	PT
166	Pleurodynia	PT
167	Polydipsia	PT
168	Polyphagia	PT
169	Post traumatic seizures	PT
170	Precordial pain	PT
171	Projectile vomiting	PT
172	Rash and other nonspecific skin eruption	PT
173	Rebound abdominal tenderness	HT
174	Repeated falls	PT
175	Respiratory arrest	PT
176	Restlessness and agitation	PT
177	Retention of urine, unspecified	PT

		TTY
	Sign / Symptom Description	Code
64	Emotional lability	PT
65	Enlarged lymph nodes, unspecified	PT
66	Epigastric pain	PT
67	Epistaxis	PT
68	Eructation	PT
69	Excessive crying of child, adolescent or adult	PT
70	Excessive crying of infant (baby)	PT
71	Facial weakness	PT
72	Failure to thrive (child)	PT
73	Fasciculation	PT
74	Fecal incontinence	HT
75	Feeding difficulties	PT
76	Fever, unspecified	PT
77	Flatulence	PT
78	Flushing	PT
79	Frequency of micturition	PT
80	Fussy infant (baby)	PT
81	Gas pain	PT
82	Generalized abdominal pain	PT
83	Generalized edema	PT
84	Generalized hyperhidrosis	PT
85	Halitosis	PT
86	Hallucinations, unspecified	PT
87	Headache	PT
88	Heartburn	PT
89	Hematuria	HT
90	Hemoptysis	PT
91	Hemorrhage from other sites in respiratory passages	PT

		TTY
	Sign / Symptom Description	Code
178	Right lower quadrant pain	PT
179	Right upper quadrant pain	PT
180	Severe sepsis with septic shock	PT
181	Severe sepsis without septic shock	PT
182	Shock, not elsewhere classified	HT
183	Shock, unspecified	PT
184	Shortness of breath	PT
185	Simple febrile convulsions	PT
186	Slowness and poor responsiveness	PT
187	Slurred speech	PT
188	Sneezing	PT
189	Snoring	PT
190	Somnolence	PT
191	Splenomegaly, not elsewhere classified	PT
192	Spontaneous ecchymoses	PT
193	State of emotional shock and stress, unspecified	PT
194	Strange and inexplicable behavior	PT
195	Stridor	PT
196	Stupor	PT
197	Suicidal ideations	PT
198	Suspiciousness and marked evasiveness	PT
199	Syncope and collapse	PT
200	Tachycardia, unspecified	PT
201	Tachypnea, not elsewhere classified	PT
202	Tetany	PT
203	Transient alteration of awareness	PT
204	Transient paralysis	PT
205	Tremor, unspecified	PT

		TTY
	Sign / Symptom Description	Code
92	Hemorrhage from respiratory passages, unspecified	PT
93	Hemorrhage from throat	PT
94	Hemorrhage, not elsewhere classified	PT
95	Hepatomegaly with splenomegaly, not elsewhere classified	PT
96	Hepatomegaly, not elsewhere classified	PT
97	Hiccough	PT
98	Homicidal ideations	PT
99	Hostility	PT
100	Hyperactive bowel sounds	PT
101	Hyperesthesia	PT
102	Hyperglycemia, unspecified	PT
103	Hypernasality	PT
104	Hyperventilation	PT
105	Hypoesthesia of skin	PT
106	Hyponasality	PT
107	Hypovolemic shock	PT
108	Hypoxemia	PT
109	Ill-defined and unknown cause of mortality	PT
110	Illness, unspecified	PT
111	Impulsiveness	PT
112	Intercostal pain	PT
113	Intra-abdominal and pelvic swelling, mass and lump	HT
114	Irritability and anger	PT

		TTY
	Sign / Symptom Description	Code
206	Undue concern and preoccupation with stressful events	PT
207	Unhappiness	PT
208	Unspecified abnormal involuntary movements	PT
209	Unspecified abnormalities of gait and mobility	PT
210	Unspecified coma	PT
211	Unspecified convulsions	PT
212	Unspecified jaundice	PT
213	Unspecified lack of coordination	PT
214	Unspecified skin changes	PT
215	Unspecified speech disturbances	PT
216	Unspecified urinary incontinence	PT
217	Unsteadiness on feet	PT
218	Upper abdominal pain, unspecified	PT
219	Very low level of personal hygiene	PT
220	Violent behavior	PT
221	Visible peristalsis	PT
222	Visual hallucinations	PT
223	Vomiting of fecal matter	PT
224	Vomiting without nausea	PT
225	Vomiting, unspecified	PT
226	Weakness	PT
227	Wheezing	PT
228	Worries	PT