

NEMESIS V3 Suggested List – eSituation.10 - Other Associated Symptoms

Date

November 17, 2011 (FINAL)

December 05, 2011 (Updated-FINAL)

June 04, 2012 (Updated Pattern-FINAL)

May 09, 2013 (Updated List-FINAL)

June 5, 2013 (Updated table with explanation)

Authors

Karen E. Jacobson – NEMESIS Director

NASEMSO Data Managers Council

Lana Moser – NEMESIS Information Coordinator

Keith R. Davis – NEMESIS Data Architect

N. Clay Mann – NEMESIS P.I.

eSituation.10 - Other Associated Symptoms

The code list associated with eSituation.10 (Other Associated Symptoms) represents a range of values found in the 10th revision of the International Classification of Diseases – Clinical Modification (CD-10-CM). The process for gaining access to the ICD-10 CM code values is provided below.

Suggested List

The suggested code range for eSituation.10 (Other Associated Symptoms) is represented in ICD-10-CM. Signs and Symptoms are contained throughout the ICD-10-CM list. The primary documentation for symptom should be based on the “general” list of R Codes.

The acceptable ICD-10-CM code ranges for Symptoms include:

- Symptoms, Signs and Ill-defined and Unknown Cause of Mortality (R00.0-R69, R73.9, and R99)
- A-Q, S, T, and Z.

The specific 152 suggested ICD-10-CM codes are listed at the end of this document, beginning on page four. The suggested code list for the symptom description includes multiple columns including an “Explanation of Inclusion or Clarification” which may provide additional information related to the code description. The symptom suggested list information now contains Category and Sub-Category columns based in part on the ICD-10-CM sections. These hierarchies have been created to provide categories for the multiple symptoms available within the ICD-10-CM and NEMESIS Version 3 dataset.

The other ICD-10-CM R codes, not listed in the range above, will not be utilized in the NEMSIS Version 3 dataset as they do not pertain to EMS in the traditional pre-hospital (911) environment.

Licensed “Suggested Lists”

The U.S. National Library of Medicine provides access to the RxNorm code values through the Unified Medical Language System (UMLS). An applicant must accept the terms of the UMLS Metathesaurus License and create a UMLS Terminology Services (UTS) account for access to UMLS datasets and terminology browsers.

More information can be found at: <http://www.nlm.nih.gov/databases/umls.html>.

The NEMSIS TAC may only distribute suggested lists with specific value codes from the UMLS system to entities licensed through the UMLS system. Thus, each software developer must seek licensing and provide proof of licensing before gaining access to all of the pre-defined suggested lists available through the NEMSIS TAC.

Access to “Suggested List” Archive Files

Access to suggested code lists will be provided on a special section of the NEMSIS TAC’s website. A licensed user will be able to login to the site and download the appropriate archive file (RxNorm, ICD-10-CM, etc).

The UMLS license verification service helps determine if the remote user has a license to use and/or distribute certain code sets. If the user does not have a current license, access to the “suggested lists” archive will be denied.

The “suggested list” files will be zipped archives that are automatically created each time one of the licensed code databases is updated in the NEMSIS master data repository.

Viewing and Using the “Suggested List” Archive Files

The downloaded suggested list appears in a pipe-delimited text format. The proper code to utilize is the code with the name of the element and closest to the value description. Please note that the CUI, AUI, and TTY fields are included for reference purposes. These codes allow one to locate the exact code and description in the UMLS Metathesaurus that was selected for inclusion in the suggested list.

The list provides additional fields indicating when a record became active in the NEMSIS TAC’s master data repository as well as the version of the source used for a particular code and description in the suggested list.

Conclusions

By maintaining a single source of these data and making it available internally as well as to our customers, we improve our data quality and consistency. This will reduce reporting errors in data submissions provided it is used as part of our own and our customer's data management best practices.

Unified Medical language System (UMLS) Term Types (TTY)

This is a partial list of Term Types in Source (TTY) from the National Library of Medicine website. The NEMSIS TAC will be using primarily the designated preferred name (PT) and occasionally the hierarchical term (HT) Term Types in its suggested lists. To view the full list of UMLS abbreviations used in data element please visit the National Library of Medicine website: http://www.nlm.nih.gov/research/umls/knowledge_sources/metathesaurus/release/abbreviations.html .

TTY (Term Type in Source)	
DN	Display Name
DO	Domain
ET	Entry term
HC	Hierarchical class
HD	Hierarchical descriptor
HT	Hierarchical term
LT	Lower Level Term
PT	Designated preferred name
RT	Designated related term

ICD-10-CM Suggested List for eSituation.10 Other Associated Symptoms

The suggested ICD-10-CM Symptom descriptions listed below are in alphabetical order based on the ICD-10-CM code. Please note the associated Symptom Category and Sub-Category. The Symptoms excel spreadsheet is separated into three worksheets where the suggested list is ordered by 1) ICD-10-CM Code; 2) Symptom Category and then Sub-Category; and 3) **Example EMS Descriptor**. The “**Example EMS Descriptor**” column contains possible recommendation(s) by the NEMSIS TAC for use by EMS Software Companies, State EMS Offices, EMS Agencies, and EMS professionals.

Please note: the descriptors in italics in the “**Example EMS Descriptor**” column have the same descriptions as the ICD-10-CM code description.

The June 5 2013 update provides the columns to the right in a light red background to identify examples EMS friendly vocabulary and options for training purposes. The “**Example EMS Descriptor**” column includes terminology that may be used by the EMS community in place of the official health care data standard description. Please note neither the official code nor description has been changed. The backend code and description remain that of the health care data standard for the element. This is true at the NEMSIS TAC and for EMS software development companies and their products. The EMS terminology is derived from the health care data standard and has not changed the meaning of the description. Where possible a data standard synonym is used. This information may be used for EMS training purposes or implemented in the EMS software used by EMS.

ICD-10-CM Suggested List for eSituation.10 Other Associated Symptoms

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS V3 - Symptom Explanation of Inclusion or Clarification SYN: The ICD-10-CM synonym for the description. Clar: A clarification for code inclusion and/or intended use.	NEMSIS Version 3 - Symptom Example EMS Descriptor	Symptom Category	Symptom Sub-Category
1	PT	E66.3	Overweight		Overweight	Weight / Food Intake	Weight, excess
2	HT	G40.3	Generalized idiopathic epilepsy and epileptic syndromes	SYN: Grand mal seizure NOS; Petit mal seizure NOS.	Seizure: Absence, Partial, Grand Mal (Tonic/Clonic)	Convulsion/Seizure	Seizure
3	PT	G44.53	Primary thunderclap headache	Clar: Headache with sudden onset and severe pain.	Primary thunderclap headache	Episodic Disorders	Headache
4	PT	G47.00	Insomnia, unspecified	SYN: Insomnia NOS.	Insomnia	Episodic Disorders	Insomnia
5	HT	G81	Hemiplegia and hemiparesis		Hemiplegia and hemiparesis	Paralytic Syndromes	Hemiplegia and Hemiparesis
6	HT	G81.9	Hemiplegia, unspecified		Hemiplegia	Paralytic Syndromes	Hemiplegia
7	HT	G82.2	Paraplegia		Paraplegia	Paralytic Syndromes	Paraplegia
8	PT	G83.10	Monoplegia of lower limb affecting unspecified side		Monoplegia (1); or Paralysis of one lower limb (2)	Paralytic Syndromes	Monoplegia
9	HT	H53.14	Visual discomfort	SYN: Photophobia.	Visual Discomfort / Photophobia	Head	Eye
10	PT	H53.9	Unspecified visual disturbance		Visual Disturbance	Head	Eye
11	PT	H54.7	Unspecified visual loss		Visual Loss	Head	Eye
12	PT	H57.10	Ocular pain, unspecified eye		Pain, Eye	Pain	Pain, Head
13	PT	H91.90	Unspecified hearing loss, unspecified ear		Hearing Loss, unspecified ear	Head	Ear
14	PT	H92.09	Otalgia, unspecified ear		Pain, Ear	Pain	Pain, Head
15	HT	J02	Acute pharyngitis	SYN: Acute sore throat.	Acute Sore Throat	Respiratory	Throat
16	PT	K08.8	Other specified disorders of teeth and supporting structures	SYN: Toothache NOS.	Toothache	Head	Tooth

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMESIS V3 - Symptom Explanation of Inclusion or Clarification	NEMESIS Version 3 - Symptom Example EMS Descriptor	Symptom Category	Symptom Sub-Category
17	PT	K59.00	Constipation, unspecified		Constipation	Digestive	Bowel
18	PT	K92.0	Hematemesis		<i>Hematemesis (1); or Vomiting, blood (2)</i>	Digestive	N & V
19	PT	L29.9	Pruritus, unspecified	SYN: Itch NOS.	Itching	Skin	Skin Sensation
20	HT	L50	Urticaria		Hives	Skin	Skin Color Changes
21	PT	M54.9	Dorsalgia, unspecified	SYN: Back pain NOS; Backache NOS.	Pain, Back	Pain	Pain, Back
22	HT	N48.3	Priapism	SYN: Painful erection.	<i>Priapism</i>	Genitourinary System	Male
23	PT	N92.6	Irregular menstruation, unspecified		Irregular menstruation	Genitourinary System	Female
24	PT	N93.9	Abnormal uterine and vaginal bleeding, unspecified		Vaginal Bleeding and Abnormal Urine	Genitourinary System	Female
25	HT	O47	False labor	SYN: Braxton Hicks contractions.	<i>False labor</i>	Childbirth	False Labor
26	PT	R00.2	Palpitations		<i>Palpitations</i>	Circulatory	Cardiac Arrhythmias
27	PT	R04.0	Epistaxis	SYN: Nosebleed.	<i>Epistaxis</i>	Respiratory	Respiratory Hemorrhage
28	PT	R04.2	Hemoptysis	SYN: Cough with hemorrhage; Blood-stained sputum.	Blood in sputum	Respiratory	Respiratory Hemorrhage
29	PT	R05	Cough		<i>Cough</i>	Respiratory	Cough
30	PT	R06.00	Dyspnea, unspecified	Clar: This includes Paroxysmal nocturnal dyspnea.	Dyspnea	Respiratory	Breathing Difficulties
31	PT	R06.01	Orthopnea	Clar: Difficulty breathing while lying flat.	Dyspnea while lying flat	Respiratory	Breathing Difficulties
32	PT	R06.02	Shortness of breath		<i>Shortness of breath</i>	Respiratory	Breathing Difficulties
33	PT	R06.1	Stridor		<i>Stridor</i>	Respiratory	Breathing Abnormalities

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS V3 - Symptom Explanation of Inclusion or Clarification	NEMSIS Version 3 - Symptom Example EMS Descriptor	Symptom Category	Symptom Sub-Category
34	PT	R06.2	Wheezing		<i>Wheezing</i>	Respiratory	Breathing Abnormalities
35	PT	R06.3	Periodic breathing	Clar: Periods of deep breathing and shallow breathing. Infants may experience 10 seconds of breathing pauses. In non-infants this includes Cheyne-Stokes [SYN], Apneustic, etc.	Periodic Breathing (1); or Cheyne-Stokes Breathing (2); or Abnormal breathing pattern (3)	Respiratory	Breathing Abnormalities
36	PT	R06.4	Hyperventilation		<i>Hyperventilation</i>	Respiratory	Breathing Abnormalities
37	PT	R06.6	Hiccough		<i>Hiccough</i>	Respiratory	Breathing Abnormalities
38	PT	R06.7	Sneezing		<i>Sneezing</i>	Respiratory	Breathing Abnormalities
39	PT	R06.81	Apnea, not elsewhere classified	SYN: Apnea NOS.	Apnea	Respiratory	Breathing Difficulties
40	PT	R06.83	Snoring		<i>Snoring</i>	Respiratory	Breathing Abnormalities
41	PT	R07.0	Pain in throat		Pain, Throat	Pain	Pain, Respiratory
42	PT	R07.1	Chest pain on breathing	SYN: Painful respiration.	Pain, Chest, ...on breathing	Pain	Pain, Respiratory
43	PT	R07.82	Intercostal pain		Pain, Intercostal (rib)	Pain	Pain, Chest
44	PT	R07.89	Anterior chest-wall pain NOS	SYN: Other chest pain.	Pain, Anterior chest-wall	Pain	Pain, Chest
45	PT	R07.9	Chest pain, unspecified		Pain, Chest (cardiac)	Pain	Pain, Chest
46	PT	R09.01	Asphyxia		<i>Asphyxia</i>	Respiratory	Breathing Abnormalities
47	PT	R09.2	Respiratory arrest		<i>Respiratory arrest</i>	Respiratory	Breathing Difficulties
48	PT	R09.81	Nasal congestion		<i>Nasal congestion</i>	Respiratory	Breathing Abnormalities
49	PT	R10.0	Acute abdomen		<i>Acute abdomen</i>	Pain	Pain, Abdomen
50	HT	R10.1	Pain localized to upper abdomen		Pain, Abdomen Upper	Pain	Pain, Abdomen

					(localized)		
	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMESIS V3 - Symptom Explanation of Inclusion or Clarification	NEMESIS Version 3 - Symptom Example EMS Descriptor	Symptom Category	Symptom Sub-Category
51	PT	R10.13	Epigastric pain		Pain, Epigastric	Pain	Pain, Abdomen
52	PT	R10.2	Pelvic and perineal pain		Pain, Pelvic and Perineal	Pain	Pain, Abdomen
53	HT	R10.3	Pain localized to other parts of lower abdomen		Pain, Abdomen Lower (localized)	Pain	Pain, Abdomen
54	PT	R10.33	Periumbilical pain		Pain, Periumbilical	Pain	Pain, Abdomen
55	HT	R10.81	Abdominal tenderness		<i>Abdominal tenderness</i>	Abdomen	Abdomen, Tenderness
56	HT	R10.82	Rebound abdominal tenderness		<i>Rebound abdominal tenderness</i>	Abdomen	Abdomen, Tenderness
57	PT	R10.83	Colic	Clar: Inconsolable and excessive crying in an infant with no obvious cause.	<i>Colic</i>	Abdomen	Abdomen, Tenderness
58	PT	R10.84	Generalized abdominal pain		Pain, Abdominal (general)	Pain	Pain, Abdomen
59	PT	R11.0	Nausea	SYN: Nausea without vomiting.	<i>Nausea</i>	Digestive	N & V
60	PT	R11.10	Vomiting, unspecified	SYN: Vomiting NOS.	Vomiting	Digestive	N & V
61	PT	R11.12	Projectile vomiting		Vomiting, Projectile	Digestive	N & V
62	PT	R12	Heartburn		<i>Heartburn</i>	Digestive	Heartburn
63	PT	R13.0	Aphagia	SYN: Inability to swallow.	<i>Aphagia</i>	Digestive	Swallowing
64	PT	R13.10	Dysphagia, unspecified	SYN: Difficulty in swallowing NOS.	Dysphagia	Digestive	Swallowing
65	PT	R14.0	Abdominal distension (gaseous)	SYN: Bloating.	<i>Abdominal distension (gaseous)</i>	Digestive	Flatulence and Related Conditions
66	PT	R14.2	Eructation	Clar: Belching or burping.	Belching	Digestive	Flatulence and Related Conditions
67	PT	R14.3	Flatulence		<i>Flatulence</i>	Digestive	Flatulence and Related Conditions

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS V3 - Symptom Explanation of Inclusion or Clarification	NEMSIS Version 3 - Symptom Example EMS Descriptor	Symptom Category	Symptom Sub-Category
68	HT	R15	Fecal incontinence		<i>Fecal incontinence</i>	Digestive	Bowel
69	PT	R17	Unspecified jaundice		Jaundice	Abdomen and Digestive System	Liver
70	HT	R18	Ascites	Clar: Excess fluid in peritoneal cavity. SYN: Fluid in peritoneal cavity.	<i>Ascites</i>	Abdomen and Digestive System	Ascites
71	PT	R19.30	Abdominal rigidity, unspecified site		Abdominal rigidity	Abdomen	Abdomen, Rigid
72	PT	R19.7	Diarrhea, unspecified		Diarrhea	Digestive	Bowel
73	PT	R20.0	Anesthesia of skin		Skin, Numbness	Skin	Skin Sensation
74	PT	R20.1	Hypoesthesia of skin	Clar: Decreased sensation or sensitivity to stimulation or touch.	Skin, Decreased Sensation	Skin	Skin Sensation
75	PT	R20.2	Paresthesia of skin	Clar: Burning, itching, prickling, tingling or numbness sensation of the skin. Often associated with a neurologic disease or nerve damage. SYN: Pins and needles; Tingling skin.	Skin, Burning, Prickly, Tingling Sensation.	Skin	Skin Sensation
76	PT	R21	Rash and other nonspecific skin eruption	SYN: Rash NOS.	Skin, Rash	Skin	Skin Rash
77	HT	R22	Localized swelling, mass and lump of skin and subcutaneous tissue	Clar: Can be used to document a hematoma.	Skin, Swelling, Mass, or Lump	Skin	Skin Swelling
78	PT	R23.0	Cyanosis		<i>Cyanosis</i>	Skin	Skin Color Changes
79	PT	R23.1	Pallor		<i>Pallor</i>	Skin	Skin Color Changes
80	PT	R23.2	Flushing		<i>Flushing</i>	Skin	Skin Color Changes

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMESIS V3 - Symptom Explanation of Inclusion or Clarification	NEMESIS Version 3 - Symptom Example EMS Descriptor	Symptom Category	Symptom Sub-Category
81	PT	R23.8	Other skin changes		Skin, other texture changes	Skin	Skin Texture Changes
82	PT	R25.1	Tremor, unspecified	Clar: Involuntary trembling, quivering, or tremors. Not related to seizure activity.	Tremor, involuntary	Neuro - Musculoskeletal	Abnormal Involuntary Movements
83	PT	R25.2	Cramp and spasm		<i>Cramp and spasm</i>	Neuro - Musculoskeletal	Abnormal Involuntary Movements
84	PT	R25.3	Fasciculation	SYN: Twitching NOS.	Twitching	Neuro - Musculoskeletal	Abnormal Involuntary Movements
85	PT	R25.8	Other abnormal involuntary movements		Abnormal involuntary movements, unspecified	Neuro - Musculoskeletal	Abnormal Involuntary Movements
86	PT	R26.0	Ataxic gait	SYN: Staggering gait.	Gait, Ataxic	Neuro - Musculoskeletal	Gait, abnormality
87	PT	R26.2	Difficulty in walking, not elsewhere classified		Gait, Limp Gait or Difficulty Walking	Neuro - Musculoskeletal	Gait, abnormality
88	PT	R26.89	Other abnormalities of gait and mobility		Gait, Other Abnormalities of Gait and Mobility	Neuro - Musculoskeletal	Gait, abnormality
89	PT	R27.0	Ataxia, unspecified	Clar: Lack of muscle coordination.	Ataxia	Neuro - Musculoskeletal	Ataxia
90	PT	R29.0	Tetany	Clar: Involuntary muscle contraction /spasm.	Carpopedal spasm (1); or Muscle spasm, involuntary (2)	Neuro - Musculoskeletal	Spasm
91	PT	R29.6	Repeated falls	SYN: Falling.	<i>Repeated falls</i>	Neuro - Musculoskeletal	Falls
92	PT	R29.810	Facial weakness	SYN: Facial droop.	Facial droop	Neuro - Musculoskeletal	Facial droop
93	PT	R30.0	Dysuria		<i>Dysuria (1); or Urine, difficulty (2)</i>	Urinary	Urinary
94	HT	R31	Hematuria		<i>Hematuria (1); or Urine, blood in (2)</i>	Urinary	Urinary
95	PT	R32	Unspecified urinary incontinence		Urine incontinence	Urinary	Urinary

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMESIS V3 - Symptom Explanation of Inclusion or Clarification	NEMESIS Version 3 - Symptom Example EMS Descriptor	Symptom Category	Symptom Sub-Category
96	PT	R33.9	Retention of urine, unspecified		Urine retention	Urinary	Urinary
97	PT	R35.8	Other polyuria		Urine, excessive	Urinary	Urinary
98	PT	R40.0	Somnolence	SYN: Drowsiness.	Drowsiness	Somnolence, Stupor and Coma	Drowsiness
99	PT	R40.1	Stupor	SYN: Semicoma.	Stupor or Semicoma	Somnolence, Stupor and Coma	Stupor
100	PT	R40.20	Unspecified coma	SYN: Coma NOS.	Coma, unspecified	Somnolence, Stupor and Coma	Coma
101	PT	R41.0	Disorientation, unspecified	SYN: Confusion; Disorientation, unspecified; Delirium NOS.	Confusion (1); or Disorientation (2)	Cognitive Functions and Awareness	Cognitive Deficits
102	PT	R41.3	Other amnesia	Clar: Memory Loss.	Amnesia	Cognitive Functions and Awareness	Cognitive Deficits
103	PT	R41.82	Altered mental status, unspecified	SYN: Change in mental status NOS.	Altered mental status	Cognitive Functions and Awareness	Cognitive Deficits
104	PT	R41.840	Attention and concentration deficit		Attention and concentration deficit	Cognitive Functions and Awareness	Cognitive Deficits
105	PT	R42	Dizziness and giddiness	SYN: Light-headedness; Vertigo NOS.	Light-headedness	Cognitive Functions and Awareness	Light-headed
106	PT	R44.0	Auditory hallucinations		Hallucinations, Auditory	Sensations and Perceptions	Hallucinations
107	PT	R44.1	Visual hallucinations		Hallucinations, Visual	Sensations and Perceptions	Hallucinations
108	PT	R45.0	Nervousness		Nervousness	Emotional State S&S	Emotional State
109	PT	R45.1	Restlessness and agitation		Restlessness and agitation	Emotional State S&S	Emotional State
110	PT	R45.3	Demoralization and apathy		Demoralization and apathy	Emotional State S&S	Emotional State

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS V3 - Symptom Explanation of Inclusion or Clarification	NEMSIS Version 3 - Symptom Example EMS Descriptor	Symptom Category	Symptom Sub-Category
111	PT	R45.4	Irritability and anger		<i>Irritability and anger</i>	Emotional State S&S	Emotional State
112	PT	R45.6	Violent behavior	Clar: For EMS this includes combative behavior.	Combative or violent behavior	Emotional State S&S	Emotional State
113	PT	R45.7	State of emotional shock and stress, unspecified		Emotional stress, unspecified	Emotional State S&S	Emotional State
114	PT	R45.81	Low self-esteem		<i>Low self-esteem</i>	Emotional State S&S	Emotional State
115	PT	R45.82	Worries	Clar: For EMS this includes Anxiety, a part of the National EMS Core Content	Anxiety or Worries	Emotional State S&S	Emotional State
116	PT	R45.83	Excessive crying of child, adolescent or adult		Excessive crying (non-infant)	Emotional State S&S	Emotional State
117	PT	R45.850	Homicidal ideations		<i>Homicidal ideations</i>	Emotional State S&S	Emotional State
118	PT	R45.851	Suicidal ideations		<i>Suicidal ideations</i>	Emotional State S&S	Emotional State
119	PT	R46.2	Strange and inexplicable behavior		Behavior, Strange and inexplicable	Behavior S&S	Behavior
120	PT	R46.3	Overactivity		Behavior, Overactivity	Behavior S&S	Behavior
121	PT	R46.4	Slowness and poor responsiveness		Behavior, Slowness and poor responsiveness	Behavior S&S	Behavior
122	PT	R47.01	Aphasia		<i>Aphasia</i>	Speech Disturbances	Speech Disturbances
123	PT	R47.02	Dysphasia		<i>Dysphasia</i>	Speech Disturbances	Speech Disturbances
124	PT	R47.81	Slurred speech		<i>Slurred speech</i>	Speech Disturbances	Speech Disturbances
125	PT	R49.0	Dysphonia	Clar: Hoarseness of voice. SYN: Hoarseness.	Hoarseness	Voice and Resonance Disorders	Voice and Resonance Disorders
126	PT	R49.1	Aphonia	SYN: Loss of voice.	Loss of voice	Voice and Resonance	Voice and Resonance

						Disorders	Disorders
	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS V3 - Symptom Explanation of Inclusion or Clarification	NEMSIS Version 3 - Symptom Example EMS Descriptor	Symptom Category	Symptom Sub-Category
127	PT	R50.9	Fever, unspecified	SYN: Fever NOS; Persistent fever; Fever with chills; Fever with rigors.	Fever	General S&S	Fever
128	PT	R51	Headache		Pain, Headache	Pain	Head
129	PT	R52	Pain, unspecified	SYN: Chronic pain NOS; Acute pain NOS; Generalized pain NOS.	Pain, Unspecified	Pain	Pain, General
130	PT	R53.1	Weakness		<i>Weakness</i>	General S&S	Weakness
131	PT	R53.81	Other malaise	Clar: General feeling of discomfort. SYN: Malaise NOS; General physical deterioration; Chronic debility.	Malaise	General S&S	Malaise
132	PT	R53.83	Other fatigue	SYN: Lethargy; Lack of energy; Tiredness; Fatigue NOS.	Fatigue	General S&S	Fatigue
133	PT	R55	Syncope and collapse	SYN: Fainting; Blackout.	<i>Syncope and collapse</i>	General S&S	Syncope
134	HT	R56.0	Febrile convulsions		Seizure, febrile	Convulsion/Seizure	Seizure
135	PT	R56.9	Unspecified convulsions		Seizure (convulsive)	Convulsion/Seizure	Seizure
136	PT	R57.0	Cardiogenic shock		Shock, Cardiogenic	Shock	Shock
137	PT	R57.1	Hypovolemic shock		Shock, Hypovolemic	Shock	Shock
138	PT	R58	Hemorrhage, not elsewhere classified	SYN: Hemorrhage NOS.	Hemorrhage (1); or Bleeding (2)	General S&S	Bleeding
139	PT	R60.0	Localized edema	Clar: This can be used to identify pitting edema of the lower extremities.	Edema, local (pitting)	General S&S	Edema
140	PT	R60.9	Edema, unspecified		Edema, unspecified	General S&S	Edema
141	PT	R61	Generalized hyperhidrosis	Clar: Excessive sweating or Night sweats. SYN: Excessive sweating; Night sweats.	Excessive sweating (1); or Night sweats (2); or Diaphoresis (3)	General S&S	Sweating

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS V3 - Symptom Explanation of Inclusion or Clarification	NEMSIS Version 3 - Symptom Example EMS Descriptor	Symptom Category	Symptom Sub-Category
142	PT	R63.0	Anorexia	SYN: Loss of appetite.	Anorexia	Weight / Food Intake	Anorexia
143	PT	R63.1	Polydipsia	SYN: Excessive thirst.	Excessive thirst	Weight / Food Intake	Excessive thirst
144	PT	R63.3	Feeding difficulties		Feeding difficulties	Weight / Food Intake	Feeding difficulties
145	PT	R63.4	Abnormal weight loss		Weight, gain (abnormal)	Weight / Food Intake	Weight, loss
146	PT	R63.5	Abnormal weight gain		Weight, loss (abnormal)	Weight / Food Intake	Weight, gain
147	PT	R64	Cachexia	Clar: Wasting syndrome which includes weight loss, muscle loss, fatigue, weakness, and loss of appetite. SYN: Excessive thirst.	Cachexia (1); or Wasting syndrome (2)	Weight / Food Intake	Weight, loss
148	PT	R65.21	Severe sepsis with septic shock		Shock, Sepsis	Shock	Shock
149	PT	R68.11	Excessive crying of infant (baby)		Excessive crying, infant	General S&S	Crying
150	PT	R68.2	Dry mouth, unspecified		Dry mouth	General S&S	Dry Mouth
151	PT	R68.83	Chills (without fever)		Chills (without fever)	General S&S	Chills
152	PT	R68.84	Jaw pain		Pain, Jaw	Pain	Pain, Head