

# NEMSIS Data Dictionary

# NHTSA Version 3.2.5 Build 120525

# EMS Data Standard National Elements Only

Version Date: May 25, 2012

Funded by
National Highway Traffic Safety Administration (NHTSA)
Office of Emergency Medical Services

#### www.NEMSIS.org

#### **NEMSIS Data Dictionary Version 3.2.5**

**NEMSIS Overview and Summary** 

This data dictionary represents 24 months of effort collaborating with the EMS industry through web-based reviews, public comment periods, focus groups, industry dialogue, topic focused projects, and consensus. The National EMS Information System Version 3 represents a revision from the existing version 2.1.1 released in 2005. Adopting a broad perspective, the initiative to move to a 3rd version of the NEMSIS data dictionary was fueled by the need to improve data quality, enhance our ability to assess EMS performance, augment the flexibility of the standard for state adoption and, prepare for our initial movement of this standard into Health Level 7 (HL7) for approval as an American National Standards Institute (ANSI) standard. At the time of this initial publication, NEMSIS Version 3 has passed several ballots within HL7 in an effort to be recognized as a federal healthcare information standard. Final HL7 adoption of NEMSIS Version 3 is expected in 2012. HL7 will be the permanent home for the NEMSIS standard once fully adopted and future revisions will occur through the HL7 process.

#### NEMSIS Version 3 Element Configuration from v2.2.1

<u>u</u>				
NEMSIS NHTSA Uniform PreHospital Dataset	Version 2.2.1	Version 3.3.4	Version 3.4.0	
Demographic (Agency) NEMSIS Version 3 DataElements	110 (26%)	155 (27%)	157	
Existing (version 2.2.1)	88 (80%)	87 (56%)	87 (55.5%)	
New		68 (44%)	70 (44.5%)	
Retired	22 (20%)			
EMS (ePCR) NEMSIS Version 3 Data Elements	315 (74%)	423 (73%)	428	
Existing (version 2.2.1)	258 (82%)	260 (61%)	258 (60%)	
New		165 (39%)	170 (40%)	
Retired	57 (18%)		2	
Overall Total NEMSIS Version 3 Data Elements	425	578	585	
Existing (version 2.2.1)	346 (81%)	347 (60%)	345 (59%)	
New		232 (40%)	240 (41%)	
Retired	79 (19%)		2	

#### **NEMSIS** Version 3 Element Configuration

Total Elements including the Custom Elements: 585

Excluding the 12 Demographic & 12 EMS (ePCR) Custom Elements = 561

Total National Elements	165	Total State Elements	104	Total "Other" Element	316
Mandatory	37	Recommended	83	Excluding the custom elements	292
Required	128	Optional	21	Demographic (Agency) Elements	90
Demographic (Agency) Elements	35	Demographic (Agency) Elements	32	Excluding the custom elements	78
Mandatory	22	Recommended	32	EMS (ePCR) Elements	226
Required	13	Optional	0	Excluding the custom elements	214
EMS (ePCR) Elements	130	EMS (ePCR) Elements	72		
Mandatory	15	Recommended	51		
Required	115	Optional	21		

#### NEMSIS Version 3.2.5 Data Dictionary Content

\*\*Note: The numbers to the right of the content listed below represent the location for each element on the Sample Page of the Data Dictionary (page vi).

#### **Data Element Number (#1)**

The NEMSIS Version 3 element numbering system has been revised to improve the information that can be derived from just the data element number. An example of a data element number is dAgency.01.

- The data element number begins with either a "d" representing the demographic (agency) section or an "e" representing the EMS PCR section.
- •A one word descriptor for each section is now included in the data element number.
- A period separates the section (e.g. dAgency) from the data element number (e.g. 01).

#### Data Element Name (#3)

The name for the data element.

#### National and State Element Indicator (#2, #5, #6)

National = Yes, is an indication that the data element is required to be collected:

\*at the local EMS agency level and submitted to the state

State = Yes, is an indication that the data element is recommended to be collected at the "State" level.

#### **Data Element Definition (#4)**

The definition for the data element.

#### Version 2 Number (#7)

The NEMSIS Version 2.2.1 Data Element Number.

If the Data Element is new to Version 3.2.5, the Version 2 Number will be blank.

#### **Data Structure Information**

Recurrence (#12)

•Indication that the data element can have more than one value.

Represented by two characters separated by a colon. The configuration includes:

0:1 = element is not required and can occur only once

0:M = element is not required and can repeat multiple times

1:1 = element is required and can occur only once

1:M = element is required and can repeat multiple times

#### Usage (#8)

• Indication of when the data element is expected to be collected.

Mandatory = Must be completed and does not allow for NOT values
Required = Must be completed and allows NOT values
Recommended = Does not need to be completed and allows NOT values
Optional = Does not need to be completed and does not allow for NOT
values

#### NOT Value Characteristics (#10)

- Indication that the data element can have NOT values.
- •NOT Values are used (where permitted) to document that a data element was not applicable to the EMS response / request for service, was not or could not be completed.
- NOT Values are documented as "an attribute" of an element. It allows the documentation of NOT value when a "real" value is not documented. (Please reference the NEMSIS White Paper describing the use of NOT Values, Pertinent Negatives, and Nill.)

#### NOT Values Accepted (#14)

- •Indication of which of the following three NOT values is acceptable.
- Not all data elements accept NOT values.
- NOT Values have been condensed in Version 3.

Not Applicable = The data element is not applicable or pertinent to the EMS event.

Not Recorded = If a data element was unintentionally left blank the EMS software should auto-populate it with "Not Recorded".

Not Reporting = The data element is not collected by the EMS agency or state. This NOT value does not apply to National elements where "Usage = Required".

#### Pertinent Negative Values (PN) (#9, #14)

- •A list of Pertinent Negative Values which can be associated with a data element.
- Not all data elements accept Pertinent Negative Values.
- Pertinent Negative Values are documented as "an attribute" of an element. It allows the documentation of pertinent negative value in addition to the documentation of a "real" value. (Please reference the NEMSIS White Paper describing the use of NOT Values, Pertinent Negatives, and Nill.)
- •Example of use:

Example #1 - Aspirin Administration:

If the medication Aspirin is part of the agency protocol for Chest Pain but was not administered by the responding crew, the reason why should be documented. This is done through the use of Pertinent Negative Values. If the patient took the Aspirin prior to the EMS arrival on scene, the value "Medication Already Taken" should be documented in addition to "Aspirin".

#### Is Nillable (#11)

- •Indication that the element can accept a "blank" value.
- •If the element is left "blank" the software must submit an appropriate value of one of the two attributes: Pertinent Negative or NOT Values.

#### Associated Performance Measure Initiatives (#13)

Indication that the data element has value in describing, defining, or measuring EMS from a performance perspective. Performance Measures can be associated with EMS service delivery, patient care, or both. The following service delivery or time dependent illness/injury performance measure topics have been included in NEMSIS Version 3:

- Airway Airway Management
- Cardiac Arrest Out of Hospital Cardiac Arrest
- Pediatric Acute Pediatric Care
- Response EMS Response Time
- STEMI ST Elevation Myocardial Infarction (STEMI)
- Stroke Acute Stroke Care
- Trauma Acute Injury/Trauma Care

#### Attributes (#14)

An attribute provides extra information within an element. For information related to the first three attributes please see the NEMSIS document 'How to Utilize NEMSIS V3 "NOT values/pertinent negatives/nillable". The following are possible attributes:

•PN (Pertinent Negative)

8801001 - Contraindication Noted

8801003 - Denied By Order

8801005 - Exam Finding Not Present

8801007 - Medication Allergy

8801009 - Medication Already Taken

8801013 - No Known Drug Allergy

8801015 - None Reported

8801017 - Not Performed by EMS

8801019 - Refused

8801021 - Unresponsive

8801023 - Unable to Complete

#### NV (Not Value)

7701001 - Not Applicable

7701003 - Not Recorded

7701005 - Not Reporting

#### •Nillable xsi:nil="true"

#### Code Type

3001001 = No

3001003 = Yes, Prior to EMS Arrival

3001005 = Yes, After EMS Arrival

#### CorrelationID

Data Type = String

minLength = 0

maxLength = 255

#### DistanceUnit

9921001 - Kilometers

9921003 - Miles

#### EmailAddressType

9904001 - Personal

9904003 - Work

#### nemsisCode

Data Type = String

#### •nemsisElement

Data Type = String

#### •nemsisValueDescription

Data Type = String

#### PhoneNumberType

9913001 - Fax

9913003 - Home

9913005 - Mobile

9913007 - Pager

9913009 - Work

#### ProcedureGroupCorrelationID

Data Type = CorrelationID

#### StreetAddress2

Data Type = String

minLength = 1 maxLength = 255

#### TIMESTAMP

Data Type = DateTime minValue = 1950-01-01T00:00:00-00:00 maxValue = 2050-01-01T00:00:00-00:00

#### VelocityUnit

9921001 - Kilometers per Hour 9921003 - Miles per Hour

#### Code List (#16)

A list of values associated with the data element. Not all data elements have predefined value sets.

Codes for each value:

- •The codes are based on a 7-digit number, in a 2-2-3 pattern (without dashes).
  The first set of two numbers represent the data section
  The second set of two numbers represent the element number
  - The second set of two numbers represent the element number. The last set is a 3-digit number for each value beginning at 001; The codes increase in increments of two (2).
- Codes are typically sequential (by two) and alphabetical. Some ordering is provided in an effort to present information based on workflow.
- Several values and codes reference external standards such as ICD-10, RxNorm, SNOMED, etc. NEMSIS will assist in providing a recommended list of EMS specific values and codes from these larger standards for most elements using these external standards.

#### Data Element Editorial Comments (#17)

Comments are provided to describe additions, changes, clarifications, or provide additional insight into the data element.

#### **Version 3 Changes Implemented (#18)**

Comments providing insight into specific Version 3 changes such as new or revised data elements.

#### **Element Deprecated**(#19)

Elements that are signified as "deprecated" will be removed from a future version of the NEMSIS standard. Their use should now be avoided, but will be supported until they are removed from the standard.

#### NEMSIS Version 3 Description

NEMSIS Version 3 includes several new types of information to better describe EMS from an industry, workforce, EMS service delivery, and patient care perspective. Examples of new Version 3 content include:

#### **Demographic (Agency) Content**

EMS Agencies can list more than one state in which they offer EMS service delivery. EMS Agencies can indicate multiple Agency numbers.

Multiple EMS Agency contacts can now be managed within the Demographic Section. EMS Agency Location and GIS information has been enhanced.

EMS Professional and Workforce information has been enhanced.

#### **EMS (PCR) Content**

EMS Crew level information has been enhanced

Scene location information has been enhanced to improve geo-coding and location analysis.

Provider Impression (diagnosis), Symptoms, Cause of Injury, Medical/Surgical History, and Incident Location are now based on ICD-10.

Procedures are now based on SNOMED.

Medications are now stored using the RxNorm standard

Cardiac Arrest information has been enhanced to add focus on CPR and post arrest cooling.

Automated Collision Notification information has been included.

The data elements required to document and evaluate the CDC Field Triage Algorithm for trauma have been included.

Vital Sign and patient monitoring information have been enhanced

A new section for Laboratory and Diagnostic Imaging results has been added.

The Exam section has been reconfigured to improve documentation and ease of use. Much of the medical device information has been mapped into the vital sign section for direct import via the XML standard.

Inclusion of electronic signatures and external electronic documents.

An Airway section has been added to better document and evaluate airway management.

Improved Work Related Illness and Injury documentation capability.

Disposition information has been enhanced especially associated with Specialty Centers and time dependent illness/injury Systems of Care.

EMS Response and Transport Modes have been enhanced to better define emergent, non-emergent, scheduled, and non-scheduled variation.

Additional EMS Response and Transport Mode Descriptors have been added to allow for documentation of Lights and Sirens Use and Intersection Navigation tools.

The Payment/Billing section has been greatly expanded to meet current electronic billing requirements.

Outcome information has been expanded to include additional Emergency Department and Hospital Outcome information (often obtained through linkage).

#### **General Improvements**

Version 3 content has focused on objective performance measures to better describe and evaluate EMS service delivery and patient care.

State level configuration and customized data elements have been enhanced without changing the NEMSIS Version 3 Standard.



#### **Table of Contents**


DEMDataSet	1
DEMDataSet Grouping	2
EMSDataSet	3
EMSDataSet Grouping	4
dAgency	5
dAgency Grouping	6
dAgency.01 - EMS Agency Unique State ID	7
dAgency.02 - EMS Agency Number	8
dAgency.04 - EMS Agency State	9
dAgency.05 - EMS Agency Service Area States	10
dAgency.06 - EMS Agency Service Area County(s)	11
dAgency.07 - EMS Agency Census Tracts	12
dAgency.08 - EMS Agency Service Area ZIP Codes	13
dAgency.09 - Primary Type of Service	14 15
dAgency.11 - Level of Service	15
dAgency.12 - Organization Status	16 17
dAgency.13 - Organizational Type	18
dAgency.14 - EMS Agency Organizational Tax Status dAgency.15 - Statistical Calendar Year	19
dAgency.16 - Total Primary Service Area Size	20
dAgency.17 - Total Service Area Population	21
dAgency.18 - 911 EMS Call Center Volume per Year	22
dAgency.19 - EMS Dispatch Volume per Year	23
dAgency.20 - EMS Patient Transport Volume per Year	24
dAgency.21 - EMS Patient Contact Volume per Year	25
dAgency.25 - National Provider Identifier	26
dAgency.26 - Fire Department ID Number	27
dConfiguration	28
dConfiguration Grouping	29
dConfiguration.01 - State Associated with the Certification/Licensure Levels	30
dConfiguration.02 - State Certification Licensure Levels	31
dConfiguration.03 - Procedures Permitted by the State	32
dConfiguration.04 - Medications Permitted by the State	33
dConfiguration.05 - Protocols Permitted by the State	34
dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure	36
dConfiguration.07 - EMS Agency Procedures	37
dConfiguration.08 - EMS Certification Level Permitted to Administer Each Medication	38
dConfiguration.09 - EMS Agency Medications	39
dConfiguration.10 - EMS Agency Protocols	40
dConfiguration.11 - EMS Agency Specialty Service Capability	42
dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area	43
dConfiguration 15 - Patient Monitoring Capability(s)	44
dConfiguration.16 - Crew Call Sign	45

ePatient.15 - Age ePatient.16 - Age Units	92 93
ePayment	94
ePayment Grouping	95
ePayment.01 - Primary Method of Payment	96
ePayment.50 - CMS Service Level	97
eScene	98
eScene Grouping	99
eScene.01 - First EMS Unit on Scene	100
eScene.06 - Number of Patients at Scene	101
eScene.07 - Mass Casualty Incident	102
eScene.08 - Triage Classification for MCI Patient	103
eScene.09 - Incident Location Type	104
eScene.18 - Incident State	105
eScene.19 - Incident ZIP Code	106
eScene.21 - Incident County	107
eSituation	108
eSituation Grouping	109
eSituation.01 - Date/Time of Symptom Onset/Last Normal	110
eSituation.02 - Possible Injury	112
eSituation.07 - Chief Complaint Anatomic Location	113
eSituation.08 - Chief Complaint Organ System	114
eSituation.09 - Primary Symptom	115
eSituation.10 - Other Associated Symptoms	116
eSituation.11 - Provider's Primary Impression	117
eSituation.12 - Provider's Secondary Impressions	118
eSituation.13 - Initial Patient Acuity	119
elnjury	120
elnjury Grouping	121
elnjury.01 - Cause of Injury	122
elnjury.03 - Trauma Center Criteria	123
elnjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor	124
eArrest	125
eArrest Grouping	126
eArrest.01 - Cardiac Arrest	127
eArrest.02 - Cardiac Arrest Etiology	128
eArrest.03 - Resuscitation Attempted By EMS	129
eArrest.04 - Arrest Witnessed By	130
eArrest.05 - CPR Care Provided Prior to EMS Arrival	131
eArrest.07 - AED Use Prior to EMS Arrival	132
eArrest.09 - Type of CPR Provided	133
eArrest.10 - Therapeutic Hypothermia Initiated	134
eArrest.11 - First Monitored Arrest Rhythm of the Patient	135
eArrest.12 - Any Return of Spontaneous Circulation	136
eArrest.14 - Date/Time of Cardiac Arrest	137

eArrest.16 - Reason CPR/Resuscitation Discontinued eArrest.17 - Cardiac Rhythm on Arrival at Destination eArrest.18 - End of EMS Cardiac Arrest Event	138 139 141
eHistory	142
eHistory Grouping	143
eHistory.01 - Barriers to Patient Care	144
eHistory.17 - Alcohol/Drug Use Indicators	145
eVitals	146
eVitals Grouping	147
eVitals.01 - Date/Time Vital Signs Taken	148
eVitals.02 - Obtained Prior to this Unit's EMS Care	149
eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)	150
eVitals.04 - ECG Type	152
eVitals.05 - Method of ECG Interpretation	153
eVitals.06 - SBP (Systolic Blood Pressure) eVitals.08 - Method of Blood Pressure Measurement	154 155
eVitals.10 - Heart Rate	156
eVitals.12 - Pulse Oximetry	157
eVitals.14 - Respiratory Rate	158
eVitals.16 - Carbon Dioxide (CO2)	159
eVitals.18 - Blood Glucose Level	160
eVitals.19 - Glasgow Coma Score-Eye	161
eVitals.20 - Glasgow Coma Score-Verbal	162
eVitals.21 - Glasgow Coma Score-Motor	163
eVitals.22 - Glasgow Coma Score-Qualifier	164
eVitals.26 - Level of Responsiveness (AVPU)	165
eVitals.27 - Pain Score	166
eVitals.29 - Stroke Scale Score	167
eVitals.30 - Stroke Scale Type	168
eVitals.31 - Reperfusion Checklist	169
eProtocols	170
eProtocols Grouping	171
eProtocols.01 - Protocols Used	172
eProtocols.02 - Protocol Age Category	174
eMedications	175
eMedications Grouping	176
eMedications.01 - Date/Time Medication Administered	177
eMedications.02 - Medication Administered Prior to this Unit's EMS Care	178
eMedications.03 - Medication Given	179
eMedications.05 - Medication Dosage	180
eMedications.06 - Medication Dosage Units	181
eMedications.07 - Response to Medication	182
eMedications.08 - Medication Complication	183
eMedications.10 - Role/Type of Person Administering Medication	184
eProcedures	185

eProcedures Grouping eProcedures.01 - Date/Time Procedure Performed eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care eProcedures.03 - Procedure eProcedures.05 - Number of Procedure Attempts eProcedures.06 - Procedure Successful eProcedures.07 - Procedure Complication	186 187 188 189 190 191
eProcedures.08 - Response to Procedure eProcedures.10 - Role/Type of Person Performing the Procedure	193 194
· ·	
eDisposition	195
eDisposition Grouping	196
eDisposition.05 - Destination State	197
eDisposition.06 - Destination County	198
eDisposition.07 - Destination ZIP Code	199
eDisposition.12 - Incident/Patient Disposition	200
eDisposition.16 - EMS Transport Method	201
eDisposition.17 - Transport Mode from Scene	202
eDisposition.18 - Additional Transport Mode Descriptors	203 204
eDisposition 19 - Condition of Patient at Destination	204
eDisposition.20 - Reason for Choosing Destination	205
eDisposition.21 - Type of Destination eDisposition.22 - Hospital In-Patient Destination	206
eDisposition.23 - Hospital Designation	207
eDisposition.24 - Destination Team Pre-Arrival Activation	209
eDisposition.25 - Date/Time of Destination Prearrival Activation	210
eOutcome	211
eOutcome Grouping	212
eOutcome.01 - Emergency Department Disposition	213
eOutcome.02 - Hospital Disposition	214
eOther	215
eOther Grouping	216
eOther.05 - Suspected EMS Work Related Exposure, Injury, or Death	217

## **DEMDataSet**



## **EMSDataSet**

Legend

Dataset Level: National State

Usage: Mattributes: National State

Usage: National State

Usage: National State

Usage: National State

National State


Usage: National State

Usage: National State

National State

#### **EMSDataSet** 1:M Header DemographicGroup 1:1 dAgency.01 - EMS Agency Unique State ID dAgency.02 - EMS Agency Number 1:1 dAgency.04 - EMS Agency State PatientCareReport 1 : M eRecord 1:1 eResponse 1:1 eDispatch 1:1 eTimes 1:1 ePatient 1:1 ePayment 1:1 eScene 1:1 1:1 eSituation elnjury 1:1 eArrest 1:1 eHistory 1:1 eVitals 1:1 eProtocols **e**Medications 1:1 **eProcedures** 1:1 eDisposition eOutcome eOther **EMSDataSet**

## dAgency



State

**National** 

#### dAgency.01 - EMS Agency Unique State ID

#### Definition

The unique ID assigned to the EMS Agency which is associated with all state licensure numbers and information.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Constraints

Data TypeminLengthmaxLengthstring150

#### **Data Element Comment**

This may be the EMS Agency Name or a unique number assigned by the state EMS office. This is required to document multiple license types and numbers associated with the same EMS Agency.

State

**National** 

#### dAgency.02 - EMS Agency Number

#### Definition

The state-assigned provider number of the responding agency

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_01	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Constraints

Data TypeminLengthmaxLengthstring115

#### **Data Element Comment**

This is the primary identifier for the entire Demographic Section. Each of the Demographic sections must be associated with an EMS Agency Number. An EMS Agency can have more than one Agency Number within a state. This reflects the ability for an EMS Agency to have a different number for each service type or location (based on state implementation). The EMS Agency Number in dAgency.02 can be used to auto-populate eResponse.01 EMS Agency Number in the EMS Event section.

State

**National** 

#### dAgency.04 - EMS Agency State

#### **Definition**

The state/territory which assigned the EMS agency number.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_03	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Constraints

Data Type length string 2

#### **Data Element Comment**

This has been clarified to reflect that it is the state in which the EMS Agency resides and the state associated with the EMS Agency number.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

State

National

#### dAgency.05 - EMS Agency Service Area States

#### Definition

The states in which the EMS Agency provides services including the state associated with the EMS Agency Number.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Constraints

Data Type length string 2

#### **Data Element Comment**

Element added to document all of the states in which the EMS agency provides services. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

State

**National** 

#### dAgency.06 - EMS Agency Service Area County(s)

#### **Definition**

The county(s) within each state for which the agency formally provides service.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Constraints

Data Type length string 5

#### **Data Element Comment**

Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state. County codes are based on ISO/ANSI codes. It is a 5-digit code based on state (2-digit) and county (5-digit).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

State

**National** 

#### dAgency.07 - EMS Agency Census Tracts

#### Definition

The US census tracts in which the EMS agency formally provides service.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypemaxLengthminLengthstring151

#### **Data Element Comment**

This data element was added to better document the service area of the EMS Agency. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

Census Tract Data Website (files and descriptions): http://www.census.gov/geo/www/2010census/tract\_rel/tract\_rel.html

State

National

#### dAgency.08 - EMS Agency Service Area ZIP Codes

#### Definition

The ZIP codes for the EMS Agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### Pattern

[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

#### **Data Element Comment**

This data element was added to better document the service area of the EMS Agency. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

Zip Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/Product: USA - 5-digit ZIP Code Database, Commercial Edition

State

National

#### dAgency.09 - Primary Type of Service

#### Definition

The primary service type provided by the agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_05	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airwav	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

Code	Description
9920001	911 Response (Scene) with Transport Capability
9920003	911 Response (Scene) without Transport Capability
9920005	Air Medical
9920007	ALS Intercept
9920009	Critical Care Ground Support
9920011	Hazmat
9920013	Medical Transport (Convalescent, Interfacility Transfer Hospital and Nursing Home)
9920015	Rescue
9920017	Community Paramedicine

#### Data Element Comment

The Primary Type of Service is associated with each of the EMS Agency Numbers.

State

**National** 

#### dAgency.11 - Level of Service

#### Definition

The level of service which the agency provides EMS care for every request for service (the minimum certification level). This may be the license level granted by the state EMS office.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_07	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

Accordated	Performance	Mageura	Initiativae
ASSOCIATED	renomiance	IVICASUIC	IIIIIIauves

Airwav	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

Code	Description
9917001	2009 Advanced Emergency Medical Technician (AEMT)
9917003	2009 Emergency Medical Responder (EMR)
9917005	2009 Emergency Medical Technician
9917007	2009 Paramedic
9917009	First Responder
9917011	EMT-Basic
9917013	EMT-Intermediate
9917015	EMT-Paramedic
9917017	Nurse
0017010	Dhysician

9917019 Physician 9917021 Critical Care Paramedic 9917023 Community Paramedicine

#### **Data Element Comment**

The Level of Service is associated with the specific EMS Agency Number (dAgency.02) for the EMS Agency. For example a BLS licensed ambulance service (EMT-Basic) with EMT-Intermediate or EMT-Paramedic on staff, the appropriate level of service is "EMT-Basic". This is because the care provided to patients is limited to BLS skills.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

State

National

#### dAgency.12 - Organization Status

#### Definition

The primary organizational status of the agency. The definition of Volunteer or Non-Volunteer is based on state or local definitions.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_09	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airwav	Cardiac Arrest	Dadiatric	Response	STEMI	Stroke	Trauma
Allwav	Calulac Allesi	regianic	IZEONOLIOE	OILIVII	OHORE	Hauilia

#### Code List

CodeDescription1016001Mixed1016003Non-Volunteer1016005Volunteer

#### **Data Element Comment**

The Organizational Status is associated with the EMS Agency and the specific EMS Agency Number (dAgency.02).

State

**National** 

#### dAgency.13 - Organizational Type

#### Definition

The organizational structure from which EMS services are delivered (fire, hospital, county, etc.)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_08	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airwav	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

CodeDescription9912001Fire Department9912003Governmental, Non-Fire9912005Hospital9912007Private, Nonhospital9912009Tribal

#### **Data Element Comment**

Organizational Type is associated with the EMS Agency and the specific EMS Agency Number (dAgency.02).

State

**National** 

#### dAgency.14 - EMS Agency Organizational Tax Status

#### Definition

The EMS Agencies business/corporate organizational tax status

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Code List

**Code** Description 1018001 For Profit

1018003 Other (ex: Government)

1018005 Not For Profit

#### **Data Element Comment**

Associated with the EMS Agency for the specific EMS Agency Number (dAgency.02).

State

National

#### dAgency.15 - Statistical Calendar Year

#### **Definition**

The calendar year to which the information pertains for the EMS Agency and the specific EMS Agency Number (dAgency.02).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_10	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Constraints

Data TypeminInclusivemaxInclusiveinteger19002050

#### **Data Element Comment**

Added Calendar Year to the definition to remove confusion noted in draft comments. Will allow multiple entry to allow data to be stored on several years. This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02) and elements dAgency.16 through dAgency.22

State

**National** 

#### dAgency.16 - Total Primary Service Area Size

#### **Definition**

The total square miles in the agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_12	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### **Attributes**

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

#### Data Element Comment

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year

State

National

#### dAgency.17 - Total Service Area Population

#### Definition

The total population in the agency's service area based if possible on year 2010 census data.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_13	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

#### **Data Element Comment**

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

State

**National** 

#### dAgency.18 - 911 EMS Call Center Volume per Year

#### Definition

The number of 911 calls received by the call center during the last calendar year

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_14	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

#### Data Element Comment

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

#### Version 3 Changes Implemented

Name Clarified with "Call Center"

State

National

# dAgency.19 - EMS Dispatch Volume per Year

### Definition

The number of EMS dispatches during the last calendar year

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# **Attributes**

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

### **Data Element Comment**

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

State

**National** 

# dAgency.20 - EMS Patient Transport Volume per Year

### Definition

The number of EMS transports per year based on last calendar year.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_16	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# **Attributes**

# NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

# **Data Element Comment**

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

State

**National** 

# dAgency.21 - EMS Patient Contact Volume per Year

### Definition

The number of EMS patient contacts per year based on last calendar year.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_17	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# **Attributes**

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

### Data Element Comment

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

State

National

# dAgency.25 - National Provider Identifier

# Definition

The National Provider Identifier associated with National Provider System (NPS) and used in all standard HIPPA transactions such as electronic claim filing.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_21	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type length string 10

**Data Element Comment** 

State

National

# dAgency.26 - Fire Department ID Number

# Definition

The state assigned Fire Department ID Number for EMS Agency(s) operating within a Fire Department.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

### Attributes

# **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

# Constraints

Data TypeminLengthmaxLengthstring120


### **Data Element Comment**

Fire Department ID was added to better integrate Fire Department EMS Agencies and linkage to other EMS related data systems such as NFIRS.

### Version 3 Changes Implemented

Added to better associate Fire and EMS licensure and operational identifiers.

# dConfiguration



dConfiguration

**National** 

# dConfiguration.01 - State Associated with the Certification/Licensure Levels

### Definition

The state associated with the state certification/licensure levels.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Constraints

Data Type length string 2

# **Data Element Comment**

Associated with the state (dAgency.01 - EMS Agency State).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

The state EMS system does not need to import this information into their database. Reference the Demographic Dataset Submission Guide for further details.

National

# dConfiguration.02 - State Certification Licensure Levels

# Definition

All of the potential levels of certification/licensure for EMS personnel recognized by the state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

### Code List

Code	Description
9911001	2009 Advanced Emergency Medical Technician (AEMT)
9911003	2009 Emergency Medical Responder (EMR)
9911005	2009 Emergency Medical Technician
9911007	2009 Paramedic
9911009	EMT-Basic
9911011	EMT-Intermediate
9911013	EMT-Paramedic
9911015	First Responder
9911017	Nurse
9911019	Other
9911021	Physician
9911023	Critical Care Paramedic
9911025	Community Paramedicine

### **Data Element Comment**

The new 2009 Education Levels have been added. The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

The state EMS system does not need to import this information into their database. Reference the Demographic Dataset Submission Guide for further details.

**National** 

### dConfiguration.03 - Procedures Permitted by the State

### Definition

A list of all of the procedures permitted by the EMS Agency's licensing state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

### **Attributes**

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

Data TypemaxInclusiveminInclusiveinteger1000000000100000

### **Data Element Comment**

This data element should capture all of the procedures permitted by the state for any/all levels of EMS personnel in the state. This is associated with the EMS Agency State (dAgency.01). This is related to the EMS Agency's procedures (dConfiguration.07) which have been implemented within the EMS System.

State EMS systems which have regulatory authority to determine the procedures statewide may identify SNOMEDCT procedure codes based on medical direction and their own need.

Code list is represented in SNOMEDCT: Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

### SNOMEDCT

Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed\_main.html

Product: Product - UMLS Metathesaurus

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

**National** 

### dConfiguration.04 - Medications Permitted by the State

### **Definition**

A list of all of the medications permitted by the state to be used by each EMS state certification/licensure level.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

Data TypeminLengthmaxLengthstring27

5....g \_

### **Data Element Comment**

This data element should capture all of the medications permitted by the state for any/all levels of EMS personnel in the state. This should be stored as an RxNorm (RXCUI) Code. This is associated with the EMS Agency State (dAgency.01).

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

### Version 3 Changes Implemented

State EMS systems which have regulatory authority to identify medications to be administered within the state may identify specific RxNorm codes based on medical direction and their own need.

List of medications based on RxNorm (RXCUI) code.

Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

### RxNorm

Website - http://uts.nlm.nih.gov

Product - UMLS Metathesaurus

Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html

Product - RxNorm Full Monthly Release

National

# dConfiguration.05 - Protocols Permitted by the State

# Definition

A list of all of the protocols permitted by the state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

# Code List

	·
Code	Description
9914001	Airway
9914003	Airway-Failed
9914005	Airway-Obstruction/Foreign Body
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
9914009	Airway-Sedation Assisted (Non-Paralytic)
9914011	Cardiac Arrest-Asystole
9914013	Cardiac Arrest-Hypothermia-Therapeutic
9914015	Cardiac Arrest-Pulseless Electrical Activity
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
9914019	Cardiac Arrest-Post Resuscitation Care
9914021	Environmental-Altitude Sickness
9914023	Environmental-Cold Exposure
9914025	Environmental-Frostbite/Cold Injury
9914027	Environmental-Heat Exposure/Exhaustion
9914029	Environmental-Heat Stroke/Hyperthermia
9914031	Environmental-Hypothermia
9914033	Exposure-Airway/Inhalation Irritants
9914035	Exposure-Biological/Infectious
9914037	Exposure-Blistering Agents
9914039	Exposure-Carbon Monoxide/Smoke Inhalation
9914041	Exposure-Chemicals to Eye
9914043	Exposure-Cyanide
9914045	Exposure-Explosive/ Blast Injury
9914047	Exposure-Nerve Agents
9914049	Exposure-Radiologic Agents
9914051	General-Back Pain
9914053	General-Behavioral/Patient Restraint
9914055	General-Cardiac Arrest
9914057	General-Dental Problems
9914059	General-Epistaxis
9914061	General-Fever
9914063	General-Individualized Patient Protocol
9914065	General-Indwelling Medical Devices/Equipment
9914067	General-IV Access
9914069	General-Medical Device Malfunction
9914071	General-Pain Control
9914073	General-Spinal Immobilization/Clearance
9914075	General-Universal Patient Care/ Initial Patient Contact
9914077	Injury-Amputation
9914079	Injury-Bites and Envenomations-Land
9914081	Injury-Bites and Envenomations-Marine
9914083	Injury-Bleeding/ Hemorrhage Control

9914085 Injury-Burns-Thermal 9914087 Injury-Cardiac Arrest 9914089 Injury-Crush Syndrome Injury-Diving Emergencies 9914091 Injury-Drowning/Near Drowning 9914093 Injury-Electrical Injuries 9914095 Injury-Extremity 9914097 Injury-Eye 9914099 Injury-Head 9914101 9914103 Injury-Impaled Object Injury-Multisystem 9914105 Injury-Spinal Cord 9914107 Medical-Abdominal Pain 9914109 9914111 Medical-Allergic Reaction/Anaphylaxis 9914113 Medical-Altered Mental Status 9914115 Medical-Bradycardia Medical-Cardiac Chest Pain 9914117 Medical-Diarrhea 9914119 9914121 Medical-Hyperglycemia 9914123 Medical-Hypertension Medical-Hypoglycemia/Diabetic Emergency 9914125 Medical-Hypotension/Shock (Non-Trauma) 9914127 9914129 Medical-Influenza-Like Illness/ Upper Respiratory Infection Medical-Nausea/Vomiting 9914131 Medical-Newborn/ Neonatal Resuscitation 9914133 9914135 Medical-Overdose/Poisoning/Toxic Ingestion 9914137 Medical-Pulmonary Edema/CHF 9914139 Medical-Respiratory Distress/Asthma/COPD/Croup/Reactive Airway 9914141 Medical-Seizure Medical-ST-Elevation Myocardial Infarction (STEMI) 9914143 9914145 Medical-Stroke/TIA 9914147 Medical-Supraventricular Tachycardia (Including Atrial Fibrillation) 9914149 Medical-Syncope 9914151 Medical-Ventricular Tachycardia (With Pulse) 9914153 Not Done OB/GYN-Childbirth/Labor/Delivery 9914155 9914157 OB/GYN-Eclampsia **OB/GYN-Gynecologic Emergencies** 9914159 OB/GYN-Pregnancy Related Emergencies 9914161 9914163 OB/GYN-Post-partum Hemorrhage 9914165 Other

### **Data Element Comment**

This data element should capture all of the protocols permitted by the state for any/all levels of EMS personnel in the state. This is associated with the EMS Agency State (dAgency.01).

States can add additional protocols to the list but the additional state protocols must map to these uniform codes.

The list is defined by the NASEMSO State Medical Directors.

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

### Version 3 Changes Implemented

Added to better identify states with statewide protocols and define state EMS capability and care.

**National** 

# dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure

# Definition

EMS certification levels which are permitted to perform the procedure listed in dConfiguration.07.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_05	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Associated Performance Measure Initiatives

Airwav	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

# Code List

Code	Description
9917001	2009 Advanced Emergency Medical Technician (AEMT)
9917003	2009 Emergency Medical Responder (EMR)
9917005	2009 Emergency Medical Technician
9917007	2009 Paramedic
9917009	First Responder
9917011	EMT-Basic
9917013	EMT-Intermediate
9917015	EMT-Paramedic
9917017	Nurse
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine

# **Data Element Comment**

Using each certification level within the agency, indicate the approved procedures allowed utilizing dConfiguration.07 (EMS Agency Procedures).

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

**National** 

### dConfiguration.07 - EMS Agency Procedures

### Definition

A list of all procedures that the agency has implemented and available for use by any/all EMS certification levels.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

ı	A ! - 4 I	Performance	N /	1 141 - 41

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

## Constraints

Data TypemaxInclusiveminInclusiveinteger1000000000100000

### **Data Element Comment**

This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities. Each procedure is associated with the EMS professional certification levels permitted to perform the procedure.

EMS Agencies may identify additional SNOMEDCT procedure codes based on medical direction and their own need. If an agency resides in a state with statewide approved procedures, they should be listed/implemented here.

Code list is represented in SNOMEDCT: Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

### **SNOMEDCT**

Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed\_main.html

Product: Product - UMLS Metathesaurus

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

**National** 

# dConfiguration.08 - EMS Certification Level Permitted to Administer Each Medication

### **Definition**

All EMS certification levels which are permitted to administer the medications listed in dConfiguration.09 (EMS Agency Medications).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_07	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Associated Performance Measure Initiatives

Critical Care Paramedic

9917023 Community Paramedicine

Airwa	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

## Code List

9917021

Code	Description
9917001	2009 Advanced Emergency Medical Technician (AEMT)
9917003	2009 Emergency Medical Responder (EMR)
9917005	2009 Emergency Medical Technician
9917007	2009 Paramedic
9917009	First Responder
9917011	EMT-Basic
9917013	EMT-Intermediate
9917015	EMT-Paramedic
9917017	Nurse
9917019	Physician

# **Data Element Comment**

Using each certification level within the agency, indicate the approved medications allowed utilizing dConfiguration.09 (EMS Agency Medications).

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

**National** 

### dConfiguration.09 - EMS Agency Medications

### Definition

A list of all medications the agency has implemented and have available for use.

National Element	Yes	Yes Pertinent Negatives (PN)	
State Element	Yes	NOT Values	No
Version 2 Element	D04_06	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

### Constraints

Data TypeminLengthmaxLengthstring27

### **Data Element Comment**

The medication list is stored as the RxNorm (RXCUI) Code. This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities.

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

List of medications based on RxNorm (RXCUI) code. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

### RxNorm

Website - http://uts.nlm.nih.gov

Product - UMLS Metathesaurus

Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html

Product - RxNorm Full Monthly Release

National

# dConfiguration.10 - EMS Agency Protocols

# Definition

A list of all of the EMS field protocols that the agency has in place and available for use.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_08	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

# Associated Performance Measure Initiatives

9914091 Injury-Diving Emergencies

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Code List

Code List				
Code	Description			
9914001	Airway			
9914003	Airway-Failed			
9914005	Airway-Obstruction/Foreign Body			
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)			
9914009	Airway-Sedation Assisted (Non-Paralytic)			
9914011	Cardiac Arrest-Asystole			
9914013	Cardiac Arrest-Hypothermia-Therapeutic			
9914015	Cardiac Arrest-Pulseless Electrical Activity			
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia			
9914019	Cardiac Arrest-Post Resuscitation Care			
9914021	Environmental-Altitude Sickness			
	Environmental-Cold Exposure			
	Environmental-Frostbite/Cold Injury			
	Environmental-Heat Exposure/Exhaustion			
	Environmental-Heat Stroke/Hyperthermia			
	Environmental-Hypothermia			
	Exposure-Airway/Inhalation Irritants			
	Exposure-Biological/Infectious			
	Exposure-Blistering Agents			
	Exposure-Carbon Monoxide/Smoke Inhalation			
	Exposure-Chemicals to Eye			
	Exposure-Cyanide			
	Exposure-Explosive/ Blast Injury Exposure-Nerve Agents			
	Exposure-Radiologic Agents			
	General-Back Pain			
	General-Back Family General-Behavioral/Patient Restraint			
	General-Cardiac Arrest			
	General-Dental Problems			
	General-Epistaxis			
	General-Fever			
	General-Individualized Patient Protocol			
9914065	General-Indwelling Medical Devices/Equipment			
9914067	General-IV Access			
9914069	General-Medical Device Malfunction			
9914071	General-Pain Control			
9914073	General-Spinal Immobilization/Clearance			
9914075	General-Universal Patient Care/ Initial Patient Contact			
9914077	Injury-Amputation			
9914079	Injury-Bites and Envenomations-Land			
9914081	Injury-Bites and Envenomations-Marine			
9914083	Injury-Bleeding/ Hemorrhage Control			
9914085	Injury-Burns-Thermal			
9914087	Injury-Cardiac Arrest			
9914089	Injury-Crush Syndrome			
	Code 9914001 9914003 9914007 9914009 9914011 9914013 9914015 9914017 9914021 9914023 9914027 9914029 9914031 9914033 9914033 9914037 9914039 9914041 9914043 9914045 9914051 9914053 9914055 9914069 9914061 9914063 9914065 9914067 9914069 9914077 9914079 9914077 9914079 9914083 9914085 9914085			

9914093 Injury-Drowning/Near Drowning 9914095 Injury-Electrical Injuries 9914097 Injury-Extremity Injury-Eye 9914099 Injury-Head 9914101 Injury-Impaled Object 9914103 Injury-Multisystem 9914105 Injury-Spinal Cord 9914107 9914109 Medical-Abdominal Pain 9914111 Medical-Allergic Reaction/Anaphylaxis Medical-Altered Mental Status 9914113 Medical-Bradycardia 9914115 9914117 Medical-Cardiac Chest Pain 9914119 Medical-Diarrhea 9914121 Medical-Hyperglycemia Medical-Hypertension 9914123 9914125 Medical-Hypoglycemia/Diabetic Emergency Medical-Hypotension/Shock (Non-Trauma) 9914127 Medical-Influenza-Like Illness/ Upper Respiratory Infection 9914129 Medical-Nausea/Vomiting 9914131 9914133 Medical-Newborn/ Neonatal Resuscitation 9914135 Medical-Overdose/Poisoning/Toxic Ingestion 9914137 Medical-Pulmonary Edema/CHF Medical-Respiratory Distress/Asthma/COPD/Croup/Reactive Airway 9914139 Medical-Seizure 9914141 9914143 Medical-ST-Elevation Myocardial Infarction (STEMI) 9914145 Medical-Stroke/TIA 9914147 Medical-Supraventricular Tachycardia (Including Atrial Fibrillation) 9914149 Medical-Syncope Medical-Ventricular Tachycardia (With Pulse) 9914151 9914153 Not Done OB/GYN-Childbirth/Labor/Delivery 9914155 OB/GYN-Eclampsia 9914157 OB/GYN-Gynecologic Emergencies 9914159 9914161 **OB/GYN-Pregnancy Related Emergencies** OB/GYN-Post-partum Hemorrhage 9914163 9914165 Other

### **Data Element Comment**

This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities.

State and local entities can add additional protocols to the list but the additional protocols must map to these uniform codes.

The list is defined by the NASEMSO State Medical Directors.

National

# dConfiguration.11 - EMS Agency Specialty Service Capability

# Definition

Special training or services provided by the EMS Agency and available to the EMS service area/community.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

# Code List

Code	Description
1211001	Air Rescue
1211003	CBRNE
1211005	Community Health Medicine
1211007	Disaster Medical Assistance Team (DMAT)
1211009	Disaster Mortuary (DMORT)
1211011	Dive Rescue
1211013	Farm Rescue
1211015	High Angle Rescue
1211017	Machinery Disentanglement
1211019	None
1211021	Ski / Snow Rescue
1211023	Tactical EMS
1211025	Trench / Confined Space Rescue
1211027	Urban Search and Rescue (USAR)
1211029	Vehicle Extrication
1211031	Veterinary Medical Assistance Team (VMAT)
1211033	Water or Ice Related Rescue (Incl Swift Water)
1211035	Wilderness Search and Rescue

# Data Element Comment

**National** 

# dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area

### Definition

Indication as to whether Emergency Medical Dispatch is provided to the EMS Agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

### Code List

Code Description

1213001 No

1213003 Yes, 100% of the EMS Agency's Service Area

1213005 Yes, Less than 100% of the EMS Agency's Service Area

# **Data Element Comment**

Added to better document the implementation of Emergency Medical Dispatch. Associated with each EMS Agency and the specific EMS Agency Number (dAgency.02).

**National** 

# dConfiguration.15 - Patient Monitoring Capability(s)

### **Definition**

The EMS Agency's patient monitoring capability which can be provided to any/all patients presenting to EMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

# **Associated Performance Measure Initiatives**

Airwa	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

### Code List

Code	Description
1215001	Capnography-Numeric
1215003	Capnography-Waveform
1215005	ECG-12 Lead or Greater
1215007	ECG-Less than 12 Lead (Cardiac Monitor)
1215009	Oximetry-Carbon Monoxide
1215011	Oximetry-Oxygen
1215013	Pressure Measurement-Invasive (Arterial, CVP, Swan, etc.)
1215015	Pressure Measurement-Non-Invasive (Blood Pressure, etc.)
1215017	Ventilator-Transport
1215019	Vital Sign Monitoring

### **Data Element Comment**

Added to identify the patient monitoring capability of the EMS Agency. Associated with each EMS Agency Number (dAgency.02) since each EMS Agency Number may have a different capability within each EMS Agency. Other patient monitoring capability may exist but NEMSIS Version 3 only includes these specific capabilities.

National

# dConfiguration.16 - Crew Call Sign

# Definition

The EMS crew call sign used to dispatch and communicate with the unit. This may be the same as the EMS Unit/Vehicle Number in many agencies.


National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_02	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

# Constraints

Data TypeminLengthmaxLengthstring150

**Data Element Comment** 

# eRecord



State

National

# eRecord.01 - Patient Care Report Number

# Definition

The unique number automatically assigned by the EMS agency for each Patient Care Report (PCR). This should be a unique number for the EMS agency for all of time.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_01	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Constraints

Data TypeminLengthmaxLengthstring332

**Data Element Comment** 

State

National

# eRecord.02 - Software Creator

### Definition

The name of the vendor, manufacturer, and developer who designed the application that created this record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_02	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Constraints

Data Type	minLength	maxLength
string	1	50

# **Data Element Comment**

This is required to document the software used to generate the Patient Care Report. This is not the last software which aggregated/stored the Patient Care Report after it was sent from another software.

State

National

# eRecord.03 - Software Name

# Definition

The name of the application used to create this record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_03	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Constraints

Data Type	minLength	maxLength
string	1	50

# Data Element Comment

This is the EMS Agency's software, not the state or other level software which electronically received the data from the local EMS Agency.

State

National

# eRecord.04 - Software Version

# Definition

The version of the application used to create this record.


National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_04	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Constraints

Data Type	minLength	maxLength
string	1	50

# Data Element Comment

# eResponse



State

National

# eResponse.01 - EMS Agency Number

# Definition

The state-assigned provider number of the responding agency

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_01	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Constraints

Data TypeminLengthmaxLengthstring115

# **Data Element Comment**

The EMS Agency Number in eResponse.01 can auto-populate from dAgency.02 EMS Agency Number in the demographic section.

State

National

# eResponse.03 - Incident Number

# Definition

The incident number assigned by the 911 Dispatch System

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

# NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

# Constraints

Data TypeminLengthmaxLengthstring332

### **Data Element Comment**

This number can be used to associate multiple EMS responses, dispatch information, and other information to the same EMS event or patient.

National

# eResponse.04 - EMS Response Number

# Definition

The internal EMS response number which is unique for each EMS Vehicle's (Unit) response to an incident within an EMS Agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_03	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type minLength maxLength

string 3 32

# Data Element Comment

State

**National** 

# eResponse.05 - Type of Service Requested

### **Definition**

The type of service or category of service requested of the EMS Agency responding for this specific EMS event

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_04	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Associated Performance Measure Initiatives

Airwa	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

### Code List

Code Description

2205001 911 Response (Scene)

2205003 Intercept

2205005 Interfacility Transport2205007 Medical Transport

2205009 Mutual Aid

2205011 Public Assistance/Other Not Listed

2205013 Standby

### **Data Element Comment**

"Interfacility Transfer" has been changed to "Interfacility Transport. "Public Assistance/Other Not Listed" added for EMS expanded scope events such as elderly assistance, injury prevention, public education, immunization programs, etc.

State

**National** 

# eResponse.07 - Primary Role of the Unit

### **Definition**

The Primary role of the EMS Unit which responded to this specific EMS event

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_05	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

### Code List

CodeDescription2207001Air Transport2207003Ground Transport2207005Non-Transport Administrative (e.g., Supervisor)2207007Non-Transport Againtance

2207007 Non-Transport Assistance 2207009 Non-Transport Rescue

# **Data Element Comment**

Supervisor clarified to Administrative Only. if the Supervisor is responding to assist, that would be considered Non-Transport. Transport separated into Air and Ground. In Version 2 there was no way to identify Air Transport.

State

**National** 

#### eResponse.08 - Type of Dispatch Delay

#### Definition

The dispatch delays, if any, associated with the dispatch of the EMS unit to the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
COUC	Description

2208001 Caller (Uncooperative)

2208003 Diversion/Failure (of previous unit)

2208005 High Call Volume

2208007 Language Barrier

2208009 Location (Inability to Obtain)

2208011 No EMS Vehicles (Units) Available

2208013 None/No Delay

2208015 Other (Not Listed)

2208017 Technical Failure (Computer, Phone etc.)

#### **Data Element Comment**

A dispatch delay is any time delay that occurs from the time of PSAP call (eTimes.01) to the time the unit is notified by dispatch (eTimes.03).

State

**National** 

#### eResponse.09 - Type of Response Delay

#### **Definition**

The response delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - I

7701003 - Not Recorded

#### Code List

Code	Description
2209001	Crowd
2209003	Directions/Unable to Locate
2209005	Distance
2209007	Diversion (Different Incident)
2209009	HazMat
2209011	None/No Delay
2209013	Other (Not Listed)
2209015	Rendezvous Transport Unavailable
2209017	Route Obstruction (e.g., train)
2209019	Scene Safety (Not Secure for EMS)
2209021	Staff Delay
2209023	Traffic
2209025	Vehicle Crash Involving this Unit
2209027	Vehicle Failure of this Unit
2209029	Weather

#### **Data Element Comment**

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc to return to service.

A response delay is any time delay that occurs from the time the unit is notified by dispatch (eTimes.03) to the time the unit arrived on scene (eTimes.06).

State

**National** 

#### eResponse.10 - Type of Scene Delay

#### **Definition**

The scene delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701

7701003 - Not Recorded

#### Code List

Code	Description
2210001	Awaiting Air Unit
2210003	Awaiting Ground Unit
2210005	Crowd
2210007	Directions/Unable to Locate
2210009	Distance
2210011	Extrication
2210013	HazMat
2210015	Language Barrier
2210017	None/No Delay
2210019	Other (Not Listed)
2210021	Patient Access
2210023	Safety-Crew/Staging
2210025	Safety-Patient
2210027	Staff Delay
2210029	Traffic
2210031	Triage/Multiple Patients
2210033	Vehicle Crash Involving this Unit
2210035	Vehicle Failure of this Unit
2210037	Weather

#### **Data Element Comment**

A scene delay is any time delay that occurs from the time the unit arrived on scene (eTimes.06) to the time the unit left the scene (eTimes.09).

State

**National** 

#### eResponse.11 - Type of Transport Delay

#### Definition

The transport delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_09	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
2211001	Crowd
2211003	Directions/Unable to Locate
2211005	Distance
2211007	Diversion
2211009	HazMat
2211011	None/No Delay
2211013	Other (Not Listed)
2211015	Rendezvous Transport Unavailable
2211017	Route Obstruction (e.g., Train)
2211019	Safety
2211021	Staff Delay
2211023	Traffic
2211025	Vehicle Crash Involving this Unit
2211027	Vehicle Failure of this Unit
2211029	Weather

#### **Data Element Comment**

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc.

A transport delay is any time delay that occurs from the time the unit left the scene (eTimes.09) to the time the patient arrived at the destination (eTimes.10).

State

**National** 

#### eResponse.12 - Type of Turn-Around Delay

#### Definition

The turn-around delays, if any, of EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_10	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### **Associated Performance Measure Initiatives**

Response

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
2212001	Clean-up
2212003	Decontamination
2212005	Distance
2212007	Documentation
2212009	ED Overcrowding / Transfer of Care
2212011	Equipment Failure
2212013	Equipment/Supply Replenishment
2212015	None/No Delay
2212017	Other (Not Listed)
2212019	Rendezvous Transport Unavailable
2212021	Route Obstruction (e.g. Train)
2212023	Staff Delay
2212025	Traffic
2212027	Vehicle Crash of this Unit
2212029	Vehicle Failure of this Unit
2212031	Weather

#### **Data Element Comment**

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc to return to service.

If a patient is being transported by the unit, turn-around delay is any time delay that occurs from the time the patient arrived at the destination (eTimes.10) until the time the unit is back in service (eTimes.13) or unit back at the home location (eTimes15) [whichever is the greater of the two times].

If no patient is being transported by the unit, turn-around delay is any time delay that occurs from the time the unit arrived on scene (eTimes.06) until the unit is back in service (eTimes.13) or the unit back at the home location (eTimes.15) [whichever is the greater of the two times].

State

National

#### eResponse.13 - EMS Vehicle (Unit) Number

#### Definition

The unique physical vehicle number of the responding unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_11	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Constraints

Data TypeminLengthmaxLengthstring125

#### **Data Element Comment**

This is recommended to be the State Vehicle Permit Number if unique to the vehicle. If the vehicle is not licensed by the state, this should be a unique number only associated with a specific vehicle. This element should be populated from dVehicle.01 - Unit/Vehicle Number.

State

National

## eResponse.14 - EMS Unit Call Sign

#### Definition

The EMS unit number used to dispatch and communicate with the unit. This may be the same as the EMS Unit/Vehicle Number in many agencies.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_12	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Constraints

Data TypeminLengthmaxLengthstring150

#### **Data Element Comment**

<sup>&</sup>quot;This element could be populated from a list created in dVehicle.03 EMS Unit Call Sign or dConfiguration.16 (Crew Call Sign).

State

**National** 

#### eResponse.15 - Level of Care of This Unit

#### Definition

The level of care (BLS or ALS) the unit is able to provide based on the units' treatment capabilities for this EMS response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airwa	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

Code	Description

2215001 BLS-First Responder/EMR

2215003 BLS-Basic /EMT

2215005 BLS-AEMT

2215007 BLS-Intermediate

2215009 ALS-AEMT

2215011 ALS-Intermediate

2215013 ALS-Paramedic

2215015 ALS-Community Paramedicine

2215017 ALS-Nurse

2215019 ALS-Physician

2215021 Specialty Critical Care

#### **Data Element Comment**

Added to identify the level of care (license level) the EMS unit/crew can provide regardless of patient need, based on this unit's capabilities.

For example, if a unit/crew is staffed with an EMT-Intermediate or EMT-Paramedic but the unit is either licensed or stocked at a BLS level the appropriate level of care is "BLS-Basic". This is because the care provided to patients is limited to BLS skills.

State

**National** 

## eResponse.23 - Response Mode to Scene

#### **Definition**

The indication whether the response was emergent or non-emergent. An emergent response is an immediate response (typically using lights and sirens).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_20	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airwa	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

• •	
Code	Description

2223001 Emergent (Immediate Response)

2223003 Emergent Downgraded to Non-Emergent

2223005 Non-Emergent

2223007 Non-Emergent Upgraded to Emergent

#### **Data Element Comment**

Information now split between eResponse.23 (Response Mode to Scene) and eResponse.24 (Additional Response Mode Descriptors)

State

**National** 

#### eResponse.24 - Additional Response Mode Descriptors

#### **Definition**

The documentation of response mode techniques used for this EMS response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded


#### Code List

Code	Description
2224001	Intersection Navigation-Against Normal Light Patterns
2224003	Intersection Navigation-With Automated Light Changing Technology
2224005	Intersection Navigation-With Normal Light Patterns
2224007	Scheduled
2224009	Speed-Enhanced per Local Policy
2224011	Speed-Normal Traffic
2224013	Unscheduled

#### **Data Element Comment**

Descriptors have been added to better describe the EMS Response. This includes information on whether the EMS event was schedule or unscheduled.

# **eDispatch**



State

**National** 

#### eDispatch.01 - Complaint Reported by Dispatch

#### Definition

The complaint dispatch reported to the responding unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E03_01	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Code List

Code	Description
2301001	Abdominal Pain/Problems
2301003	Allergic Reaction/Stings
2301005	Animal Bite
2301007	Assault
2301009	Automated Crash Notification
2301011	Back Pain (Non-Traumatic)
2301013	Breathing Problem
2301015	Burns/Explosion
2301017	Carbon Monoxide/Hazmat/Inhalation/CBRN
2301019	Cardiac Arrest/Death
2301021	Chest Pain (Non-Traumatic)
2301023	Choking
2301025	Convulsions/Seizure
2301027	Diabetic Problem
2301029	Electrocution/Lightning
2301031	Eye Problem/Injury
2301033	Falls
2301035	Fire
2301037	Headache
2301039	Healthcare Professional/Admission
2301041	Heart Problems/AICD
2301043	Heat/Cold Exposure
2301045	Hemorrhage/Laceration
2301047	Industrial Accident/Inaccessible Incident/Other Entrapments (Non-Vehicle)
2301049	Medical Alarm
2301051	No Other Appropriate Choice
2301053	Overdose/Poisoning/Ingestion
2301055	Pandemic/Epidemic/Outbreak
2301057	Pregnancy/Childbirth/Miscarriage
2301059	Psychiatric Problem/Abnormal Behavior/Suicide Attempt
2301061	Sick Person
2301063	Stab/Gunshot Wound/Penetrating Trauma
2301065	Standby
2301067	Stroke/CVA
2301069	Traffic/Transportation Incident
2301071	Transfer/Interfacility/Palliative Care
2301073	Traumatic Injury
2301075	Well Person Check
2301077	Unconscious/Fainting/Near-Fainting
2301079	Unknown Problem/Person Down

#### Data Element Comment

Added Pandemic/Epidemic/Outbreak.
Added Automated Crash Notification
Added Healthcare Professional Admission
Added Interfacility/Evaluation/Transfer

Other entries expanded based on current national EMD Dispatch List	

NEMSIS Version 3.2.5 Build 120525 eDispatch.02

State

National

#### eDispatch.02 - EMD Performed

#### Definition

Indication of whether Emergency Medical Dispatch was performed for this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E03_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description


2302001 No

2302003 Yes, With Pre-Arrival Instructions 2302005 Yes, Without Pre-Arrival Instructions

2302007 Yes, Unknown if Pre-Arrival Instructions Given

#### **Data Element Comment**

## eTimes



## eTimes

State

National

#### eTimes.01 - PSAP Call Date/Time

#### Definition

The date/time the phone rings (911 call to public safety answering point or other designated entity) requesting EMS services.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### Pattern

 $[0-9]\{4\}-[0-9]\{2\}-[0-9][2]-[0-9]-[0-9][2]-[0-9][2]-[0-9]-$ 

#### **Data Element Comment**

This date/time might be the same as Dispatch Notified Date/Time (eTimes.02).

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State

National

#### eTimes.03 - Unit Notified by Dispatch Date/Time

#### Definition

The date/time the responding unit was notified by dispatch.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E05_04	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

a four-digit numeral that represents the year
separators between parts of the date portion
a two-digit numeral that represents the month
a two-digit numeral that represents the day
separator that indicates time-of-day follows
a two-digit numeral that represents the hour
a separator between parts of the time-of-day portion
a two-digit numeral that represents the minute
a two-integer-digit numeral that represents the whole seconds
(not required) represents the fractional seconds
(required) represents the timezone (as described below)

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State

National

#### eTimes.05 - Unit En Route Date/Time

#### Definition

The date/time the unit responded; that is, the time the vehicle started moving.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### **Pattern**

 $[0-9]\{4\}-[0-9]\{2\}-[0-9]\{2\}T[0-9]\{2\}:[0-9]\{2\}:[0-9]\{2\}(\backslash d+)?(\backslash +|-)[0-9]\{2\}:[0-9]\{2\}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
ייַי	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
יבי	a nonpositive duration

State

National

#### eTimes.06 - Unit Arrived on Scene Date/Time

#### **Definition**

The date/time the responding unit arrived on the scene; that is, the time the vehicle stopped moving at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### Pattern

 $[0-9]\{4\}-[0-9]\{2\}-[0-9][2]-[0-9]-[0-9][2]-[0-9][2]-[0-9]-$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

hh	a two-digit numeral (with leading zeros as required) that represents the hours	
mm	a two-digit numeral that represents the minutes	
'+'	a nonnegative duration	
121	a nonpositive duration	

State

National

#### eTimes.07 - Arrived at Patient Date/Time

#### Definition

The date/time the responding unit arrived at the patient's side.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### **Pattern**

 $[0-9]\{4\}-[0-9]\{2\}-[0-9]\{2\}T[0-9]\{2\}:[0-9]\{2\}:[0-9]\{2\}(\backslash d+)?(\backslash +|-)[0-9]\{2\}:[0-9]\{2\}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

hh	a two-digit numeral (with leading zeros as required) that represents the hours	
mm	a two-digit numeral that represents the minutes	
'+'	a nonnegative duration	
'-'	a nonpositive duration	

State

National

#### eTimes.09 - Unit Left Scene Date/Time

#### Definition

The date/time the responding unit left the scene with a patient (started moving).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_09	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### **Pattern**

 $[0-9]\{4\}-[0-9]\{2\}-[0-9]\{2\}T[0-9]\{2\}:[0-9]\{2\}:[0-9]\{2\}(\backslash d+)?(\backslash +|-)[0-9]\{2\}:[0-9]\{2\}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State

National

#### eTimes.11 - Patient Arrived at Destination Date/Time

#### Definition

The date/time the responding unit arrived with the patient at the destination or transfer point.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_10	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### **Pattern**

 $[0-9]\{4\}-[0-9]\{2\}-[0-9][2]-[0-9]-[0-9][2]-[0-9][2]-[0-9]-$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State

National

#### eTimes.12 - Destination Patient Transfer of Care Date/Time

#### Definition

The date/time that patient care was transferred to the destination healthcare facilities staff.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### **Pattern**

 $[0-9]\{4\}-[0-9]\{2\}-[0-9]\{2\}T[0-9]\{2\}:[0-9]\{2\}:[0-9]\{2\}(\backslash d+)?(\backslash +|-)[0-9]\{2\}:[0-9]\{2\}$ 

#### **Data Element Comment**

This was added to better document delays in ED transfer of care due to ED crowding or other issues beyond EMS control.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

hh	a two-digit numeral (with leading zeros as required) that represents the hours	
mm	a two-digit numeral that represents the minutes	
'+'	a nonnegative duration	
'-'	a nonpositive duration	

eTimes.13 NEMSIS Version 3.2.5 Build 120525

State

National

#### eTimes.13 - Unit Back in Service Date/Time

#### Definition

The date/time the unit back was back in service and available for response (finished with call, but not necessarily back in home location).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E05_11	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Response

#### Constraints

**Data Type** minInclusive

maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land d+)?(\land$ 


#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
יַי	a nonpositive duration

## **ePatient**



State

**National** 

#### ePatient.07 - Patient's Home County

#### **Definition**

The patient's home county or parish or residence

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type length string 5

#### Data Element Comment

Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

State

National

#### ePatient.08 - Patient's Home State

#### **Definition**

The patient's home state, territory, or province, or District of Columbia, where the patient resides.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### **Attributes**

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type length string 2

#### Data Element Comment

The ANSI Code Selection by text but stored as ANSI code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

ePatient.09 NEMSIS Version 3.2.5 Build 120525

State

**National** 

#### ePatient.09 - Patient's Home ZIP Code

#### Definition

The patient's home ZIP code of residence

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_08	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### Pattern

 $[0-9]\{5\}|[0-9]\{5\}-[0-9]\{4\}|[0-9]\{5\}-[0-9]\{5\}|[A-Z][0-9][A-Z]\ [0-9][A-Z][0-9]\\$ 

#### Data Element Comment

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/ Product: USA - 5-digit ZIP Code Database, Commercial Edition

ePatient.13 NEMSIS Version 3.2.5 Build 120525

State

National

## ePatient.13 - Gender

#### Definition

#### The Patient's Gender

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_11	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### **Associated Performance Measure Initiatives**

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description 9906001 Female 9906003 Male

9906005 Unknown (Unable to Determine)

#### **Data Element Comment**

State

**National** 

#### ePatient.14 - Race

#### **Definition**

The patient's race as defined by the OMB (US Office of Management and Budget)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_12	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 770100

7701003 - Not Recorded

#### Code List

Code	Description
0544004	A

2514001 American Indian or Alaska Native

2514003 Asian

2514005 Black or African American

2514007 Hispanic or Latino

2514009 Native Hawaiian or Other Pacific Islander

2514011 White

#### **Data Element Comment**

OMB requirements are provided at: http://www.omhrc.gov/templates/browse.aspx?lvl=2&lvIID=172. Using single multiple choice question methodology to improve the completion of ethnicity information.

Ethnicity (Version 2.2.1: E06\_13) has been merged with this data element and retired.

ePatient.15 NEMSIS Version 3.2.5 Build 120525

State

National

#### ePatient.15 - Age

#### Definition

The patient's age (either calculated from date of birth or best approximation)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_14	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

**Data Type** minInclusive maxInclusive

integer 120

#### Data Element Comment

ePatient.16 NEMSIS Version 3.2.5 Build 120525

State

National

## ePatient.16 - Age Units

#### Definition

The unit used to define the patient's age

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes


NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description 2516001 Days 2516003 Hours 2516005 Minutes 2516007 Months 2516009 Years

#### **Data Element Comment**

# ePayment



NEMSIS Version 3.2.5 Build 120525 ePayment.01

State

**National** 

# ePayment.01 - Primary Method of Payment

### Definition

The primary method of payment or type of insurance associated with this EMS encounter

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E07_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

# NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

### Code List

CodeDescription2601001Insurance2601003Medicaid2601005Medicare2601007Not Billed (for any reason)2601009Other Government2601011Self Pay2601013Workers Compensation

**Data Element Comment** 

# Published: 05/25/2012 www.NEMSIS.org Page 96

NEMSIS Version 3.2.5 Build 120525 ePayment.50

State

**National** 

# ePayment.50 - CMS Service Level

### Definition

The CMS service level for this EMS encounter.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E07_34	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Pediatric STEMI Stroke Trauma

# Attributes

# NOT Values (NV)

7701001 - Not Applicable 7701

7701003 - Not Recorded

### Code List

Code	Description	
2650001	ALS, Level 1	

2650003 ALS, Level 1 Emergency


2650005 ALS, Level 2

2650007 BLS

2650009 BLS, Emergency
2650011 Fixed Wing (Airplane)
2650013 Paramedic Intercept
2650015 Specialty Care Transport
2650017 Rotary Wing (Helicopter)

# **Data Element Comment**

# eScene



# eScene

State

National

# eScene.01 - First EMS Unit on Scene

# Definition

Documentation that this EMS Unit was the first EMS Unit for the EMS Agency on the Scene

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code Description

9923001 No 9923003 Yes

# **Data Element Comment**

Added to improve the evaluation of Response Times when multiple EMS units are responding to the same scene.

eScene.06 NEMSIS Version 3.2.5 Build 120525

State

National

# eScene.06 - Number of Patients at Scene

# Definition

Indicator of how many total patients were at the scene

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code Description 2707001 Multiple 2707003 None 2707005 Single

# **Data Element Comment**

eScene.07 NEMSIS Version 3.2.5 Build 120525

State

**National** 

# eScene.07 - Mass Casualty Incident

### Definition

Indicator if this event would be considered a mass casualty incident (overwhelmed existing EMS resources)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Trauma

# Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

# Code List

Code Description

9923001 No 9923003 Yes

# **Data Element Comment**

NEMSIS Version 3.2.5 Build 120525 eScene.08

State

**National** 

### eScene.08 - Triage Classification for MCI Patient

### Definition

The color associated with the initial triage assessment/classification of the MCI patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description
2708001	Red - Immediate
2708003	Yellow - Delayed
2708005	Green - Minimal (Minor)
2708007	Gray - Expectant
2708009	Black - Deceased

### **Data Element Comment**

This element is documented when eScene.07 (Mass Casualty Incident) = Yes.

Examples of triage systems include START and SALT.

Adapted from: SALT mass casualty triage: concept endorsed by the American College of Emergency Physicians, American College of Surgeons Committee on Trauma, American Trauma Society, National Association of EMS Physicians, National Disaster Life Support Education Consortium, and State and Territorial Injury Prevention Directors Association. Disaster Med Public Health Prep. 2008 Dec;2(4):245-6.

START reference: Benson M, Koenig KL, Schultz CH. Disaster triage: START, then SAVE-a new method of dynamic triage for victims of a catastrophic earthquake. Prehospital Disaster Med. 1996; Apr-Jun; 11(2): 117-24

eScene.09 NEMSIS Version 3.2.5 Build 120525

State

**National** 

# eScene.09 - Incident Location Type

### **Definition**

The kind of location where the incident happened

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

### Pattern

Y92\.[0-9]{1,3}

### **Data Element Comment**

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM

Website - http://uts.nlm.nih.gov Product - UMLS Metathesaurus NEMSIS Version 3.2.5 Build 120525 eScene.18

State

National

# eScene.18 - Incident State

### Definition

The state, territory, or province where the patient was found or to which the unit responded (or best approximation)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_14	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type length string 2

### **Data Element Comment**

Based on the ANSI State Code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

eScene.19 NEMSIS Version 3.2.5 Build 120525

State

**National** 

# eScene.19 - Incident ZIP Code

### Definition

### The ZIP code of the incident location

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

### Constraints

### Pattern

 $[0-9]\{5\}|[0-9]\{5\}-[0-9]\{4\}|[0-9]\{5\}-[0-9]\{5\}|[A-Z][0-9][A-Z]\ [0-9][A-Z][0-9]\\$ 

# **Data Element Comment**

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/ Product: USA - 5-digit ZIP Code Database, Commercial Edition

NEMSIS Version 3.2.5 Build 120525 eScene.21

State

National

# eScene.21 - Incident County

### **Definition**

The county or parish where the patient was found or to which the unit responded (or best approximation)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_13	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints


Data Type length string 5

# **Data Element Comment**

Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

# **eSituation**



State

National

### eSituation.01 - Date/Time of Symptom Onset/Last Normal

### Definition

The date and time the symptom began as it relates to this EMS event. This is described or estimated by the patient, family, and/or healthcare professionals.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### **Associated Performance Measure Initiatives**

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

### Pattern

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land d+)?(\land$ 

### **Data Element Comment**

For stroke related events, this is the date and time the patient was last seen normal. For cardiac or respiratory arrest related events, this is the date and time the patient was last known to have a pulse or when interaction was had with the patient. For drowning related events, this is the date and time the patient was last seen. The intent of this element is to document the estimate date and time the patient was last known to be in their normal state.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

# Version 3 Changes Implemented

Added to better define the EMS patient event.			

State

**National** 

### eSituation.02 - Possible Injury

### Definition

Indication whether or not there was an injury

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_04	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 -

7701003 - Not Recorded

### Code List

Code Description

9922001 No

9922003 Unknown 9922005 Yes

### **Data Element Comment**

This data element provides documentation to classify the EMS Reason for Encounter as either injury or non-injury related based on mechanism and not on actual injury. eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

State

**National** 

# eSituation.07 - Chief Complaint Anatomic Location

### **Definition**

The primary anatomic location of the chief complaint as identified by EMS personnel

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_11	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Description Code 2807001 Abdomen 2807003 Back 2807005 Chest Extremity-Lower 2807007 Extremity-Upper 2807009 General/Global 2807011 2807013 Genitalia 2807015 Head 2807017 Neck

# **Data Element Comment**

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

State

**National** 

# eSituation.08 - Chief Complaint Organ System

### Definition

The primary organ system of the patient injured or medically affected.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_12	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description
2808001	Behavioral/Psychiatric
2000003	Cardiovaccular

2808003 Cardiovascular 2808005 CNS/Neuro

2808007 Endocrine/Metabolic

2808009 GI

2808011 Global/General 2808013 Lymphatic/Immune 2808015 Musculoskeletal/Skin 2808017 Reproductive

2808017 Reproductiv 2808019 Pulmonary

2808021 Renal

### **Data Element Comment**

Altered to follow the anatomical organ systems as defined by general anatomy. Added Lymphatic/Immune; Merged Skin with Muscular-Skeletal. Changed OB/Gyn to Reproductive.

Retained non-organ system designations for Global/General and Behavioral/Psychiatric.

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

State

National

# eSituation.09 - Primary Symptom

### **Definition**

The primary sign and symptom present in the patient or observed by EMS personnel

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_13	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 77010

7701003 - Not Recorded

### Constraints

### Pattern

R[0-6][0-9](\.[0-9]{1,4})?|(R73\.9)|(R99)

### **Data Element Comment**

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

Code list is represented in ICD-10-CM Diagnoses Codes. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM

State

National

# eSituation.10 - Other Associated Symptoms

### **Definition**

Other symptoms identified by the patient or observed by EMS personnel

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

# NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

### Pattern

 $R[0-6][0-9](\.[0-9]{1,4})?|(R73\.9)|(R99)$ 

### **Data Element Comment**

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM

State

**National** 

# eSituation.11 - Provider's Primary Impression

### **Definition**

The EMS personnel's impression of the patient's primary problem or most significant condition which led to the management given to the patient (treatments, medications, or procedures).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

### Pattern

 $([A-QSTZ][0-9]{2})((\.[0-9A-Z]{1,4})?)$ 

### **Data Element Comment**

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM

State

National

# eSituation.12 - Provider's Secondary Impressions

### **Definition**

The EMS personnel's impression of the patient's secondary problem or most significant condition which led to the management given to the patient (treatments, medications, or procedures).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

### Pattern

 $([A-QSTZ][0-9]{2})((\.[0-9A-Z]{1,4})?)$ 

### **Data Element Comment**

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

ICD-10-CM

State

National

### eSituation.13 - Initial Patient Acuity

### Definition

The acuity of the patient's condition upon EMS arrival at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### Attributes

# NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

### Code List

Code	Description
2813001	Critical (Red)
2813003	Emergent (Yellow)
2813005	Lower Acuity (Green)
004000	D 1 111 1 D 11

2813007 Dead without Resuscitation Efforts (Black)


### **Data Element Comment**

Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at

http://www.nhtsa.gov/people/injury/ems/emscorecontent/images/EMSCoreContent.pdf

Dead without Resuscitation Efforts would be appropriate if resuscitation was initiated by non-EMS personnel but discontinued immediately upon evaluation by first arriving EMS personnel.

# elnjury



elnjury.01 NEMSIS Version 3.2.5 Build 120525

State

**National** 

# elnjury.01 - Cause of Injury

# Definition

The category of the reported/suspected external cause of the injury.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E10_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

### Associated Performance Measure Initiatives

Trauma

# **Attributes**

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

### Constraints

### Pattern

 $([TV-Y][0-9]{2})((\.[0-9A-Z]{1,7})?)$ 

# Data Element Comment

Suggested code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

Code list is represented in ICD-10 Codes.

Website - http://uts.nlm.nih.gov Product - UMLS Metathesaurus NEMSIS Version 3.2.5 Build 120525 elnjury.03

State

National

# elnjury.03 - Trauma Center Criteria

### Definition

Field Triage Criteria for transport to a trauma center as defined by the Centers for Disease Control and Prevention and the American College of Surgeons-Committee on Trauma.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

### Associated Performance Measure Initiatives

Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description
2903001	Amputation proximal to wrist or ankle
2903003	Crushed, degloved, mangled, or pulseless extremity
2903005	Chest wall instability or deformity (e.g., flail chest)
2903007	Glasgow Coma Score < 14
2903009	Open or depressed skull fracture
2903011	Paralysis
2903013	Pelvic fractures
2903015	All penetrating injuries to head, neck, torso, and extremities proximal to elbow or knee
2903017	Respiratory Rate <10 or >29 breaths per minute (<20 in infants aged <1 year) or need for ventilatory
	support
2903019	Systolic Blood Pressure <90 mmHg
2903021	Two or more proximal long-bone fractures

# **Data Element Comment**

2011 Guidelines for the Field Triage of Injured Patients - value choices for Steps 1 and 2. For falls, one story is equal to 10 feet.

# Version 3 Changes Implemented

Added to better evaluate the CDC-ACS 2011 Guidelines for the Field Triage of Injured Patients.

Website: http://www.cdc.gov/FieldTriage/

NEMSIS Version 3.2.5 Build 120525 elnjury.04

State

**National** 

# elnjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor

### Definition

The kind of risk factor predictors present at the incident

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E10_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

### Associated Performance Measure Initiatives

Trauma

# Attributes

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### **Pertinent Negatives (PN)**

8801005 - Exam Finding Not Present

### Code List

Code	Description
2904001	Auto v. Pedestrian/Bicyclist Thrown, Run Over, or > 20 MPH Impact
2904003	Fall Adults: > 20 ft. (one story is equal to 10 ft.)
2904005	Fall Children: > 10 ft. or 2-3 times the height of the child
2904007	Crash Death in Same Passenger Compartment
2904009	Crash Ejection (partial or complete) from vehicle
2904011	Crash Intrusion, including roof: > 12 in. occupant site; > 18 in. any site
2904013	Crash Vehicle Telemetry Data (AACN) Consistent with High Risk of Injury
2904015	Motorcycle Crash > 20 MPH

# **Data Element Comment**


Added additional mechanism or risk indicators based on CDC 2011 Guidelines for the Field Triage of Injured Patients Step 3.

### Version 3 Changes Implemented

Added to better evaluate the CDC-ACS 2011 Guidelines for the Field Triage of Injured Patients.

Website: http://www.cdc.gov/FieldTriage/

# **eArrest**



# eArrest

eArrest.01 NEMSIS Version 3.2.5 Build 120525

State

National

# eArrest.01 - Cardiac Arrest

### Definition

Indication of the presence of a cardiac arrest at any time.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Cardiac Arrest

# **Attributes**

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code Description

3001001

3001003 Yes, Prior to EMS Arrival 3001005 Yes, After EMS Arrival

### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria.

NEMSIS Version 3.2.5 Build 120525 eArrest.02

State

National

# eArrest.02 - Cardiac Arrest Etiology

### **Definition**

Indication of the etiology or cause of the cardiac arrest (classified as cardiac, non-cardiac, etc.)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description
3002001	Cardiac (Presumed)
3002003	Drowning/Submersion
3002005	Drug Overdose
3002007	Electrocution
3002009	Exsanguination
3002011	Other (Not Listed)
3002013	Respiratory/Asphyxia
3002015	Trauma

### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria.

Following the UTSTEIN standard of cardiac arrest etiology the values were determined based on the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

NEMSIS Version 3.2.5 Build 120525 eArrest.03

State

National

# eArrest.03 - Resuscitation Attempted By EMS

### **Definition**

Indication of an attempt to resuscitate the patient who is in cardiac arrest (attempted, not attempted due to DNR, etc.)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

### Associated Performance Measure Initiatives

Cardiac Arrest

### Attributes

# **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description
3003001	Attempted Defibrillation
3003003	Attempted Ventilation
3003005	Initiated Chest Compressions
3003007	Not Attempted-Considered Futile
3003009	Not Attempted-DNR Orders
3003011	Not Attempted-Signs of Circulation

# **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

NEMSIS Version 3.2.5 Build 120525 eArrest.04

State

National

# eArrest.04 - Arrest Witnessed By

### **Definition**

Indication of who the cardiac arrest was witnessed by

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

### Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code	Description
3004001	Not Witnessed
3004003	Witnessed by Family Member
3004005	Witnessed by Healthcare Provider
3004007	Witnessed by Lay Person

### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

State

National

#### eArrest.05 - CPR Care Provided Prior to EMS Arrival

#### Definition

Documentation of the CPR provided prior to EMS arrival

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

#### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

State

National

#### eArrest.07 - AED Use Prior to EMS Arrival

#### Definition

#### Documentation of AED use Prior to EMS Arrival

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description

3007001 No

3007003 Yes, Applied without Defibrillation

3007005 Yes, With Defibrillation

#### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

eArrest.09 NEMSIS Version 3.2.5 Build 120525

State

National

## eArrest.09 - Type of CPR Provided

#### Definition

Documentation of the type/technique of CPR used by EMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### **Attributes**

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code 3009001 3009003 3009005 3009007 3009009 3009011 3009013	Description Compressions-Continuous Compressions-External Band Type Device Compressions-External Plunger Type Device Compressions-External Thumper Type Device Compressions-Intermittent with Ventilation Compressions-Other Device (Not Listed) Ventilation-Bag Valve Mask
3009017	Ventilation-Pocket Mask

#### **Data Element Comment**

Added to capture special CPR techniques.

eArrest.10 NEMSIS Version 3.2.5 Build 120525

State

National

#### eArrest.10 - Therapeutic Hypothermia Initiated

#### Definition

Documentation of EMS initiation of Therapeutic Hypothermia.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### **Attributes**

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

State

National

#### eArrest.11 - First Monitored Arrest Rhythm of the Patient

#### Definition

Documentation of what the first monitored arrest rhythm which was noted

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3011001	Asystole
3011003	Bradycardia
3011005	PEA
3011007	Unknown AED Non-Shockable Rhythm
3011009	Unknown AED Shockable Rhythm
3011011	Ventricular Fibrillation
3011013	Ventricular Tachycardia-Pulseless

#### **Data Element Comment**

Added term "Arrest" to title to clarify this is the arrest rhythm

Values "Other" and "Normal Sinus Rhythm" removed since they are not Cardiac Arrest Rhythms.

Value "Ventricular Tachycardia" has been changed to "Ventricular Tachycardia-Pulseless".

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

State

**National** 

#### eArrest.12 - Any Return of Spontaneous Circulation

#### Definition

Indication whether or not there was any return of spontaneous circulation.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description

3012001 No

3012003 Yes, At Arrival at the ED 3012005 Yes, Prior to Arrival at the ED

3012007 Yes, Sustained for 20 consecutive minutes

#### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

This element needs to be documented when the patient has been in cardiac or respiratory arrest and transported to a healthcare facility to show the change in patient condition, if any. The cardiac rhythm list has been updated to be the same for eVitals.03 (Cardiac Rhythm Electrocardiography (ECG)). They are using the common type: CardiacRhythm. ST segment changes consistent (or not consistent) with STEMI criteria should be documented as Ischemia in the appropriate location

State

**National** 

#### eArrest.14 - Date/Time of Cardiac Arrest

#### Definition

The date/time of the cardiac arrest (if not known, please estimate).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_08	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

 Data Type
 minInclusive

 dateTime
 1950-01-01T00:00:00-00:00

maxInclusive

2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\cdot d+)?(\cdot +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

Changed from estimated time prior to EMS arrival to date/time of cardiac arrest.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
121	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

eArrest.16 NEMSIS Version 3.2.5 Build 120525

State

**National** 

## eArrest.16 - Reason CPR/Resuscitation Discontinued

#### Definition

The reason that CPR or the resuscitation efforts were discontinued.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_10	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### **Attributes**

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3016001	DNR
3016003	Medical Control Order
3016005	Obvious Signs of Death
3016007	Physically Unable to Perform
3016009	Protocol/Policy Requirements Completed
3016011	Return of Spontaneous Circulation (pulse or BP noted)

#### **Data Element Comment**

Added Resuscitation to Title to allow better documentation of disposition.

State

**National** 

#### eArrest.17 - Cardiac Rhythm on Arrival at Destination

#### **Definition**

The patient's cardiac rhythm upon delivery or transfer to the destination

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_11	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
9901001	Agonal/Idioventricular
9901003	Asystole
9901005	Artifact
9901007	Atrial Fibrillation
9901009	Atrial Flutter
9901011	AV Block-1st Degree
9901013	AV Block-2nd Degree-Type 1
9901015	AV Block-2nd Degree-Type 2
9901017	AV Block-3rd Degree
9901019	Junctional
9901021	Left Bundle Branch Block
9901023	Non-STEMI Anterior Ischemia
9901025	Non-STEMI Inferior Ischemia
9901027	Non-STEMI Lateral Ischemia
9901029	Non-STEMI Posterior Ischemia
9901031	Other (Not Listed)
9901033	Paced Rhythm
9901035	PEA
9901037	Premature Atrial Contractions
9901039	Premature Ventricular Contractions
9901041	Right Bundle Branch Block
9901043	Sinus Arrhythmia
9901045	Sinus Bradycardia
9901047	Sinus Rhythm
9901049	Sinus Tachycardia
9901051	STEMI Anterior Ischemia
9901053	STEMI Inferior Ischemia
9901055	STEMI Lateral Ischemia
9901057	STEMI Posterior Ischemia
9901059	Supraventricular Tachycardia
9901061	Torsades De Points
9901063	Unknown AED Non-Shockable Rhythm
9901065	Unknown AED Shockable Rhythm
9901067	Ventricular Fibrillation
9901069	Ventricular Tachycardia (With Pulse)
9901071	Ventricular Tachycardia (Pulseless)

#### Data Element Comment

This element needs to be documented when the patient has been in cardiac or respiratory arrest and transported to a healthcare facility to show the change in patient condition, if any. The cardiac rhythm list has been updated to be the same for eVitals.03 (Cardiac Rhythm Electrocardiography (ECG)). They are using the common type: CardiacRhythm. ST segment changes consistent (or not consistent) with STEMI criteria should be documented as Ischemia in the appropriate location

State

National

#### eArrest.18 - End of EMS Cardiac Arrest Event

#### Definition

The patient's outcome at the end of the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

CodeDescription3018001Expired in ED3018003Expired in the Field

3018005 Ongoing Resuscitation in ED

#### **Data Element Comment**


A resuscitation event is deemed to have ended when death is declared or spontaneous circulation is restored and sustained for 20 minutes or longer.

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

#### Version 3 Changes Implemented

Added to better identify the outcome of EMS cardiac arrest patients.

# eHistory



NEMSIS Version 3.2.5 Build 120525 eHistory.01

State

National

#### eHistory.01 - Barriers to Patient Care

#### Definition

Indication of whether or not there were any patient specific barriers to serving the patient at the scene

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3101001	Cultural, Custom, Religious
3101003	Developmentally Impaired
3101005	Hearing Impaired
3101007	Language
3101009	None Noted
3101011	Obesity
3101013	Physical Barrier (Unable to Access Patient)
3101015	Physically Impaired
3101017	Physically Restrained
3101019	Psychologically Impaired
3101021	Sight Impaired
3101023	Speech Impaired
3101025	Unattended or Unsupervised (including minors)
3101027	Unconscious
3101029	Uncooperative

#### Data Element Comment

Added Obesity, Sight Impaired, Psychologically Impaired

NEMSIS Version 3.2.5 Build 120525 eHistory.17

State

National

#### eHistory.17 - Alcohol/Drug Use Indicators

#### Definition

Indicators for the potential use of alcohol or drugs by the patient related to the patient's current illness or injury.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_19	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### **Associated Performance Measure Initiatives**

#### Trauma

#### Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded


**Pertinent Negatives (PN)** 

8801015 - None Reported 8801019 - Refused 8801023 - Unable to Complete

#### Code List

Code	Description
3117001	Alcohol Containers/Paraphernalia at Scene
3117003	Drug Paraphernalia at Scene
3117005	Patient Admits to Alcohol Use
3117007	Patient Admits to Drug Use
3117009	Positive Level known from Law Enforcement or Hospital Record
3117011	Smell of Alcohol on Breath

## **eVitals**



State

National

#### eVitals.01 - Date/Time Vital Signs Taken

#### Definition

The date/time vital signs were taken on the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### **Pattern**

 $[0-9]\{4\}-[0-9]\{2\}-[0-9]\{2\}T[0-9]\{2\}:[0-9]\{2\}:[0-9]\{2\}(\backslash d+)?(\backslash +|-)[0-9]\{2\}:[0-9]\{2\}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

State

**National** 

#### eVitals.02 - Obtained Prior to this Unit's EMS Care

#### Definition

Indicates that the information which is documented was obtained prior to the documenting EMS units care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

#### **Data Element Comment**

This is the NEMSIS Version 3 method to document prior aid.

eVitals.03

State

**National** 

#### eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)

#### Definition

The cardiac rhythm / ECG and other electrocardiography findings of the patient as interpreted by EMS personnel.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Cardiac Arrest STEMI

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

#### Code List

Code	Description
9901001	Agonal/Idioventricular
9901003	Asystole
9901005	Artifact
9901007	Atrial Fibrillation
9901009	Atrial Flutter
9901011	AV Block-1st Degree
9901013	AV Block-2nd Degree-Type 1
9901015	AV Block-2nd Degree-Type 2
9901017	AV Block-3rd Degree
9901019	Junctional
9901021	Left Bundle Branch Block
9901023	Non-STEMI Anterior Ischemia
9901025	Non-STEMI Inferior Ischemia
9901027	Non-STEMI Lateral Ischemia
9901029	Non-STEMI Posterior Ischemia
9901031	Other (Not Listed)
9901033	Paced Rhythm
9901035	PEA
9901037	Premature Atrial Contractions
9901039	Premature Ventricular Contractions
9901041	Right Bundle Branch Block
9901043	Sinus Arrhythmia
9901045	Sinus Bradycardia
9901047	Sinus Rhythm
9901049	Sinus Tachycardia
9901051	STEMI Anterior Ischemia
9901053	STEMI Inferior Ischemia
9901055	STEMI Lateral Ischemia
9901057	STEMI Posterior Ischemia
9901059	Supraventricular Tachycardia
9901061	Torsades De Points
9901063	Unknown AED Non-Shockable Rhythm
9901065	Unknown AED Shockable Rhythm
9901067	Ventricular Fibrillation
9901069	Ventricular Tachycardia (With Pulse)
9901071	Ventricular Tachycardia (Pulseless)

eVitals.04 NEMSIS Version 3.2.5 Build 120525

State

National

## eVitals.04 - ECG Type

#### Definition

The type of ECG associated with the cardiac rhythm.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

#### Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Description
3 Lead
4 Lead
5 Lead
12 Lead-Left Sided (Normal)
12 Lead-Right Sided
15 Lead
18 Lead
Other (Not Listed)

#### Data Element Comment

#### Version 3 Changes Implemented

Added to better document ECG results.

State

National

#### eVitals.05 - Method of ECG Interpretation

#### **Definition**

#### The method of ECG interpretation.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

STEMI

#### Attributes

### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
<del></del>	Dooonpalon

3305001 Computer Interpretation 3305003 Manual Interpretation

3305005 Transmission with No Interpretation 3305007 Transmission with Remote Interpretation

#### **Data Element Comment**

#### Version 3 Changes Implemented

Added to better document ECG results.

<sup>&</sup>quot;Transmission with no interpretation" may be used by EMS Agency Personnel that are not trained to interpret cardiac rhythms.

State

**National** 

#### eVitals.06 - SBP (Systolic Blood Pressure)

#### Definition

The patient's systolic blood pressure.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_04	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

#### Constraints

Data Type minInclusive maxInclusive

integer 0 500

#### Data Element Comment

Required for ACS-Field Triage and other patient scoring systems.

eVitals.08 NEMSIS Version 3.2.5 Build 120525

State

National

## eVitals.08 - Method of Blood Pressure Measurement

#### Definition

Indication of method of blood pressure measurement.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3308001	Arterial Line
3308003	Doppler
3308005	Cuff-Automated
3308007	Cuff-Manual Auscultated
3308009	Cuff-Manual Palpated Only
3308011	Venous Line

State

National

#### eVitals.10 - Heart Rate

#### Definition

The patient's heart rate expressed as a number per minute.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

#### Constraints

Data Type minInclusive maxInclusive

integer 0 500

#### **Data Element Comment**

Pulse Rate and Electronic Monitor Rate have been merged with an additional data element for Method of Heart Rate Measurement.

eVitals.12 NEMSIS Version 3.2.5 Build 120525

State

National

### eVitals.12 - Pulse Oximetry

#### Definition

The patient's oxygen saturation.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_09	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric **STEMI** Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

#### Constraints

**Data Type** minInclusive maxInclusive

integer 100

State

National

#### eVitals.14 - Respiratory Rate

#### Definition

The patient's respiratory rate expressed as a number per minute.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_11	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### **Attributes**

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

#### Constraints

Data Type minInclusive maxInclusive

integer 0 300

eVitals.16 NEMSIS Version 3.2.5 Build 120525

State

National

#### eVitals.16 - Carbon Dioxide (CO2)

#### Definition

The patient's end-tidal or other CO2 level.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_13	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric **STEMI** Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

Pertinent Negatives (PN) 8801019 - Refused

8801023 - Unable to Complete

#### Constraints

**Data Type** minInclusive maxInclusive

integer 100

eVitals.18 NEMSIS Version 3.2.5 Build 120525

State

National

## eVitals.18 - Blood Glucose Level

#### Definition

The patient's blood glucose level.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_14	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### **Associated Performance Measure Initiatives**

Pediatric

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

Pertinent Negatives (PN) 8801019 - Refused 8801023 - Unable to Complete

#### Constraints

**Data Type** minInclusive maxInclusive

integer 2000

eVitals.19 NEMSIS Version 3.2.5 Build 120525

State

**National** 

#### eVitals.19 - Glasgow Coma Score-Eye

#### Definition

The patient's Glasgow Coma Score Eye opening.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric **STEMI** Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

#### Code List

Code	Description
1	No eye movement when assessed (All Age Groups)
2	Opens Eyes to painful stimulation (All Age Groups)
3	Opens Eyes to verbal stimulation (All Age Groups)
4	Opens Eyes spontaneously (All Age Groups)

#### Data Element Comment

State

**National** 

#### eVitals.20 - Glasgow Coma Score-Verbal

#### **Definition**

The patient's Glasgow Coma Score Verbal.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_16	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

#### Code List

Cada	Description
Code	Description

1 No verbal/vocal response (All Age Groups)

- 2 Incomprehensible sounds (>2 Years); Inconsolable, agitated
- 3 Inappropriate words (>2 Years); Inconsistently consolable, moaning
- 4 Confused (>2 Years); Cries but is consolable, inappropriate interactions
- 5 Oriented (>2 Years); Smiles, oriented to sounds, follows objects, interacts

#### **Data Element Comment**

eVitals.21 NEMSIS Version 3.2.5 Build 120525

State

**National** 

#### eVitals.21 - Glasgow Coma Score-Motor

#### Definition

The patient's Glasgow Coma Score Motor

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_17	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric **STEMI** Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

#### Code List

Code	Description
1	No Motor Response (All Age Groups)
2	Extension to pain (All Age Groups)
3	Flexion to pain (All Age Groups)
4	Withdrawal from pain (All Age Groups)
5	Localizing pain (All Age Groups)
6	Obeys commands (>2Years); Appropriate response to stimulation

#### **Data Element Comment**

eVitals.22 NEMSIS Version 3.2.5 Build 120525

State

**National** 

## eVitals.22 - Glasgow Coma Score-Qualifier

#### Definition

Documentation of factors which make the GCS score more meaningful.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_18	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### **Associated Performance Measure Initiatives**

Airway Cardiac Arrest Pediatric **STEMI** Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
3322001	Eye Obstruction Prevents Eye Assessment
3322003	Initial GCS has legitimate values without interventions such as intubation and sedation
3322005	Patient Chemically Paralyzed
3322007	Patient Chemically Sedated
3322009	Patient Intubated

#### **Data Element Comment**

State

National

## eVitals.26 - Level of Responsiveness (AVPU)

#### Definition

The patient's highest level of responsiveness.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_22	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

 Code
 Description

 3326001
 Alert

 3326003
 Verbal

 3326005
 Painful

 3326007
 Unresponsive

#### **Data Element Comment**

Definition changed to indicate highest level of responsiveness.

State

National

#### eVitals.27 - Pain Score

#### **Definition**

The patient's indication of pain from a scale of 0-10.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_23	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Pediatric STEMI Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

#### Constraints

Data Type minInclusive maxInclusive

integer 0 10

#### **Data Element Comment**

The Pain Score can be obtained from several pain measurement tools or pain scale types (eVitals.28). The pain scale type used should have a numeric value associated with each diagram as appropriate. If the pain scale type utilizes multiple indicators/categories the total should be calculated and entered for the pain score associated with the patient assessment.

eVitals.29 NEMSIS Version 3.2.5 Build 120525

State

National

## eVitals.29 - Stroke Scale Score

#### Definition

The patient's Stroke Scale Results.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_24	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Stroke

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

Pertinent Negatives (PN) 8801019 - Refused 8801023 - Unable to Complete

#### Code List

Code	Description
3329001	Negative
3329003	Non-Conclusive
3329005	Positive

eVitals.30 NEMSIS Version 3.2.5 Build 120525

State

National

## eVitals.30 - Stroke Scale Type

#### Definition

The type of stroke pain scale used.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

#### Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3330001	Cincinnati
3330003	Los Angeles
3330005	Massachusetts
3330007	Miami Emergency Neurologic Deficit (MEND)
3330009	NIH
3330011	Other Stoke Scale Type

### **Data Element Comment**

#### Version 3 Changes Implemented

Added to include additional detail on the stroke scale used.

eVitals.31 NEMSIS Version 3.2.5 Build 120525

State

**National** 

## eVitals.31 - Reperfusion Checklist

#### Definition

The results of the patient's Reperfusion Checklist for potential Thrombolysis use.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_25	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

STEMI Stroke

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete


#### Code List

Code	Description
3331001	Definite Contraindications to Thrombolytic Use
3331003	No Contraindications to Thrombolytic Use
3331005	Possible Contraindications to Thrombolytic Use

#### Data Element Comment

Name changed from Thrombolytic Screen

## **eProtocols**



eProtocols.01 NEMSIS Version 3.2.5 Build 120525

State

National

## eProtocols.01 - Protocols Used

#### Definition

The protocol used by EMS personnel to direct the clinical care of the patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E17_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

	·
Code	Description
9914001	Airway
9914003	Airway-Failed
9914005	Airway-Obstruction/Foreign Body
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
9914009	Airway-Sedation Assisted (Non-Paralytic)
9914011	Cardiac Arrest-Asystole
9914013	Cardiac Arrest-Hypothermia-Therapeutic
9914015	Cardiac Arrest-Pulseless Electrical Activity
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
9914019	Cardiac Arrest-Post Resuscitation Care
9914021	Environmental-Altitude Sickness
9914023	Environmental-Cold Exposure
9914025	Environmental-Frostbite/Cold Injury
9914027	Environmental-Heat Exposure/Exhaustion
9914029	Environmental-Heat Stroke/Hyperthermia
9914031	Environmental-Hypothermia
9914033	Exposure-Airway/Inhalation Irritants
9914035	Exposure-Biological/Infectious
9914037	Exposure-Blistering Agents
9914039	Exposure-Carbon Monoxide/Smoke Inhalation
9914041	Exposure-Chemicals to Eye
9914043	Exposure-Cyanide
9914045	Exposure-Explosive/ Blast Injury
9914047	Exposure-Nerve Agents
9914049	Exposure-Radiologic Agents
9914051	General-Back Pain
9914053	General-Behavioral/Patient Restraint
9914055	General-Cardiac Arrest
9914057	General-Dental Problems
9914059	General-Epistaxis
9914061	General-Fever
9914063	General-Individualized Patient Protocol
9914065	General-Indwelling Medical Devices/Equipment
9914067	General-IV Access
9914069	General-Medical Device Malfunction
9914071	General-Pain Control
9914073	General-Spinal Immobilization/Clearance
9914075	General-Universal Patient Care/ Initial Patient Contact
9914077	Injury-Amputation
9914079	Injury-Bites and Envenomations-Land
9914081	Injury-Bites and Envenomations-Marine
9914083	Injury-Bleeding/ Hemorrhage Control

9914085 Injury-Burns-Thermal 9914087 Injury-Cardiac Arrest 9914089 Injury-Crush Syndrome Injury-Diving Emergencies 9914091 Injury-Drowning/Near Drowning 9914093 Injury-Electrical Injuries 9914095 Injury-Extremity 9914097 Injury-Eye 9914099 9914101 Injury-Head 9914103 Injury-Impaled Object Injury-Multisystem 9914105 Injury-Spinal Cord 9914107 Medical-Abdominal Pain 9914109 9914111 Medical-Allergic Reaction/Anaphylaxis 9914113 Medical-Altered Mental Status 9914115 Medical-Bradycardia Medical-Cardiac Chest Pain 9914117 9914119 Medical-Diarrhea 9914121 Medical-Hyperglycemia 9914123 Medical-Hypertension Medical-Hypoglycemia/Diabetic Emergency 9914125 9914127 Medical-Hypotension/Shock (Non-Trauma) 9914129 Medical-Influenza-Like Illness/ Upper Respiratory Infection Medical-Nausea/Vomiting 9914131 Medical-Newborn/ Neonatal Resuscitation 9914133 9914135 Medical-Overdose/Poisoning/Toxic Ingestion 9914137 Medical-Pulmonary Edema/CHF 9914139 Medical-Respiratory Distress/Asthma/COPD/Croup/Reactive Airway Medical-Seizure 9914141 Medical-ST-Elevation Myocardial Infarction (STEMI) 9914143 9914145 Medical-Stroke/TIA Medical-Supraventricular Tachycardia (Including Atrial Fibrillation) 9914147 9914149 Medical-Syncope Medical-Ventricular Tachycardia (With Pulse) 9914151 9914153 Not Done OB/GYN-Childbirth/Labor/Delivery 9914155 9914157 OB/GYN-Eclampsia **OB/GYN-Gynecologic Emergencies** 9914159 9914161 **OB/GYN-Pregnancy Related Emergencies** 9914163 OB/GYN-Post-partum Hemorrhage 9914165 Other

#### **Data Element Comment**

Protocols are grouped into Airway, Environmental, Exposure, General, Injury, Medical, and OB/GYN.

There is a new data element EProtocols.02 to indicate whether the protocol is Adult, Pediatric, or General (both).

State and local entities can add additional protocols to the list but the additional protocols must map to these uniform codes. The protocol code list should be derived from dConfiguration.05 and/or dConfiguration.10

NEMSIS Version 3.2.5 Build 120525 eProtocols.02

State

**National** 

#### eProtocols.02 - Protocol Age Category

#### **Definition**

The age group the protocol is written to address

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

CodeDescription3602001Adult Only3602003General3602005Pediatric Only


#### **Data Element Comment**

Protocols are grouped into Airway, Environmental, Exposure, General, Injury, Medical, and OB/GYN. -There is a new data element to indicate whether the protocol is Adult, Pediatric, or General (both).

#### Version 3 Changes Implemented

Added to better document protocol use.

## **eMedications**



National

#### eMedications.01 - Date/Time Medication Administered

#### Definition

The date/time medication administered to the patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

maxInclusive

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

Data Type minInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

Pattern

 $[0-9]\{4\}-[0-9]\{2\}-[0-9]\{2\}T[0-9]\{2\}:[0-9]\{2\}:[0-9]\{2\}(\backslash d+)?(\backslash +|-)[0-9]\{2\}:[0-9]\{2\}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

**National** 

#### eMedications.02 - Medication Administered Prior to this Unit's EMS Care

#### Definition

Indicates that the medication administration which is documented was administered prior to this EMS units care

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### **Associated Performance Measure Initiatives**

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

#### **Data Element Comment**

This is the NEMSIS Version 3 method to document prior aid.

**National** 

#### eMedications.03 - Medication Given

#### Definition

The medication given to the patient

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_03	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801001 - Contraindication Noted 8801003 - Denied By Order 8801007 - Medication Allergy 8801009 - Medication Already Taken 8801019 - Refused 8801023 - Unable to Complete

#### Constraints

Data TypeminLengthmaxLengthstring27

#### **Data Element Comment**

List of medications based on RxNorm (RXCUI) code.

Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

RxNorm

Website - http://uts.nlm.nih.gov

Product - UMLS Metathesaurus

Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html

Product - RxNorm Full Monthly Release

National

#### eMedications.05 - Medication Dosage

#### Definition

The dose or amount of the medication given to the patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type decimal totalDigits fractionDigits

National

## eMedications.06 - Medication Dosage Units

#### Definition

The unit of medication dosage given to patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3706001	Grams
3706003	Inches
3706005	International Units
3706007	Keep Vein Open (To Keep Open)
3706009	Liters
3706011	Liters Per Minute
3706013	MDI Puffs
3706015	Micrograms
3706017	Micrograms per Kilogram per Minute
3706019	Milliequivalents
3706021	Milligrams
3706023	Milligrams Per Kilogram Per Minute
3706025	Milliliters
3706027	Milliliters Per Hour
3706029	Other

National

#### eMedications.07 - Response to Medication

#### Definition

#### The patient's response to the medication

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description 9916001 Improved 9916003 Unchanged 9916005 Worse

**National** 

#### eMedications.08 - Medication Complication

#### Definition

Any complication (abnormal effect on the patient) associated with the administration of the medication to the patient by EMS

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### **Attributes**

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description	Code	Description
------------------	------	-------------

3708001 Altered Mental Status

3708003 Apnea

3708005 Bleeding

3708007 Bradycardia

3708007 Bradypnea

3708011 Diarrhea

3700011 Diairilea

3708013 Extravasation

3708015 Hypertension

3708017 Hyperthermia

3708019 Hypotension

3708021 Hypothermia

3708023 Hypoxia

3708025 Injury

3708027 Itching/Urticaria

3708029 Nausea

3708031 None

3708033 Other (Not Listed)

3708035 Respiratory Distress

3708037 Tachycardia

3708039 Tachypnea

3708041 Vomiting

**National** 

## eMedications.10 - Role/Type of Person Administering Medication

#### Definition

The type (level) of EMS or Healthcare Professional Administering the Medication. For medications administered prior to EMS arrival, this may be a non-EMS healthcare professional.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
9905001	2009 Advanced Emergency Medical Technician (AEMT)
9905003	2009 Emergency Medical Responder (EMR)
9905005	2009 Emergency Medical Technician (EMT)
9905007	2009 Paramedic
9905009	EMT-Basic
9905011	EMT-Intermediate
9905013	EMT-Paramedic (Based on pre-2009 Curriculum)
9905015	First Responder
9905017	Nurse
9905019	Other Healthcare Professional
9905021	Other Non-Healthcare Professional
9905023	Patient/Lay Person
9905025	Physician
9905027	Respiratory Therapist
9905029	Student
9905031	Critical Care Paramedic
9905033	Community Paramedicine

#### **Data Element Comment**


Added to document the type of healthcare professional administering the medication. This could be auto-completed from the crew ID but is necessary to document medication administration prior to EMS arrival. State may maintain an enumerated list but must collapse to the National Standard.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

#### Version 3 Changes Implemented

Added to better document the type of healthcare professional who administered the medication.

## **eProcedures**



National

#### eProcedures.01 - Date/Time Procedure Performed

#### Definition

The date/time the procedure was performed on the patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]\{4\}-[0-9]\{2\}-[0-9]\{2\}T[0-9]\{2\}:[0-9]\{2\}:[0-9]\{2\}(\backslash d+)?(\backslash +|-)[0-9]\{2\}:[0-9]\{2\}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

National

#### eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care

#### Definition

Indicates that the procedure which was performed and documented was performed prior to this EMS units care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### **Associated Performance Measure Initiatives**

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

#### **Data Element Comment**

This is the NEMSIS Version 3 method to document prior aid.

**National** 

#### eProcedures.03 - Procedure

#### Definition

The procedure performed on the patient.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_03	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801001 - Contraindication Noted 8801003 - Denied By Order 8801019 - Refused

8801023 - Unable to Complete

#### Constraints

Data TypemaxInclusiveminInclusiveinteger1000000000100000

#### **Data Element Comment**

Procedures which are recorded as a Vital Sign do not have to be documented in the Procedure Section.

Code list is represented in SNOMEDCT. Reference the NEMSIS Suggested Lists at: http://nemsis.org/v3/resources.html

#### **SNOMEDCT**

Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed\_main.html

Product: Product - UMLS Metathesaurus

National

#### eProcedures.05 - Number of Procedure Attempts

#### Definition

The number of attempts taken to complete a procedure or intervention regardless of success.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric **STEMI** Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

**Data Type** minInclusive maxInclusive

integer 10

National

#### eProcedures.06 - Procedure Successful

#### Definition

Indicates that this procedure attempt which was performed on the patient was successful

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric **STEMI** Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

**National** 

#### eProcedures.07 - Procedure Complication

#### **Definition**

Any complication (abnormal effect on the patient) associated with the performance of the procedure on the patient

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Pediatric Trauma

### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
3907001	Altered Mental Status
3907003	Apnea
3907005	Bleeding
3907007	Bradypnea
3907009	Diarrhea
3907011	Esophageal Intubation-immediately
3907013	Esophageal Intubation-other
3907015	Extravasation
3907017	Hypertension
3907019	Hyperthermia
3907021	Hypotension
3907023	Hypothermia
3907025	Hypoxia
3907027	Injury

3907029 Itching/Urticaria

3907031 Nausea 3907033 None

3907035 Other (Not Listed)

3907037 Portacath

3907039 Respiratory Distress

3907041 Tachycardia 3907043 Tachypnea 3907045 Vomiting

National

#### eProcedures.08 - Response to Procedure

#### Definition

#### The patient's response to the procedure

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_08	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description 9916001 Improved 9916003 Unchanged 9916005 Worse

**National** 

#### eProcedures.10 - Role/Type of Person Performing the Procedure

#### Definition

The type (level) of EMS or Healthcare Professional performing the procedure. For procedures performed prior to EMS arrival, this may be a non-EMS healthcare professional.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 77

Description

7701003 - Not Recorded

#### Code List

Code

9905001	2009 Advanced Emergency Medical Technician (AEMT)
9905003	2009 Emergency Medical Responder (EMR)
9905005	2009 Emergency Medical Technician (EMT)
9905007	2009 Paramedic
9905009	EMT-Basic
9905011	EMT-Intermediate
9905013	EMT-Paramedic (Based on pre-2009 Curriculum)
9905015	First Responder
9905017	Nurse

9905019 Other Healthcare Professional9905021 Other Non-Healthcare Professional

9905023 Patient/Lay Person

9905025 Physician

9905027 Respiratory Therapist

9905029 Student

9905031 Critical Care Paramedic 9905033 Community Paramedicine

#### **Data Element Comment**


Added to document the type of healthcare professional administering the medication. This could be auto-completed from the crew ID but is necessary to document medication administration prior to EMS arrival. State may maintain an enumerated list but must collapse to the National Standard.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

#### Version 3 Changes Implemented

Added to document the type of healthcare professional administering the medication.

# **eDisposition**



**National** 

#### eDisposition.05 - Destination State

#### Definition

The state of the destination the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type length string 2

#### **Data Element Comment**

Based on the ANSI Code. May be auto-populated if list created in dFacility.09 (Facility State).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

**National** 

#### eDisposition.06 - Destination County

#### Definition

The destination county in which the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type length string 5

#### **Data Element Comment**

May be auto-populated if list created in dFacility.11 (Facility County). Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

National

#### eDisposition.07 - Destination ZIP Code

#### Definition

The destination ZIP code in which the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### Pattern

 $[0-9]\{5\}|[0-9]\{5\}-[0-9]\{4\}|[0-9]\{5\}-[0-9]\{5\}|[A-Z][0-9][A-Z]\ [0-9][A-Z][0-9]\\$ 

#### Data Element Comment

May be auto-populated if list created in dFacility.10 (Facility ZIP Code).

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/Product: USA - 5-digit ZIP Code Database, Commercial Edition

National

## eDisposition.12 - Incident/Patient Disposition

#### Definition

Type of disposition treatment and/or transport of the patient by this EMS Unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E20_10	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Code List

Code	Description
4212001	Assist, Agency
4212003	Assist, Public
4212005	Assist, Unit
4212007	Canceled (Prior to Arrival At Scene)
4212009	No Patient Contact (Canceled on Scene)
4212011	No Patient Found (Canceled on Scene)
4212013	Patient Dead at Scene-No Resuscitation Attempted (With Transport)
4212015	Patient Dead at Scene-No Resuscitation Attempted (Without Transport)
4212017	Patient Dead at Scene-Resuscitation Attempted (With Transport)
4212019	Patient Dead at Scene-Resuscitation Attempted (Without Transport)
4212021	Patient Evaluated, No Treatment/Transport Required
4212023	Patient Refused Evaluation/Care (With Transport)
4212025	Patient Refused Evaluation/Care (Without Transport)
4212027	Patient Treated, Released (AMA)
4212029	Patient Treated, Released (per protocol)
4212031	Patient Treated, Transferred Care to Another EMS Professional
4212033	Patient Treated, Transported by EMS
4212035	Patient Treated, Transported by Law Enforcement
4212037	Patient Treated, Transported by Private Vehicle
4212039	Standby-No Services or Support Provided
4212041	Standby-Public Safety, Fire, or EMS Operational Support Provided
4212043	Transport of Body Parts or Organs Only

National

## eDisposition.16 - EMS Transport Method

#### Definition

Transport method by this EMS Unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
4216001	Air Medical-Fixed Wing
4216003	Air Medical-Rotor Craft
4216005	Ground-Ambulance
4216007	Ground-ATV or Rescue Vehicle
4216009	Ground-Bariatric
4216011	Ground-Other Not Listed
4216013	Ground-Mass Casualty Bus/Vehicle
4216015	Ground-Wheelchair Van
4216017	Water-Boat

#### **Data Element Comment**

Required if the patient is transported by EMS.

#### Version 3 Changes Implemented

Added to better describe Air and Ground Transport methods.

**National** 

#### eDisposition.17 - Transport Mode from Scene

#### **Definition**

Indication whether the transport was emergent or non-emergent.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_14	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
4217001	Emergent (Immediate Response)
4217003	<b>Emergent Downgraded to Non-Emergent</b>
4217005	Non-Emergent
4217007	Non-Emergent Upgraded to Emergent

#### **Data Element Comment**

Information now split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

National

#### eDisposition.18 - Additional Transport Mode Descriptors

#### **Definition**

The documentation of transport mode techniques for this EMS response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
4218001	Intersection Navigation-Against Normal Light Patterns
4218003	Intersection Navigation-With Automated Light Changing Technology
4218005	Intersection Navigation-With Normal Light Patterns
4218007	Speed-Enhanced per Local Policy
4218009	Speed-Normal Traffic

#### **Data Element Comment**

Information now split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

National

### eDisposition.19 - Condition of Patient at Destination

#### Definition

The condition of the patient after care by EMS

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### **Associated Performance Measure Initiatives**

Airway Cardiac Arrest Pediatric Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description 9916001 Improved 9916003 Unchanged 9916005 Worse

#### **Data Element Comment**

National

#### eDisposition.20 - Reason for Choosing Destination

#### Definition

The reason the unit chose to deliver or transfer the patient to the destination

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
4220001	Closest Facility
4220003	Diversion
4220005	Family Choice
4220007	Insurance Status/Requirement
4220009	Law Enforcement Choice
4220011	On-Line/On-Scene Medical Direction
4220013	Other (Not Listed)
4220015	Patient's Choice
4220017	Patient's Physician's Choice
4220019	Protocol
4220021	Regional Specialty Center

#### Data Element Comment

Required if Patient Transported

**National** 

#### eDisposition.21 - Type of Destination

#### Definition

The type of destination the patient was delivered or transferred to

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_17	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
4221001	Home
4221003	Hospital-Emergency Department
4221005	Hospital-Non-Emergency Department Bed
4221007	Medical Office/Clinic
4221009	Morgue/Mortuary
4221011	Nursing Home/Assisted Living Facility
4221013	Other (Not Listed)
4221015	Other EMS Responder (air)
4221017	Other EMS Responder (ground)
4221019	Police/Jail

#### **Data Element Comment**

Required if Patient Transported by EMS. "Hospital-In Patient Bed" includes any location in the hospital except the Emergency Department. Choices include those in eDisposition.22 (Hospital In-Patient Destination).

National

#### eDisposition.22 - Hospital In-Patient Destination

#### Definition

The location within the hospital that the patient was taken directly by EMS (e.g. Cath Lab, ICU, etc.)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
4222001	Hospital-Burn Hospital-Burn
4222003	Hospital-Cath Lab
4222005	Hospital-CCU
4222007	Hospital-Endoscopy
4222009	Hospital-Hospice
4222011	Hospital-Hyperbaric Oxygen Treatment
4222013	Hospital-ICU
4222015	Hospital-Labor and Delivery
4222017	Hospital-Med/Surg
4222019	Hospital-Mental Health
4222021	Hospital-MICU
4222023	Hospital-NICU
4222025	Hospital-Nursery
4222027	Hospital-Peds (General)
4222029	Hospital-Peds ICU
4222031	Hospital-OR
4222033	Hospital-Orthopedic
4222035	Hospital-Other
4222037	
4222039	Hospital-Radiology Services - MRI
4222041	Hospital-Radiology Services - CT/PET
4222043	Hospital-Radiology Services - X-Ray
4222045	Hospital-Radiation Hospital-Radiation
4222047	Hospital-Rehab
4222049	Hospital-SICU

#### **Data Element Comment**

To be documented when in eDisposition.21 "Hospital-In Patient Bed" is selected.

#### Version 3 Changes Implemented

Added to identify the location within the hospital that the patient was directly taken to by EMS.

**National** 

#### eDisposition.23 - Hospital Designation

#### Definition

The designation associated with the hospital for this transport(e.g. Trauma, STEMI, Peds, etc)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code 9908001 9908003 9908005 9908007 9908009 9908011 9908013 9908015 9908017 9908021 9908021 9908023	Description Behavioral Health Burn Center Critical Access Hospital Hospital (General) Neonatal Center Pediatric Center STEMI STEMI Center (24/7) Stroke Center Rehab Center Trauma Center Level 1 Trauma Center Level 2
9908025 9908027 9908029	Trauma Center Level 3 Trauma Center Level 4 Trauma Center Level 5

#### **Data Element Comment**

To be documented when in eDisposition.21 (Type of Destination) equals "4221003: Hospital-Emergency Department" or "4221005: Hospital-In Patient Bed" is selected .

#### Version 3 Changes Implemented

Added to aid in determining if patients are transported to the appropriate hospital based on provider impression, assessment, and treatment.

**National** 

#### eDisposition.24 - Destination Team Pre-Arrival Activation

#### **Definition**

Activation of the Destination Healthcare Facility Team prior to EMS arrival for acute ill or injured patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description

4224001 No

4224003 Yes-Adult Trauma

4224005 Yes-Cardiac Arrest

4224007 Yes-Obstetrics

4224009 Yes-Other

4224011 Yes-Pediatric Trauma

4224013 Yes-STEMI

4224015 Yes-Stroke

#### **Data Element Comment**

#### Version 3 Changes Implemented

Added to better document performance measure for acute time dependent illness and injury systems of care.

**National** 

#### eDisposition.25 - Date/Time of Destination Prearrival Activation

#### Definition

Date/Time EMS Notified/Activated the Destination Healthcare Facility Team prior to EMS arrival for acute ill or injured patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### Pattern

 $[0-9]\{4\}-[0-9]\{2\}-[0-9]\{2\}+[0-9]\{2\}-[0-9][2]-[0-9]-[0-9][2]-[0-9][2]-[0-9]-$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)


Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

#### Version 3 Changes Implemented

Added to better document performance measure for acute time dependent illness and injury systems of care.

# **eOutcome**



NEMSIS Version 3.2.5 Build 120525 eOutcome.01

State

**National** 

#### eOutcome.01 - Emergency Department Disposition

#### **Definition**

The known disposition of the patient from the Emergency Department (ED)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E22_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
01	Discharged to home or self care (routine discharge)
02	Discharged/transferred to another short term general hospital for inpatient care
03	Discharged/transferred to a skilled nursing facility (SNF) {With Medicare certification in anticipation of covered
	skilled care. See Code 61 below.}
04	Discharged/transferred to an intermediate care facility (ICF)
05	Discharged/transferred to another type of institution not defined elsewhere in this code list
06	Discharged/transferred to home under care of organized home health service organization in anticipation of
	covered skills care
07	Left against medical advice or discontinued care
09	Admitted as an inpatient to this hospital.
20	Deceased/Expired (or did not recover - Religious Non Medical Health Care Patient)
21	Discharged/transferred to court/law enforcement
30	Still a patient or expected to return for outpatient services.
43	Discharged/transferred to a Federal Health Care Facility (e.g. VA or federal health care facility)
50	Discharged/transferred to Hospice - home.
51	Discharged/transferred to Hospice - medical facility
61	Discharged/transferred within this institution to a hospital based Medicare approved swing bed.
62	Discharged/transferred to a inpatient rehabilitation facility including distinct part units of a hospital.
63	Discharged/transferred to long term care hospitals
64	Discharged/transferred to a nursing facility certified under Medicaid but not certified under Medicare
65	Discharged/transferred to a psychiatric hospital or psychiatric distinct part unit of a hospital.
66	Discharged/transferred to a Critical Access Hospital (CAH).
70	Discharged/transferred to another type of health care institution not defined elsewhere in the code list.

#### **Data Element Comment**

The list of values and codes is based on and in compliance with the Medicare Claims Processing Manual Chapter 25 Completing and Processing the Form CMS-1450 Data Set, referencing the Uniform Bill - Form CMS-1450 (UB-04) and the FL 17 - Patient Discharge Status Required. (For all Part A inpatient, SNF, hospice, home health agency (HHA) and outpatient hospital services.) This code indicates the patient's status as of the "Through" date of the billing period (FL 6). https://www.cms.gov/transmittals/downloads/R1104CP.pdf Page 35-36

Codes are available from Medicare contractors and the National Uniform Billing company (NUBC\_ (www.nubc.org) via the NUBC's Official UB-04 Data Specifications Manual.

Contractor site, Knowledge Trek: <a href="http://www.ub04.net/downloads/Medicare">http://www.ub04.net/downloads/Medicare</a> Pub Ch 25.pdf Please reference the section "FL 17 - Patient Status" found on page 23-25 of 126.

NEMSIS Version 3.2.5 Build 120525 eOutcome.02

State

**National** 

#### eOutcome.02 - Hospital Disposition

#### Definition

The known disposition of the patient from the hospital, if admitted.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E22_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
01	Discharged to home or self care (routine discharge)
02	Discharged/transferred to another short term general hospital for inpatient care
03	Discharged/transferred to a skilled nursing facility (SNF) {With Medicare certification in anticipation of covered
	skilled care. See Code 61 below.}
04	Discharged/transferred to an intermediate care facility (ICF)
05	Discharged/transferred to another type of institution not defined elsewhere in this code list
06	Discharged/transferred to home under care of organized home health service organization in anticipation of
	covered skills care
07	Left against medical advice or discontinued care
20	Deceased/Expired (or did not recover - Religious Non Medical Health Care Patient)
21	Discharged/transferred to court/law enforcement
30	Still a patient or expected to return for outpatient services.
43	Discharged/transferred to a Federal Health Care Facility (e.g. VA or federal health care facility)
50	Discharged/transferred to Hospice - home.
51	Discharged/transferred to Hospice - medical facility
61	Discharged/transferred within this institution to a hospital based Medicare approved swing bed.
62	Discharged/transferred to a inpatient rehabilitation facility including distinct part units of a hospital.
63	Discharged/transferred to long term care hospitals
64	Discharged/transferred to a nursing facility certified under Medicaid but not certified under Medicare
65	Discharged/transferred to a psychiatric hospital or psychiatric distinct part unit of a hospital.
66	Discharged/transferred to a Critical Access Hospital (CAH).
70	Discharged/transferred to another type of health care institution not defined elsewhere in the code list.

#### **Data Element Comment**


The list of values and codes is based on and in compliance with the Medicare Claims Processing Manual Chapter 25 Completing and Processing the Form CMS-1450 Data Set, referencing the Uniform Bill - Form CMS-1450 (UB-04) and the FL 17 - Patient Discharge Status Required. (For all Part A inpatient, SNF, hospice, home health agency (HHA) and outpatient hospital services.) This code indicates the patient's status as of the "Through" date of the billing period (FL 6).

https://www.cms.gov/transmittals/downloads/R1104CP.pdf Page 35-36

Codes are available from Medicare contractors and the National Uniform Billing company (NUBC\_ (www.nubc.org) via the NUBC's Official UB-04 Data Specifications Manual.

Contractor site, Knowledge Trek: <a href="http://www.ub04.net/downloads/Medicare">http://www.ub04.net/downloads/Medicare</a> Pub Ch 25.pdf Please reference the section "FL 17 - Patient Status" found on page 23-25 of 126.

## **eOther**



NEMSIS Version 3.2.5 Build 120525 eOther.05

State

National

### eOther.05 - Suspected EMS Work Related Exposure, Injury, or Death

#### Definition

Indication of an EMS work related exposure, injury, or death associated with this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E23_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

#### **Data Element Comment**

Associated with eOther.04 (EMS Professional (Crew Member) ID)

## Index

DEMDataSet	1
DEMDataSet Grouping	2
EMSDataSet	3
EMSDataSet Grouping	4
Ewio Data oct Grouping	
dAgency	5
dAgency Grouping	6
dAgency.01 - EMS Agency Unique State ID	7
dAgency.02 - EMS Agency Number	8
dAgency.04 - EMS Agency State	9
dAgency.05 - EMS Agency Service Area States	10
dAgency.06 - EMS Agency Service Area County(s)	11
dAgency.07 - EMS Agency Census Tracts	12
dAgency.08 - EMS Agency Service Area ZIP Codes	13
dAgency.09 - Primary Type of Service	14
dAgency.11 - Level of Service	15
dAgency.12 - Organization Status	16
dAgency.13 - Organizational Type	17
dAgency.14 - EMS Agency Organizational Tax Status	18
dAgency.15 - Statistical Calendar Year	19
dAgency.16 - Total Primary Service Area Size	20
dAgency.17 - Total Service Area Population	21
dAgency.18 - 911 EMS Call Center Volume per Year	22
dAgency.19 - EMS Dispatch Volume per Year	23
dAgency.20 - EMS Patient Transport Volume per Year	24
dAgency.21 - EMS Patient Contact Volume per Year	25
dAgency.25 - National Provider Identifier	26
dAgency.26 - Fire Department ID Number	27
dAgency.26 - Fire Department ID Number	21
dConfiguration	28
dConfiguration Grouping	29
dConfiguration.01 - State Associated with the Certification/Licensure Levels	30
dConfiguration.02 - State Certification Licensure Levels	31
dConfiguration.03 - Procedures Permitted by the State	32
dConfiguration.04 - Medications Permitted by the State	33
dConfiguration.05 - Protocols Permitted by the State	34
dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure	36
dConfiguration.07 - EMS Agency Procedures	37
dConfiguration.08 - EMS Certification Level Permitted to Administer Each Medication	38
dConfiguration.09 - EMS Agency Medications	39
dConfiguration.10 - EMS Agency Protocols	40
dConfiguration.11 - EMS Agency Specialty Service Capability	42
dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area	42
dConfiguration.15 - Patient Monitoring Capability(s)	43 44
	44 45
dConfiguration.16 - Crew Call Sign	40

eArrest	125
eArrest Grouping	126
eArrest.01 - Cardiac Arrest	127
eArrest.02 - Cardiac Arrest Etiology	128
eArrest.03 - Resuscitation Attempted By EMS	129
eArrest.04 - Arrest Witnessed By	130
eArrest.05 - CPR Care Provided Prior to EMS Arrival	131
eArrest.07 - AED Use Prior to EMS Arrival	132
eArrest.09 - Type of CPR Provided	133
eArrest.10 - Therapeutic Hypothermia Initiated	134
eArrest 11 - First Monitored Arrest Rhythm of the Patient	135 136
eArrest.12 - Any Return of Spontaneous Circulation eArrest.14 - Date/Time of Cardiac Arrest	136
eArrest.16 - Reason CPR/Resuscitation Discontinued	137
eArrest.17 - Cardiac Rhythm on Arrival at Destination	139
eArrest.18 - End of EMS Cardiac Arrest Event	141
O THOULTO LINE CAPAINS THOUSE EVOIN	
eDispatch	69
eDispatch Grouping	70
eDispatch.01 - Complaint Reported by Dispatch	71
eDispatch.02 - EMD Performed	73
eDisposition	195
eDisposition Grouping	196
eDisposition.05 - Destination State	197
eDisposition.06 - Destination County	198
eDisposition.07 - Destination ZIP Code eDisposition.12 - Incident/Patient Disposition	199 200
eDisposition.16 - EMS Transport Method	200
eDisposition.17 - Transport Mode from Scene	201
eDisposition.18 - Additional Transport Mode Descriptors	203
eDisposition.19 - Condition of Patient at Destination	204
eDisposition.20 - Reason for Choosing Destination	205
eDisposition.21 - Type of Destination	206
eDisposition.22 - Hospital In-Patient Destination	207
eDisposition.23 - Hospital Designation	208
eDisposition.24 - Destination Team Pre-Arrival Activation	209
eDisposition.25 - Date/Time of Destination Prearrival Activation	210
eHistory	142
eHistory Grouping	143
eHistory.01 - Barriers to Patient Care	144
eHistory.17 - Alcohol/Drug Use Indicators	145
elnjury	120
elnjury Grouping	121
elnjury.01 - Cause of Injury	122
elnjury.03 - Trauma Center Criteria	123
elnjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor	124

eMedications	175
eMedications Grouping eMedications.01 - Date/Time Medication Administered eMedications.02 - Medication Administered Prior to this Unit's EMS Care eMedications.03 - Medication Given eMedications.05 - Medication Dosage eMedications.06 - Medication Dosage Units eMedications.07 - Response to Medication eMedications.08 - Medication Complication eMedications.10 - Role/Type of Person Administering Medication	176 177 178 179 180 181 182 183
eOther	215
eOther Grouping eOther.05 - Suspected EMS Work Related Exposure, Injury, or Death	216 217
eOutcome	211
eOutcome Grouping eOutcome.01 - Emergency Department Disposition eOutcome.02 - Hospital Disposition	212 213 214
ePatient	85
ePatient Grouping ePatient.07 - Patient's Home County ePatient.08 - Patient's Home State ePatient.09 - Patient's Home ZIP Code ePatient.13 - Gender ePatient.14 - Race ePatient.15 - Age ePatient.16 - Age Units	86 87 88 89 90 91 92
ePayment	94
ePayment Grouping ePayment.01 - Primary Method of Payment ePayment.50 - CMS Service Level	95 96 97
eProcedures	185
eProcedures Grouping eProcedures.01 - Date/Time Procedure Performed eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care eProcedures.03 - Procedure eProcedures.05 - Number of Procedure Attempts eProcedures.06 - Procedure Successful eProcedures.07 - Procedure Complication eProcedures.08 - Response to Procedure eProcedures.10 - Role/Type of Person Performing the Procedure	186 187 188 189 190 191 192 193
eProtocols	170
eProtocols Grouping eProtocols.01 - Protocols Used	171 172

eProtocols.02 - Protocol Age Category	174
eRecord	46
eRecord Grouping eRecord.01 - Patient Care Report Number eRecord.02 - Software Creator eRecord.03 - Software Name eRecord.04 - Software Version	47 48 49 50 51
eResponse	52
eResponse Grouping eResponse.01 - EMS Agency Number eResponse.03 - Incident Number eResponse.04 - EMS Response Number eResponse.05 - Type of Service Requested eResponse.07 - Primary Role of the Unit eResponse.08 - Type of Dispatch Delay eResponse.09 - Type of Response Delay eResponse.10 - Type of Scene Delay eResponse.11 - Type of Transport Delay eResponse.12 - Type of Turn-Around Delay eResponse.13 - EMS Vehicle (Unit) Number eResponse.14 - EMS Unit Call Sign eResponse.15 - Level of Care of This Unit eResponse.23 - Response Mode to Scene eResponse.24 - Additional Response Mode Descriptors	53 54 55 56 57 58 59 60 61 62 63 64 65 66 67
eScene Grouping eScene.01 - First EMS Unit on Scene eScene.06 - Number of Patients at Scene eScene.07 - Mass Casualty Incident eScene.08 - Triage Classification for MCI Patient eScene.09 - Incident Location Type eScene.18 - Incident State eScene.19 - Incident ZIP Code eScene.21 - Incident County	98 99 100 101 102 103 104 105 106 107
eSituation eSituation Grouping eSituation.01 - Date/Time of Symptom Onset/Last Normal eSituation.02 - Possible Injury	108 109 110 112

113

114

115

116

117

118

119

eSituation.07 - Chief Complaint Anatomic Location

eSituation.08 - Chief Complaint Organ System

eSituation.10 - Other Associated Symptoms

eSituation.11 - Provider's Primary Impression

eSituation.12 - Provider's Secondary Impressions

eSituation.09 - Primary Symptom

eSituation.13 - Initial Patient Acuity

eTimes	74
eTimes Grouping	75
eTimes.01 - PSAP Call Date/Time	76
eTimes.03 - Unit Notified by Dispatch Date/Time	77
eTimes.05 - Unit En Route Date/Time	78
eTimes.06 - Unit Arrived on Scene Date/Time	79
eTimes.07 - Arrived at Patient Date/Time	80
eTimes.09 - Unit Left Scene Date/Time	81
eTimes.11 - Patient Arrived at Destination Date/Time	82
eTimes.12 - Destination Patient Transfer of Care Date/Time	83
eTimes.13 - Unit Back in Service Date/Time	84
c) /itala	146
eVitals	146
eVitals Grouping	147
eVitals.01 - Date/Time Vital Signs Taken	148
eVitals.02 - Obtained Prior to this Unit's EMS Care	149
eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)	150
eVitals.04 - ECG Type	152
eVitals.05 - Method of ECG Interpretation	153
eVitals.06 - SBP (Systolic Blood Pressure)	154
eVitals.08 - Method of Blood Pressure Measurement	155
eVitals.10 - Heart Rate	156
eVitals.12 - Pulse Oximetry	157
eVitals.14 - Respiratory Rate	158
eVitals.16 - Carbon Dioxide (CO2)	159
eVitals.18 - Blood Glucose Level	160
eVitals.19 - Glasgow Coma Score-Eye	161
eVitals.20 - Glasgow Coma Score-Verbal	162
eVitals.21 - Glasgow Coma Score-Motor	163
eVitals.22 - Glasgow Coma Score-Qualifier	164
eVitals.26 - Level of Responsiveness (AVPU)	165
eVitals.27 - Pain Score	166
eVitals.29 - Stroke Scale Score	167
eVitals.30 - Stroke Scale Type	168
eVitals.31 - Reperfusion Checklist	169