

# NEMSIS V3 Suggested List – eSituation.10 – Other Associated Symptoms

---

## Date

November 17, 2011 (FINAL)

December 05, 2011 (Updated-FINAL)

June 04, 2012 (Updated Pattern-FINAL)

May 09, 2013 (Updated List-FINAL)

## Authors

Karen E. Jacobson – NEMSIS Director

NASEMSO Data Managers Council

Lana Moser – NEMSIS Information Coordinator

Keith R. Davis – NEMSIS Data Architect

N. Clay Mann – NEMSIS P.I.

## eSituation.10 - Other Associated Symptoms

The code list associated with eSituation.10 (Other Associated Symptoms) represents a range of values found in the 10<sup>th</sup> revision of the International Classification of Diseases – Clinical Modification (CD-10-CM). The process for gaining access to the ICD-10 CM code values is provided below.

## Suggested List

The suggested code range for eSituation.10 (Other Associated Symptoms)) is represented in ICD-10-CM. Signs and Symptoms are contained throughout the ICD-10-CM list. The primary documentation for symptom should be based on the “general” list of R Codes.

The acceptable ICD-10-CM code ranges for Symptoms include:

- Symptoms, Signs and Ill-defined and Unknown Cause of Mortality (R00.0-R69, R73.9, and R99)
- A-Q, S, T, and Z.

The specific 152 suggested ICD-10-CM coeds are listed at the end of this document, beginning on page four. The suggested code list for the symptom description includes multiple columns including an “Explanation of Inclusion or Clarification” which may provide additional information related to the code description. The symptom suggested list information now contains Category and Sub-Category columns based in part on the ICD-10-CM sections. These hierarchies have been created to provide categories for the multiple symptoms available within the ICD-10-CM and NEMSIS Version 3 dataset.

The other ICD-10-CM R codes, not listed in the range above, will not be utilized in the NEMSIS Version 3 dataset as they do not pertain to EMS in the traditional pre-hospital (911) environment.

## **Licensed “Suggested Lists”**

The U.S. National Library of Medicine provides access to the RxNorm code values through the Unified Medical Language System (UMLS). An applicant must accept the terms of the UMLS Metathesaurus License and create a UMLS Terminology Services (UTS) account for access to UMLS datasets and terminology browsers.

More information can be found at: <http://www.nlm.nih.gov/databases/umls.html>.

The NEMSIS TAC may only distribute suggested lists with specific value codes from the UMLS system to entities licensed through the UMLS system. Thus, each software developer must seek licensing and provide proof of licensing before gaining access to all of the pre-defined suggested lists available through the NEMSIS TAC.

## **Access to “Suggested List” Archive Files**

Access to suggested code lists will be provided on a special section of the NEMSIS TAC’s SharePoint site. A licensed user will be able to login to the SharePoint site and download the appropriate archive file (RxNorm, ICD-10-CM, etc).

The UMLS license verification service helps determine if the remote user has a license to use and/or distribute certain code sets. If the user does not have a current license, access to the “suggested lists” archive will be denied.

The “suggested list” files will be zipped archives that are automatically created each time one of the licensed code databases is updated in the NEMSIS master data repository.

## **Viewing and Using the “Suggested List” Archive Files**

The downloaded suggested list appears in a pipe-delimited text format. The proper code to utilize is the code with the name of the element and closest to the value description. Please note that the CUI, AUI, and TTY fields are included for reference purposes. These codes allow one to locate the exact code and description in the UMLS Metathesaurus that was selected for inclusion in the suggested list.

The list provides additional fields indicating when a record became active in the NEMSIS TAC’s master data repository as well as the version of the source used for a particular code and description in the suggested list.

## Conclusions

By maintaining a single source of these data and making it available internally as well as to our customers, we improve our data quality and consistency. This will reduce reporting errors in data submissions provided it is used as part of our own and our customer's data management best practices.

## Unified Medical language System (UMLS) Term Types (TTY)

This is a partial list of Term Types in Source (TTY) from the National Library of Medicine website. The NEMSIS TAC will be using primarily the designated preferred name (PT) and occasionally the hierarchical term (HT) Term Types in its suggested lists. To view the full list of UMLS abbreviations used in data element please visit the National Library of Medicine website:

[http://www.nlm.nih.gov/research/umls/knowledge\\_sources/metathesaurus/release/abbreviations.html](http://www.nlm.nih.gov/research/umls/knowledge_sources/metathesaurus/release/abbreviations.html)

| TTY (Term Type in Source) |                           |
|---------------------------|---------------------------|
| DN                        | Display Name              |
| DO                        | Domain                    |
| ET                        | Entry term                |
| HC                        | Hierarchical class        |
| HD                        | Hierarchical descriptor   |
| HT                        | Hierarchical term         |
| LT                        | Lower Level Term          |
| PT                        | Designated preferred name |
| RT                        | Designated related term   |

## ICD-10-CM Suggested List for eSituation.10 Other Associated Symptoms

The suggested ICD-10-CM Symptom descriptions listed below are in alphabetical order based on the ICD-10-CM code. Please note the associated Symptom Category and Sub-Category. The Symptoms excel spreadsheet is separated into three worksheets where the suggested list is ordered by 1) ICD-10-CM Code; 2) Symptom Category and then Sub-Category; and 3) EMS Name to Use. The "EMS Name to Use" column contains possible recommendation(s) by the NEMSIS TAC for use by EMS Software Companies, State EMS Offices, EMS Agencies, and EMS professionals.

Please note: the descriptors in italics in the "EMS Name to Use" column have the same descriptions as the ICD-10-CM code description.

## ICD-10-CM Suggested List for eSituation.10 Other Associated Symptoms

|    | TTY Code | ICD-10-CM Code | NEMSIS Version 3 - Symptom ICD-10-CM Description             | NEMSIS V3 - Symptom Explanation of Inclusion or Clarification | NEMSIS Version 3 - Symptom EMS Descriptor to Use (EMS Name to Use) | Symptom Category     | Symptom Sub-Category       |
|----|----------|----------------|--|---|--|----------------------|----------------------------|
| 1  | PT       | E66.3          | Overweight   |   | Overweight   | Weight / Food Intake | Weight, excess             |
| 2  | HT       | G40.3          | Generalized idiopathic epilepsy and epileptic syndromes      |   | Seizure: Absence, Partial, Grand Mal (Tonic/Clonic)                | Convulsion/Seizure   | Seizure                    |
| 3  | PT       | G44.53         | Primary thunderclap headache                                 | Clar: Headache with sudden onset and severe pain.             | <i>Primary thunderclap headache</i>                                | Episodic Disorders   | Headache                   |
| 4  | PT       | G47.00         | Insomnia, unspecified  |   | Insomnia   | Episodic Disorders   | Insomnia                   |
| 5  | HT       | G81            | Hemiplegia and hemiparesis                                   |   | <i>Hemiplegia and hemiparesis</i>                                  | Paralytic Syndromes  | Hemiplegia and Hemiparesis |
| 6  | HT       | G81.9          | Hemiplegia, unspecified                                      |   | Hemiplegia   | Paralytic Syndromes  | Hemiplegia                 |
| 7  | HT       | G82.2          | Paraplegia   |   | <i>Paraplegia</i>  | Paralytic Syndromes  | Paraplegia                 |
| 8  | PT       | G83.10         | Monoplegia of lower limb affecting unspecified side          |   | Monoplegia (1); or Paralysis of one lower limb (2)                 | Paralytic Syndromes  | Monoplegia                 |
| 9  | HT       | H53.14         | Visual discomfort  |   | Visual Discomfort / Photophobia                                    | Head                 | Eye                        |
| 10 | PT       | H53.9          | Unspecified visual disturbance                               |   | Visual Disturbance   | Head                 | Eye                        |
| 11 | PT       | H54.7          | Unspecified visual loss                                      |   | Visual Loss  | Head                 | Eye                        |
| 12 | PT       | H57.10         | Ocular pain, unspecified eye                                 |   | Pain, Eye  | Pain                 | Pain, Head                 |
| 13 | PT       | H91.90         | Unspecified hearing loss, unspecified ear                    |   | Hearing Loss, unspecified ear                                      | Head                 | Ear                        |
| 14 | PT       | H92.09         | Otalgia, unspecified ear                                     |   | Pain, Ear  | Pain                 | Pain, Head                 |
| 15 | HT       | J02            | Acute pharyngitis  |   | Acute Sore Throat  | Respiratory          | Throat                     |
| 16 | PT       | K08.8          | Other specified disorders of teeth and supporting structures |   | Toothache  | Head                 | Tooth                      |
| 17 | PT       | K59.00         | Constipation, unspecified                                    |   | Constipation   | Digestive            | Bowel                      |
| 18 | PT       | K92.0          | Hematemesis  |   | <i>Hematemesis (1); or Vomiting, blood (2)</i>                     | Digestive            | N & V                      |
| 19 | PT       | L29.9          | Pruritus, unspecified  |   | Itching  | Skin                 | Skin Sensation             |

|    | TTY Code | ICD-10-CM Code | NEMSIS Version 3 - Symptom ICD-10-CM Description   | NEMSIS V3 - Symptom Explanation of Inclusion or Clarification   | NEMSIS Version 3 - Symptom EMS Descriptor to Use (EMS Name to Use)                        | Symptom Category     | Symptom Sub-Category    |
|----|----------|----------------|--|---|---|----------------------|-------------------------|
| 20 | HT       | L50            | Urticaria  |   | Hives   | Skin                 | Skin Color Changes      |
| 21 | PT       | M54.9          | Dorsalgia, unspecified                             |   | Pain, Back  | Pain                 | Pain, Back              |
| 22 | HT       | N48.3          | Priapism   |   | <i>Priapism</i>   | Genitourinary System | Male                    |
| 23 | PT       | N92.6          | Irregular menstruation, unspecified                |   | Irregular menstruation  | Genitourinary System | Female                  |
| 24 | PT       | N93.9          | Abnormal uterine and vaginal bleeding, unspecified |   | Vaginal Bleeding and Abnormal Urine   | Genitourinary System | Female                  |
| 25 | HT       | O47            | False labor  |   | <i>False labor</i>  | Childbirth           | False Labor             |
| 26 | PT       | R00.2          | Palpitations                                       |   | <i>Palpitations</i>   | Circulatory          | Cardiac Arrhythmias     |
| 27 | PT       | R04.0          | Epistaxis  |   | <i>Epistaxis</i>  | Respiratory          | Respiratory Hemorrhage  |
| 28 | PT       | R04.2          | Hemoptysis   |   | Blood in sputum   | Respiratory          | Respiratory Hemorrhage  |
| 29 | PT       | R05            | Cough  |   | <i>Cough</i>  | Respiratory          | Cough                   |
| 30 | PT       | R06.00         | Dyspnea, unspecified                               | Clar: This includes Paroxysmal nocturnal dyspnea.   | Dyspnea   | Respiratory          | Breathing Difficulties  |
| 31 | PT       | R06.01         | Orthopnea  | Clar: Difficulty breathing while lying flat.  | Dyspnea while lying flat  | Respiratory          | Breathing Difficulties  |
| 32 | PT       | R06.02         | Shortness of breath                                |   | <i>Shortness of breath</i>  | Respiratory          | Breathing Difficulties  |
| 33 | PT       | R06.1          | Stridor  |   | <i>Stridor</i>  | Respiratory          | Breathing Abnormalities |
| 34 | PT       | R06.2          | Wheezing   |   | <i>Wheezing</i>   | Respiratory          | Breathing Abnormalities |
| 35 | PT       | R06.3          | Periodic breathing                                 | Clar: Periods of deep breathing and shallow breathing. Infants may experience 10 seconds of breathing pauses. | Periodic Breathing (1); or Cheyne-Stokes Breathing (2); or Abnormal breathing pattern (3) | Respiratory          | Breathing Abnormalities |

|    |                 |                       |   |  |   |                         |                             |
|----|-----------------|-----------------------|---|--|---|-------------------------|-----------------------------|
|    |                 |                       |   | In non-infants this includes Cheyne-Stokes [SYN], Apneustic, etc.    |   |                         |                             |
|    | <b>TTY Code</b> | <b>ICD-10-CM Code</b> | <b>NEMSIS Version 3 - Symptom ICD-10-CM Description</b> | <b>NEMSIS V3 - Symptom Explanation of Inclusion or Clarification</b> | <b>NEMSIS Version 3 - Symptom EMS Descriptor to Use (EMS Name to Use)</b> | <b>Symptom Category</b> | <b>Symptom Sub-Category</b> |
| 36 | PT              | R06.4                 | Hyperventilation  |  | <i>Hyperventilation</i>   | Respiratory             | Breathing Abnormalities     |
| 37 | PT              | R06.6                 | Hiccough  |  | <i>Hiccough</i>   | Respiratory             | Breathing Abnormalities     |
| 38 | PT              | R06.7                 | Sneezing  |  | <i>Sneezing</i>   | Respiratory             | Breathing Abnormalities     |
| 39 | PT              | R06.81                | Apnea, not elsewhere classified                         |  | Apnea   | Respiratory             | Breathing Difficulties      |
| 40 | PT              | R06.83                | Snoring   |  | <i>Snoring</i>  | Respiratory             | Breathing Abnormalities     |
| 41 | PT              | R07.0                 | Pain in throat  |  | Pain, Throat  | Pain                    | Pain, Respiratory           |
| 42 | PT              | R07.1                 | Chest pain on breathing                                 |  | Pain, Chest, ...on breathing  | Pain                    | Pain, Respiratory           |
| 43 | PT              | R07.82                | Intercostal pain  |  | Pain, Intercostal (rib)   | Pain                    | Pain, Chest                 |
| 44 | PT              | R07.89                | Anterior chest-wall pain NOS                            |  | Pain, Anterior chest-wall   | Pain                    | Pain, Chest                 |
| 45 | PT              | R07.9                 | Chest pain, unspecified                                 |  | Pain, Chest (cardiac)   | Pain                    | Pain, Chest                 |
| 46 | PT              | R09.01                | Asphyxia  |  | <i>Asphyxia</i>   | Respiratory             | Breathing Abnormalities     |
| 47 | PT              | R09.2                 | Respiratory arrest                                      |  | <i>Respiratory arrest</i>   | Respiratory             | Breathing Difficulties      |
| 48 | PT              | R09.81                | Nasal congestion  |  | <i>Nasal congestion</i>   | Respiratory             | Breathing Abnormalities     |
| 49 | PT              | R10.0                 | Acute abdomen   |  | <i>Acute abdomen</i>  | Pain                    | Pain, Abdomen               |
| 50 | HT              | R10.1                 | Pain localized to upper abdomen                         |  | Pain, Abdomen Upper (localized)   | Pain                    | Pain, Abdomen               |
| 51 | PT              | R10.13                | Epigastric pain   |  | Pain, Epigastric  | Pain                    | Pain, Abdomen               |
| 52 | PT              | R10.2                 | Pelvic and perineal pain                                |  | Pain, Pelvic and Perineal   | Pain                    | Pain, Abdomen               |
| 53 | HT              | R10.3                 | Pain localized to other parts of lower abdomen          |  | Pain, Abdomen Lower (localized)   | Pain                    | Pain, Abdomen               |
| 54 | PT              | R10.33                | Periumbilical pain                                      |  | Pain, Periumbilical   | Pain                    | Pain, Abdomen               |

|    | TTY Code | ICD-10-CM Code | NEMESIS Version 3 - Symptom ICD-10-CM Description | NEMESIS V3 - Symptom Explanation of Inclusion or Clarification              | NEMESIS Version 3 - Symptom EMS Descriptor to Use (EMS Name to Use) | Symptom Category             | Symptom Sub-Category              |
|----|----------|----------------|---|---|---|------------------------------|-----------------------------------|
| 55 | HT       | R10.81         | Abdominal tenderness                              |   | <i>Abdominal tenderness</i>   | Abdomen                      | Abdomen, Tenderness               |
| 56 | HT       | R10.82         | Rebound abdominal tenderness                      |   | <i>Rebound abdominal tenderness</i>                                 | Abdomen                      | Abdomen, Tenderness               |
| 57 | PT       | R10.83         | Colic   | Clar: Inconsolable and excessive crying in an infant with no obvious cause. | <i>Colic</i>  | Abdomen                      | Abdomen, Tenderness               |
| 58 | PT       | R10.84         | Generalized abdominal pain                        |   | Pain, Abdominal (general)   | Pain                         | Pain, Abdomen                     |
| 59 | PT       | R11.0          | Nausea  |   | <i>Nausea</i>   | Digestive                    | N & V                             |
| 60 | PT       | R11.10         | Vomiting, unspecified                             |   | Vomiting  | Digestive                    | N & V                             |
| 61 | PT       | R11.12         | Projectile vomiting                               |   | Vomiting, Projectile  | Digestive                    | N & V                             |
| 62 | PT       | R12            | Heartburn   |   | <i>Heartburn</i>  | Digestive                    | Heartburn                         |
| 63 | PT       | R13.0          | Aphagia   |   | <i>Aphagia</i>  | Digestive                    | Swallowing                        |
| 64 | PT       | R13.10         | Dysphagia, unspecified                            |   | Dysphagia   | Digestive                    | Swallowing                        |
| 65 | PT       | R14.0          | Abdominal distension (gaseous)                    |   | <i>Abdominal distension (gaseous)</i>                               | Digestive                    | Flatulence and Related Conditions |
| 66 | PT       | R14.2          | Eructation  | Clar: Belching or burping.  | Belching  | Digestive                    | Flatulence and Related Conditions |
| 67 | PT       | R14.3          | Flatulence  |   | <i>Flatulence</i>   | Digestive                    | Flatulence and Related Conditions |
| 68 | HT       | R15            | Fecal incontinence                                |   | <i>Fecal incontinence</i>   | Digestive                    | Bowel                             |
| 69 | PT       | R17            | Unspecified jaundice                              |   | Jaundice  | Abdomen and Digestive System | Liver                             |
| 70 | HT       | R18            | Ascites   | Clar: Excess fluid in peritoneal cavity.                                    | <i>Ascites</i>  | Abdomen and Digestive System | Ascites                           |
| 71 | PT       | R19.30         | Abdominal rigidity, unspecified site              |   | Abdominal rigidity  | Abdomen                      | Abdomen, Rigid                    |
| 72 | PT       | R19.7          | Diarrhea, unspecified                             |   | Diarrhea  | Digestive                    | Bowel                             |

|    | TTY Code | ICD-10-CM Code | NEMESIS Version 3 - Symptom ICD-10-CM Description                 | NEMESIS V3 - Symptom Explanation of Inclusion or Clarification   | NEMESIS Version 3 - Symptom EMS Descriptor to Use (EMS Name to Use) | Symptom Category        | Symptom Sub-Category           |
|----|----------|----------------|---|--|---|-------------------------|--------------------------------|
| 73 | PT       | R20.0          | Anesthesia of skin  |  | Skin, Numbness  | Skin                    | Skin Sensation                 |
| 74 | PT       | R20.1          | Hypoesthesia of skin  | Clar: Decreased sensation or sensitivity to stimulation or touch.  | Skin, Decreased Sensation   | Skin                    | Skin Sensation                 |
| 75 | PT       | R20.2          | Paresthesia of skin   | Clar: Burning, itching, prickling, tingling or numbness sensation of the skin. Often associated with a neurologic disease or nerve damage. | Skin, Burning, Prickly, Tingling Sensation.                         | Skin                    | Skin Sensation                 |
| 76 | PT       | R21            | Rash and other nonspecific skin eruption                          |  | Skin, Rash  | Skin                    | Skin Rash                      |
| 77 | HT       | R22            | Localized swelling, mass and lump of skin and subcutaneous tissue | Clar: Can be used to document a hematoma.  | Skin, Swelling, Mass, or Lump                                       | Skin                    | Skin Swelling                  |
| 78 | PT       | R23.0          | Cyanosis  |  | <i>Cyanosis</i>   | Skin                    | Skin Color Changes             |
| 79 | PT       | R23.1          | Pallor  |  | <i>Pallor</i>   | Skin                    | Skin Color Changes             |
| 80 | PT       | R23.2          | Flushing  |  | <i>Flushing</i>   | Skin                    | Skin Color Changes             |
| 81 | PT       | R23.8          | Other skin changes  |  | Skin, other texture changes   | Skin                    | Skin Texture Changes           |
| 82 | PT       | R25.1          | Tremor, unspecified   | Clar: Involuntary trembling, quivering, or tremors. Not related to seizure activity.   | Tremor, involuntary   | Neuro - Musculoskeletal | Abnormal Involuntary Movements |
| 83 | PT       | R25.2          | Cramp and spasm   |  | <i>Cramp and spasm</i>  | Neuro - Musculoskeletal | Abnormal Involuntary Movements |
| 84 | PT       | R25.3          | Fasciculation   |  | Twitching   | Neuro - Musculoskeletal | Abnormal Involuntary Movements |



|     | TTY Code | ICD-10-CM Code | NEMESIS Version 3 - Symptom ICD-10-CM Description | NEMESIS V3 - Symptom Explanation of Inclusion or Clarification | NEMESIS Version 3 - Symptom EMS Descriptor to Use (EMS Name to Use) | Symptom Category                  | Symptom Sub-Category           |
|-----|----------|----------------|---|--|---|-----------------------------------|--------------------------------|
| 85  | PT       | R25.8          | Other abnormal involuntary movements              |  | Abnormal involuntary movements, unspecified                         | Neuro - Musculoskeletal           | Abnormal Involuntary Movements |
| 86  | PT       | R26.0          | Ataxic gait                                       |  | Gait, Ataxic  | Neuro - Musculoskeletal           | Gait, abnormality              |
| 87  | PT       | R26.2          | Difficulty in walking, not elsewhere classified   |  | Gait, Limp Gait or Difficulty Walking                               | Neuro - Musculoskeletal           | Gait, abnormality              |
| 88  | PT       | R26.89         | Other abnormalities of gait and mobility          |  | Gait, Other Abnormalities of Gait and Mobility                      | Neuro - Musculoskeletal           | Gait, abnormality              |
| 89  | PT       | R27.0          | Ataxia, unspecified                               | Clar: Lack of muscle coordination.                             | Ataxia  | Neuro - Musculoskeletal           | Ataxia                         |
| 90  | PT       | R29.0          | Tetany  | Clar: Involuntary muscle contraction /spasm.                   | Carpopedal spasm (1); or Muscle spasm, involuntary (2)              | Neuro - Musculoskeletal           | Spasm                          |
| 91  | PT       | R29.6          | Repeated falls                                    |  | <i>Repeated falls</i>   | Neuro - Musculoskeletal           | Falls                          |
| 92  | PT       | R29.810        | Facial weakness                                   |  | Facial droop  | Neuro - Musculoskeletal           | Facial droop                   |
| 93  | PT       | R30.0          | Dysuria   |  | <i>Dysuria (1); or Urine, difficulty (2)</i>                        | Urinary                           | Urinary                        |
| 94  | HT       | R31            | Hematuria   |  | <i>Hematuria (1); or Urine, blood in (2)</i>                        | Urinary                           | Urinary                        |
| 95  | PT       | R32            | Unspecified urinary incontinence                  |  | Urine incontinence  | Urinary                           | Urinary                        |
| 96  | PT       | R33.9          | Retention of urine, unspecified                   |  | Urine retention   | Urinary                           | Urinary                        |
| 97  | PT       | R35.8          | Other polyuria                                    |  | Urine, excessive  | Urinary                           | Urinary                        |
| 98  | PT       | R40.0          | Somnolence  |  | Drowsiness  | Somnolence, Stupor and Coma       | Drowsiness                     |
| 99  | PT       | R40.1          | Stupor  |  | Stupor or Semicoma  | Somnolence, Stupor and Coma       | Stupor                         |
| 100 | PT       | R40.20         | Unspecified coma                                  |  | Coma, unspecified   | Somnolence, Stupor and Coma       | Coma                           |
| 101 | PT       | R41.0          | Disorientation, unspecified                       |  | Confusion (1); or Disorientation (2)                                | Cognitive Functions and Awareness | Cognitive Deficits             |

|     | TTY Code | ICD-10-CM Code | NEMSIS Version 3 - Symptom ICD-10-CM Description | NEMSIS V3 - Symptom Explanation of Inclusion or Clarification                | NEMSIS Version 3 - Symptom EMS Descriptor to Use (EMS Name to Use) | Symptom Category                  | Symptom Sub-Category |
|-----|----------|----------------|--|--|--|-----------------------------------|----------------------|
| 102 | PT       | R41.3          | Other amnesia                                    | Clar: Memory Loss.   | Amnesia  | Cognitive Functions and Awareness | Cognitive Deficits   |
| 103 | PT       | R41.82         | Altered mental status, unspecified               |  | Altered mental status  | Cognitive Functions and Awareness | Cognitive Deficits   |
| 104 | PT       | R41.840        | Attention and concentration deficit              |  | <i>Attention and concentration deficit</i>                         | Cognitive Functions and Awareness | Cognitive Deficits   |
| 105 | PT       | R42            | Dizziness and giddiness                          | SYN: Light-headedness, Vertigo.  | Light-headedness   | Cognitive Functions and Awareness | Light-headed         |
| 106 | PT       | R44.0          | Auditory hallucinations                          |  | Hallucinations, Auditory   | Sensations and Perceptions        | Hallucinations       |
| 107 | PT       | R44.1          | Visual hallucinations                            |  | Hallucinations, Visual   | Sensations and Perceptions        | Hallucinations       |
| 108 | PT       | R45.0          | Nervousness                                      |  | <i>Nervousness</i>   | Emotional State S&S               | Emotional State      |
| 109 | PT       | R45.1          | Restlessness and agitation                       |  | <i>Restlessness and agitation</i>                                  | Emotional State S&S               | Emotional State      |
| 110 | PT       | R45.3          | Demoralization and apathy                        |  | <i>Demoralization and apathy</i>                                   | Emotional State S&S               | Emotional State      |
| 111 | PT       | R45.4          | Irritability and anger                           |  | <i>Irritability and anger</i>                                      | Emotional State S&S               | Emotional State      |
| 112 | PT       | R45.6          | Violent behavior                                 | Clar: For EMS this includes combative behavior.                              | Combative or violent behavior                                      | Emotional State S&S               | Emotional State      |
| 113 | PT       | R45.7          | State of emotional shock and stress, unspecified |  | Emotional stress, unspecified                                      | Emotional State S&S               | Emotional State      |
| 114 | PT       | R45.81         | Low self-esteem                                  |  | <i>Low self-esteem</i>   | Emotional State S&S               | Emotional State      |
| 115 | PT       | R45.82         | Worries  | Clar: For EMS this includes Anxiety, a part of the National EMS Core Content | Anxiety or Worries   | Emotional State S&S               | Emotional State      |

|     | TTY Code | ICD-10-CM Code | NEMSIS Version 3 - Symptom ICD-10-CM Description | NEMSIS V3 - Symptom Explanation of Inclusion or Clarification | NEMSIS Version 3 - Symptom EMS Descriptor to Use (EMS Name to Use) | Symptom Category              | Symptom Sub-Category          |
|-----|----------|----------------|--|---|--|-------------------------------|-------------------------------|
| 116 | PT       | R45.83         | Excessive crying of child, adolescent or adult   |   | Excessive crying (non-infant)                                      | Emotional State S&S           | Emotional State               |
| 117 | PT       | R45.850        | Homicidal ideations                              |   | <i>Homicidal ideations</i>   | Emotional State S&S           | Emotional State               |
| 118 | PT       | R45.851        | Suicidal ideations                               |   | <i>Suicidal ideations</i>  | Emotional State S&S           | Emotional State               |
| 119 | PT       | R46.2          | Strange and inexplicable behavior                |   | Behavior, Strange and inexplicable                                 | Behavior S&S                  | Behavior                      |
| 120 | PT       | R46.3          | Overactivity                                     |   | Behavior, Overactivity   | Behavior S&S                  | Behavior                      |
| 121 | PT       | R46.4          | Slowness and poor responsiveness                 |   | Behavior, Slowness and poor responsiveness                         | Behavior S&S                  | Behavior                      |
| 122 | PT       | R47.01         | Aphasia  |   | <i>Aphasia</i>   | Speech Disturbances           | Speech Disturbances           |
| 123 | PT       | R47.02         | Dysphasia  |   | <i>Dysphasia</i>   | Speech Disturbances           | Speech Disturbances           |
| 124 | PT       | R47.81         | Slurred speech                                   |   | <i>Slurred speech</i>  | Speech Disturbances           | Speech Disturbances           |
| 125 | PT       | R49.0          | Dysphonia  | Clar: Hoarseness of voice.                                    | Hoarseness   | Voice and Resonance Disorders | Voice and Resonance Disorders |
| 126 | PT       | R49.1          | Aphonia  | Clar: Loss of voice.  | Loss of voice  | Voice and Resonance Disorders | Voice and Resonance Disorders |
| 127 | PT       | R50.9          | Fever, unspecified                               |   | Fever  | General S&S                   | Fever                         |
| 128 | PT       | R51            | Headache   |   | Pain, Headache   | Pain                          | Head                          |
| 129 | PT       | R52            | Pain, unspecified                                |   | Pain, Unspecified  | Pain                          | Pain, General                 |
| 130 | PT       | R53.1          | Weakness   |   | <i>Weakness</i>  | General S&S                   | Weakness                      |
| 131 | PT       | R53.81         | Other malaise                                    | Clar: General feeling of discomfort.                          | Malaise  | General S&S                   | Malaise                       |
| 132 | PT       | R53.83         | Other fatigue                                    |   | Fatigue  | General S&S                   | Fatigue                       |
| 133 | PT       | R55            | Syncope and collapse                             |   | <i>Syncope and collapse</i>  | General S&S                   | Syncope                       |
| 134 | HT       | R56.0          | Febrile convulsions                              |   | Seizure, febrile   | Convulsion/Seizure            | Seizure                       |

|     | TTY Code | ICD-10-CM Code | NEMSIS Version 3 - Symptom ICD-10-CM Description | NEMSIS V3 - Symptom Explanation of Inclusion or Clarification  | NEMSIS Version 3 - Symptom EMS Descriptor to Use (EMS Name to Use) | Symptom Category     | Symptom Sub-Category |
|-----|----------|----------------|--|--|--|----------------------|----------------------|
| 135 | PT       | R56.9          | Unspecified convulsions                          |  | Seizure (convulsive)   | Convulsion/Seizure   | Seizure              |
| 136 | PT       | R57.0          | Cardiogenic shock                                |  | Shock, Cardiogenic   | Shock                | Shock                |
| 137 | PT       | R57.1          | Hypovolemic shock                                |  | Shock, Hypovolemic   | Shock                | Shock                |
| 138 | PT       | R58            | Hemorrhage, not elsewhere classified             |  | Hemorrhage (1); or Bleeding (2)                                    | General S&S          | Bleeding             |
| 139 | PT       | R60.0          | Localized edema                                  | Clar: This can be used to identify pitting edema of the lower extremities.                               | Edema, local (pitting)   | General S&S          | Edema                |
| 140 | PT       | R60.9          | Edema, unspecified                               |  | Edema, unspecified   | General S&S          | Edema                |
| 141 | PT       | R61            | Generalized hyperhidrosis                        | Clar: Excessive sweating or Night sweats.  | Excessive sweating (1); or Night sweats (2); or Diaphoresis (3)    | General S&S          | Sweating             |
| 142 | PT       | R63.0          | Anorexia   |  | <i>Anorexia</i>  | Weight / Food Intake | Anorexia             |
| 143 | PT       | R63.1          | Polydipsia                                       |  | Excessive thirst   | Weight / Food Intake | Excessive thirst     |
| 144 | PT       | R63.3          | Feeding difficulties                             |  | <i>Feeding difficulties</i>  | Weight / Food Intake | Feeding difficulties |
| 145 | PT       | R63.4          | Abnormal weight loss                             |  | Weight, gain (abnormal)  | Weight / Food Intake | Weight, loss         |
| 146 | PT       | R63.5          | Abnormal weight gain                             |  | Weight, loss (abnormal)  | Weight / Food Intake | Weight, gain         |
| 147 | PT       | R64            | Cachexia   | Clar: Wasting syndrome which includes weight loss, muscle loss, fatigue, weakness, and loss of appetite. | Cachexia (1); or Wasting syndrome (2)                              | Weight / Food Intake | Weight, loss         |
| 148 | PT       | R65.21         | Severe sepsis with septic shock                  |  | Shock, Sepsis  | Shock                | Shock                |
| 149 | PT       | R68.11         | Excessive crying of infant (baby)                |  | Excessive crying, infant   | General S&S          | Crying               |
| 150 | PT       | R68.2          | Dry mouth, unspecified                           |  | Dry mouth  | General S&S          | Dry Mouth            |
| 151 | PT       | R68.83         | Chills (without fever)                           |  | <i>Chills (without fever)</i>                                      | General S&S          | Chills               |
| 152 | PT       | R68.84         | Jaw pain   |  | Pain, Jaw  | Pain                 | Pain, Head           |