NEMSIS
Powered by NHTSA's Office of EMS

NEMSIS

Data Dictionary

NHTSA v3.5.0

Build 191130 Critical Patch 1

EMS Data Standard

National Elements Only

Version Date: November 30, 2019

Funded by
National Highway Traffic Safety Administration (NHTSA)
Office of Emergency Medical Services

www.NEMSIS.org

NEMSIS Data Dictionary Version 3.5.0

Overview

The NEMSIS data dictionary was developed through a collaborative effort with the EMS industry including: web-based reviews, public comment periods, focus groups, industry dialogue, topic focused projects, and consensus. The National EMS Information System Version 3 represents a major revision from Version 2 released in 2005. Adopting a broad perspective, the initiative to move to a 3rd version of the NEMSIS data dictionary was fueled by the need to improve data quality, enhance our ability to assess EMS performance, augment the flexibility of the standard for state adoption and, to move the NEMSIS standard into the Health Level 7 (HL7) organization for approval as an American National Standards Institute (ANSI) standard.

The charts below outline the composition of the NEMSIS data standard into three data sets, EMS (ePCR), Demographic (Agency), and StateDataSet (SDS). They also show how the standard has changed from the previous version (v3.4.0) to the current version (v3.5.0).

Composition of the NEMSIS Version 3.5.0 Standard

Total Elements	*643*
EMS Elements	444
Mandatory	21
Required	129
Recommended	56
Optional	237
DEM Elements	152
Mandatory	25
Required	4
Recommended	41
Optional	82
StateDataSet Elements	47
Mandatory	11
Required	10
Recommended	10
Optional	16

Changes from v3.4.0 to v3.5.0

Overall Changes	*New*	*Updated*	*Removed*
Total	73	100	58
EMS Elements	26	80	10
DEM Elements	0	20	4
StateDataSet Elements	47	0	44

Changes in National Elements	*v3.4.0*	*v3.5.0*
Total (excluding SDS, eOutcome)	165	155
Mandatory	37	32
Required	128	123

NEMSIS Version 3.5.0 Data Dictionary Content

**Note: The numbers to the right of the content listed below represent the location for each element on the Sample Page of the Data Dictionary (page vi).

Data Element Number (1)

- The NEMSIS Version 3 element numbering system has been revised to improve the information that can be derived from just the data element number. An example of a data element number is dAgency.01.
  - The data element number begins with either a "d" representing the demographic (agency) section or an "e" representing the EMS PCR section.
  - A one word descriptor for each section is now included in the data element number.
  - A period separates the section (e.g. dAgency) from the data element number (e.g. 01).

National and State Element Indicator (2) (5) (6)

- National = Yes, is an indication that the data element is required to be collected at the local EMS agency level and submitted to the state
- State = Yes, is an indication that the data element is recommended to be collected at the State level.

Data Element Name (3)

- The name for the data element.

Data Element Definition (4)

- The definition for the data element.

Version 2 Number (7)

- The NEMSIS Version 2.2.1 Data Element Number.
- If the Data Element is new to Version 3.5.0, the Version 2 Number will be blank.

Data Structure Information

- Recurrence (12)
  - Indication that the data element can have more than one value.
    - Represented by two characters separated by a colon. The configuration includes:
      - **0:1** = element is not required and can occur only once
      - **0:M** = element is not required and can repeat multiple times
      - **1:1** = element is required and can occur only once
      - **1:M** = element is required and can repeat multiple times
- Usage (8)
  - Indication of when the data element is expected to be collected.
    - **Mandatory** = Must be completed and does not allow for NOT values
    - **Required** = Must be completed and allows NOT values
    - **Recommended** = Does not need to be completed and allows NOT values
    - **Optional** = Does not need to be completed and does not allow for NOT values
- NOT Value Characteristics (10)
  - Indication that the data element can have NOT values.
  - NOT Values are used (where permitted) to document that a data element was not applicable, not completed, or not collected by the state.
  - NOT Values are documented as an attribute of an element. It allows the documentation of NOT value when a real value is not documented.
  - *Please reference the NEMSIS White Paper describing the use of NOT Values, Pertinent Negatives, and Nill:* https://nemsis.org/media/nemsis_v3/master/UsageGuides/NEMSIS_V3_1_EMSDataSet_Pertin
- NOT Values Accepted (14)
  - Indication of which of the following three NOT values is acceptable.
  - Not all data elements accept NOT values.
  - NOT Values have been condensed in Version 3.
    - **Not Applicable** = The data element is not applicable or pertinent.

- **Not Recorded** = The data element is considered applicable, but was left blank. The software should auto-populate it with "Not Recorded".
- **Not Reporting** = The data element is not collected by the EMS agency or state. This NOT value does not apply to National elements where Usage is specified as "Required".

- Pertinent Negative Values (PN) (9) (14)
  - A list of Pertinent Negative Values which can be associated with a data element.
  - Not all data elements accept Pertinent Negative Values.
  - Pertinent Negative Values are documented as "an attribute" of an element. It allows the documentation of pertinent negative value in addition to the documentation of a "real" value.
  - *Please reference the NEMSIS White Paper describing the use of NOT Values, Pertinent Negatives, and Nill:* https://nemsis.org/media/nemsis_v3/master/UsageGuides/NEMSIS_V3_1_EMSDataSet_Pertin
  - Example of use:
    - Example #1 - Aspirin Administration:
      - If the medication Aspirin is part of the agency protocol for Chest Pain but was not administered by the responding crew, the reason why should be documented. This is done through the use of Pertinent Negative Values. If the patient took the Aspirin prior to the EMS arrival on scene, the value "Medication Already Taken" should be documented in addition to "Aspirin".
- Is Nillable (11)
  - Indication that the element can accept a "blank" value.
  - If the element is left "blank" the software must submit an appropriate value of one of the two attributes: Pertinent Negative or NOT Values.

Associated Performance Measure Initiatives (13)

- Indication that the data element has value in describing, defining, or measuring EMS from a performance perspective. Performance Measures can be associated with EMS service delivery, patient care, or both. The following service delivery or time dependent illness/injury performance measure topics have been included in NEMSIS Version 3:
  - Airway - Airway Management
  - Cardiac Arrest - Out of Hospital Cardiac Arrest
  - Pediatric - Acute Pediatric Care
  - Response - EMS Response Time
  - STEMI - ST Elevation Myocardial Infarction (STEMI)
  - Stroke - Acute Stroke Care
  - Trauma - Acute Injury/Trauma Care

Attributes (14)

- An attribute provides extra information within an element.
  For information related to the first three attributes please see the NEMSIS document 'How to Utilize NEMSIS V3 "NOT values/pertinent negatives/nillable':
  https://nemsis.org/media/nemsis_v3/master/UsageGuides/NEMSIS_V3_1_EMSDataSet_Pertinent_Ne

  The following are possible attributes:

  - PN (Pertinent Negative)
    - 8801001 - Contraindication Noted
    - 8801003 - Denied By Order
    - 8801005 - Exam Finding Not Present
    - 8801007 - Medication Allergy
    - 8801009 - Medication Already Taken
    - 8801013 - No Known Drug Allergy
    - 8801015 - None Reported
    - 8801017 - Not Performed by EMS
    - 8801019 - Refused
    - 8801021 - Unresponsive
    - 8801023 - Unable to Complete

- 8801025 - Not Immunized
- 8801027 - Order Criteria Not Met
- 8801029 - Approximate
- 8801031 - Symptom Not Present

- NV (Not Value)
  - 7701001 - Not Applicable
  - 7701003 - Not Recorded
  - 7701005 - Not Reporting

- Nillable xsi:nil="true"

- Code Type
  - 9924001 = ICD-10
  - 9924003 = RxNorm
  - 9924005 = SNOMED-CT

- CorrelationID
  - Data Type = String
  - minLength = 0
  - maxLength = 255

- DistanceUnit
  - 9921001 - Kilometers
  - 9921003 - Miles

- EmailAddressType
  - 9904001 - Personal
  - 9904003 - Work

- nemsisCode
  - Data Type = String

- nemsisElement
  - Data Type = String

- nemsisValueDescription
  - Data Type = String

- PhoneNumberType
  - 9913001 - Fax
  - 9913003 - Home
  - 9913005 - Mobile
  - 9913007 - Pager
  - 9913009 - Work

- ProcedureGroupCorrelationID
  - Date Type = CorrelationID

- StreetAddress2
  - Data Type = String
  - minLength = 1
  - maxLength = 255

- TimeStamp
  - Data Type = DateTime
  - minValue = 1950-01-01T00:00:00-00:00
  - maxValue = 2050-01-01T00:00:00-00:00

- UUID
  - UUIDs must be generated using the IETF RFC 4122 standard.
  - RFC 4122 defines 4 algorithms for UUID generation, any of these four can be used.
  - UUIDs must be represented in canonical form, matching the following regular expression:
    [a-fA-F0-9]{8}-[a-fA-F0-9]{4}-[1-5][a-fA-F0-9]{3}-[89abAB][a-fA-F0-9]{3}-[a-fA-F0-9]{12}

- VelocityUnit
  - 9921001 - Kilometers per Hour
  - 9921003 - Miles per Hour

Code List (16)

- A list of values associated with the data element. Not all data elements have predefined value sets.
- Codes for each value:
  - The codes are based on a 7-digit number, in a 2-2-3 pattern (without dashes).
    - The first set of two numbers represent the data section
    - The second set of two numbers represent the element number
    - The last set is a 3-digit number for each value beginning at 001; The codes increase in increments of two (2).
  - Codes are typically sequential (by two) and alphabetical. Some ordering is provided in an effort to present information based on workflow.
  - Several values and codes reference external standards such as ICD-10, RxNorm, SNOMED, etc. NEMSIS will assist in providing a recommended list of EMS specific values and codes from these larger standards for most elements using these external standards.

Data Element Editorial Comments (17)

- Comments are provided to describe additions, changes, clarifications, or provide additional insight into the data element.

Version 3 Changes Implemented (18)

- Comments providing insight into specific Version 3 changes such as new or revised data elements.

Element Deprecated(19)

- Elements that are signified as "deprecated" will be removed from a future version of the NEMSIS standard. Their use should now be avoided, but will be supported until they are removed from the standard.

Associated Validation Rules (20)

- A list of national Schematron validation rules associated with the element. Additional validation rules may be implemented at the state or local level.

(19) Deprecated

(1) eExample.01

(2) State | National

(3) eExample.01 - Example Element Name

(4) Definition

The definition of the element.

(5) National Element	Yes	Pertinent Negatives (PN)	Yes	(9)
(6) State Element	Yes	NOT Values	Yes	(10)
(7) Version 2 Element	E00_01	Is Nillable	Yes	(11)
(8) Usage	Required	Recurrence	1 : 1	(12)

(13) Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

(14) Attributes

NOT Values (NV)

7701001 - Not Applicable	7701003 - Not Recorded	7701005 - Not Reporting

Pertinent Negatives (PN)

8801001 - Contraindication Noted	8801003 - Denied By Order	8801005 - Exam Finding Not Present
8801007 - Medication Allergy	8801009 - Medication Already Taken	8801013 - No Known Drug Allergy
8801015 - None Reported	8801017 - Not Performed by EMS	8801019 - Refused
8801021 - Unresponsive	8801023 - Unable to Complete	8801025 - Not Immunized
8801027 - Order Criteria Not Met	8801029 - Approximate	8801031 - Symptom Not Present

Code Type

9924001 - ICD-10	9924003 - RxNorm	9924005 - SNOMED-CT

CorrelationID

Data Type: String **minLength:** 0 **maxLength:** 255

nemsisCode

Data Type: String **whiteSpace:** preserve

nemsisElement

Data Type: String **whiteSpace:** preserve

customValueDescription

Data Type: String **whiteSpace:** preserve

StreetAddress2

Data Type: String **minLength:** 1 **maxLength:** 255

DistanceUnit

9929001 - Kilometers	9929003 - Miles

EmailAddressType

9904001 - Personal	9904003 - Work

PhoneNumberType

9913001 - Fax	9913003 - Home	9913005 - Mobile
9913007 - Pager	9913009 - Work	

VelocityUnit

9921001 - Kilometers per Hour	9921003 - Miles per Hour

(15) Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

(16) Code List

Code	Description
SSEE001	Value A
SSEE003	Value B
SSEE005	Value C
SSEE007	Value D

SSEE009 Value E
SSEE011 Value F

17 Data Element Comment

The data element comment.

18 Version 3 Changes Implemented

Any V3 change comments

19 Deprecated Comments

Any deprecation comments

20 Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Example Element Name is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e136	Warning	Example Element Name should be recorded, unless Other Element Name is "Yes".

Table of Contents

EMSDataSet	**1**
EMSDataSet Grouping	2
DEMDataSet	**3**
DEMDataSet Grouping	4
StateDataSet	**5**
StateDataSet Grouping	6
dAgency.01 - EMS Agency Unique State ID	7
dAgency.02 - EMS Agency Number	8
dAgency.04 - EMS Agency State	9
eRecord	**10**
eRecord Grouping	11
eRecord.01 - Patient Care Report Number	12
eRecord.02 - Software Creator	13
eRecord.03 - Software Name	14
eRecord.04 - Software Version	15
eResponse	**16**
eResponse Grouping	17
eResponse.01 - EMS Agency Number	18
eResponse.03 - Incident Number	19
eResponse.04 - EMS Response Number	20
eResponse.05 - Type of Service Requested	21
eResponse.07 - Unit Transport and Equipment Capability	23
eResponse.08 - Type of Dispatch Delay	24
eResponse.09 - Type of Response Delay	25
eResponse.10 - Type of Scene Delay	26
eResponse.11 - Type of Transport Delay	27
eResponse.12 - Type of Turn-Around Delay	28
eResponse.13 - EMS Vehicle (Unit) Number	30
eResponse.14 - EMS Unit Call Sign	31
eResponse.23 - Response Mode to Scene	32
eResponse.24 - Additional Response Mode Descriptors	33
eDispatch	**34**
eDispatch Grouping	35
eDispatch.01 - Dispatch Reason	36
eDispatch.02 - EMD Performed	38
eTimes	**39**
eTimes Grouping	40
eTimes.01 - PSAP Call Date/Time	41
eTimes.03 - Unit Notified by Dispatch Date/Time	43
eTimes.05 - Unit En Route Date/Time	45
eTimes.06 - Unit Arrived on Scene Date/Time	47

eTimes.07 - Arrived at Patient Date/Time 49
eTimes.09 - Unit Left Scene Date/Time 51
eTimes.11 - Patient Arrived at Destination Date/Time 53
eTimes.12 - Destination Patient Transfer of Care Date/Time 55
eTimes.13 - Unit Back in Service Date/Time 57

ePatient 59

ePatient Grouping 60
ePatient.07 - Patient's Home County 61
ePatient.08 - Patient's Home State 62
ePatient.09 - Patient's Home ZIP Code 63
ePatient.13 - Gender 64
ePatient.14 - Race 65
ePatient.15 - Age 66
ePatient.16 - Age Units 67

ePayment 68

ePayment Grouping 69
ePayment.01 - Primary Method of Payment 70
ePayment.50 - CMS Service Level 71

eScene 72

eScene Grouping 73
eScene.01 - First EMS Unit on Scene 74
eScene.06 - Number of Patients at Scene 75
eScene.07 - Mass Casualty Incident 76
eScene.08 - Triage Classification for MCI Patient 77
eScene.09 - Incident Location Type 78
eScene.18 - Incident State 79
eScene.19 - Incident ZIP Code 80
eScene.21 - Incident County 81

eSituation 82

eSituation Grouping 83
eSituation.01 - Date/Time of Symptom Onset 84
eSituation.02 - Possible Injury 86
eSituation.07 - Chief Complaint Anatomic Location 87
eSituation.08 - Chief Complaint Organ System 88
eSituation.09 - Primary Symptom 89
eSituation.10 - Other Associated Symptoms 90
eSituation.11 - Provider's Primary Impression 91
eSituation.12 - Provider's Secondary Impressions 92
eSituation.13 - Initial Patient Acuity 93
eSituation.18 - Date/Time Last Known Well 94
eSituation.20 - Reason for Interfacility Transfer/Medical Transport 95

eInjury 96

eInjury Grouping 97
eInjury.01 - Cause of Injury 98
eInjury.03 - Trauma Triage Criteria (Steps 1 and 2) 99

eInjury.04 - Trauma Triage Criteria (Steps 3 and 4) 100

eArrest 101

eArrest Grouping 102
eArrest.01 - Cardiac Arrest 103
eArrest.02 - Cardiac Arrest Etiology 105
eArrest.03 - Resuscitation Attempted By EMS 106
eArrest.04 - Arrest Witnessed By 108
eArrest.07 - AED Use Prior to EMS Arrival 109
eArrest.09 - Type of CPR Provided 110
eArrest.11 - First Monitored Arrest Rhythm of the Patient 112
eArrest.12 - Any Return of Spontaneous Circulation 113
eArrest.14 - Date/Time of Cardiac Arrest 114
eArrest.16 - Reason CPR/Resuscitation Discontinued 116
eArrest.17 - Cardiac Rhythm on Arrival at Destination 117
eArrest.18 - End of EMS Cardiac Arrest Event 119
eArrest.20 - Who First Initiated CPR 120
eArrest.21 - Who First Applied the AED 122
eArrest.22 - Who First Defibrillated the Patient 124

eHistory 126

eHistory Grouping 127
eHistory.01 - Barriers to Patient Care 128
eHistory.17 - Alcohol/Drug Use Indicators 129

eVitals 130

eVitals Grouping 131
eVitals.01 - Date/Time Vital Signs Taken 132
eVitals.02 - Obtained Prior to this Unit's EMS Care 134
eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG) 135
eVitals.04 - ECG Type 137
eVitals.05 - Method of ECG Interpretation 138
eVitals.06 - SBP (Systolic Blood Pressure) 139
eVitals.10 - Heart Rate 140
eVitals.12 - Pulse Oximetry 141
eVitals.14 - Respiratory Rate 142
eVitals.16 - End Tidal Carbon Dioxide (ETCO2) 143
eVitals.18 - Blood Glucose Level 144
eVitals.19 - Glasgow Coma Score-Eye 145
eVitals.20 - Glasgow Coma Score-Verbal 146
eVitals.21 - Glasgow Coma Score-Motor 147
eVitals.22 - Glasgow Coma Score-Qualifier 148
eVitals.26 - Level of Responsiveness (AVPU) 149
eVitals.27 - Pain Scale Score 150
eVitals.29 - Stroke Scale Score 151
eVitals.30 - Stroke Scale Type 152
eVitals.31 - Reperfusion Checklist 153

eProtocols 154

eProtocols Grouping 155

eProtocols.01 - Protocols Used 156

eMedications 159

eMedications Grouping 160
eMedications.01 - Date/Time Medication Administered 161
eMedications.02 - Medication Administered Prior to this Unit's EMS Care 163
eMedications.03 - Medication Administered 165
eMedications.04 - Medication Administered Route 167
eMedications.05 - Medication Dosage 169
eMedications.06 - Medication Dosage Units 170
eMedications.07 - Response to Medication 171
eMedications.08 - Medication Complication 172
eMedications.10 - Role/Type of Person Administering Medication 173

eProcedures 175

eProcedures Grouping 176
eProcedures.01 - Date/Time Procedure Performed 177
eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care 179
eProcedures.03 - Procedure 180
eProcedures.05 - Number of Procedure Attempts 181
eProcedures.06 - Procedure Successful 182
eProcedures.07 - Procedure Complication 183
eProcedures.08 - Response to Procedure 185
eProcedures.10 - Role/Type of Person Performing the Procedure 186

eDisposition 188

eDisposition Grouping 189
eDisposition.05 - Destination State 190
eDisposition.06 - Destination County 191
eDisposition.07 - Destination ZIP Code 192
eDisposition.27 - Unit Disposition 193
eDisposition.28 - Patient Evaluation/Care 195
eDisposition.29 - Crew Disposition 198
eDisposition.30 - Transport Disposition 199
eDisposition.16 - EMS Transport Method 201
eDisposition.17 - Transport Mode from Scene 202
eDisposition.18 - Additional Transport Mode Descriptors 203
eDisposition.19 - Final Patient Acuity 204
eDisposition.20 - Reason for Choosing Destination 205
eDisposition.21 - Type of Destination 206
eDisposition.22 - Hospital In-Patient Destination 208
eDisposition.23 - Hospital Capability 209
eDisposition.24 - Destination Team Pre-Arrival Alert or Activation 211
eDisposition.25 - Date/Time of Destination Prearrival Alert or Activation 212
eDisposition.32 - Level of Care Provided per Protocol 214

eOutcome 215

eOutcome Grouping 216
eOutcome.01 - Emergency Department Disposition 217
eOutcome.02 - Hospital Disposition 219

eOutcome.09 - Emergency Department Procedures 221
eOutcome.19 - Date/Time Emergency Department Procedure Performed 222
eOutcome.10 - Emergency Department Diagnosis 224
eOutcome.11 - Date/Time of Hospital Admission 225
eOutcome.12 - Hospital Procedures 227
eOutcome.20 - Date/Time Hospital Procedure Performed 228
eOutcome.13 - Hospital Diagnosis 230
eOutcome.16 - Date/Time of Hospital Discharge 231
eOutcome.18 - Date/Time of Emergency Department Admission 233

dAgency 234

dAgency Grouping 235
dAgency.01 - EMS Agency Unique State ID 236
dAgency.02 - EMS Agency Number 237
dAgency.04 - EMS Agency State 238
dAgency.05 - EMS Agency Service Area States 239
dAgency.06 - EMS Agency Service Area County(ies) 240
dAgency.07 - EMS Agency Census Tracts 241
dAgency.08 - EMS Agency Service Area ZIP Codes 242
dAgency.09 - Primary Type of Service 243
dAgency.11 - Level of Service 244
dAgency.12 - Organization Status 245
dAgency.13 - Organizational Type 246
dAgency.14 - EMS Agency Organizational Tax Status 247
dAgency.25 - National Provider Identifier 248
dAgency.26 - Fire Department ID Number 249

dConfiguration 250

dConfiguration Grouping 251
dConfiguration.01 - State Associated with this Configuration 252
dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure 253
dConfiguration.07 - EMS Agency Procedures 254
dConfiguration.08 - EMS Certification Levels Permitted to Administer Each Medication 255
dConfiguration.09 - EMS Agency Medications 256
dConfiguration.10 - EMS Agency Protocols 257
dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area 260
dConfiguration.16 - Crew Call Sign 261

sState 262

sState Grouping 263
sState.01 - State 264

seCustomConfiguration 265

seCustomConfiguration Grouping 266
seCustomConfiguration.01 - Patient Care Report Custom Data Element Title 267
seCustomConfiguration.02 - Patient Care Report Custom Definition 268
seCustomConfiguration.03 - Patient Care Report Custom Data Type 269
seCustomConfiguration.04 - Patient Care Report Custom Data Element Recurrence 270
seCustomConfiguration.05 - Patient Care Report Custom Data Element Usage 271
seCustomConfiguration.06 - Patient Care Report Custom Data Element Potential Values 272

seCustomConfiguration.07 - Patient Care Report Custom Data Element Potential NOT Values (NV) 273
seCustomConfiguration.08 - Patient Care Report Custom Data Element Potential Pertinent Negative Values (PN) 274
seCustomConfiguration.09 - Patient Care Report Custom Data Element Grouping ID 275

sdCustomConfiguration 276

sdCustomConfiguration Grouping 277
sdCustomConfiguration.01 - Agency Demographic Custom Data Element Title 278
sdCustomConfiguration.02 - Agency Demographic Custom Definition 279
sdCustomConfiguration.03 - Agency Demographic Custom Data Type 280
sdCustomConfiguration.04 - Agency Demographic Custom Data Element Recurrence 281
sdCustomConfiguration.05 - Agency Demographic Custom Data Element Usage 282
sdCustomConfiguration.06 - Agency Demographic Custom Data Element Potential Values 283
sdCustomConfiguration.07 - Agency Demographic Custom Data Element Potential NOT Values (NV) 284
sdCustomConfiguration.08 - Agency Demographic Custom Data Element Potential Pertinent Negative Values (PN) 285
sdCustomConfiguration.09 - Agency Demographic Custom Data Element Grouping ID 286

sSoftware 287

sSoftware Grouping 288
sSoftware.01 - Software Creator 289
sSoftware.02 - Software Name 290
sSoftware.03 - Software Version 291

sElement 292

sElement Grouping 293
sElement.01 - State Collected Element 294

sConfiguration 295

sConfiguration Grouping 296
sConfiguration.01 - State Certification/Licensure Levels 297
sConfiguration.02 - EMS Certification Levels Permitted to Perform Each Procedure 298
sConfiguration.03 - Procedures Permitted by the State 299
sConfiguration.04 - EMS Certification Levels Permitted to Administer Each Medication 300
sConfiguration.05 - Medications Permitted by the State 301
sConfiguration.06 - Protocols Permitted by the State 302

sAgency 305

sAgency Grouping 306
sAgency.01 - EMS Agency Unique State ID 307
sAgency.02 - EMS Agency Number 308
sAgency.03 - EMS Agency Name 309

sFacility 310

sFacility Grouping 311
sFacility.01 - Type of Facility 312
sFacility.02 - Facility Name 313
sFacility.03 - Facility Location Code 314
sFacility.04 - Hospital Designations 315
sFacility.05 - Facility National Provider Identifier 316

sFacility.06 - Facility Room, Suite, or Apartment 317
sFacility.07 - Facility Street Address 318
sFacility.08 - Facility City 319
sFacility.09 - Facility State 320
sFacility.10 - Facility ZIP Code 321
sFacility.11 - Facility County 322
sFacility.12 - Facility Country 323
sFacility.13 - Facility GPS Location 324
sFacility.14 - Facility US National Grid Coordinates 325
sFacility.15 - Facility Phone Number 326

EMSDataSet


Legend
Dataset Level: N National S State
Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID
EMSDataSet
1 : M
Header
1 : 1
DemographicGroup
1 : 1
dAgency.01 - EMS Agency Unique State ID
N S M
1 : 1
dAgency.02 - EMS Agency Number
N S M
1 : 1
dAgency.04 - EMS Agency State
N S M
1 : M
PatientCareReport
U
1 : 1
eRecord
1 : 1
eResponse
1 : 1
eDispatch
1 : 1
eTimes
1 : 1
ePatient
1 : 1
ePayment
1 : 1
eScene
1 : 1
eSituation
1 : 1
eInjury
1 : 1
eArrest
1 : 1
eHistory
1 : 1
eVitals
1 : 1
eProtocols
1 : 1
eMedications
1 : 1
eProcedures
1 : 1
eDisposition
1 : 1
eOutcome
EMSDataSet

DEMDataSet





DEMDataSet

Associated Validation Rules

Rule ID	Level	Message
nemSch_d004	Error	The timestamp of the DemographicReport should not be in the future (the current time according to this system is (value)).

StateDataSet

Legend		
	Dataset Level:	N National S State
	Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID

StateDataSet

1 : 1	sState
0 : 1	seCustomConfiguration
0 : 1	sdCustomConfiguration
1 : 1	sSoftware
1 : 1	sElement
1 : 1	sConfiguration
0 : 1	sAgency
0 : 1	sFacility

StateDataSet

Associated Validation Rules

Rule ID	Level	Message
nemSch_s004	Error	The timestamp of the StateDataSet should not be in the future (the current time according to this system is (value)).

State National

dAgency.01 - EMS Agency Unique State ID

Definition

The unique ID assigned to the EMS Agency which is associated with all state licensure numbers and information.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

This may be the EMS Agency Name or a unique number assigned by the state EMS office. This is required to document multiple license types and numbers associated with the same EMS Agency.

State National

dAgency.02 - EMS Agency Number

Definition

The state-assigned provider number of the responding agency

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Data Type	minLength	maxLength
string	1	15

Data Element Comment

This is the primary identifier for the entire Demographic Section. Each of the Demographic sections must be associated with an EMS Agency Number. An EMS Agency can have more than one Agency Number within a state. This reflects the ability for an EMS Agency to have a different number for each service type or location (based on state implementation). The EMS Agency Number in dAgency.02 can be used to auto-populate eResponse.01 EMS Agency Number in the EMS Event section.

dAgency.04 - EMS Agency State

Definition

The state/territory which assigned the EMS agency number.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_03	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Pattern
[0-9]{2}

Data Element Comment

This has been clarified to reflect that it is the state in which the EMS Agency resides and the state associated with the EMS Agency number.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Associated Validation Rules

Rule ID	Level	Message
nemSch_d010	Warning	There should be a configuration group where State Associated with this Configuration is the state recorded in EMS Agency State.
nemSch_d012	Warning	EMS Certification Levels Permitted to Perform Each Procedure, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.
nemSch_d013	Warning	EMS Certification Levels Permitted to Administer Each Medication, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.

eRecord


Legend
Dataset Level: N National S State D Deprecated
Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID
eRecord
1 : 1
eRecord.01 - Patient Care Report Number
N S M
1 : 1
eRecord.SoftwareApplicationGroup
1 : 1
eRecord.02 - Software Creator
N S M
1 : 1
eRecord.03 - Software Name
N S M
1 : 1
eRecord.04 - Software Version
N S M
eRecord

State National

eRecord.01 - Patient Care Report Number

Definition

The unique number automatically assigned by the EMS agency for each Patient Care Report (PCR). This should be a unique number for the EMS agency for all of time.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Data Type	minLength	maxLength
string	3	50

Data Element Comment

State National

eRecord.02 - Software Creator

Definition

The name of the vendor, manufacturer, and developer who designed the application that created this record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_02	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

This is required to document the software used to generate the Patient Care Report. This is not the last software which aggregated/stored the Patient Care Report after it was sent from another software.

State National

eRecord.03 - Software Name

Definition

The name of the application used to create this record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_03	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

This is the EMS Agency's software, not the state or other level software which electronically received the data from the local EMS Agency.

State National

eRecord.04 - Software Version

Definition

The version of the application used to create this record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

eResponse


Legend
Dataset Level: N National S State D Deprecated
Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID
eResponse
1 : 1 eResponse.AgencyGroup
1 : 1 eResponse.01 - EMS Agency Number N S M
1 : 1 eResponse.03 - Incident Number N S R N, L
1 : 1 eResponse.04 - EMS Response Number N S R N, L
1 : 1 eResponse.ServiceGroup
1 : 1 eResponse.05 - Type of Service Requested N S M
1 : 1 eResponse.07 - Unit Transport and Equipment Capability N S M
1 : M eResponse.08 - Type of Dispatch Delay N S R N, L
1 : M eResponse.09 - Type of Response Delay N S R N, L
1 : M eResponse.10 - Type of Scene Delay N S R N, L
1 : M eResponse.11 - Type of Transport Delay N S R N, L
1 : M eResponse.12 - Type of Turn-Around Delay N S R N, L
1 : 1 eResponse.13 - EMS Vehicle (Unit) Number N S M
1 : 1 eResponse.14 - EMS Unit Call Sign N S M
1 : 1 eResponse.23 - Response Mode to Scene N S M
1 : M eResponse.24 - Additional Response Mode Descriptors N S R N, L
eResponse

State National

eResponse.01 - EMS Agency Number

Definition

The state-assigned provider number of the responding agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Data Type	minLength	maxLength
string	1	15

Data Element Comment

The EMS Agency Number in eResponse.01 can auto-populate from dAgency.02 EMS Agency Number in the demographic section.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e011	Warning	EMS Agency Number in the patient care report should match EMS Agency Number in the agency demographic information.

State National

eResponse.03 - Incident Number

Definition

The incident number assigned by the 911 Dispatch System.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minLength	maxLength
string	3	50

Data Element Comment

This number can be used to associate multiple EMS responses, dispatch information, and other information to the same EMS event or patient.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Incident Number is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Incident Number has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eResponse.04 - EMS Response Number

Definition

The internal EMS response number which is unique for each EMS Vehicle's (Unit) response to an incident within an EMS Agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Constraints

Data Type	minLength	maxLength
string	3	50

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When EMS Response Number is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When EMS Response Number has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eResponse.05 - Type of Service Requested

Definition

The type of service or category of service requested of the EMS Agency responding for this specific EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
2205001	Emergency Response (Primary Response Area)
2205003	Emergency Response (Intercept)
2205009	Emergency Response (Mutual Aid)
2205005	Hospital-to-Hospital Transfer
2205015	Hospital to Non-Hospital Facility Transfer
2205017	Non-Hospital Facility to Non-Hospital Facility Transfer
2205019	Non-Hospital Facility to Hospital Transfer
2205007	Other Routine Medical Transport
2205011	Public Assistance
2205013	Standby
2205021	Support Services
2205023	Non-Patient Care Rescue/Extrication
2205025	Crew Transport Only
2205027	Transport of Organs or Body Parts
2205029	Mortuary Services
2205031	Mobile Integrated Health Care Encounter
2205033	Evaluation for Special Referral/Intake Programs
2205035	Administrative Operations

Data Element Comment

Values for "911 Response (Scene)", "Intercept", and "Mutual Aid" have been relabeled to start with "Emergency Response" to more easily identify these options. "Interfacility Transport" was relabeled to "Hospital-to-Hospital Transfer" to be more accurate; options for "Sending Hospital Staff" and "Critical or Specialty Care" were added to better track resource utilization at local and state levels and support reimbursement levels. "Medical Transport" was relabeled to "Other Medical Needs Transport" to cover any other medical transports such as transports to and from dialysis, doctor appointments, return home, or nursing homes. Values added to consolidate types of service previously captured in "Primary Role of Unit" and eDisposition.12 as found in V3.4.0. Additional values added to reflect emerging service types.

Version 3 Changes Implemented

With the release of v3.5.0 values were added to meet the needs of EMS

Associated Validation Rules

Rule ID	Level	Message
nemSch_e075	Warning	Date/Time of Symptom Onset should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e076	Warning	Possible Injury should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e078	Warning	Chief Complaint Anatomic Location should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".

nemSch_e079	Warning	Chief Complaint Organ System should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e080	Warning	Primary Symptom should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e082	Warning	Provider's Primary Impression should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e084	Warning	Initial Patient Acuity should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e088	Warning	Reason for Interfacility Transfer/Medical Transport should only be recorded when Type of Service Requested is "... Transfer" or "Other Routine Medical Transport".

State National

eResponse.07 - Unit Transport and Equipment Capability

Definition

The transport and equipment capabilities of the EMS Unit which responded to this specific EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_05	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
2207011	Air Transport-Helicopter
2207013	Air Transport-Fixed Wing
2207015	Ground Transport (ALS Equipped)
2207017	Ground Transport (BLS Equipped)
2207019	Ground Transport (Critical Care Equipped)
2207021	Non-Transport-Medical Treatment (ALS Equipped)
2207023	Non-Transport-Medical Treatment (BLS Equipped)
2207025	Wheel Chair Van/Ambulette
2207027	Non-Transport-No Medical Equipment

Data Element Comment

Element relabeled from "Primary Role of Unit" to "Unit Transport and Equipment Capability" to better reflect its new defined purpose and allow the deprecation of eResponse.15 "Level of Care of This Unit". V3.4.0 Non-Transport values deprecated as these are types of service and were moved to eResponse.05 "Type of Service Requested". Values have been added to better capture transport capability and available equipment. These values should be tied to the capabilities and role of the unit and not reflect the level of providers responding to an event.

Supervisor clarified to Administrative Only. If the Supervisor is responding to assist, that would be considered Non-Transport. Transport separated into Air and Ground. In Version 2 there was no way to identify Air Transport.

Version 3 Changes Implemented

With the release of V3.5.0 values were deprecated, added, and relabeled to meet the needs of EMS.

State National

eResponse.08 - Type of Dispatch Delay

Definition

The dispatch delays, if any, associated with the dispatch of the EMS unit to the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2208001	Caller (Uncooperative)
2208003	Diversion/Failure (of previous unit)
2208005	High Call Volume
2208007	Language Barrier
2208009	Incomplete Address Information Provided
2208011	No EMS Vehicles (Units) Available
2208013	None/No Delay
2208015	Other
2208017	Technical Failure (Computer, Phone etc.)
2208019	Communication Specialist-Assignment Error
2208021	No Receiving MD, Bed, Hospital
2208023	Specialty Team Delay

Data Element Comment

A dispatch delay is any time delay that occurs from the time of PSAP call (eTimes.01) to the time the unit is notified by dispatch (eTimes.03).

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Type of Dispatch Delay is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Type of Dispatch Delay has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Type of Dispatch Delay has a Not Value, no other value should be recorded.
nemSch_e012	Warning	When Type of Dispatch Delay is "None/No Delay", no other value should be recorded.

State National

eResponse.09 - Type of Response Delay

Definition

The response delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2209001	Crowd
2209003	Directions/Unable to Locate
2209005	Distance
2209007	Diversion (Different Incident)
2209009	HazMat
2209011	None/No Delay
2209013	Other
2209015	Rendezvous Transport Unavailable
2209017	Route Obstruction (e.g., Train)
2209019	Scene Safety (Not Secure for EMS)
2209021	Staff Delay
2209023	Traffic
2209025	Vehicle Crash Involving this Unit
2209027	Vehicle Failure of this Unit
2209029	Weather
2209031	Mechanical Issue-Unit, Equipment, etc.
2209033	Flight Planning

Data Element Comment

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc. to return to service.

A response delay is any time delay that occurs from the time the unit is notified by dispatch (eTimes.03) to the time the unit arrived on scene (eTimes.06).

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Type of Response Delay is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Type of Response Delay has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Type of Response Delay has a Not Value, no other value should be recorded.
nemSch_e013	Warning	When Type of Response Delay is "None/No Delay", no other value should be recorded.

State National

eResponse.10 - Type of Scene Delay

Definition

The scene delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2210001	Awaiting Air Unit
2210003	Awaiting Ground Unit
2210005	Crowd
2210007	Directions/Unable to Locate
2210009	Distance
2210011	Extrication
2210013	HazMat
2210015	Language Barrier
2210017	None/No Delay
2210019	Other
2210021	Patient Access
2210023	Safety-Crew/Staging
2210025	Safety-Patient
2210027	Staff Delay
2210029	Traffic
2210031	Triage/Multiple Patients
2210033	Vehicle Crash Involving this Unit
2210035	Vehicle Failure of this Unit
2210037	Weather
2210039	Mechanical Issue-Unit, Equipment, etc.

Data Element Comment

A scene delay is any time delay that occurs from the time the unit arrived on scene (eTimes.06) to the time the unit left the scene (eTimes.09).

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Type of Scene Delay is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Type of Scene Delay has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Type of Scene Delay has a Not Value, no other value should be recorded.
nemSch_e014	Warning	When Type of Scene Delay is "None/No Delay", no other value should be recorded.

State National

eResponse.11 - Type of Transport Delay

Definition

The transport delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_09	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2211001	Crowd
2211003	Directions/Unable to Locate
2211005	Distance
2211007	Diversion
2211009	HazMat
2211011	None/No Delay
2211013	Other
2211015	Rendezvous Transport Unavailable
2211017	Route Obstruction (e.g., Train)
2211019	Safety
2211021	Staff Delay
2211023	Traffic
2211025	Vehicle Crash Involving this Unit
2211027	Vehicle Failure of this Unit
2211029	Weather
2211031	Patient Condition Change (e.g., Unit Stopped)

Data Element Comment

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc.

A transport delay is any time delay that occurs from the time the unit left the scene (eTimes.09) to the time the patient arrived at the destination (eTimes.10).

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Type of Transport Delay is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Type of Transport Delay has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Type of Transport Delay has a Not Value, no other value should be recorded.
nemSch_e015	Warning	When Type of Transport Delay is "None/No Delay", no other value should be recorded.

State National

eResponse.12 - Type of Turn-Around Delay

Definition

The turn-around delays, if any, of EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_10	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Response

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2212001	Clean-up
2212003	Decontamination
2212005	Distance
2212007	Documentation
2212009	ED Overcrowding / Transfer of Care
2212011	Equipment Failure
2212013	Equipment/Supply Replenishment
2212015	None/No Delay
2212017	Other
2212019	Rendezvous Transport Unavailable
2212021	Route Obstruction (e.g., Train)
2212023	Staff Delay
2212025	Traffic
2212027	Vehicle Crash of this Unit
2212029	Vehicle Failure of this Unit
2212031	Weather
2212033	EMS Crew Accompanies Patient for Facility Procedure

Data Element Comment

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc. to return to service.

If a patient is being transported by the unit, turn-around delay is any time delay that occurs from the time the patient arrived at the destination (eTimes.11) until the time the unit is back in service (eTimes.13) or unit back at the home location (eTimes.15) [whichever is the greater of the two times].

If no patient is being transported by the unit, turn-around delay is any time delay that occurs from the time the unit arrived on scene (eTimes.06) until the unit is back in service (eTimes.13) or the unit back at the home location (eTimes.15) [whichever is the greater of the two times].

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Type of Turn-Around Delay is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Type of Turn-Around Delay has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Type of Turn-Around Delay has a Not Value, no other value should be recorded.

nemSch_e016	Warning	When Type of Turn-Around Delay is "None/No Delay", no other value should be recorded.

State National

eResponse.13 - EMS Vehicle (Unit) Number

Definition

The unique physical vehicle number of the responding unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_11	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	1	25

Data Element Comment

This is recommended to be the State Vehicle Permit Number if unique to the vehicle. If the vehicle is not licensed by the state, this should be a unique number only associated with a specific vehicle. This element should be populated from dVehicle.01 - Unit/Vehicle Number.

State National

eResponse.14 - EMS Unit Call Sign

Definition

The EMS unit number used to dispatch and communicate with the unit. This may be the same as the EMS Unit/Vehicle Number in many agencies.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_12	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

"This element could be populated from a list created in dVehicle.03 EMS Unit Call Sign or dConfiguration.16 (Crew Call Sign).

eResponse.23 - Response Mode to Scene

Definition

The indication whether the response was emergent or non-emergent. An emergent response is an immediate response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_20	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
2223001	Emergent (Immediate Response)
2223003	Emergent Downgraded to Non-Emergent
2223005	Non-Emergent
2223007	Non-Emergent Upgraded to Emergent

Data Element Comment

Information now split between eResponse.23 (Response Mode to Scene) and eResponse.24 (Additional Response Mode Descriptors)

State National

eResponse.24 - Additional Response Mode Descriptors

Definition

The documentation of response mode techniques used for this EMS response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2224001	Intersection Navigation-Against Normal Light Patterns
2224003	Intersection Navigation-With Automated Light Changing Technology
2224005	Intersection Navigation-With Normal Light Patterns
2224007	Scheduled
2224009	Speed-Enhanced per Local Policy
2224011	Speed-Normal Traffic
2224013	Unscheduled
2224015	Lights and Sirens
2224017	Lights and No Sirens
2224019	No Lights or Sirens
2224021	Initial No Lights or Sirens, Upgraded to Lights and Sirens
2224023	Initial Lights and Sirens, Downgraded to No Lights or Sirens

Data Element Comment

Descriptors have been added to better describe the EMS Response. This includes information on whether the EMS event was schedule or unscheduled.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Additional Response Mode Descriptors is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Additional Response Mode Descriptors has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Additional Response Mode Descriptors has a Not Value, no other value should be recorded.

eDispatch

Legend		
	Dataset Level:	N National, S State, D Deprecated
	Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID

eDispatch

1 : 1	eDispatch.01 - Dispatch Reason	N	S	M	
1 : 1	eDispatch.02 - EMD Performed	N	S	R	N, L

eDispatch

State National

eDispatch.01 - Dispatch Reason

Definition

The dispatch reason reported to the responding unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E03_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
2301001	Abdominal Pain/Problems
2301003	Allergic Reaction/Stings
2301005	Animal Bite
2301007	Assault
2301009	Automated Crash Notification
2301011	Back Pain (Non-Traumatic)
2301013	Breathing Problem
2301015	Burns/Explosion
2301017	Carbon Monoxide/Hazmat/Inhalation/CBRN
2301019	Cardiac Arrest/Death
2301021	Chest Pain (Non-Traumatic)
2301023	Choking
2301025	Convulsions/Seizure
2301027	Diabetic Problem
2301029	Electrocution/Lightning
2301031	Eye Problem/Injury
2301033	Falls
2301035	Fire
2301037	Headache
2301039	Healthcare Professional/Admission
2301041	Heart Problems/AICD
2301043	Heat/Cold Exposure
2301045	Hemorrhage/Laceration
2301047	Industrial Accident/Inaccessible Incident/Other Entrapments (Non-Vehicle)
2301049	Medical Alarm
2301051	No Other Appropriate Choice
2301053	Overdose/Poisoning/Ingestion
2301055	Pandemic/Epidemic/Outbreak
2301057	Pregnancy/Childbirth/Miscarriage
2301059	Psychiatric Problem/Abnormal Behavior/Suicide Attempt
2301061	Sick Person
2301063	Stab/Gunshot Wound/Penetrating Trauma
2301065	Standby
2301067	Stroke/CVA
2301069	Traffic/Transportation Incident
2301071	Transfer/Interfacility/Palliative Care
2301073	Traumatic Injury
2301075	Well Person Check
2301077	Unconscious/Fainting/Near-Fainting
2301079	Unknown Problem/Person Down
2301081	Drowning/Diving/SCUBA Accident
2301083	Airmedical Transport
2301085	Altered Mental Status
2301087	Intercept
2301089	Nausea

2301091 Vomiting

Data Element Comment

Added Pandemic/Epidemic/Outbreak.
Added Automated Crash Notification
Added Healthcare Professional Admission
Added Transfer/Interfacility/Palliative Care
- Other entries expanded based on current national EMD Dispatch List

State National

eDispatch.02 - EMD Performed

Definition

Indication of whether Emergency Medical Dispatch was performed for this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E03_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2302001	No
2302003	Yes, With Pre-Arrival Instructions
2302005	Yes, Without Pre-Arrival Instructions
2302007	Yes, Unknown if Pre-Arrival Instructions Given

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When EMD Performed is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When EMD Performed has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

eTimes

Legend		
Dataset Level:	N National	S State D Deprecated
Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional	
Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID	

eTimes

1 : 1	eTimes.01 - PSAP Call Date/Time	N	S	R	N, L
1 : 1	eTimes.03 - Unit Notified by Dispatch Date/Time	N	S	M	
1 : 1	eTimes.05 - Unit En Route Date/Time	N	S	R	N, L
1 : 1	eTimes.06 - Unit Arrived on Scene Date/Time	N	S	R	N, L
1 : 1	eTimes.07 - Arrived at Patient Date/Time	N	S	R	N, L
1 : 1	eTimes.09 - Unit Left Scene Date/Time	N	S	R	N, L
1 : 1	eTimes.11 - Patient Arrived at Destination Date/Time	N	S	R	N, L
1 : 1	eTimes.12 - Destination Patient Transfer of Care Date/Time	N	S	R	N, L
1 : 1	eTimes.13 - Unit Back in Service Date/Time	N	S	M	

eTimes

eTimes.01 - PSAP Call Date/Time

Definition

The date/time the phone rings (911 call to public safety answering point or other designated entity) requesting EMS services.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

This date/time might be the same as Dispatch Notified Date/Time (eTimes.02).

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When PSAP Call Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element),

		or it should be omitted (if the element is optional).
nemSch_e002	Error	When PSAP Call Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e017	Warning	Unit Notified by Dispatch Date/Time should not be earlier than PSAP Call Date/Time.

eTimes.03 - Unit Notified by Dispatch Date/Time

Definition

The date/time the responding unit was notified by dispatch.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E05_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e017	Warning	Unit Notified by Dispatch Date/Time should not be earlier than PSAP Call Date/Time.
nemSch_e019	Warning	Unit En Route Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e021	Warning	Unit Arrived on Scene Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e024	Warning	Arrived at Patient Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e026	Warning	Unit Left Scene Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.

nemSch_e031	Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e037	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e046	Warning	Unit Back in Service Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e126	Warning	Date/Time Vital Signs Taken should not be earlier than Unit Notified by Dispatch Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".
nemSch_e137	Warning	Date/Time Medication Administered should not be earlier than Unit Notified by Dispatch Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e152	Warning	Date/Time Procedure Performed should not be earlier than Unit Notified by Dispatch Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
nemSch_e177	Warning	Date/Time of Destination Prearrival Alert or Activation should not be earlier than Unit Notified by Dispatch Date/Time.

eTimes.05 - Unit En Route Date/Time

Definition

The date/time the unit responded; that is, the time the vehicle started moving.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Unit En Route Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Unit En Route Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e018	Warning	Unit En Route Date/Time should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e019	Warning	Unit En Route Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e022	Warning	Unit Arrived on Scene Date/Time should not be earlier than Unit En Route Date/Time.
nemSch_e027	Warning	Unit Left Scene Date/Time should not be earlier than Unit En Route Date/Time.
nemSch_e032	Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit En Route Date/Time.
nemSch_e038	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit En Route Date/Time.
nemSch_e047	Warning	Unit Back in Service Date/Time should not be earlier than Unit En Route Date/Time.

State National

eTimes.06 - Unit Arrived on Scene Date/Time

Definition

The date/time the responding unit arrived on the scene; that is, the time the vehicle stopped moving at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Unit Arrived on Scene Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Unit Arrived on Scene Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e020	Warning	Unit Arrived on Scene Date/Time should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e021	Warning	Unit Arrived on Scene Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e022	Warning	Unit Arrived on Scene Date/Time should not be earlier than Unit En Route Date/Time.
nemSch_e028	Warning	Unit Left Scene Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
nemSch_e033	Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
nemSch_e039	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
nemSch_e048	Warning	Unit Back in Service Date/Time should not be earlier than Unit Arrived on Scene Date/Time.

eTimes.07 - Arrived at Patient Date/Time

Definition

The date/time the responding unit arrived at the patient's side.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Arrived at Patient Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Arrived at Patient Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e023	Warning	Arrived at Patient Date/Time should be recorded when Unit Disposition is "Patient Contact Made".
nemSch_e024	Warning	Arrived at Patient Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e029	Warning	Unit Left Scene Date/Time should not be earlier than Arrived at Patient Date/Time.
nemSch_e034	Warning	Patient Arrived at Destination Date/Time should not be earlier than Arrived at Patient Date/Time.
nemSch_e040	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Arrived at Patient Date/Time.
nemSch_e049	Warning	Unit Back in Service Date/Time should not be earlier than Arrived at Patient Date/Time.
nemSch_e127	Warning	Date/Time Vital Signs Taken should not be earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".
nemSch_e130	Warning	Date/Time Vital Signs Taken should not be later than Arrived at Patient Date/Time when Obtained Prior to this Unit's EMS Care is "Yes".
nemSch_e138	Warning	Date/Time Medication Administered should not be earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e141	Warning	Date/Time Medication Administered should not be later than Arrived at Patient Date/Time when Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e153	Warning	Date/Time Procedure Performed should not be earlier than Arrived at Patient Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
nemSch_e156	Warning	Date/Time Procedure Performed should not be later than Arrived at Patient Date/Time when Procedure Performed Prior to this Unit's EMS Care is "Yes".

eTimes.09 - Unit Left Scene Date/Time

Definition

The date/time the responding unit left the scene (started moving).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_09	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Unit Left Scene Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Unit Left Scene Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e025	Warning	Unit Left Scene Date/Time should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e026	Warning	Unit Left Scene Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e027	Warning	Unit Left Scene Date/Time should not be earlier than Unit En Route Date/Time.
nemSch_e028	Warning	Unit Left Scene Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
nemSch_e029	Warning	Unit Left Scene Date/Time should not be earlier than Arrived at Patient Date/Time.
nemSch_e035	Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Left Scene Date/Time.
nemSch_e041	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Left Scene Date/Time.
nemSch_e050	Warning	Unit Back in Service Date/Time should not be earlier than Unit Left Scene Date/Time.

State National

eTimes.11 - Patient Arrived at Destination Date/Time

Definition

The date/time the responding unit arrived with the patient at the destination or transfer point.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_10	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Patient Arrived at Destination Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Patient Arrived at Destination Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e030	Warning	Patient Arrived at Destination Date/Time should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e031	Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e032	Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit En Route Date/Time.
nemSch_e033	Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
nemSch_e034	Warning	Patient Arrived at Destination Date/Time should not be earlier than Arrived at Patient Date/Time.
nemSch_e035	Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Left Scene Date/Time.
nemSch_e042	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Patient Arrived at Destination Date/Time.
nemSch_e051	Warning	Unit Back in Service Date/Time should not be earlier than Patient Arrived at Destination Date/Time.

eTimes.12 - Destination Patient Transfer of Care Date/Time

Definition

The date/time that patient care was transferred to the destination healthcare staff.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

This was added to better document delays in ED transfer of care due to ED crowding or other issues beyond EMS control.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Destination Patient Transfer of Care Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if

		allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Destination Patient Transfer of Care Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e036	Warning	Destination Patient Transfer of Care Date/Time should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e037	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e038	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit En Route Date/Time.
nemSch_e039	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
nemSch_e040	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Arrived at Patient Date/Time.
nemSch_e041	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Left Scene Date/Time.
nemSch_e042	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Patient Arrived at Destination Date/Time.
nemSch_e043	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Date/Time of Symptom Onset.
nemSch_e044	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Date/Time Last Known Well.
nemSch_e045	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Date/Time of Cardiac Arrest.
nemSch_e052	Warning	Unit Back in Service Date/Time should not be earlier than Destination Patient Transfer of Care Date/Time.
nemSch_e128	Warning	Date/Time Vital Signs Taken should not be later than Destination Patient Transfer of Care Date/Time.
nemSch_e139	Warning	Date/Time Medication Administered should not be later than Destination Patient Transfer of Care Date/Time.
nemSch_e154	Warning	Date/Time Procedure Performed should not be later than Destination Patient Transfer of Care Date/Time.
nemSch_e178	Warning	Date/Time of Destination Prearrival Alert or Activation should not be later than Destination Patient Transfer of Care Date/Time.

eTimes.13 - Unit Back in Service Date/Time

Definition

The date/time the unit back was back in service and available for response (finished with call, but not necessarily back in home location).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E05_11	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Response

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e046	Warning	Unit Back in Service Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e047	Warning	Unit Back in Service Date/Time should not be earlier than Unit En Route Date/Time.
nemSch_e048	Warning	Unit Back in Service Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
nemSch_e049	Warning	Unit Back in Service Date/Time should not be earlier than Arrived at Patient Date/Time.

nemSch_e050	Warning	Unit Back in Service Date/Time should not be earlier than Unit Left Scene Date/Time.
nemSch_e051	Warning	Unit Back in Service Date/Time should not be earlier than Patient Arrived at Destination Date/Time.
nemSch_e052	Warning	Unit Back in Service Date/Time should not be earlier than Destination Patient Transfer of Care Date/Time.
nemSch_e053	Warning	Unit Back in Service Date/Time should not be earlier than Date/Time of Symptom Onset.
nemSch_e054	Warning	Unit Back in Service Date/Time should not be earlier than Date/Time Last Known Well.
nemSch_e055	Warning	Unit Back in Service Date/Time should not be earlier than Date/Time of Cardiac Arrest.
nemSch_e056	Warning	Unit Back in Service Date/Time should not be in the future (the current time according to this system is (value)).
nemSch_e129	Warning	Date/Time Vital Signs Taken should not be later than Unit Back in Service Date/Time.
nemSch_e140	Warning	Date/Time Medication Administered should not be later than Unit Back in Service Date/Time.
nemSch_e155	Warning	Date/Time Procedure Performed should not be later than Unit Back in Service Date/Time.
nemSch_e179	Warning	Date/Time of Destination Prearrival Alert or Activation should not be later than Unit Back in Service Date/Time.

ePatient


Legend
Dataset Level: N National S State D Deprecated
Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID
ePatient
1 : 1 ePatient.07 - Patient's Home County N S R N, L
1 : 1 ePatient.08 - Patient's Home State N S R N, L
1 : 1 ePatient.09 - Patient's Home ZIP Code N S R N, L
1 : 1 ePatient.13 - Gender N S R N, L
1 : M ePatient.14 - Race N S R N, L
1 : 1 ePatient.AgeGroup
1 : 1 ePatient.15 - Age N S R N, L
1 : 1 ePatient.16 - Age Units N S R N, L
ePatient

ePatient.07 - Patient's Home County

Definition

The patient's home county or parish of residence.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9]{5}

Data Element Comment

Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Patient's Home County is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Patient's Home County has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e057	Warning	Patient's Home County should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e058	Warning	Patient's Home County should belong within the Patient's Home State.

State National

ePatient.08 - Patient's Home State

Definition

The state, territory, or province where the patient resides.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9]{2}

Data Element Comment

The ANSI Code Selection by text but stored as ANSI code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Patient's Home State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Patient's Home State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e058	Warning	Patient's Home County should belong within the Patient's Home State.
nemSch_e059	Warning	Patient's Home State should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".

State National

ePatient.09 - Patient's Home ZIP Code

Definition

The patient's ZIP code of residence.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Patient's Home ZIP Code is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Patient's Home ZIP Code has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e060	Warning	Patient's Home ZIP Code should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".

State National

ePatient.13 - Gender

Definition

The patient's gender.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_11	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9906001	Female
9906003	Male
9906007	Female-to-Male, Transgender Male
9906009	Male-to-Female, Transgender Female
9906011	Other, neither exclusively male or female
9906005	Unknown (Unable to Determine)

Data Element Comment

Code list referenced from: https://www.healthit.gov/isa/sex-birth-sexual-orientation-and-gender-identity

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Gender is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Gender has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e061	Warning	Gender should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".

State National

ePatient.14 - Race

Definition

The patient's race as defined by the OMB (US Office of Management and Budget).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_12	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2514001	American Indian or Alaska Native
2514003	Asian
2514005	Black or African American
2514007	Hispanic or Latino
2514009	Native Hawaiian or Other Pacific Islander
2514011	White

Data Element Comment

OMB requirements are provided at: https://grants.nih.gov/grants/guide/notice-files/NOT-OD-15-089.html. Using single multiple choice question methodology to improve the completion of ethnicity information.

Ethnicity (Version 2.2.1: E06_13) has been merged with this data element and retired.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Race is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Race has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Race has a Not Value, no other value should be recorded.
nemSch_e062	Warning	Race should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".

ePatient.15 - Age

Definition

The patient's age (either calculated from date of birth or best approximation).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
integer	1	120

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Age is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Age has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e063	Warning	Age should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e065	Warning	Age Units should be recorded when Age is recorded.

State National

ePatient.16 - Age Units

Definition

The unit used to define the patient's age.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2516001	Days
2516003	Hours
2516005	Minutes
2516007	Months
2516009	Years

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Age Units is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Age Units has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e064	Warning	Age Units should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e065	Warning	Age Units should be recorded when Age is recorded.

ePayment

Legend		
Dataset Level:	N National	S State D Deprecated
Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional	
Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID	

ePayment

1 : 1	ePayment.01 - Primary Method of Payment	N	S	R	N, L
1 : 1	ePayment.50 - CMS Service Level	N	S	R	N, L

ePayment

State National

ePayment.01 - Primary Method of Payment

Definition

The primary method of payment or type of insurance associated with this EMS encounter.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E07_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2601001	Insurance
2601003	Medicaid
2601005	Medicare
2601007	Not Billed (for any reason)
2601009	Other Government
2601011	Self Pay
2601013	Workers Compensation
2601015	Payment by Facility
2601017	Contracted Payment
2601019	Community Network
2601021	No Insurance Identified
2601023	Other Payment Option

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Primary Method of Payment is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Primary Method of Payment has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e066	Warning	Primary Method of Payment should be recorded when Transport Disposition is "Transport by This EMS Unit...".

State National

ePayment.50 - CMS Service Level

Definition

The CMS service level for this EMS encounter.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E07_34	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2650001	ALS, Level 1
2650003	ALS, Level 1 Emergency
2650005	ALS, Level 2
2650007	BLS
2650009	BLS, Emergency
2650011	Fixed Wing (Airplane)
2650013	Paramedic Intercept
2650015	Specialty Care Transport
2650017	Rotary Wing (Helicopter)

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When CMS Service Level is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When CMS Service Level has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

eScene

Legend				
Dataset Level:	N National	S State	D Deprecated	
Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional			
Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID			

eScene

1 : 1	eScene.01 - First EMS Unit on Scene	N	S	R	N, L
1 : 1	eScene.06 - Number of Patients at Scene	N	S	R	N, L
1 : 1	eScene.07 - Mass Casualty Incident	N	S	R	N, L
1 : 1	eScene.08 - Triage Classification for MCI Patient	N	S	R	N, L
1 : 1	eScene.09 - Incident Location Type	N	S	R	N, L
1 : 1	eScene.18 - Incident State	N	S	R	N, L
1 : 1	eScene.19 - Incident ZIP Code	N	S	R	N, L
1 : 1	eScene.21 - Incident County	N	S	R	N, L

eScene

State National

eScene.01 - First EMS Unit on Scene

Definition

Documentation that this EMS Unit was the first EMS Unit among all EMS Agencies on the Scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Added to improve the evaluation of Response Times when multiple EMS units are responding to the same scene.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When First EMS Unit on Scene is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When First EMS Unit on Scene has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eScene.06 - Number of Patients at Scene

Definition

Indicator of how many total patients were at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2707001	Multiple
2707003	None
2707005	Single

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Number of Patients at Scene is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Number of Patients at Scene has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e067	Warning	Number of Patients at Scene should be "Multiple" or "Single" when Unit Disposition is "Patient Contact Made".
nemSch_e068	Warning	Number of Patients at Scene should be "Multiple" when Mass Casualty Incident is "Yes".

State National

eScene.07 - Mass Casualty Incident

Definition

Indicator if this event would be considered a mass casualty incident (overwhelmed existing EMS resources).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Mass Casualty Incident is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Mass Casualty Incident has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e068	Warning	Number of Patients at Scene should be "Multiple" when Mass Casualty Incident is "Yes".
nemSch_e069	Warning	Triage Classification for MCI Patient should be recorded when Mass Casualty Incident is "Yes".

State National

eScene.08 - Triage Classification for MCI Patient

Definition

The color associated with the initial triage assessment/classification of the MCI patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2708001	Red - Immediate
2708003	Yellow - Delayed
2708005	Green - Minimal (Minor)
2708007	Gray - Expectant
2708009	Black - Deceased

Data Element Comment

This element is documented when eScene.07 (Mass Casualty Incident) = Yes.

Examples of triage systems include START and SALT.

Adapted from: SALT mass casualty triage: concept endorsed by the American College of Emergency Physicians, American College of Surgeons Committee on Trauma, American Trauma Society, National Association of EMS Physicians, National Disaster Life Support Education Consortium, and State and Territorial Injury Prevention Directors Association. Disaster Med Public Health Prep. 2008 Dec;2(4):245-6.

START reference: Benson M, Koenig KL, Schultz CH. Disaster triage: START, then SAVE-a new method of dynamic triage for victims of a catastrophic earthquake. Prehospital Disaster Med. 1996; Apr-Jun; 11(2): 117-24

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Triage Classification for MCI Patient is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Triage Classification for MCI Patient has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e069	Warning	Triage Classification for MCI Patient should be recorded when Mass Casualty Incident is "Yes".

State National

eScene.09 - Incident Location Type

Definition

The kind of location where the incident happened.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

Y92\.[0-9]{1,3}

Data Element Comment

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at:
https://nemsis.org/technical-resources/version-3/version-3-resource-repository/

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Incident Location Type is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Incident Location Type has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e070	Warning	Incident Location Type should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".

State National

eScene.18 - Incident State

Definition

The state, territory, or province where the patient was found or to which the unit responded (or best approximation).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9]{2}

Data Element Comment

Based on the ANSI State Code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Incident State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Incident State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e071	Warning	Incident State should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e074	Warning	Incident County should belong within the Incident State.

State National

eScene.19 - Incident ZIP Code

Definition

The ZIP code of the incident location.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Incident ZIP Code is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Incident ZIP Code has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e072	Warning	Incident ZIP Code should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".

State National

eScene.21 - Incident County

Definition

The county or parish where the patient was found or to which the unit responded (or best approximation).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_13	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9]{5}

Data Element Comment

Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Incident County is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Incident County has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e073	Warning	Incident County should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e074	Warning	Incident County should belong within the Incident State.

eSituation

Legend				
Dataset Level:	N National	S State	D Deprecated	
Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional			
Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID			

eSituation

1 : 1	eSituation.01 - Date/Time of Symptom Onset	N	S	R	N, L, P
1 : 1	eSituation.02 - Possible Injury	N	S	R	N, L
1 : 1	eSituation.07 - Chief Complaint Anatomic Location	N	S	R	N, L
1 : 1	eSituation.08 - Chief Complaint Organ System	N	S	R	N, L
1 : 1	eSituation.09 - Primary Symptom	N	S	R	N, L
1 : M	eSituation.10 - Other Associated Symptoms	N	S	R	N, L, P
1 : 1	eSituation.11 - Provider's Primary Impression	N	S	R	N, L
1 : M	eSituation.12 - Provider's Secondary Impressions	N	S	R	N, L
1 : 1	eSituation.13 - Initial Patient Acuity	N	S	R	N, L
1 : 1	eSituation.18 - Date/Time Last Known Well	N	S	R	N, L, P
1 : 1	eSituation.20 - Reason for Interfacility Transfer/Medical Transport	N	S	R	N, L

eSituation

State National

eSituation.01 - Date/Time of Symptom Onset

Definition

The date and time the symptom began (or was discovered) as it relates to this EMS event. This is described or estimated by the patient, family, and/or healthcare professionals.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Pertinent Negatives (PN)

8801023 - Unable to Complete 8801029 - Approximate

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better define the EMS patient event.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time of Symptom Onset is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Date/Time of Symptom Onset has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e003	Error	When Date/Time of Symptom Onset has a Pertinent Negative of "Unable to Complete", it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e004	Error	When Date/Time of Symptom Onset has a Pertinent Negative of "Approximate", it should have a value and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e043	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Date/Time of Symptom Onset.
nemSch_e053	Warning	Unit Back in Service Date/Time should not be earlier than Date/Time of Symptom Onset.
nemSch_e075	Warning	Date/Time of Symptom Onset should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".

State National

eSituation.02 - Possible Injury

Definition

Indication whether or not there was an injury.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9922001	No
9922003	Unknown
9922005	Yes

Data Element Comment

This data element provides documentation to classify the EMS Reason for Encounter as either injury or non-injury related based on mechanism and not on actual injury. eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Possible Injury is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Possible Injury has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e076	Warning	Possible Injury should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e077	Warning	Possible Injury should be "Yes" when a symptom or impression is injury-related.
nemSch_e089	Warning	Cause of Injury should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Possible Injury is "Yes".
nemSch_e090	Warning	Cause of Injury should only be recorded when Possible Injury is "Yes".
nemSch_e091	Warning	Trauma Triage Criteria (Steps 1 and 2) should only be recorded when Possible Injury is "Yes".
nemSch_e092	Warning	Trauma Triage Criteria (Steps 3 and 4) should only be recorded when Possible Injury is "Yes".

State National

eSituation.07 - Chief Complaint Anatomic Location

Definition

The primary anatomic location of the chief complaint as identified by EMS personnel.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_11	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2807001	Abdomen
2807003	Back
2807005	Chest
2807007	Extremity-Lower
2807009	Extremity-Upper
2807011	General/Global
2807013	Genitalia
2807015	Head
2807017	Neck

Data Element Comment

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Chief Complaint Anatomic Location is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Chief Complaint Anatomic Location has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e078	Warning	Chief Complaint Anatomic Location should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".

State National

eSituation.08 - Chief Complaint Organ System

Definition

The primary organ system of the patient injured or medically affected.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_12	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2808001	Behavioral/Psychiatric
2808003	Cardiovascular
2808005	CNS/Neuro
2808007	Endocrine/Metabolic
2808009	GI
2808011	Global/General
2808013	Lymphatic/Immune
2808015	Musculoskeletal/Skin
2808017	Reproductive
2808019	Pulmonary
2808021	Renal

Data Element Comment

Altered to follow the anatomical organ systems as defined by general anatomy. Added Lymphatic/Immune; Merged Skin with Muscular-Skeletal. Changed OB/Gyn to Reproductive.

Retained non-organ system designations for Global/General and Behavioral/Psychiatric.

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Chief Complaint Organ System is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Chief Complaint Organ System has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e079	Warning	Chief Complaint Organ System should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".

State National

eSituation.09 - Primary Symptom

Definition

The primary sign and symptom present in the patient or observed by EMS personnel.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_13	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

(R[0-6][0-9](\.[0-9]{1,4})?|(R73\.9)|(R99))|([A-QSTZ][0-9][0-9A-Z])((\.[0-9A-Z]{1,4})?)

Data Element Comment

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

Code list is represented in ICD-10-CM Diagnosis Codes. Reference the NEMSIS Suggested Lists at: https://nemsis.org/technical-resources/version-3/version-3-resource-repository/

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Primary Symptom is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Primary Symptom has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e077	Warning	Possible Injury should be "Yes" when a symptom or impression is injury-related.
nemSch_e080	Warning	Primary Symptom should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e081	Warning	Other Associated Symptoms should only be recorded when Primary Symptom is recorded.

State National

eSituation.10 - Other Associated Symptoms

Definition

Other symptoms identified by the patient or observed by EMS personnel.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)
7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)
8801031 - Symptom Not Present

Constraints

Pattern
(R[0-6][0-9](\.[0-9]{1,4})?|(R73\.9)|(R99))|([A-QSTZ][0-9][0-9A-Z])((\.[0-9A-Z]{1,4})?)

Data Element Comment

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at:
https://nemsis.org/technical-resources/version-3/version-3-resource-repository/

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Other Associated Symptoms is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Other Associated Symptoms has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e005	Error	When Other Associated Symptoms has a Pertinent Negative, it should have a value and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e009	Warning	When Other Associated Symptoms has a Not Value, no other value should be recorded.
nemSch_e010	Warning	When Other Associated Symptoms has a Pertinent Negative, no other value should be recorded.
nemSch_e077	Warning	Possible Injury should be "Yes" when a symptom or impression is injury-related.
nemSch_e081	Warning	Other Associated Symptoms should only be recorded when Primary Symptom is recorded.

State National

eSituation.11 - Provider's Primary Impression

Definition

The EMS personnel's impression of the patient's primary problem or most significant condition which led to the management given to the patient (treatments, medications, or procedures).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

(R[0-6][0-9](\.[0-9]{1,4})?|(R73\.9)|(R99))|([A-QSTZ][0-9][0-9A-Z])((\.[0-9A-Z]{1,4})?)

Data Element Comment

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at:
https://nemsis.org/technical-resources/version-3/version-3-resource-repository/

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Provider's Primary Impression is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Provider's Primary Impression has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e077	Warning	Possible Injury should be "Yes" when a symptom or impression is injury-related.
nemSch_e082	Warning	Provider's Primary Impression should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e083	Warning	Provider's Secondary Impressions should only be recorded when Provider's Primary Impression is recorded.

State National

eSituation.12 - Provider's Secondary Impressions

Definition

The EMS personnel's impression of the patient's secondary problem or most significant condition which led to the management given to the patient (treatments, medications, or procedures).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

(R[0-6][0-9](\.[0-9]{1,4})?|(R73\.9)|(R99))|([A-QSTZ][0-9][0-9A-Z])((\.[0-9A-Z]{1,4})?)

Data Element Comment

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at:
https://nemsis.org/technical-resources/version-3/version-3-resource-repository/

ICD-10-CM
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Provider's Secondary Impressions is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Provider's Secondary Impressions has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Provider's Secondary Impressions has a Not Value, no other value should be recorded.
nemSch_e077	Warning	Possible Injury should be "Yes" when a symptom or impression is injury-related.
nemSch_e083	Warning	Provider's Secondary Impressions should only be recorded when Provider's Primary Impression is recorded.

State National

eSituation.13 - Initial Patient Acuity

Definition

The acuity of the patient's condition upon EMS arrival at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2813001	Critical (Red)
2813003	Emergent (Yellow)
2813005	Lower Acuity (Green)
2813007	Dead without Resuscitation Efforts (Black)
2813009	Non-Acute/Routine

Data Element Comment

Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at
http://www.nhtsa.gov/people/injury/ems/emscorecontent/images/EMSCoreContent.pdf

Dead without Resuscitation Efforts would be appropriate if resuscitation was initiated by non-EMS personnel but discontinued immediately upon evaluation by first arriving EMS personnel.

"Non-Acute/Routine" added for use with patients with no clinical issues-such as refusal for a life assist-or for routine transfers.

Version 3 Changes Implemented

With the release of V3.5.0 additional values were added to meet the needs of EMS.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Initial Patient Acuity is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Initial Patient Acuity has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e084	Warning	Initial Patient Acuity should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".

State National

eSituation.18 - Date/Time Last Known Well

Definition

The estimated date and time the patient was last known to be well or in their usual state of health. This is described or estimated by the patient, family, and/or bystanders.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Pertinent Negatives (PN)

8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

For stroke related events, this is the date and time the patient was last seen normal. For cardiac or respiratory arrest related events, this is the date and time the patient was last known to have a pulse or when interaction was had with the patient. For drowning related events, this is the date and time the patient was last seen. For injury or trauma related events, this is the date and time the patient was injured.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time Last Known Well is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Date/Time Last Known Well has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Date/Time Last Known Well has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e044	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Date/Time Last Known Well.
nemSch_e054	Warning	Unit Back in Service Date/Time should not be earlier than Date/Time Last Known Well.
nemSch_e085	Warning	Date/Time Last Known Well should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e086	Warning	Date/Time Last Known Well should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Stroke Scale Score is "Positive".
nemSch_e087	Warning	Date/Time Last Known Well should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Rhythm / Electrocardiography (ECG) is "STEMI...".

State National

eSituation.20 - Reason for Interfacility Transfer/Medical Transport

Definition

The general categories of the reason for an interfacility transfer/medical transport.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2820001	Cardiac Specialty
2820003	Convenience Transfer (Patient Request)
2820005	Diagnostic Testing
2820007	Dialysis
2820009	Drug and/or Alcohol Rehabilitation Care
2820011	Extended Care
2820013	Maternal/Neonatal
2820015	Medical Specialty Care (Other, Not Listed)
2820017	Neurological Specialty Care
2820019	Palliative/Hospice Care (Home or Facility)
2820021	Pediatric Specialty Care
2820023	Psychiatric/Behavioral Care
2820025	Physical Rehabilitation Care
2820027	Return to Home/Residence
2820029	Surgical Specialty Care (Other, Not Listed)
2820031	Trauma/Orthopedic Specialty Care

Data Element Comment

This supports and works in combination with eSituation.19 Justification for Transfer or Encounter to provide defined categories for an interfacility transfer or other medical transport. This documentation provides support for reimbursement and a means for regions and states to evaluate transfer patterns and types.

Version 3 Changes Implemented

Element added with the release of v3.5.0

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Reason for Interfacility Transfer/Medical Transport is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Reason for Interfacility Transfer/Medical Transport has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e088	Warning	Reason for Interfacility Transfer/Medical Transport should only be recorded when Type of Service Requested is "... Transfer" or "Other Routine Medical Transport".

eInjury

Legend		
Dataset Level:	N National	S State D Deprecated
Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional	
Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID	

eInjury

1 : M	eInjury.01 - Cause of Injury	N	S	R	N, L
1 : M	eInjury.03 - Trauma Triage Criteria (Steps 1 and 2)	N	S	R	N, L
1 : M	eInjury.04 - Trauma Triage Criteria (Steps 3 and 4)	N	S	R	N, L

eInjury

State National

eInjury.01 - Cause of Injury

Definition

The category of the reported/suspected external cause of the injury.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E10_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Constraints

Pattern

([TV-Y][0-9]{2})((\.[0-9A-Z]{1,4})?)

Data Element Comment

Suggested code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at:
https://nemsis.org/technical-resources/version-3/version-3-resource-repository/

Code list is represented in ICD-10 Codes.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Cause of Injury is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Cause of Injury has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Cause of Injury has a Not Value, no other value should be recorded.
nemSch_e089	Warning	Cause of Injury should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Possible Injury is "Yes".
nemSch_e090	Warning	Cause of Injury should only be recorded when Possible Injury is "Yes".

State National

eInjury.03 - Trauma Triage Criteria (Steps 1 and 2)

Definition

Physiologic and Anatomic Field Trauma Triage Criteria (steps 1 and 2) as defined by the Centers for Disease Control.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2903001	Amputation proximal to wrist or ankle
2903003	Crushed, degloved, mangled, or pulseless extremity
2903005	Chest wall instability or deformity (e.g., flail chest)
2903007	Glasgow Coma Score <= 13
2903009	Open or depressed skull fracture
2903011	Paralysis
2903013	Pelvic fractures
2903015	All penetrating injuries to head, neck, torso, and extremities proximal to elbow or knee
2903017	Respiratory Rate <10 or >29 breaths per minute (<20 in infants aged <1 year) or need for ventilatory support
2903019	Systolic Blood Pressure <90 mmHg
2903021	Two or more proximal long-bone fractures

Data Element Comment

2011 Guidelines for the Field Triage of Injured Patients - value choices for Steps 1 and 2. For falls, one story is equal to 10 feet.

Version 3 Changes Implemented

Added to better evaluate the CDC-ACS 2011 Guidelines for the Field Triage of Injured Patients.
Website: http://www.cdc.gov/mmwr/pdf/rr/rr6101.pdf

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Trauma Triage Criteria (Steps 1 and 2) is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Trauma Triage Criteria (Steps 1 and 2) has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Trauma Triage Criteria (Steps 1 and 2) has a Not Value, no other value should be recorded.
nemSch_e091	Warning	Trauma Triage Criteria (Steps 1 and 2) should only be recorded when Possible Injury is "Yes".

State National

eInjury.04 - Trauma Triage Criteria (Steps 3 and 4)

Definition

Mechanism and Special Considerations Field Trauma Triage Criteria (steps 3 and 4) as defined by the Centers for Disease Control.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E10_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
2904001	Auto v. Pedestrian/Bicyclist Thrown, Run Over, or > 20 MPH Impact
2904003	Fall Adults: > 20 ft. (one story is equal to 10 ft.)
2904005	Fall Children: > 10 ft. or 2-3 times the height of the child
2904007	Crash Death in Same Passenger Compartment
2904009	Crash Ejection (partial or complete) from automobile
2904011	Crash Intrusion, including roof: > 12 in. occupant site; > 18 in. any site
2904013	Crash Vehicle Telemetry Data (AACN) Consistent with High Risk of Injury
2904015	Motorcycle Crash > 20 MPH
2904017	SBP < 110 for age > 65
2904019	Anticoagulants and Bleeding Disorders
2904021	Pregnancy > 20 weeks
2904023	EMS Provider Judgment
2904025	Burn, without other trauma
2904027	Burn, with trauma mechanism

Data Element Comment

Assesses mechanism of injury and evidence of high-energy impact (Step 3) AND Assess special patient or system considerations (Step 4) based on CDC 2011 Guidelines for the Field Triage of Injured Patients Step 3 and 4. Website: http://www.cdc.gov/mmwr/pdf/rr/rr6101.pdf

Version 3 Changes Implemented

Added to better evaluate the CDC-ACS 2011 Guidelines for the Field Triage of Injured Patients. Website: http://www.cdc.gov/mmwr/pdf/rr/rr6101.pdf

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Trauma Triage Criteria (Steps 3 and 4) is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Trauma Triage Criteria (Steps 3 and 4) has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Trauma Triage Criteria (Steps 3 and 4) has a Not Value, no other value should be recorded.
nemSch_e092	Warning	Trauma Triage Criteria (Steps 3 and 4) should only be recorded when Possible Injury is "Yes".

eArrest

Legend		
Dataset Level:	N National	S State	D Deprecated
Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional	
Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID	

eArrest

1 : 1	eArrest.01 - Cardiac Arrest	N	S	R	N, L
1 : 1	eArrest.02 - Cardiac Arrest Etiology	N	S	R	N, L
1 : M	eArrest.03 - Resuscitation Attempted By EMS	N	S	R	N, L
1 : M	eArrest.04 - Arrest Witnessed By	N	S	R	N, L
1 : 1	eArrest.07 - AED Use Prior to EMS Arrival	N	S	R	N, L
1 : M	eArrest.09 - Type of CPR Provided	N	S	R	N, L
1 : 1	eArrest.11 - First Monitored Arrest Rhythm of the Patient	N	S	R	N, L
1 : M	eArrest.12 - Any Return of Spontaneous Circulation	N	S	R	N, L
1 : 1	eArrest.14 - Date/Time of Cardiac Arrest	N	S	R	N, L
1 : 1	eArrest.16 - Reason CPR/Resuscitation Discontinued	N	S	R	N, L
1 : M	eArrest.17 - Cardiac Rhythm on Arrival at Destination	N	S	R	N, L
1 : 1	eArrest.18 - End of EMS Cardiac Arrest Event	N	S	R	N, L
1 : 1	eArrest.20 - Who First Initiated CPR	N	S	R	N, L
1 : 1	eArrest.21 - Who First Applied the AED	N	S	R	N, L
1 : 1	eArrest.22 - Who First Defibrillated the Patient	N	S	R	N, L

eArrest

State National

eArrest.01 - Cardiac Arrest

Definition

Indication of the presence of a cardiac arrest at any time during this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3001001	No
3001003	Yes, Prior to Any EMS Arrival (includes Transport EMS & Medical First Responders)
3001005	Yes, After Any EMS Arrival (includes Transport EMS & Medical First Responders)

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria.

If this EMS event is for an interfacility transfer of a patient with a recent history of a cardiac arrest with ROSC, and who does not experience another cardiac arrest during transport, then do not document Cardiac Arrest (eArrest.01) with "Yes, Prior to Any EMS Arrival (includes Transport EMS & Medical First Responders)".

EMS is defined as Emergency Medical Services personnel and Medical First Responder personnel who respond to a medical emergency in an official capacity as part of an organized medical response team. By this definition, physicians, nurses, or paramedics who witness a cardiac arrest and initiate CPR, but are not part of the organized medical response team are characterized as bystanders and are not part of the EMS system.

Medical First Responders are defined as personnel who are dispatched through the 911 system, respond in an official capacity, have the capability and/or training to provide emergency medical care, but are not the designated transporter of the patient. Thus, law enforcement officers who respond in an official capacity to a cardiac arrest, have the capability and/or training to provide emergency medical care (e.g., carry AEDs in their patrol vehicles, hold EMR licensure, are CPR certified, etc.) are considered Medical First Responders for the purposes of this data element.

Responders dispatched through the 911 system with no capability of providing emergency medical care are not considered Medical First Responders. For example, towing and wrecking responding to a vehicle crash, or law enforcement officers who do not provide any emergency medical care would not be considered Medical First Responders.

For States and Local agencies that participate in the Cardiac Arrest Registry for Enhanced Survival (CARES), “Any EMS Arrival” includes 911 Responders (First Responder or EMS) as defined by CARES in the CARES 2019 Data Dictionary: https://mycares.net/sitepages/uploads/2019/Data%20Dictionary%20(2019).pdf.

This NEMSIS data element is used to answer CARES data element #20 Arrest After Arrival of 911 Responder.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Cardiac Arrest is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Cardiac Arrest has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it

		should be empty.
nemSch_e085	Warning	Date/Time Last Known Well should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e093	Warning	Cardiac Arrest Etiology should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e094	Warning	Cardiac Arrest Etiology should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e095	Warning	Resuscitation Attempted By EMS should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e096	Warning	Resuscitation Attempted By EMS should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e100	Warning	Arrest Witnessed By should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e101	Warning	Arrest Witnessed By should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e103	Warning	AED Use Prior to EMS Arrival should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e104	Warning	AED Use Prior to EMS Arrival should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e105	Warning	Type of CPR Provided should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e108	Warning	Any Return of Spontaneous Circulation should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e109	Warning	Any Return of Spontaneous Circulation should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e111	Warning	Date/Time of Cardiac Arrest should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e112	Warning	Reason CPR/Resuscitation Discontinued should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e113	Warning	Cardiac Rhythm on Arrival at Destination should be recorded when Transport Disposition is "Transport by This EMS Unit..." and Cardiac Arrest is "Yes...".
nemSch_e114	Warning	Cardiac Rhythm on Arrival at Destination should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e115	Warning	End of EMS Cardiac Arrest Event should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e116	Warning	End of EMS Cardiac Arrest Event should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e118	Warning	Who First Initiated CPR should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e120	Warning	Who First Applied the AED should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e123	Warning	Who First Defibrillated the Patient should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e171	Warning	Hospital Capability should be recorded when Type of Destinationis "Hospital..." or "Freestanding Emergency Department" and Cardiac Arrest is "Yes...".

State National

eArrest.02 - Cardiac Arrest Etiology

Definition

Indication of the etiology or cause of the cardiac arrest (classified as cardiac, non-cardiac, etc.).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3002001	Cardiac (Presumed)
3002003	Drowning/Submersion
3002005	Drug Overdose
3002007	Electrocution
3002009	Exsanguination-Medical (Non-Traumatic)
3002011	Other
3002013	Respiratory/Asphyxia
3002015	Traumatic Cause

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Cardiac Arrest Etiology is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Cardiac Arrest Etiology has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e093	Warning	Cardiac Arrest Etiology should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e094	Warning	Cardiac Arrest Etiology should only be recorded when Cardiac Arrest is "Yes...".

State National

eArrest.03 - Resuscitation Attempted By EMS

Definition

Indication of an attempt to resuscitate the patient who is in cardiac arrest (attempted, not attempted due to DNR, etc.).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3003001	Attempted Defibrillation
3003003	Attempted Ventilation
3003005	Initiated Chest Compressions
3003007	Not Attempted-Considered Futile
3003009	Not Attempted-DNR Orders
3003011	Not Attempted-Signs of Circulation

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Resuscitation Attempted By EMS is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Resuscitation Attempted By EMS has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Resuscitation Attempted By EMS has a Not Value, no other value should be recorded.
nemSch_e095	Warning	Resuscitation Attempted By EMS should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e096	Warning	Resuscitation Attempted By EMS should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e097	Warning	Resuscitation Attempted By EMS should not contain both "Attempted/Initiated..." and "Not Attempted...".
nemSch_e098	Warning	Resuscitation Attempted By EMS should contain "Initiated Chest Compressions" when Type of CPR Provided contains "Compressions...".
nemSch_e099	Warning	Resuscitation Attempted By EMS should contain "Attempted Ventilation" when Type of CPR Provided contains "Ventilation..." or "Compressions-Intermittent with Ventilation".
nemSch_e106	Warning	Type of CPR Provided should contain "Compressions..." when Resuscitation Attempted By EMS contains "Initiated Chest Compressions".
nemSch_e107	Warning	Type of CPR Provided should contain "Ventilation..." or "Compressions-Intermittent with Ventilation" when Resuscitation Attempted By EMS contains "Attempted Ventilation".

nemSch_e117	Warning	Who First Initiated CPR should be recorded when Resuscitation Attempted By EMS is "Attempted..." or "Initiated...".

State National

eArrest.04 - Arrest Witnessed By

Definition

Indication of who the cardiac arrest was witnessed by.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Code List

Code	Description
3004001	Not Witnessed
3004003	Witnessed by Family Member
3004005	Witnessed by Healthcare Provider
3004007	Witnessed by Bystander

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Arrest Witnessed By is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Arrest Witnessed By has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Arrest Witnessed By has a Not Value, no other value should be recorded.
nemSch_e100	Warning	Arrest Witnessed By should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e101	Warning	Arrest Witnessed By should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e102	Warning	When Arrest Witnessed By is "Not Witnessed", no other value should be recorded.

State National

eArrest.07 - AED Use Prior to EMS Arrival

Definition

Documentation of AED use Prior to EMS Arrival.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3007001	No
3007003	Yes, Applied without Defibrillation
3007005	Yes, With Defibrillation

Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When AED Use Prior to EMS Arrival is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When AED Use Prior to EMS Arrival has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e103	Warning	AED Use Prior to EMS Arrival should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e104	Warning	AED Use Prior to EMS Arrival should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e119	Warning	Who First Applied the AED should be recorded when AED Use Prior to EMS Arrival is "Yes...".
nemSch_e122	Warning	Who First Defibrillated the Patient should be recorded when AED Use Prior to EMS Arrival is "Yes, With Defibrillation".

State National

eArrest.09 - Type of CPR Provided

Definition

Documentation of the type/technique of CPR used by EMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3009001	Compressions-Manual
3009003	Compressions-External Band Type Device
3009005	Compressions-External Plunger Type Device
3009007	Compressions-External Thumper Type Device
3009009	Compressions-Intermittent with Ventilation
3009011	Compressions-Other Device
3009021	Compressions-Hands Only CPR
3009013	Ventilation-Bag Valve Mask
3009015	Ventilation-Impedance Threshold Device
3009017	Ventilation-Mouth to Mouth
3009019	Ventilation-Pocket Mask
3009023	Ventilation-with OPA/NPA
3009025	Ventilation-Advanced Airway Device
3009027	Ventilation-Passive Ventilation with Oxygen

Data Element Comment

Added to capture special CPR techniques.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Type of CPR Provided is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Type of CPR Provided has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Type of CPR Provided has a Not Value, no other value should be recorded.
nemSch_e098	Warning	Resuscitation Attempted By EMS should contain "Initiated Chest Compressions" when Type of CPR Provided contains "Compressions...".
nemSch_e099	Warning	Resuscitation Attempted By EMS should contain "Attempted Ventilation" when Type of CPR Provided contains "Ventilation..." or "Compressions-Intermittent with Ventilation".
nemSch_e105	Warning	Type of CPR Provided should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e106	Warning	Type of CPR Provided should contain "Compressions..." when Resuscitation Attempted By EMS contains "Initiated Chest Compressions".
nemSch_e107	Warning	Type of CPR Provided should contain "Ventilation..." or "Compressions-Intermittent with

Ventilation" when Resuscitation Attempted By EMS contains "Attempted Ventilation".

State National

eArrest.11 - First Monitored Arrest Rhythm of the Patient

Definition

Documentation of what the first monitored arrest rhythm which was noted.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Code List

Code	Description
3011001	Asystole
3011005	PEA
3011007	Unknown AED Non-Shockable Rhythm
3011009	Unknown AED Shockable Rhythm
3011011	Ventricular Fibrillation
3011013	Ventricular Tachycardia-Pulseless

Data Element Comment

Added term "Arrest" to title to clarify this is the arrest rhythm.
Values "Other" and "Normal Sinus Rhythm" removed since they are not Cardiac Arrest Rhythms.
Value "Ventricular Tachycardia" has been changed to "Ventricular Tachycardia-Pulseless".

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When First Monitored Arrest Rhythm of the Patient is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When First Monitored Arrest Rhythm of the Patient has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eArrest.12 - Any Return of Spontaneous Circulation

Definition

Indication whether or not there was any return of spontaneous circulation.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3012001	No
3012003	Yes, At Arrival at the ED
3012005	Yes, Prior to Arrival at the ED
3012007	Yes, Sustained for 20 consecutive minutes

Data Element Comment

This element needs to be documented when the patient has been in cardiac arrest and transported to a healthcare facility to show the change in patient condition, if any.

Any ROSC is defined as any brief (approximately >30 seconds) restoration of spontaneous circulation that provides evidence of more than an occasional gasp, occasional fleeting palpable pulse, or arterial waveform.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Any Return of Spontaneous Circulation is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Any Return of Spontaneous Circulation has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Any Return of Spontaneous Circulation has a Not Value, no other value should be recorded.
nemSch_e108	Warning	Any Return of Spontaneous Circulation should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e109	Warning	Any Return of Spontaneous Circulation should only be recorded when Cardiac Arrest is "Yes...".
nemSch_e110	Warning	When Any Return of Spontaneous Circulation is "No", no other value should be recorded.

State National

eArrest.14 - Date/Time of Cardiac Arrest

Definition

The date/time of the cardiac arrest (if not known, please estimate).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

Changed from estimated time prior to EMS arrival to date/time of cardiac arrest.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time of Cardiac Arrest is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

		element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Date/Time of Cardiac Arrest has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e045	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Date/Time of Cardiac Arrest.
nemSch_e055	Warning	Unit Back in Service Date/Time should not be earlier than Date/Time of Cardiac Arrest.
nemSch_e111	Warning	Date/Time of Cardiac Arrest should only be recorded when Cardiac Arrest is "Yes...".

State National

eArrest.16 - Reason CPR/Resuscitation Discontinued

Definition

The reason that CPR or the resuscitation efforts were discontinued.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_10	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Code List

Code	Description
3016001	DNR
3016003	Medical Control Order
3016005	Obvious Signs of Death
3016007	Physically Unable to Perform
3016009	Protocol/Policy Requirements Completed
3016011	Return of Spontaneous Circulation (pulse or BP noted)

Data Element Comment

Added Resuscitation to Title to allow better documentation of disposition.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Reason CPR/Resuscitation Discontinued is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Reason CPR/Resuscitation Discontinued has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e112	Warning	Reason CPR/Resuscitation Discontinued should only be recorded when Cardiac Arrest is "Yes...".

State National

eArrest.17 - Cardiac Rhythm on Arrival at Destination

Definition

The patient's cardiac rhythm upon delivery or transfer to the destination.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_11	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9901001	Agonal/Idioventricular
9901003	Asystole
9901005	Artifact
9901007	Atrial Fibrillation
9901009	Atrial Flutter
9901011	AV Block-1st Degree
9901013	AV Block-2nd Degree-Type 1
9901015	AV Block-2nd Degree-Type 2
9901017	AV Block-3rd Degree
9901019	Junctional
9901021	Left Bundle Branch Block
9901023	Non-STEMI Anterior Ischemia
9901025	Non-STEMI Inferior Ischemia
9901027	Non-STEMI Lateral Ischemia
9901029	Non-STEMI Posterior Ischemia
9901030	Non-STEMI Septal Ischemia
9901031	Other
9901033	Paced Rhythm
9901035	PEA
9901037	Premature Atrial Contractions
9901039	Premature Ventricular Contractions
9901041	Right Bundle Branch Block
9901043	Sinus Arrhythmia
9901045	Sinus Bradycardia
9901047	Sinus Rhythm
9901049	Sinus Tachycardia
9901051	STEMI Anterior Ischemia
9901053	STEMI Inferior Ischemia
9901055	STEMI Lateral Ischemia
9901057	STEMI Posterior Ischemia
9901058	STEMI Septal Ischemia
9901059	Supraventricular Tachycardia
9901061	Torsades De Points
9901063	Unknown AED Non-Shockable Rhythm
9901065	Unknown AED Shockable Rhythm
9901067	Ventricular Fibrillation
9901069	Ventricular Tachycardia (With Pulse)
9901071	Ventricular Tachycardia (Pulseless)

Data Element Comment

This element needs to be documented when the patient has been in cardiac or respiratory arrest and transported to a

healthcare facility to show the change in patient condition, if any. The cardiac rhythm list has been updated to be the same for eVitals.03 (Cardiac Rhythm Electrocardiography (ECG)). They are using the common type: CardiacRhythm. ST segment changes consistent (or not consistent) with STEMI criteria should be documented as Ischemia in the appropriate location

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Cardiac Rhythm on Arrival at Destination is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Cardiac Rhythm on Arrival at Destination has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Cardiac Rhythm on Arrival at Destination has a Not Value, no other value should be recorded.
nemSch_e113	Warning	Cardiac Rhythm on Arrival at Destination should be recorded when Transport Disposition is "Transport by This EMS Unit..." and Cardiac Arrest is "Yes...".
nemSch_e114	Warning	Cardiac Rhythm on Arrival at Destination should only be recorded when Cardiac Arrest is "Yes...".

State National

eArrest.18 - End of EMS Cardiac Arrest Event

Definition

The patient's outcome at the end of the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3018001	Expired in ED
3018003	Expired in the Field
3018005	Ongoing Resuscitation in ED
3018007	ROSC in the Field
3018009	ROSC in the ED
3018011	Ongoing Resuscitation by Other EMS

Data Element Comment

Added to better identify the outcome of EMS cardiac arrest patients.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When End of EMS Cardiac Arrest Event is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When End of EMS Cardiac Arrest Event has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e115	Warning	End of EMS Cardiac Arrest Event should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e116	Warning	End of EMS Cardiac Arrest Event should only be recorded when Cardiac Arrest is "Yes...".

State National

eArrest.20 - Who First Initiated CPR

Definition

Who first initiated CPR for this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3020001	Bystander
3020003	Family Member
3020005	Healthcare Provider (non-911 Responder)
3020007	First Responder (EMS)
3020009	First Responder (Law Enforcement)
3020011	First Responder (non-EMS Fire)
3020013	EMS Responder (transport EMS)

Data Element Comment

Bystanders are defined as persons who are not responding as part of an organized emergency response system to a cardiac arrest. Physicians, nurses, and paramedics may be described as performing bystander CPR if they are not part of the emergency response system involved in the victim's resuscitation. Friends and acquaintances are considered bystanders.

Family members are defined as the patient's relatives.

Healthcare Provider (non-911 Responder) includes physicians, nurses, paramedics, and other types of healthcare professionals who are not part of the organized emergency response system.

First Responders are defined as personnel who are dispatched through the 911 system, respond as part of an organized emergency response system, and have the capability and/or training to provide emergency medical care, but are not the designated transporters of the patient.

First Responder (EMS) is defined as EMS personnel who are part of an EMS response agency, respond as part of an organized emergency response system, but are not the designated transporter of the patient. For example, First Responder (EMS) includes EMS personnel who arrive by quick response EMS units, fire apparatus that is part of an EMS response agency, and supervisor/administrative vehicles operated by the transport EMS agency.

First Responder (Law Enforcement) is defined as public safety officers who are not part of an EMS response agency and act in an organized, official capacity to enforce the law.

First Responder (non-EMS Fire) is defined as fire department personnel who are not part of an EMS response agency and are not the designated transporter of the patient.

EMS Responder (transport) is defined as EMS personnel who are the designated transporter of the patient.

For states and local agencies that participate in the Cardiac Arrest Registry for Enhanced Survival (CARES), eArrest.20 is the equivalent of CARES data element #23 Who Initiated CPR as defined by CARES in the CARES 2019 Data Dictionary: https://mycares.net/sitepages/uploads/2019/Data%20Dictionary%20(2019).pdf.

Associated Validation Rules

Rule ID	Level	Message

nemSch_e001	Error	When Who First Initiated CPR is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Who First Initiated CPR has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e117	Warning	Who First Initiated CPR should be recorded when Resuscitation Attempted By EMS is "Attempted..." or "Initiated...".
nemSch_e118	Warning	Who First Initiated CPR should only be recorded when Cardiac Arrest is "Yes...".

State National

eArrest.21 - Who First Applied the AED

Definition

Documentation of who first applied the AED for this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3021001	Bystander
3021003	Family Member
3021005	Healthcare Provider (non-911 Responder)
3021007	First Responder (EMS)
3021009	First Responder (Law Enforcement)
3021011	First Responder (non-EMS Fire)
3021013	EMS Responder (transport EMS)

Data Element Comment

Bystanders are defined as persons who are not responding as part of an organized emergency response system to a cardiac arrest. Physicians, nurses, and paramedics may be described as preforming bystander CPR if they are not part of the emergency response system involved in the victim's resuscitation. Friends and acquaintances are considered bystanders.

Family members are defined as the patient's relatives.

Healthcare Provider (non-911 Responder) includes physicians, nurses, paramedics, and other types of healthcare professionals who are not part of the organized emergency response system.

First Responders are defined as personnel who are dispatched through the 911 system, respond as part of an organized emergency response system, and have the capability and/or training to provide emergency medical care, but are not the designated transporters of the patient.

First Responder (EMS) is defined as EMS personnel who are part of an EMS response agency, respond as part of an organized emergency response system, but are not the designated transporter of the patient. For example, First Responser (EMS) includes EMS personnel who arrive by quick response EMS units, fire apparatus that is part of an EMS response agency, and supervisor/administrative vehicles operated by the transport EMS agency.

First Responder (Law Enforcement) is defined as public safety officers who are not part of an EMS response agency and act in an organized, official capacity to enforce the law.

First Responder (non-EMS Fire) is defined as fire department personnel who are not part of an EMS response agency and are not the designated transporter of the patient.

EMS Responder (transport) is defined as EMS personnel who are the designated transporter of the patient.

For states and local agencies that participate in the Cardiac Arrest Registry for Enhanced Survival (CARES), eArrest.21 is the equivalent of CARES data element #27 Who First Applied the AED as defined by CARES in the CARES 2019 Data Dictionary: https://mycares.net/sitepages/uploads/2019/Data%20Dictionary%20(2019).pdf.

Associated Validation Rules

Rule ID	Level	Message

nemSch_e001	Error	When Who First Applied the AED is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Who First Applied the AED has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e119	Warning	Who First Applied the AED should be recorded when AED Use Prior to EMS Arrival is "Yes...".
nemSch_e120	Warning	Who First Applied the AED should only be recorded when Cardiac Arrest is "Yes...".

State National

eArrest.22 - Who First Defibrillated the Patient

Definition

Documentation of who first defibrillated the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3022001	Bystander
3022003	Family Member
3022005	Healthcare Provider (non-911 Responder)
3022007	First Responder (EMS)
3022009	First Responder (Law Enforcement)
3022011	First Responder (non-EMS Fire)
3022013	EMS Responder (transport EMS)

Data Element Comment

Bystanders are defined as persons who are not responding as part of an organized emergency response system to a cardiac arrest. Physicians, nurses, and paramedics may be described as preforming bystander CPR if they are not part of the emergency response system involved in the victim's resuscitation. Friends and acquaintances are considered bystanders.

Family members are defined as the patient's relatives.

Healthcare Provider (non-911 Responder) includes physicians, nurses, paramedics, and other types of healthcare professionals who are not part of the organized emergency response system.

First Responders are defined as personnel who are dispatched through the 911 system, respond as part of an organized emergency response system, and have the capability and/or training to provide emergency medical care, but are not the designated transporters of the patient.

First Responder (EMS) is defined as EMS personnel who are part of an EMS response agency, respond as part of an organized emergency response system, but are not the designated transporter of the patient. For example, First Responser (EMS) includes EMS personnel who arrive by quick response EMS units, fire apparatus that is part of an EMS response agency, and supervisor/administrative vehicles operated by the transport EMS agency.

First Responder (Law Enforcement) is defined as public safety officers who are not part of an EMS response agency and act in an organized, official capacity to enforce the law.

First Responder (non-EMS Fire) is defined as fire department personnel who are not part of an EMS response agency and are not the designated transporter of the patient.

EMS Responder (transport) is defined as EMS personnel who are the designated transporter of the patient.

For states and local agencies that participate in the Cardiac Arrest Registry for Enhanced Survival (CARES), eArrest.22 is the equivalent of CARES data element #28 Who First Defibrillated the Patient as defined by CARES in the CARES 2019 Data Dictionary: https://mycares.net/sitepages/uploads/2019/Data%20Dictionary%20(2019).pdf.

Associated Validation Rules

Rule ID	Level	Message

nemSch_e001	Error	When Who First Defibrillated the Patient is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Who First Defibrillated the Patient has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e122	Warning	Who First Defibrillated the Patient should be recorded when AED Use Prior to EMS Arrival is "Yes, With Defibrillation".
nemSch_e123	Warning	Who First Defibrillated the Patient should only be recorded when Cardiac Arrest is "Yes...".

eHistory

Legend		
Dataset Level:	N National	S State D Deprecated
Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional	
Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID	

eHistory

1 : M	eHistory.01 - Barriers to Patient Care	N	S	R	N, L
1 : M	eHistory.17 - Alcohol/Drug Use Indicators	N	S	R	N, L, P

eHistory

State National

eHistory.01 - Barriers to Patient Care

Definition

Indication of whether or not there were any patient specific barriers to serving the patient at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3101001	Cultural, Custom, Religious
3101003	Developmentally Impaired
3101005	Hearing Impaired
3101007	Language
3101009	None Noted
3101011	Obesity
3101013	Physical Barrier (Unable to Access Patient)
3101015	Physically Impaired
3101017	Physically Restrained
3101019	Psychologically Impaired
3101021	Sight Impaired
3101023	Speech Impaired
3101025	Unattended or Unsupervised (including minors)
3101027	Unconscious
3101029	Uncooperative
3101031	State of Emotional Distress
3101033	Alcohol Use, Suspected
3101035	Drug Use, Suspected

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Barriers to Patient Care is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Barriers to Patient Care has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Barriers to Patient Care has a Not Value, no other value should be recorded.
nemSch_e124	Warning	When Barriers to Patient Care is "None Noted", no other value should be recorded.

State National

eHistory.17 - Alcohol/Drug Use Indicators

Definition

Indicators for the potential use of alcohol or drugs by the patient related to the patient's current illness or injury.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_19	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801015 - None Reported
8801023 - Unable to Complete

Code List

Code	Description
3117001	Alcohol Containers/Paraphernalia at Scene
3117003	Drug Paraphernalia at Scene
3117005	Patient Admits to Alcohol Use
3117007	Patient Admits to Drug Use
3117009	Positive Level known from Law Enforcement or Hospital Record
3117013	Physical Exam Indicates Suspected Alcohol or Drug Use

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Alcohol/Drug Use Indicators is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Alcohol/Drug Use Indicators has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Alcohol/Drug Use Indicators has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e009	Warning	When Alcohol/Drug Use Indicators has a Not Value, no other value should be recorded.
nemSch_e010	Warning	When Alcohol/Drug Use Indicators has a Pertinent Negative, no other value should be recorded.

eVitals

Legend

Dataset Level: N National S State D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID

eVitals

1 : M	eVitals.VitalGroup					
1 : 1	eVitals.01 - Date/Time Vital Signs Taken	N	S	R	N, L	
1 : 1	eVitals.02 - Obtained Prior to this Unit's EMS Care	N	S	R	N, L	
1 : 1	eVitals.CardiacRhythmGroup					
1 : M	eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)	N	S	R	N, L, P	
1 : 1	eVitals.04 - ECG Type	N	S	R	N, L	
1 : M	eVitals.05 - Method of ECG Interpretation	N	S	R	N, L	
1 : 1	eVitals.BloodPressureGroup					
1 : 1	eVitals.06 - SBP (Systolic Blood Pressure)	N	S	R	N, L, P	
1 : 1	eVitals.HeartRateGroup					
1 : 1	eVitals.10 - Heart Rate	N	S	R	N, L, P	
1 : 1	eVitals.12 - Pulse Oximetry	N	S	R	N, L, P	
1 : 1	eVitals.14 - Respiratory Rate	N	S	R	N, L, P	
1 : 1	eVitals.16 - End Tidal Carbon Dioxide (ETCO2)	N	S	R	N, L, P	
1 : 1	eVitals.18 - Blood Glucose Level	N	S	R	N, L, P	
1 : 1	eVitals.GlasgowScoreGroup					
1 : 1	eVitals.19 - Glasgow Coma Score-Eye	N	S	R	N, L, P	
1 : 1	eVitals.20 - Glasgow Coma Score-Verbal	N	S	R	N, L, P	
1 : 1	eVitals.21 - Glasgow Coma Score-Motor	N	S	R	N, L, P	
1 : M	eVitals.22 - Glasgow Coma Score-Qualifier	N	S	R	N, L	
1 : 1	eVitals.26 - Level of Responsiveness (AVPU)	N	S	R	N, L	
1 : 1	eVitals.PainScaleGroup					
1 : 1	eVitals.27 - Pain Scale Score	N	S	R	N, L, P	
1 : 1	eVitals.StrokeScaleGroup					
1 : 1	eVitals.29 - Stroke Scale Score	N	S	R	N, L, P	
1 : 1	eVitals.30 - Stroke Scale Type	N	S	R	N, L	
1 : 1	eVitals.31 - Reperfusion Checklist	N	S	R	N, L, P	

eVitals

State National

eVitals.01 - Date/Time Vital Signs Taken

Definition

The date/time vital signs were taken on the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time Vital Signs Taken is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Date/Time Vital Signs Taken has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e125	Warning	Date/Time Vital Signs Taken should be recorded, unless Obtained Prior to this Unit's EMS Care is "Yes".
nemSch_e126	Warning	Date/Time Vital Signs Taken should not be earlier than Unit Notified by Dispatch Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".
nemSch_e127	Warning	Date/Time Vital Signs Taken should not be earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".
nemSch_e128	Warning	Date/Time Vital Signs Taken should not be later than Destination Patient Transfer of Care Date/Time.
nemSch_e129	Warning	Date/Time Vital Signs Taken should not be later than Unit Back in Service Date/Time.
nemSch_e130	Warning	Date/Time Vital Signs Taken should not be later than Arrived at Patient Date/Time when Obtained Prior to this Unit's EMS Care is "Yes".

State National

eVitals.02 - Obtained Prior to this Unit's EMS Care

Definition

Indicates that the information which is documented was obtained prior to the documenting EMS units care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

This is the NEMSIS Version 3 method to document prior aid.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Obtained Prior to this Unit's EMS Care is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Obtained Prior to this Unit's EMS Care has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e125	Warning	Date/Time Vital Signs Taken should be recorded, unless Obtained Prior to this Unit's EMS Care is "Yes".
nemSch_e126	Warning	Date/Time Vital Signs Taken should not be earlier than Unit Notified by Dispatch Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".
nemSch_e127	Warning	Date/Time Vital Signs Taken should not be earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".
nemSch_e128	Warning	Date/Time Vital Signs Taken should not be later than Destination Patient Transfer of Care Date/Time.
nemSch_e129	Warning	Date/Time Vital Signs Taken should not be later than Unit Back in Service Date/Time.
nemSch_e130	Warning	Date/Time Vital Signs Taken should not be later than Arrived at Patient Date/Time when Obtained Prior to this Unit's EMS Care is "Yes".

State National

eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)

Definition

The cardiac rhythm / ECG and other electrocardiography findings of the patient as interpreted by EMS personnel.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest STEMI

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Pertinent Negatives (PN)

8801019 - Refused 8801023 - Unable to Complete

Code List

Code	Description
9901001	Agonal/Idioventricular
9901003	Asystole
9901005	Artifact
9901007	Atrial Fibrillation
9901009	Atrial Flutter
9901011	AV Block-1st Degree
9901013	AV Block-2nd Degree-Type 1
9901015	AV Block-2nd Degree-Type 2
9901017	AV Block-3rd Degree
9901019	Junctional
9901021	Left Bundle Branch Block
9901023	Non-STEMI Anterior Ischemia
9901025	Non-STEMI Inferior Ischemia
9901027	Non-STEMI Lateral Ischemia
9901029	Non-STEMI Posterior Ischemia
9901030	Non-STEMI Septal Ischemia
9901031	Other
9901033	Paced Rhythm
9901035	PEA
9901037	Premature Atrial Contractions
9901039	Premature Ventricular Contractions
9901041	Right Bundle Branch Block
9901043	Sinus Arrhythmia
9901045	Sinus Bradycardia
9901047	Sinus Rhythm
9901049	Sinus Tachycardia
9901051	STEMI Anterior Ischemia
9901053	STEMI Inferior Ischemia
9901055	STEMI Lateral Ischemia
9901057	STEMI Posterior Ischemia
9901058	STEMI Septal Ischemia
9901059	Supraventricular Tachycardia
9901061	Torsades De Points
9901063	Unknown AED Non-Shockable Rhythm
9901065	Unknown AED Shockable Rhythm
9901067	Ventricular Fibrillation
9901069	Ventricular Tachycardia (With Pulse)
9901071	Ventricular Tachycardia (Pulseless)

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Cardiac Rhythm / Electrocardiography (ECG) is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Cardiac Rhythm / Electrocardiography (ECG) has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Cardiac Rhythm / Electrocardiography (ECG) has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e009	Warning	When Cardiac Rhythm / Electrocardiography (ECG) has a Not Value, no other value should be recorded.
nemSch_e010	Warning	When Cardiac Rhythm / Electrocardiography (ECG) has a Pertinent Negative, no other value should be recorded.
nemSch_e087	Warning	Date/Time Last Known Well should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Rhythm / Electrocardiography (ECG) is "STEMI...".
nemSch_e173	Warning	Hospital Capability should be recorded when Type of Destinationis "Hospital..." or "Freestanding Emergency Department" and Cardiac Rhythm / Electrocardiography (ECG) is "STEMI...".

State National

eVitals.04 - ECG Type

Definition

The type of ECG associated with the cardiac rhythm.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

STEMI

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3304000	2 Lead ECG (pads or paddles)
3304001	3 Lead
3304003	4 Lead
3304005	5 Lead
3304007	12 Lead-Left Sided (Normal)
3304009	12 Lead-Right Sided
3304011	15 Lead
3304013	18 Lead
3304015	Other

Data Element Comment

Version 3 Changes Implemented

Added to better document ECG results.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When ECG Type is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When ECG Type has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eVitals.05 - Method of ECG Interpretation

Definition

The method of ECG interpretation.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

STEMI

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3305001	Computer Interpretation
3305003	Manual Interpretation
3305005	Transmission with No Interpretation
3305007	Transmission with Remote Interpretation

Data Element Comment

"Transmission with no interpretation" may be used by EMS Agency Personnel that are not trained to interpret cardiac rhythms.

Version 3 Changes Implemented

Added to better document ECG results.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Method of ECG Interpretation is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Method of ECG Interpretation has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Method of ECG Interpretation has a Not Value, no other value should be recorded.

State National

eVitals.06 - SBP (Systolic Blood Pressure)

Definition

The patient's systolic blood pressure.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Pertinent Negatives (PN)

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	500

Data Element Comment

Required for ACS-Field Triage and other patient scoring systems.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When SBP (Systolic Blood Pressure) is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When SBP (Systolic Blood Pressure) has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When SBP (Systolic Blood Pressure) has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State National

eVitals.10 - Heart Rate

Definition

The patient's heart rate expressed as a number per minute.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Pertinent Negatives (PN)

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	500

Data Element Comment

Pulse Rate and Electronic Monitor Rate have been merged with an additional data element for Method of Heart Rate Measurement.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Heart Rate is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Heart Rate has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Heart Rate has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State National

eVitals.12 - Pulse Oximetry

Definition

The patient's oxygen saturation.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_09	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801005 - Exam Finding Not Present
8801019 - Refused
8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	100

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Pulse Oximetry is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Pulse Oximetry has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Pulse Oximetry has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State National

eVitals.14 - Respiratory Rate

Definition

The patient's respiratory rate expressed as a number per minute.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_11	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Pertinent Negatives (PN)

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	300

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Respiratory Rate is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Respiratory Rate has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Respiratory Rate has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State National

eVitals.16 - End Tidal Carbon Dioxide (ETCO2)

Definition

The numeric value of the patient's exhaled end tidal carbon dioxide (ETCO2) level measured as a unit of pressure in millimeters of mercury (mmHg), percentage or, kilopascal (kPa).

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_13	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Pertinent Negatives (PN)

8801019 - Refused 8801023 - Unable to Complete

ETCO2Type

3340001 - mmHg 3340003 - Percentage 3340005 - kPa

Constraints

Data Type	totalDigits	fractionDigits	minInclusive	maxInclusive
decimal	4	1	0	760

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When End Tidal Carbon Dioxide (ETCO2) is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When End Tidal Carbon Dioxide (ETCO2) has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When End Tidal Carbon Dioxide (ETCO2) has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e131	Warning	End Tidal Carbon Dioxide (ETCO2) should be no more than 100 when ETCO2 Type is "Percentage".
nemSch_e132	Warning	End Tidal Carbon Dioxide (ETCO2) should be no more than 100 when ETCO2 Type is "kPa".
nemSch_e133	Warning	End Tidal Carbon Dioxide (ETCO2) should be an integer when ETCO2 Type is "mmHg".
nemSch_e134	Warning	ETCO2 Type should be recorded when End Tidal Carbon Dioxide (ETCO2) is recorded.

State National

eVitals.18 - Blood Glucose Level

Definition

The patient's blood glucose level.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Pediatric Stroke

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801019 - Refused
8801023 - Unable to Complete

Constraints

Pattern

[2][0][0][0]|[1][0-9][0-9][0-9]|[1-9][0-9][0-9]|[1-9][0-9]|[0-9]|High|Low

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Blood Glucose Level is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Blood Glucose Level has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Blood Glucose Level has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State National

eVitals.19 - Glasgow Coma Score-Eye

Definition

The patient's Glasgow Coma Score Eye opening response.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801019 - Refused
8801023 - Unable to Complete

Code List

Code	Description
1	No eye movement when assessed (All Age Groups)
2	Opens Eyes to painful stimulation (All Age Groups)
3	Opens Eyes to verbal stimulation (All Age Groups)
4	Opens Eyes spontaneously (All Age Groups)

Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Glasgow Coma Score-Eye is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Glasgow Coma Score-Eye has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Glasgow Coma Score-Eye has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State National

eVitals.20 - Glasgow Coma Score-Verbal

Definition

The patient's Glasgow Coma Score Verbal response.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801019 - Refused
8801023 - Unable to Complete

Code List

Code	Description
1	No verbal/vocal response (All Age Groups)
2	Incomprehensible sounds (>2 Years); Inconsolable, agitated
3	Inappropriate words (>2 Years); Inconsistently consolable, moaning
4	Confused (>2 Years); Cries but is consolable, inappropriate interactions
5	Oriented (>2 Years); Smiles, oriented to sounds, follows objects, interacts

Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Glasgow Coma Score-Verbal is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Glasgow Coma Score-Verbal has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Glasgow Coma Score-Verbal has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State National

eVitals.21 - Glasgow Coma Score-Motor

Definition

The patient's Glasgow Coma Score Motor response.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_17	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801019 - Refused
8801023 - Unable to Complete

Code List

Code	Description
1	No Motor Response (All Age Groups)
2	Extension to pain (All Age Groups)
3	Flexion to pain (All Age Groups)
4	Withdrawal from pain (All Age Groups)
5	Localizing pain (All Age Groups)
6	Obeys commands (>2Years); Appropriate response to stimulation

Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Glasgow Coma Score-Motor is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Glasgow Coma Score-Motor has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Glasgow Coma Score-Motor has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State National

eVitals.22 - Glasgow Coma Score-Qualifier

Definition

Documentation of factors which make the GCS score more meaningful.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_18	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3322001	Eye Obstruction Prevents Eye Assessment
3322003	Initial GCS has legitimate values without interventions such as intubation and sedation
3322005	Patient Chemically Paralyzed
3322007	Patient Chemically Sedated
3322009	Patient Intubated

Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Glasgow Coma Score-Qualifier is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Glasgow Coma Score-Qualifier has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Glasgow Coma Score-Qualifier has a Not Value, no other value should be recorded.
nemSch_e135	Warning	When Glasgow Coma Score-Qualifier is "Initial GCS has legitimate values without interventions such as intubation and sedation", no other value should be recorded.

State National

eVitals.26 - Level of Responsiveness (AVPU)

Definition

The patient's highest level of responsiveness.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_22	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3326001	Alert
3326003	Verbal
3326005	Painful
3326007	Unresponsive

Data Element Comment

Definition changed to indicate highest level of responsiveness.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Level of Responsiveness (AVPU) is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Level of Responsiveness (AVPU) has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eVitals.27 - Pain Scale Score

Definition

The patient's indication of pain from a scale of 0-10.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_23	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Pediatric STEMI Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801019 - Refused
8801023 - Unable to Complete

Constraints

Data Type	minInclusive	maxInclusive
integer	0	10

Data Element Comment

The Pain Score can be obtained from several pain measurement tools or pain scale types (eVitals.28). The pain scale type used should have a numeric value associated with each diagram as appropriate. If the pain scale type utilizes multiple indicators/categories the total should be calculated and entered for the pain score associated with the patient assessment.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Pain Scale Score is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Pain Scale Score has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Pain Scale Score has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State National

eVitals.29 - Stroke Scale Score

Definition

The findings or results of the Stroke Scale Type (eVitals.30) used to assess the patient exhibiting stroke-like symptoms.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_24	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Stroke

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801019 - Refused
8801023 - Unable to Complete

Code List

Code	Description
3329001	Negative
3329003	Non-Conclusive
3329005	Positive

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Stroke Scale Score is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Stroke Scale Score has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Stroke Scale Score has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e086	Warning	Date/Time Last Known Well should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Stroke Scale Score is "Positive".
nemSch_e172	Warning	Hospital Capability should be recorded when Type of Destinationis "Hospital..." or "Freestanding Emergency Department" and Stroke Scale Score is "Positive".

State National

eVitals.30 - Stroke Scale Type

Definition

The type of stroke scale used.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Stroke

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3330001	Cincinnati Prehospital Stroke Scale (CPSS)
3330004	Los Angeles Prehospital Stroke Screen (LAPSS)
3330005	Massachusetts Stroke Scale (MSS)
3330007	Miami Emergency Neurologic Deficit Exam (MEND)
3330009	NIH Stroke Scale (NIHSS)
3330011	Other Stroke Scale Type
3330013	FAST-ED
3330015	Boston Stroke Scale (BOSS)
3330017	Ontario Prehospital Stroke Scale (OPSS)
3330019	Melbourne Ambulance Stroke Screen (MASS)
3330021	Rapid Arterial oCclusion Evaluation (RACE)
3330023	Los Angeles Motor Score (LAMS)

Data Element Comment

Version 3 Changes Implemented

Added to include additional detail on the stroke scale used.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Stroke Scale Type is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Stroke Scale Type has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eVitals.31 - Reperfusion Checklist

Definition

The results of the patient's Reperfusion Checklist for potential Thrombolysis use.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_25	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

STEMI Stroke

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801019 - Refused
8801023 - Unable to Complete

Code List

Code	Description
3331001	Definite Contraindications to Thrombolytic Use
3331003	No Contraindications to Thrombolytic Use
3331005	Possible Contraindications to Thrombolytic Use

Data Element Comment

Name changed from Thrombolytic Screen

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Reperfusion Checklist is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Reperfusion Checklist has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Reperfusion Checklist has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

eProtocols


Legend
Dataset Level: N National S State D Deprecated
Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID
eProtocols
1 : M
eProtocols.ProtocolGroup
1 : 1
eProtocols.01 - Protocols Used
N
S
R
N, L
eProtocols

State National

eProtocols.01 - Protocols Used

Definition

The protocol used by EMS personnel to direct the clinical care of the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E17_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9914001	Airway
9914003	Airway-Failed
9914005	Airway-Obstruction/Foreign Body
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
9914009	Airway-Sedation Assisted (Non-Paralytic)
9914011	Cardiac Arrest-Asystole
9914013	Cardiac Arrest-Hypothermia-Therapeutic
9914015	Cardiac Arrest-Pulseless Electrical Activity
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
9914019	Cardiac Arrest-Post Resuscitation Care
9914021	Environmental-Altitude Sickness
9914023	Environmental-Cold Exposure
9914025	Environmental-Frostbite/Cold Injury
9914027	Environmental-Heat Exposure/Exhaustion
9914029	Environmental-Heat Stroke/Hyperthermia
9914031	Environmental-Hypothermia
9914033	Exposure-Airway/Inhalation Irritants
9914035	Exposure-Biological/Infectious
9914037	Exposure-Blistering Agents
9914041	Exposure-Chemicals to Eye
9914043	Exposure-Cyanide
9914045	Exposure-Explosive/ Blast Injury
9914047	Exposure-Nerve Agents
9914049	Exposure-Radiologic Agents
9914051	General-Back Pain
9914053	General-Behavioral/Patient Restraint
9914055	General-Cardiac Arrest
9914057	General-Dental Problems
9914059	General-Epistaxis
9914061	General-Fever
9914063	General-Individualized Patient Protocol
9914065	General-Indwelling Medical Devices/Equipment
9914067	General-IV Access
9914069	General-Medical Device Malfunction
9914071	General-Pain Control
9914073	General-Spinal Immobilization/Clearance
9914075	General-Universal Patient Care/ Initial Patient Contact
9914077	Injury-Amputation
9914079	Injury-Bites and Envenomations-Land
9914081	Injury-Bites and Envenomations-Marine
9914083	Injury-Bleeding/ Hemorrhage Control

9914085	Injury-Burns-Thermal
9914087	Injury-Cardiac Arrest
9914089	Injury-Crush Syndrome
9914091	Injury-Diving Emergencies
9914093	Injury-Drowning/Near Drowning
9914095	Injury-Electrical Injuries
9914097	Injury-Extremity
9914099	Injury-Eye
9914101	Injury-Head
9914103	Injury-Impaled Object
9914105	Injury-Multisystem
9914107	Injury-Spinal Cord
9914109	Medical-Abdominal Pain
9914111	Medical-Allergic Reaction/Anaphylaxis
9914113	Medical-Altered Mental Status
9914115	Medical-Bradycardia
9914117	Medical-Cardiac Chest Pain
9914119	Medical-Diarrhea
9914121	Medical-Hyperglycemia
9914123	Medical-Hypertension
9914125	Medical-Hypoglycemia/Diabetic Emergency
9914127	Medical-Hypotension/Shock (Non-Trauma)
9914129	Medical-Influenza-Like Illness/ Upper Respiratory Infection
9914131	Medical-Nausea/Vomiting
9914133	Medical-Newborn/ Neonatal Resuscitation
9914135	General-Overdose/Poisoning/Toxic Ingestion
9914137	Medical-Pulmonary Edema/CHF
9914139	Medical-Respiratory Distress/Asthma/COPD/Reactive Airway
9914141	Medical-Seizure
9914143	Medical-ST-Elevation Myocardial Infarction (STEMI)
9914145	Medical-Stroke/TIA
9914147	Medical-Supraventricular Tachycardia (Including Atrial Fibrillation)
9914149	Medical-Syncope
9914151	Medical-Ventricular Tachycardia (With Pulse)
9914153	Not Done
9914155	OB/GYN-Childbirth/Labor/Delivery
9914157	OB/GYN-Eclampsia
9914159	OB/GYN-Gynecologic Emergencies
9914161	OB/GYN-Pregnancy Related Emergencies
9914163	OB/GYN-Post-partum Hemorrhage
9914165	Other
9914167	Exposure-Carbon Monoxide
9914169	Cardiac Arrest-Do Not Resuscitate
9914171	Cardiac Arrest-Special Resuscitation Orders
9914173	Exposure-Smoke Inhalation
9914175	General-Community Paramedicine / Mobile Integrated Healthcare
9914177	General-Exception Protocol
9914179	General-Extended Care Guidelines
9914181	General-Interfacility Transfers
9914183	General-Law Enforcement - Blood for Legal Purposes
9914185	General-Law Enforcement - Assist with Law Enforcement Activity
9914187	General-Neglect or Abuse Suspected
9914189	General-Refusal of Care
9914191	Injury-Mass/Multiple Casualties
9914193	Injury-Thoracic
9914195	Medical-Adrenal Insufficiency
9914197	Medical-Apparent Life Threatening Event (ALTE)
9914199	Medical-Tachycardia
9914201	Cardiac Arrest-Determination of Death / Withholding Resuscitative Efforts
9914203	Injury-Conducted Electrical Weapon (e.g., Taser)
9914205	Injury-Facial Trauma
9914207	Injury-General Trauma Management
9914209	Injury-Lightning/Lightning Strike
9914211	Injury-SCUBA Injury/Accidents
9914213	Injury-Topical Chemical Burn
9914215	Medical-Beta Blocker Poisoning/Overdose
9914217	Medical-Calcium Channel Blocker Poisoning/Overdose
9914219	Medical-Opioid Poisoning/Overdose
9914221	Medical-Respiratory Distress-Bronchiolitis

9914223 Medical-Respiratory Distress-Croup
9914225 Medical-Stimulant Poisoning/Overdose

Data Element Comment

Protocols are grouped into Airway, Cardiac, Environmental, Exposure, General, Injury, Medical, and OB/GYN.

There is a new data element eProtocols.02 to indicate whether the protocol is Adult, Pediatric, or General (both).

State and local entities can add additional protocols to the list but the additional protocols must map to these uniform codes. The protocol code list should be derived from dConfiguration.05 and/or dConfiguration.10

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Protocols Used is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Protocols Used has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

eMedications


Legend
Dataset Level: N National S State D Deprecated
Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID
eMedications
1 : M
eMedications.MedicationGroup
1 : 1
eMedications.01 - Date/Time Medication Administered
N S R N, L
1 : 1
eMedications.02 - Medication Administered Prior to this Unit's EMS Care
N S R N, L
1 : 1
eMedications.03 - Medication Administered
N S R N, L, P
1 : 1
eMedications.04 - Medication Administered Route
N S R N, L, P
1 : 1
eMedications.DosageGroup
1 : 1
eMedications.05 - Medication Dosage
N S R N, L
1 : 1
eMedications.06 - Medication Dosage Units
N S R N, L
1 : 1
eMedications.07 - Response to Medication
N S R N, L
1 : M
eMedications.08 - Medication Complication
N S R N, L
1 : 1
eMedications.10 - Role/Type of Person Administering Medication
N S R N, L
eMedications

State National

eMedications.01 - Date/Time Medication Administered

Definition

The date/time medication administered to the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time Medication Administered is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Date/Time Medication Administered has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e136	Warning	Date/Time Medication Administered should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e137	Warning	Date/Time Medication Administered should not be earlier than Unit Notified by Dispatch Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e138	Warning	Date/Time Medication Administered should not be earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e139	Warning	Date/Time Medication Administered should not be later than Destination Patient Transfer of Care Date/Time.
nemSch_e140	Warning	Date/Time Medication Administered should not be later than Unit Back in Service Date/Time.
nemSch_e141	Warning	Date/Time Medication Administered should not be later than Arrived at Patient Date/Time when Medication Administered Prior to this Unit's EMS Care is "Yes".

State National

eMedications.02 - Medication Administered Prior to this Unit's EMS Care

Definition

Indicates that the medication administration which is documented was administered prior to this EMS units care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

This is the NEMSIS Version 3 method to document prior aid.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Medication Administered Prior to this Unit's EMS Care is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Medication Administered Prior to this Unit's EMS Care has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e136	Warning	Date/Time Medication Administered should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e137	Warning	Date/Time Medication Administered should not be earlier than Unit Notified by Dispatch Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e138	Warning	Date/Time Medication Administered should not be earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e139	Warning	Date/Time Medication Administered should not be later than Destination Patient Transfer of Care Date/Time.
nemSch_e140	Warning	Date/Time Medication Administered should not be later than Unit Back in Service Date/Time.
nemSch_e141	Warning	Date/Time Medication Administered should not be later than Arrived at Patient Date/Time when Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e146	Warning	Medication Administered Route should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e147	Warning	Medication Dosage should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
nemSch_e148	Warning	Medication Dosage Units should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

nemSch_e150	Warning	Role/Type of Person Administering Medication should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

State National

eMedications.03 - Medication Administered

Definition

The medication administered to the patient.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801001 - Contraindication Noted
8801003 - Denied By Order
8801007 - Medication Allergy
8801009 - Medication Already Taken
8801019 - Refused
8801023 - Unable to Complete
8801027 - Order Criteria Not Met

Code Type

9924003 - RxNorm
9924005 - SNOMED-CT

Constraints

Data Type	minLength	maxLength
string	2	9

Data Element Comment

List of medications based on RxNorm (RXCUI) code and SNOMED-CT codes for blood products.

Reference the NEMSIS Suggested Lists at: https://nemsis.org/technical-resources/version-3/version-3-resources/

RxNorm
Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html
Product - RxNorm Full Monthly Release

SNOMED-CT
Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Product: Product - UMLS Metathesaurus.

Allowable SNOMED-CT codes are:
116762002 Administration of blood product
116795008 Transfusion of cryoprecipitate
116861002 Transfusion of fresh frozen plasma
116865006 Administration of albumin
180208003 Intravenous blood transfusion of platelets
33389009 Transfusion of whole blood
71493000 Transfusion of packed red blood cells

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Medication Administered is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Medication Administered has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e006	Error	When Medication Administered has a Pertinent Negative, it should have a value and it should

		not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e142	Warning	Medication Administered should be recorded when a medication is administered.
nemSch_e143	Error	Medication Administered should be a code of between 2 and 7 digits when Code Type is "RxNorm".
nemSch_e144	Error	Medication Administered should be a SNOMED code specifically allowed in the data dictionary when Code Type is "SNOMED".
nemSch_e145	Error	Medication Administered should be an RxNorm code of between 2 and 7 digits or a SNOMED code specifically allowed in the data dictionary.

eMedications.04 - Medication Administered Route

Definition

The route medication was administered to the patient.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

Pertinent Negatives (PN)

8801023 - Unable to Complete

Code List

Code	Description
9927001	Blow-By
9927003	Buccal
9927005	Endotracheal Tube (ET)
9927007	Gastrostomy Tube
9927009	Inhalation
9927011	Intraarterial
9927013	Intradermal
9927015	Intramuscular (IM)
9927017	Intranasal
9927019	Intraocular
9927021	Intraosseous (IO)
9927023	Intravenous (IV)
9927025	Nasal Cannula
9927027	Nasogastric
9927029	Nasotracheal Tube
9927031	Non-Rebreather Mask
9927033	Ophthalmic
9927035	Oral
9927037	Other/miscellaneous
9927039	Otic
9927041	Re-breather mask
9927043	Rectal
9927045	Subcutaneous
9927047	Sublingual
9927049	Topical
9927051	Tracheostomy
9927053	Transdermal
9927055	Urethral
9927057	Ventimask
9927059	Wound
9927061	Portacath
9927063	Auto Injector
9927065	BVM
9927067	CPAP
9927069	IV Pump
9927071	Nebulizer
9927073	Umbilical Artery Catheter
9927075	Umbilical Venous Catheter

Data Element Comment

This medication route list represents a sub-group of values from the Data Elements for Emergency Department Systems (DEEDS), pertaining to prehospital care.

DEEDS Version 1.0 was utilized for this list: http://www.sciencedirect.com/science/article/pii/S0196064498703178. The list can be found on page 152 of 274 of the PDF document in Section 5, 5.13 Current Therapeutic Medication Route.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Medication Administered Route is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Medication Administered Route has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e008	Error	When Medication Administered Route has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e146	Warning	Medication Administered Route should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

eMedications.05 - Medication Dosage

Definition

The dose or amount of the medication administered to the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

Constraints

Data Type	totalDigits	fractionDigits
decimal	9	3

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Medication Dosage is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Medication Dosage has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e147	Warning	Medication Dosage should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

State National

eMedications.06 - Medication Dosage Units

Definition

The unit of medication dosage administered to patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3706001	Grams (gms)
3706003	Inches (in)
3706005	International Units (IU)
3706007	Keep Vein Open (kvo)
3706009	Liters (l)
3706013	Metered Dose (MDI)
3706015	Micrograms (mcg)
3706017	Micrograms per Kilogram per Minute (mcg/kg/min)
3706019	Milliequivalents (mEq)
3706021	Milligrams (mg)
3706023	Milligrams per Kilogram Per Minute (mg/kg/min)
3706025	Milliliters (ml)
3706027	Milliliters per Hour (ml/hr)
3706029	Other
3706031	Centimeters (cm)
3706033	Drops (gtts)
3706035	Liters Per Minute (LPM [gas])
3706037	Micrograms per Minute (mcg/min)
3706039	Milligrams per Kilogram (mg/kg)
3706041	Milligrams per Minute (mg/min)
3706043	Puffs
3706045	Units per Hour (units/hr)
3706047	Micrograms per Kilogram (mcg/kg)
3706049	Units
3706051	Units per Kilogram per Hour (units/kg/hr)
3706053	Units per Kilogram (units/kg)
3706055	Milligrams per Hour (mg/hr)

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Medication Dosage Units is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Medication Dosage Units has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e148	Warning	Medication Dosage Units should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

State National

eMedications.07 - Response to Medication

Definition

The patient's response to the medication.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Code List

Code	Description
9916001	Improved
9916003	Unchanged
9916005	Worse

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Response to Medication is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Response to Medication has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

eMedications.08 - Medication Complication

Definition

Any complication (abnormal effect on the patient) associated with the administration of the medication to the patient by EMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

Code List

Code	Description
3708001	Altered Mental Status
3708003	Apnea
3708005	Bleeding
3708007	Bradycardia
3708009	Bradypnea
3708011	Diarrhea
3708013	Extravasation
3708015	Hypertension
3708017	Hyperthermia
3708019	Hypotension
3708021	Hypothermia
3708023	Hypoxia
3708025	Injury
3708029	Nausea
3708031	None
3708033	Other
3708035	Respiratory Distress
3708037	Tachycardia
3708039	Tachypnea
3708041	Vomiting
3708043	Itching
3708045	Urticaria

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Medication Complication is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Medication Complication has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Medication Complication has a Not Value, no other value should be recorded.
nemSch_e149	Warning	When Medication Complication is "None", no other value should be recorded.

State National

eMedications.10 - Role/Type of Person Administering Medication

Definition

The type (level) of EMS or Healthcare Professional Administering the Medication. For medications administered prior to EMS arrival, this may be a non-EMS healthcare professional.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9905001	Advanced Emergency Medical Technician (AEMT)
9905002	Emergency Medical Technician - Intermediate
9905003	Emergency Medical Responder (EMR)
9905005	Emergency Medical Technician (EMT)
9905007	Paramedic
9905019	Other Healthcare Professional
9905021	Other Non-Healthcare Professional
9905025	Physician
9905027	Respiratory Therapist
9905029	Student
9905031	Critical Care Paramedic
9905033	Community Paramedicine
9905035	Nurse Practitioner
9905037	Physician Assistant
9905039	Licensed Practical Nurse (LPN)
9905041	Registered Nurse
9905043	Patient
9905045	Lay Person
9905047	Law Enforcement
9905049	Family Member
9905051	Fire Personnel (non EMS)

Data Element Comment

Added to document the type of healthcare professional administering the medication. This could be auto-completed from the crew ID but is necessary to document medication administration prior to EMS arrival. State may maintain an enumerated list but must collapse to the National Standard.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

Version 3 Changes Implemented

Added to better document the type of healthcare professional who administered the medication.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Role/Type of Person Administering Medication is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Role/Type of Person Administering Medication has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e150	Warning	Role/Type of Person Administering Medication should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".

eProcedures

Legend		
Dataset Level:	N National	S State D Deprecated
Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional	
Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID	

eProcedures

1 : M	eProcedures.ProcedureGroup					
1 : 1	eProcedures.01 - Date/Time Procedure Performed	N	S	R	N, L	
1 : 1	eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care	N	S	R	N, L	
1 : 1	eProcedures.03 - Procedure	N	S	R	N, L, P	
1 : 1	eProcedures.05 - Number of Procedure Attempts	N	S	R	N, L	
1 : 1	eProcedures.06 - Procedure Successful	N	S	R	N, L	
1 : M	eProcedures.07 - Procedure Complication	N	S	R	N, L	
1 : 1	eProcedures.08 - Response to Procedure	N	S	R	N, L	
1 : 1	eProcedures.10 - Role/Type of Person Performing the Procedure	N	S	R	N, L	

eProcedures

State National

eProcedures.01 - Date/Time Procedure Performed

Definition

The date/time the procedure was performed on the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time Procedure Performed is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Date/Time Procedure Performed has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e151	Warning	Date/Time Procedure Performed should be recorded, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
nemSch_e152	Warning	Date/Time Procedure Performed should not be earlier than Unit Notified by Dispatch Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
nemSch_e153	Warning	Date/Time Procedure Performed should not be earlier than Arrived at Patient Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
nemSch_e154	Warning	Date/Time Procedure Performed should not be later than Destination Patient Transfer of Care Date/Time.
nemSch_e155	Warning	Date/Time Procedure Performed should not be later than Unit Back in Service Date/Time.
nemSch_e156	Warning	Date/Time Procedure Performed should not be later than Arrived at Patient Date/Time when Procedure Performed Prior to this Unit's EMS Care is "Yes".

State National

eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care

Definition

Indicates that the procedure which was performed and documented was performed prior to this EMS units care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

This is the NEMSIS Version 3 method to document prior aid.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Procedure Performed Prior to this Unit's EMS Care is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Procedure Performed Prior to this Unit's EMS Care has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e151	Warning	Date/Time Procedure Performed should be recorded, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
nemSch_e152	Warning	Date/Time Procedure Performed should not be earlier than Unit Notified by Dispatch Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
nemSch_e153	Warning	Date/Time Procedure Performed should not be earlier than Arrived at Patient Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
nemSch_e154	Warning	Date/Time Procedure Performed should not be later than Destination Patient Transfer of Care Date/Time.
nemSch_e155	Warning	Date/Time Procedure Performed should not be later than Unit Back in Service Date/Time.
nemSch_e156	Warning	Date/Time Procedure Performed should not be later than Arrived at Patient Date/Time when Procedure Performed Prior to this Unit's EMS Care is "Yes".
nemSch_e159	Warning	Role/Type of Person Performing the Procedure should be recorded, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

eProcedures.03 - Procedure

Definition

The procedure performed on the patient.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Pertinent Negatives (PN)

8801001 - Contraindication Noted
8801003 - Denied By Order
8801019 - Refused
8801023 - Unable to Complete
8801027 - Order Criteria Not Met

Constraints

Data Type	maxInclusive	minInclusive
integer	999999999999999	100000

Data Element Comment

Procedures which are recorded as a Vital Sign do not have to be documented in the Procedure Section.
Code list is represented in SNOMEDCT. Reference the NEMSIS Suggested Lists at:
https://nemsis.org/technical-resources/version-3/version-3-resource-repository/

SNOMEDCT
Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Product: Product - UMLS Metathesaurus

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Procedure is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Procedure has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e007	Error	When Procedure has a Pertinent Negative, it should have a value and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
nemSch_e157	Warning	Procedure should be recorded when a procedure is performed.

eProcedures.05 - Number of Procedure Attempts

Definition

The number of attempts taken to complete a procedure or intervention regardless of success.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
integer	1	10

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Number of Procedure Attempts is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Number of Procedure Attempts has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

eProcedures.06 - Procedure Successful

Definition

Indicates that this individual procedure attempt which was performed on the patient was successful.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Procedure Successful is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Procedure Successful has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eProcedures.07 - Procedure Complication

Definition

Any complication (abnormal effect on the patient) associated with the performance of the procedure on the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Pediatric Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
3907001	Altered Mental Status
3907003	Apnea
3907005	Bleeding
3907007	Bradypnea
3907009	Diarrhea
3907011	Esophageal Intubation-immediately
3907013	Esophageal Intubation-other
3907015	Extravasation
3907017	Hypertension
3907019	Hyperthermia
3907021	Hypotension
3907023	Hypothermia
3907025	Hypoxia
3907027	Injury
3907031	Nausea
3907033	None
3907035	Other
3907039	Respiratory Distress
3907041	Tachycardia
3907043	Tachypnea
3907045	Vomiting
3907047	Bradycardia
3907049	Itching
3907051	Urticaria

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Procedure Complication is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Procedure Complication has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Procedure Complication has a Not Value, no other value should be recorded.
nemSch_e158	Warning	When Procedure Complication is "None", no other value should be recorded.

State National

eProcedures.08 - Response to Procedure

Definition

The patient's response to the procedure.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Code List

Code	Description
9916001	Improved
9916003	Unchanged
9916005	Worse

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Response to Procedure is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Response to Procedure has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eProcedures.10 - Role/Type of Person Performing the Procedure

Definition

The type (level) of EMS or Healthcare Professional performing the procedure. For procedures performed prior to EMS arrival, this may be a non-EMS healthcare professional.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9905001	Advanced Emergency Medical Technician (AEMT)
9905002	Emergency Medical Technician - Intermediate
9905003	Emergency Medical Responder (EMR)
9905005	Emergency Medical Technician (EMT)
9905007	Paramedic
9905019	Other Healthcare Professional
9905021	Other Non-Healthcare Professional
9905025	Physician
9905027	Respiratory Therapist
9905029	Student
9905031	Critical Care Paramedic
9905033	Community Paramedicine
9905035	Nurse Practitioner
9905037	Physician Assistant
9905039	Licensed Practical Nurse (LPN)
9905041	Registered Nurse
9905043	Patient
9905045	Lay Person
9905047	Law Enforcement
9905049	Family Member
9905051	Fire Personnel (non EMS)

Data Element Comment

Added to document the type of healthcare professional administering the medication. This could be auto-completed from the crew ID but is necessary to document medication administration prior to EMS arrival. State may maintain an enumerated list but must collapse to the National Standard.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

Version 3 Changes Implemented

Added to document the type of healthcare professional performing the procedure.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Role/Type of Person Performing the Procedure is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Role/Type of Person Performing the Procedure has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

nemSch_e159	Warning	Role/Type of Person Performing the Procedure should be recorded, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".

eDisposition

Legend

Dataset Level: N National S State D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID

eDisposition

1 : 1	eDisposition.DestinationGroup					
1 : 1	eDisposition.05 - Destination State	N	S	R	N, L	
1 : 1	eDisposition.06 - Destination County	N	S	R	N, L	
1 : 1	eDisposition.07 - Destination ZIP Code	N	S	R	N, L	
1 : 1	eDisposition.IncidentDispositionGroup					
1 : 1	eDisposition.27 - Unit Disposition	N	S	M		
1 : 1	eDisposition.28 - Patient Evaluation/Care	N	S	R	N, L	
1 : 1	eDisposition.29 - Crew Disposition	N	S	R	N, L	
1 : 1	eDisposition.30 - Transport Disposition	N	S	R	N, L	
1 : 1	eDisposition.16 - EMS Transport Method	N	S	R	N, L	
1 : 1	eDisposition.17 - Transport Mode from Scene	N	S	R	N, L	
1 : M	eDisposition.18 - Additional Transport Mode Descriptors	N	S	R	N, L	
1 : 1	eDisposition.19 - Final Patient Acuity	N	S	R	N, L	
1 : M	eDisposition.20 - Reason for Choosing Destination	N	S	R	N, L	
1 : 1	eDisposition.21 - Type of Destination	N	S	R	N, L	
1 : 1	eDisposition.22 - Hospital In-Patient Destination	N	S	R	N, L	
1 : M	eDisposition.23 - Hospital Capability	N	S	R	N, L	
1 : M	eDisposition.HospitalTeamActivationGroup					
1 : 1	eDisposition.24 - Destination Team Pre-Arrival Alert or Activation	N	S	R	N, L	
1 : 1	eDisposition.25 - Date/Time of Destination Prearrival Alert or Activation	N	S	R	N, L	
1 : 1	eDisposition.32 - Level of Care Provided per Protocol	N	S	R	N, L	

eDisposition

eDisposition.05 - Destination State

Definition

The state of the destination the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9]{2}

Data Element Comment

Based on the ANSI Code. May be auto-populated if list created in dFacility.09 (Facility State).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Destination State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Destination State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e160	Warning	Destination State should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e162	Warning	Destination County should belong within the Destination State.

State National

eDisposition.06 - Destination County

Definition

The destination county in which the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9]{5}

Data Element Comment

May be auto-populated if list created in dFacility.11 (Facility County). Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Destination County is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Destination County has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e161	Warning	Destination County should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e162	Warning	Destination County should belong within the Destination State.

State National

eDisposition.07 - Destination ZIP Code

Definition

The destination ZIP code in which the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

May be auto-populated if list created in dFacility.10 (Facility ZIP Code).

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Destination ZIP Code is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Destination ZIP Code has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e163	Warning	Destination ZIP Code should be recorded when Transport Disposition is "Transport by This EMS Unit...".

State National

eDisposition.27 - Unit Disposition

Definition

The patient disposition for an EMS event identifying whether patient contact was made.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
4227001	Patient Contact Made
4227003	Cancelled on Scene
4227005	Cancelled Prior to Arrival at Scene
4227007	No Patient Contact
4227009	No Patient Found
4227011	Non-Patient Incident (Not Otherwise Listed)

Data Element Comment

Grouped with Incident and Transport dispositions. Who provided care or services is defined in Incident Dispostion.

Version 3 Changes Implemented

Element added with the release of v3.5.0

Associated Validation Rules

Rule ID	Level	Message
nemSch_e018	Warning	Unit En Route Date/Time should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e020	Warning	Unit Arrived on Scene Date/Time should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e023	Warning	Arrived at Patient Date/Time should be recorded when Unit Disposition is "Patient Contact Made".
nemSch_e025	Warning	Unit Left Scene Date/Time should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e067	Warning	Number of Patients at Scene should be "Multiple" or "Single" when Unit Disposition is "Patient Contact Made".
nemSch_e070	Warning	Incident Location Type should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e071	Warning	Incident State should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e072	Warning	Incident ZIP Code should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e073	Warning	Incident County should be recorded unless Unit Disposition is "Cancelled Prior to Arrival at Scene".
nemSch_e180	Warning	Unit Disposition should be "Patient Contact Made" when Patient Evaluation/Care is "Patient Evaluated..." or "Patient Refused Evaluation/Care".

nemSch_e181	Warning	Unit Disposition should be "Patient Contact Made" when Crew Disposition contains "... Primary Care..." or "Provided Care Supporting Primary EMS Crew".
nemSch_e182	Warning	Unit Disposition should be "Patient Contact Made" when Transport Disposition is a value other than "Non-Patient Transport (Not Otherwise Listed)" or "No Transport".
nemSch_e183	Warning	Patient Evaluation/Care should be recorded when Unit Disposition is "Patient Contact Made".
nemSch_e185	Warning	Crew Disposition should be recorded when Unit Disposition is "Patient Contact Made".
nemSch_e186	Warning	Transport Disposition should be recorded when Unit Disposition is "Patient Contact Made".

State National

eDisposition.28 - Patient Evaluation/Care

Definition

The patient disposition for an EMS event identifying whether a patient was evaluated and care or services were provided.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
4228001	Patient Evaluated and Care Provided
4228003	Patient Evaluated and Refused Care
4228005	Patient Evaluated, No Care Required
4228007	Patient Refused Evaluation/Care
4228009	Patient Support Services Provided

Data Element Comment

Grouped with Incident and Transport Dispositions. Who provided care or services is defined in Incident Disposition.

Version 3 Changes Implemented

Element added with the release of v3.5.0

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Patient Evaluation/Care is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Patient Evaluation/Care has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e057	Warning	Patient's Home County should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e059	Warning	Patient's Home State should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e060	Warning	Patient's Home ZIP Code should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e061	Warning	Gender should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e062	Warning	Race should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e063	Warning	Age should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e064	Warning	Age Units should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care

		Provided".
nemSch_e075	Warning	Date/Time of Symptom Onset should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e076	Warning	Possible Injury should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e078	Warning	Chief Complaint Anatomic Location should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e079	Warning	Chief Complaint Organ System should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e080	Warning	Primary Symptom should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e082	Warning	Provider's Primary Impression should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e084	Warning	Initial Patient Acuity should be recorded when Type of Service Requested is "Emergency Response (Primary Response Area)" and Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e085	Warning	Date/Time Last Known Well should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e086	Warning	Date/Time Last Known Well should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Stroke Scale Score is "Positive".
nemSch_e087	Warning	Date/Time Last Known Well should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Rhythm / Electrocardiography (ECG) is "STEMI...".
nemSch_e089	Warning	Cause of Injury should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Possible Injury is "Yes".
nemSch_e093	Warning	Cardiac Arrest Etiology should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e095	Warning	Resuscitation Attempted By EMS should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e100	Warning	Arrest Witnessed By should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e103	Warning	AED Use Prior to EMS Arrival should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e108	Warning	Any Return of Spontaneous Circulation should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e115	Warning	End of EMS Cardiac Arrest Event should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided" and Cardiac Arrest is "Yes...".
nemSch_e168	Warning	Final Patient Acuity should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".
nemSch_e180	Warning	Unit Disposition should be "Patient Contact Made" when Patient Evaluation/Care is "Patient Evaluated..." or "Patient Refused Evaluation/Care".
nemSch_e183	Warning	Patient Evaluation/Care should be recorded when Unit Disposition is "Patient Contact Made".
nemSch_e184	Warning	Patient Evaluation/Care should be "Patient Evaluated and Care Provided" when Crew Disposition contains "... Primary Care..." or "Provided Care Supporting Primary EMS Crew".

nemSch_e187	Warning	Level of Care Provided per Protocol should be recorded (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".

State National

eDisposition.29 - Crew Disposition

Definition

The crew disposition for this EMS event identifying which crew provided primary patient care or whether support services were required.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
4229001	Initiated and Continued Primary Care
4229003	Initiated Primary Care and Transferred to Another EMS Crew
4229005	Provided Care Supporting Primary EMS Crew
4229007	Assumed Primary Care from Another EMS Crew
4229009	Incident Support Services Provided (Including Standby)
4229011	Back in Service, No Care/Support Services Required
4229013	Back in Service, Care/Support Services Refused

Data Element Comment

Grouped with Patient and Transport Dispositions. Depending on context of the Value, "Unit" could be Vehicle or Service/Agency.

Version 3 Changes Implemented

Element added with the release of v3.5.0

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Crew Disposition is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Crew Disposition has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e181	Warning	Unit Disposition should be "Patient Contact Made" when Crew Disposition contains "... Primary Care..." or "Provided Care Supporting Primary EMS Crew".
nemSch_e184	Warning	Patient Evaluation/Care should be "Patient Evaluated and Care Provided" when Crew Disposition contains "... Primary Care..." or "Provided Care Supporting Primary EMS Crew".
nemSch_e185	Warning	Crew Disposition should be recorded when Unit Disposition is "Patient Contact Made".

State National

eDisposition.30 - Transport Disposition

Definition

The transport disposition for an EMS event identifying whether a transport occurred and by which unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
4230001	Transport by This EMS Unit (This Crew Only)
4230003	Transport by This EMS Unit, with a Member of Another Crew
4230005	Transport by Another EMS Unit
4230007	Transport by Another EMS Unit, with a Member of This Crew
4230009	Patient Refused Transport
4230011	Non-Patient Transport (Not Otherwise Listed)
4230013	No Transport

Data Element Comment

Grouped with Patient and Incident Dispositions. Provides a rapid filter for transport or no transport for incident evaluation, business entry rules and Schematron rules.

Version 3 Changes Implemented

Element added with the release of v3.5.0

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Transport Disposition is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Transport Disposition has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e030	Warning	Patient Arrived at Destination Date/Time should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e036	Warning	Destination Patient Transfer of Care Date/Time should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e066	Warning	Primary Method of Payment should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e113	Warning	Cardiac Rhythm on Arrival at Destination should be recorded when Transport Disposition is "Transport by This EMS Unit..." and Cardiac Arrest is "Yes...".
nemSch_e160	Warning	Destination State should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e161	Warning	Destination County should be recorded when Transport Disposition is "Transport by This EMS Unit...".

nemSch_e163	Warning	Destination ZIP Code should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e164	Warning	EMS Transport Method should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e165	Warning	EMS Transport Method should not be recorded when Transport Disposition is "Patient Refused Transport" or "No Transport".
nemSch_e166	Warning	Transport Mode from Scene should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e167	Warning	Transport Mode from Scene should not be recorded when Transport Disposition is "Patient Refused Transport" or "No Transport".
nemSch_e169	Warning	Reason for Choosing Destination should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e170	Warning	Type of Destination should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e182	Warning	Unit Disposition should be "Patient Contact Made" when Transport Disposition is a value other than "Non-Patient Transport (Not Otherwise Listed)" or "No Transport".
nemSch_e186	Warning	Transport Disposition should be recorded when Unit Disposition is "Patient Contact Made".

State National

eDisposition.16 - EMS Transport Method

Definition

The method of transport by this EMS Unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
4216001	Air Medical-Fixed Wing
4216003	Air Medical-Rotor Craft
4216005	Ground-Ambulance
4216007	Ground-ATV or Rescue Vehicle
4216009	Ground-Bariatric
4216011	Ground-Other Not Listed
4216013	Ground-Mass Casualty Bus/Vehicle
4216015	Ground-Wheelchair Van
4216017	Water-Boat

Data Element Comment

Required if the patient is transported by EMS.

Version 3 Changes Implemented

Added to better describe Air and Ground Transport methods.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When EMS Transport Method is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When EMS Transport Method has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e164	Warning	EMS Transport Method should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e165	Warning	EMS Transport Method should not be recorded when Transport Disposition is "Patient Refused Transport" or "No Transport".

eDisposition.17 - Transport Mode from Scene

Definition

Indication whether the transport was emergent or non-emergent.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
4217001	Emergent (Immediate Response)
4217003	Emergent Downgraded to Non-Emergent
4217005	Non-Emergent
4217007	Non-Emergent Upgraded to Emergent

Data Element Comment

Information now split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Transport Mode from Scene is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Transport Mode from Scene has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e166	Warning	Transport Mode from Scene should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e167	Warning	Transport Mode from Scene should not be recorded when Transport Disposition is "Patient Refused Transport" or "No Transport".

eDisposition.18 - Additional Transport Mode Descriptors

Definition

The documentation of transport mode techniques for this EMS response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

Code List

Code	Description
4218001	Intersection Navigation-Against Normal Light Patterns
4218003	Intersection Navigation-With Automated Light Changing Technology
4218005	Intersection Navigation-With Normal Light Patterns
4218007	Speed-Enhanced per Local Policy
4218009	Speed-Normal Traffic
4218011	Lights and Sirens
4218013	Lights and No Sirens
4218015	No Lights or Sirens
4218017	Initial No Lights or Sirens, Upgraded to Lights and Sirens
4218019	Initial Lights and Sirens, Downgraded to No Lights or Sirens

Data Element Comment

Information now split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Additional Transport Mode Descriptors is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Additional Transport Mode Descriptors has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Additional Transport Mode Descriptors has a Not Value, no other value should be recorded.

State National

eDisposition.19 - Final Patient Acuity

Definition

The acuity of the patient's condition after EMS care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_15	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
4219001	Critical (Red)
4219003	Emergent (Yellow)
4219005	Lower Acuity (Green)
4219007	Dead without Resuscitation Efforts (Black)
4219009	Dead with Resuscitation Efforts (Black)
4219011	Non-Acute/Routine

Data Element Comment

Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at
http://www.nhtsa.gov/people/injury/ems/emscorecontent/images/EMSCoreContent.pdf

Dead without Resuscitation Efforts would be appropriate if resuscitation was initiated by non-EMS personnel but discontinued immediately upon evaluation by first arriving EMS personnel.

"Non-Acute/Routine" added for use with patients with no clinical issues-such as a refusal for a life assist-or for routine transfers. "Dead with Resuscitation Efforts (Black)" added for EMS units that arrived and provided resuscitation to a critical patient, but who was deceased at the end of the event (such as in a cardiac arrest).

Version 3 Changes Implemented

With the release of v3.5.0 additional values were added to meet the needs of EMS.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Final Patient Acuity is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Final Patient Acuity has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e168	Warning	Final Patient Acuity should be recorded when Patient Evaluation/Care is "Patient Evaluated and Care Provided".

State National

eDisposition.20 - Reason for Choosing Destination

Definition

The reason the unit chose to deliver or transfer the patient to the destination.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
4220001	Closest Facility
4220003	Diversion
4220005	Family Choice
4220007	Insurance Status/Requirement
4220009	Law Enforcement Choice
4220011	On-Line/On-Scene Medical Direction
4220013	Other
4220015	Patient's Choice
4220017	Patient's Physician's Choice
4220019	Protocol
4220021	Regional Specialty Center

Data Element Comment

Required if the patient was transported.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Reason for Choosing Destination is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Reason for Choosing Destination has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Reason for Choosing Destination has a Not Value, no other value should be recorded.
nemSch_e169	Warning	Reason for Choosing Destination should be recorded when Transport Disposition is "Transport by This EMS Unit...".

eDisposition.21 - Type of Destination

Definition

The type of destination the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_17	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
4221001	Home
4221003	Hospital-Emergency Department
4221005	Hospital-Non-Emergency Department Bed
4221007	Clinic
4221009	Morgue/Mortuary
4221013	Other
4221015	Other EMS Responder (air)
4221017	Other EMS Responder (ground)
4221019	Police/Jail
4221021	Urgent Care
4221023	Freestanding Emergency Department
4221025	Dialysis Center
4221027	Diagnostic Services
4221029	Assisted Living Facility
4221031	Mental Health Facility
4221033	Nursing Home
4221035	Other Recurring Care Center
4221037	Physical Rehabilitation Facility
4221039	Drug and/or Alcohol Rehabilitation Facility
4221041	Skilled Nursing Facility

Data Element Comment

Required if Patient Transported by EMS.

Version 3 Changes Implemented

With the release of v3.5.0 additional values were added to meet the needs of EMS.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Type of Destination is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Type of Destination has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e170	Warning	Type of Destination should be recorded when Transport Disposition is "Transport by This EMS Unit...".
nemSch_e171	Warning	Hospital Capability should be recorded when Type of Destinationis "Hospital..." or "Freestanding Emergency Department" and Cardiac Arrest is "Yes...".

nemSch_e172	Warning	Hospital Capability should be recorded when Type of Destinationis "Hospital..." or "Freestanding Emergency Department" and Stroke Scale Score is "Positive".
nemSch_e173	Warning	Hospital Capability should be recorded when Type of Destinationis "Hospital..." or "Freestanding Emergency Department" and Cardiac Rhythm / Electrocardiography (ECG) is "STEMI...".

eDisposition.22 - Hospital In-Patient Destination

Definition

The location within the hospital that the patient was taken directly by EMS (e.g., Cath Lab, ICU, etc.).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable
7701003 - Not Recorded

Code List

Code	Description
4222001	Hospital-Burn
4222003	Hospital-Cath Lab
4222005	Hospital-CCU
4222007	Hospital-Endoscopy
4222009	Hospital-Hospice
4222011	Hospital-Hyperbaric Oxygen Treatment
4222013	Hospital-ICU
4222015	Hospital-Labor and Delivery
4222017	Hospital-Med/Surg
4222019	Hospital-Mental Health
4222021	Hospital-MICU
4222023	Hospital-NICU
4222025	Hospital-Nursery
4222027	Hospital-Peds (General)
4222029	Hospital-Peds ICU
4222031	Hospital-OR
4222033	Hospital-Orthopedic
4222035	Hospital-Other
4222037	Hospital-Out-Patient Bed
4222039	Hospital-Radiology Services - MRI
4222041	Hospital-Radiology Services - CT/PET
4222043	Hospital-Radiology Services - X-Ray
4222045	Hospital-Radiation
4222047	Hospital-Rehab
4222049	Hospital-SICU
4222051	Hospital-Oncology
4222053	Hospital-Outpatient Surgery

Data Element Comment

To be documented when in eDisposition.21 "Hospital-Non-Emergency Department Bed" is selected.

Version 3 Changes Implemented

Added to identify the location within the hospital that the patient was directly taken to by EMS.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Hospital In-Patient Destination is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Hospital In-Patient Destination has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

eDisposition.23 - Hospital Capability

Definition

The primary hospital capability associated with the patient's condition for this transport (e.g., Trauma, STEMI, Peds, etc.).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

Code List

Code	Description
9908001	Behavioral Health
9908003	Burn Center
9908005	Critical Access Hospital
9908007	Hospital (General)
9908009	Neonatal Center
9908011	Pediatric Center
9908019	Rehab Center
9908021	Trauma Center Level 1
9908023	Trauma Center Level 2
9908025	Trauma Center Level 3
9908027	Trauma Center Level 4
9908029	Trauma Center Level 5
9908031	Cardiac-STEMI/PCI Capable
9908033	Cardiac-STEMI/PCI Capable (24/7)
9908035	Cardiac-STEMI/Non-PCI Capable
9908037	Stroke-Acute Stroke Ready Hospital (ASRH)
9908039	Stroke-Primary Stroke Center (PSC)
9908041	Stroke-Thrombectomy-Capable Stroke Center (TSC)
9908043	Stroke-Comprehensive Stroke Center (CSC)
9908045	Cancer Center
9908047	Labor and Delivery

Data Element Comment

To be documented when eDisposition.21 (Type of Destination) is 1) Hospital-Emergency Department, 2) Hospital-Non-Emergency Department Bed, or 3) Freestanding Emergency Department.

Stroke Center classifications based on Join Commission stroke certification:
https://www.jointcommission.org/facts_about_joint_commission_stroke_certification/

Version 3 Changes Implemented

Added to aid in determining if patients are transported to the appropriate hospital based on provider impression, assessment, and treatment.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Hospital Capability is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Hospital Capability has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Hospital Capability has a Not Value, no other value should be recorded.

nemSch_e171	Warning	Hospital Capability should be recorded when Type of Destinationis "Hospital..." or "Freestanding Emergency Department" and Cardiac Arrest is "Yes...".
nemSch_e172	Warning	Hospital Capability should be recorded when Type of Destinationis "Hospital..." or "Freestanding Emergency Department" and Stroke Scale Score is "Positive".
nemSch_e173	Warning	Hospital Capability should be recorded when Type of Destinationis "Hospital..." or "Freestanding Emergency Department" and Cardiac Rhythm / Electrocardiography (ECG) is "STEMI...".

State National

eDisposition.24 - Destination Team Pre-Arrival Alert or Activation

Definition

Indication that an alert (or activation) was called by EMS to the appropriate destination healthcare facility team. The alert (or activation) should occur prior to the EMS Unit arrival at the destination with the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Cardiac Arrest STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
4224001	No
4224003	Yes-Adult Trauma
4224005	Yes-Cardiac Arrest
4224007	Yes-Obstetrics
4224009	Yes-Other
4224011	Yes-Pediatric Trauma
4224013	Yes-STEMI
4224015	Yes-Stroke
4224017	Yes-Trauma (General)
4224019	Yes-Sepsis

Data Element Comment

Version 3 Changes Implemented

Added to better document performance measure for acute time dependent illness and injury systems of care.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Destination Team Pre-Arrival Alert or Activation is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Destination Team Pre-Arrival Alert or Activation has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e174	Warning	When Destination Team Pre-Arrival Alert or Activation is "No", no other value should be recorded.
nemSch_e175	Warning	Destination Team Pre-Arrival Alert or Activation should be recorded when Date/Time of Destination Prearrival Alert or Activation is recorded.
nemSch_e176	Warning	Date/Time of Destination Prearrival Alert or Activation should be recorded when Destination Team Pre-Arrival Alert or Activation is recorded with a value other than "None".

State National

eDisposition.25 - Date/Time of Destination Prearrival Alert or Activation

Definition

The Date/Time EMS alerted, notified, or activated the Destination Healthcare Facility prior to EMS arrival. The EMS assessment identified the patient as acutely ill or injured based on exam and possibly specified alert criteria.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better document performance measure for acute time dependent illness and injury systems of care.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time of Destination Prearrival Alert or Activation is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Date/Time of Destination Prearrival Alert or Activation has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e175	Warning	Destination Team Pre-Arrival Alert or Activation should be recorded when Date/Time of Destination Prearrival Alert or Activation is recorded.
nemSch_e176	Warning	Date/Time of Destination Prearrival Alert or Activation should be recorded when Destination Team Pre-Arrival Alert or Activation is recorded with a value other than "None".
nemSch_e177	Warning	Date/Time of Destination Prearrival Alert or Activation should not be earlier than Unit Notified by Dispatch Date/Time.
nemSch_e178	Warning	Date/Time of Destination Prearrival Alert or Activation should not be later than Destination Patient Transfer of Care Date/Time.
nemSch_e179	Warning	Date/Time of Destination Prearrival Alert or Activation should not be later than Unit Back in Service Date/Time.

State National

eDisposition.32 - Level of Care Provided per Protocol

Definition

The general level of care provided to this patient as defined per provider level in local EMS protocols or clinical guidelines.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
4232001	BLS - All Levels
4232003	ALS - AEMT/Intermediate
4232005	ALS - Paramedic
4232007	EMS and Other Health-Care Staff
4232009	Critical Care
4232011	Integrated Health Care
4232013	No Care Provided

Data Element Comment

The level of care should be defined by the situation, medications, and procedures provided to the patient based on what is allowed in the local EMS protocols. This definition can vary between regions; what may be allowed for BLS providers in one region may be considered ALS care in another. This is not a reflection of the provider levels providing care, but the actual care given-for example, BLS care provided by a paramedic would be entered as "BLS". This element benefits reviews of performance, resource demand and utilization, and reimbursement coding.

Version 3 Changes Implemented

Element added wit the release of v3.5.0

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Level of Care Provided per Protocol is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Level of Care Provided per Protocol has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e187	Warning	Level of Care Provided per Protocol should be recorded (with a value other than "No Care Provided") when Patient Evaluation/Care is "Patient Evaluated and Care Provided".

eOutcome



eOutcome

1 : 1	eOutcome.01 - Emergency Department Disposition	N	S	R	N, L	
1 : 1	eOutcome.02 - Hospital Disposition	N	S	R	N, L	
1 : M	eOutcome.EmergencyDepartmentProceduresGroup					
1 : 1	eOutcome.09 - Emergency Department Procedures	N	S	R	N, L	
1 : 1	eOutcome.19 - Date/Time Emergency Department Procedure Performed	N	S	R	N, L	
1 : M	eOutcome.10 - Emergency Department Diagnosis	N	S	R	N, L	
1 : 1	eOutcome.11 - Date/Time of Hospital Admission	N	S	R	N, L	
1 : M	eOutcome.HospitalProceduresGroup					
1 : 1	eOutcome.12 - Hospital Procedures	N	S	R	N, L	
1 : 1	eOutcome.20 - Date/Time Hospital Procedure Performed	N	S	R	N, L	
1 : M	eOutcome.13 - Hospital Diagnosis	N	S	R	N, L	
1 : 1	eOutcome.16 - Date/Time of Hospital Discharge	N	S	R	N, L	
1 : 1	eOutcome.18 - Date/Time of Emergency Department Admission	N	S	R	N, L	

eOutcome

State National

eOutcome.01 - Emergency Department Disposition

Definition

The known disposition of the patient from the Emergency Department (ED).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E22_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
01	Discharged to home or self care (routine discharge)
02	Discharged/transferred to another short term general hospital for inpatient care
03	Discharged/transferred to a skilled nursing facility (SNF)
04	Discharged/transferred to an intermediate care facility (ICF)
05	Discharged/transferred to another type of institution not defined elsewhere in this code list
06	Discharged/transferred to home under care of organized home health service organization in anticipation of covered skills care
07	Left against medical advice or discontinued care
09	Admitted as an inpatient to this hospital.
20	Deceased/Expired (or did not recover - Religious Non Medical Health Care Patient)
21	Discharged/transferred to court/law enforcement
30	Still a patient or expected to return for outpatient services.
43	Discharged/transferred to a Federal Health Care Facility (e.g., VA or federal health care facility)
50	Discharged/transferred to Hospice - home.
51	Discharged/transferred to Hospice - medical facility
61	Discharged/transferred within this institution to a hospital based Medicare approved swing bed.
62	Discharged/transferred to a inpatient rehabilitation facility including distinct part units of a hospital.
63	Discharged/transferred to long term care hospitals
64	Discharged/transferred to a nursing facility certified under Medicaid but not certified under Medicare
65	Discharged/transferred to a psychiatric hospital or psychiatric distinct part unit of a hospital.
66	Discharged/transferred to a Critical Access Hospital (CAH).
70	Discharged/transferred to another type of health care institution not defined elsewhere in the code list.

Data Element Comment

The list of values and codes is based on and in compliance with the Medicare Claims Processing Manual Chapter 25 Completing and Processing the Form CMS-1450 Data Set, referencing the Uniform Bill - Form CMS-1450 (UB-04) and the FL 17 - Patient Discharge Status Required. (For all Part A inpatient, SNF, hospice, home health agency (HHA) and outpatient hospital services.) This code indicates the patient's status as of the "Through" date of the billing period (FL 6).

https://www.cms.gov/Regulations-and-Guidance/Guidance/Transmittals/downloads/R1104CP.pdf Search for: "FL 17 – Patient Status"

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Emergency Department Disposition is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Emergency Department Disposition has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eOutcome.02 - Hospital Disposition

Definition

The known disposition of the patient from the hospital, if admitted.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E22_02	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
01	Discharged to home or self care (routine discharge)
02	Discharged/transferred to another short term general hospital for inpatient care
03	Discharged/transferred to a skilled nursing facility (SNF)
04	Discharged/transferred to an intermediate care facility (ICF)
05	Discharged/transferred to another type of institution not defined elsewhere in this code list
06	Discharged/transferred to home under care of organized home health service organization in anticipation of covered skills care
07	Left against medical advice or discontinued care
20	Deceased/Expired (or did not recover - Religious Non Medical Health Care Patient)
21	Discharged/transferred to court/law enforcement
30	Still a patient or expected to return for outpatient services.
43	Discharged/transferred to a Federal Health Care Facility (e.g., VA or federal health care facility)
50	Discharged/transferred to Hospice - home.
51	Discharged/transferred to Hospice - medical facility
61	Discharged/transferred within this institution to a hospital based Medicare approved swing bed.
62	Discharged/transferred to a inpatient rehabilitation facility including distinct part units of a hospital.
63	Discharged/transferred to long term care hospitals
64	Discharged/transferred to a nursing facility certified under Medicaid but not certified under Medicare
65	Discharged/transferred to a psychiatric hospital or psychiatric distinct part unit of a hospital.
66	Discharged/transferred to a Critical Access Hospital (CAH).
70	Discharged/transferred to another type of health care institution not defined elsewhere in the code list.

Data Element Comment

The list of values and codes is based on and in compliance with the Medicare Claims Processing Manual Chapter 25 Completing and Processing the Form CMS-1450 Data Set, referencing the Uniform Bill - Form CMS-1450 (UB-04) and the FL 17 - Patient Discharge Status Required. (For all Part A inpatient, SNF, hospice, home health agency (HHA) and outpatient hospital services.) This code indicates the patient's status as of the "Through" date of the billing period (FL 6).

https://www.cms.gov/transmittals/downloads/R1104CP.pdf Page 35-36

Codes are available from Medicare contractors and the National Uniform Billing company (NUBC http://www.nubc.org) via the NUBC's Official UB-04 Data Specifications Manual.

Contractor site, Knowledge Trek: http://www.ub04.net/downloads/Medicare_Pub_Ch_25.pdf Please reference the section "FL 17 - Patient Status" found on page 23-25 of 126.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Hospital Disposition is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element),

		or it should be omitted (if the element is optional).
nemSch_e002	Error	When Hospital Disposition has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eOutcome.09 - Emergency Department Procedures

Definition

The procedures performed on the patient during the emergency department visit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9A-HJ-NP-Z]{3,7}

Data Element Comment

ICD-10-PCS has a seven character alphanumeric code structure. Each character contains up to 34 possible values. Each value represents a specific option for the general character definition (e.g., stomach is one of the values for the body part character). The ten digits 0-9 and the 24 letters A-H,J-N and P-Z may be used in each character. The letters O and I are not used in order to avoid confusion with the digits 0 and 1.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Version 3 Changes Implemented

Added to better evaluate EMS care.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Emergency Department Procedures is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Emergency Department Procedures has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eOutcome.19 - Date/Time Emergency Department Procedure Performed

Definition

The date/time the emergency department procedure was performed on the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time Emergency Department Procedure Performed is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Date/Time Emergency Department Procedure Performed has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eOutcome.10 - Emergency Department Diagnosis

Definition

The practitioner's description of the condition or problem for which Emergency Department services were provided.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[A-Z][0-9][0-9A-Z]((\.[0-9A-Z]{1,4})?)

Data Element Comment

Code list is represented in ICD-10-CM: Diagnosis Codes.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Version 3 Changes Implemented

Added to better evaluate EMS care.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Emergency Department Diagnosis is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Emergency Department Diagnosis has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Emergency Department Diagnosis has a Not Value, no other value should be recorded.

State National

eOutcome.11 - Date/Time of Hospital Admission

Definition

The date and time the patient was admitted to the hospital.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better evaluate EMS care.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time of Hospital Admission is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Date/Time of Hospital Admission has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eOutcome.12 - Hospital Procedures

Definition

Hospital Procedures performed on the patient during the hospital admission.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9A-HJ-NP-Z]{3,7}

Data Element Comment

ICD-10-PCS has a seven character alphanumeric code structure. Each character contains up to 34 possible values. Each value represents a specific option for the general character definition (e.g., stomach is one of the values for the body part character). The ten digits 0-9 and the 24 letters A-H,J-N and P-Z may be used in each character. The letters O and I are not used in order to avoid confusion with the digits 0 and 1.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Version 3 Changes Implemented

Added to better evaluate EMS care.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Hospital Procedures is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Hospital Procedures has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eOutcome.20 - Date/Time Hospital Procedure Performed

Definition

The date/time the hospital procedure was performed on the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time Hospital Procedure Performed is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Date/Time Hospital Procedure Performed has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

eOutcome.13 - Hospital Diagnosis

Definition

The hospital diagnosis of the patient associated with the hospital admission.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

Constraints

Pattern

[A-Z][0-9][0-9A-Z]((\.[0-9A-Z]{1,4})?)

Data Element Comment

Code list is represented in ICD-10-CM: Diagnosis Codes.
Website - http://uts.nlm.nih.gov
Product - UMLS Metathesaurus

Version 3 Changes Implemented

Added to better evaluate EMS care.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Hospital Diagnosis is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Hospital Diagnosis has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_e009	Warning	When Hospital Diagnosis has a Not Value, no other value should be recorded.

State National

eOutcome.16 - Date/Time of Hospital Discharge

Definition

The date the patient was discharged from the hospital.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Version 3 Changes Implemented

Added to better measure patient outcome.

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time of Hospital Discharge is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

nemSch_e002	Error	When Date/Time of Hospital Discharge has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

eOutcome.18 - Date/Time of Emergency Department Admission

Definition

The date and time the patient was admitted to the emergency department.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minInclusive	maxInclusive
dateTime	1950-01-01T00:00:00-00:00	2050-01-01T00:00:00-00:00

Pattern

[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\.\d+)?(\+|-)[0-9]{2}:[0-9]{2}

Data Element Comment

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

yyyy	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
T	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
ss	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Associated Validation Rules

Rule ID	Level	Message
nemSch_e001	Error	When Date/Time of Emergency Department Admission is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
nemSch_e002	Error	When Date/Time of Emergency Department Admission has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

dAgency

Legend

Dataset Level: N National S State D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID

dAgency

1 : 1	dAgency.01 - EMS Agency Unique State ID	N	S	M		
1 : 1	dAgency.02 - EMS Agency Number	N	S	M		
1 : 1	dAgency.04 - EMS Agency State	N	S	M		
1 : M	dAgency.AgencyServiceGroup	U				
1 : 1	dAgency.05 - EMS Agency Service Area States	N	S	M		
1 : M	dAgency.06 - EMS Agency Service Area County(ies)	N	S	M		
1 : M	dAgency.07 - EMS Agency Census Tracts	N	S	R	N, L	
1 : M	dAgency.08 - EMS Agency Service Area ZIP Codes	N	S	R	N, L	
1 : 1	dAgency.09 - Primary Type of Service	N	S	M		
1 : 1	dAgency.11 - Level of Service	N	S	M		
1 : 1	dAgency.12 - Organization Status	N	S	M		
1 : 1	dAgency.13 - Organizational Type	N	S	M		
1 : 1	dAgency.14 - EMS Agency Organizational Tax Status	N	S	M		
1 : M	dAgency.25 - National Provider Identifier	N	S	R	N, L	
1 : M	dAgency.26 - Fire Department ID Number	N	S	R	N, L	

dAgency

Associated Validation Rules

Rule ID	Level	Message
nemSch_d005	Error	UUID must be universally unique.

State National

dAgency.01 - EMS Agency Unique State ID

Definition

The unique ID assigned to the EMS Agency which is associated with all state licensure numbers and information.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

This may be the EMS Agency Name or a unique number assigned by the state EMS office. This is required to document multiple license types and numbers associated with the same EMS Agency.

State National

dAgency.02 - EMS Agency Number

Definition

The state-assigned provider number of the responding agency

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Data Type	minLength	maxLength
string	1	15

Data Element Comment

This is the primary identifier for the entire Demographic Section. Each of the Demographic sections must be associated with an EMS Agency Number. An EMS Agency can have more than one Agency Number within a state. This reflects the ability for an EMS Agency to have a different number for each service type or location (based on state implementation). The EMS Agency Number in dAgency.02 can be used to auto-populate eResponse.01 EMS Agency Number in the EMS Event section.

dAgency.04 - EMS Agency State

Definition

The state/territory which assigned the EMS agency number.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_03	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Pattern
[0-9]{2}

Data Element Comment

This has been clarified to reflect that it is the state in which the EMS Agency resides and the state associated with the EMS Agency number.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Associated Validation Rules

Rule ID	Level	Message
nemSch_d010	Warning	There should be a configuration group where State Associated with this Configuration is the state recorded in EMS Agency State.
nemSch_d012	Warning	EMS Certification Levels Permitted to Perform Each Procedure, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.
nemSch_d013	Warning	EMS Certification Levels Permitted to Administer Each Medication, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.

dAgency.05 - EMS Agency Service Area States

Definition

The states in which the EMS Agency provides services including the state associated with the EMS Agency Number.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Pattern
[0-9]{2}

Data Element Comment

Each state is captured as a group where the EMS agency provides service. The group includes dAgency.05, dAgency.06, dAgency.07, and Agency.08.

Element added to document all of the states in which the EMS agency provides services. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Associated Validation Rules

Rule ID	Level	Message
nemSch_d006	Error	EMS Agency Service Area County(ies) should belong to the state with which it is grouped.
nemSch_d007	Warning	EMS Agency Census Tracts should belong to a county recorded in EMS Agency Service Area County(ies) in the state with which it is grouped.

dAgency.06 - EMS Agency Service Area County(ies)

Definition

The county(ies) within each state for which the agency formally provides service.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Pattern
[0-9]{5}

Data Element Comment

Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state. County codes are based on ISO/ANSI codes. It is a 5-digit code based on state (2-digit) and county (3-digit).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Associated Validation Rules

Rule ID	Level	Message
nemSch_d006	Error	EMS Agency Service Area County(ies) should belong to the state with which it is grouped.
nemSch_d007	Warning	EMS Agency Census Tracts should belong to a county recorded in EMS Agency Service Area County(ies) in the state with which it is grouped.

State National

dAgency.07 - EMS Agency Census Tracts

Definition

The US census tracts in which the EMS agency formally provides service.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)
7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern
[0-9]{11}

Data Element Comment

This data element was added to better document the service area of the EMS Agency. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

The format of the census tract number must be an 11-digit number, based upon the 2010 census, using the pattern:
2-digit State Code 3-digit County Code 6-digit Census Tract Number (no decimal)

Example: NEMSIS TAC office (UT, Salt Lake County, Census Tract - located at 295 Chipeta Way, Salt Lake City, UT)
49035101400

Census Tract Data Website (files and descriptions): http://www.census.gov/geo/maps-data/data/tract_rel_download.html

Associated Validation Rules

Rule ID	Level	Message
nemSch_d001	Error	When EMS Agency Census Tracts is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_d002	Error	When EMS Agency Census Tracts has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_d003	Warning	When EMS Agency Census Tracts has a Not Value, no other value should be recorded.
nemSch_d007	Warning	EMS Agency Census Tracts should belong to a county recorded in EMS Agency Service Area County(ies) in the state with which it is grouped.

State National

dAgency.08 - EMS Agency Service Area ZIP Codes

Definition

The ZIP codes for the EMS Agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Pattern

[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

This data element was added to better document the service area of the EMS Agency. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

Zip Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/
Product: USA - 5-digit ZIP Code Database, Commercial Edition

Associated Validation Rules

Rule ID	Level	Message
nemSch_d001	Error	When EMS Agency Service Area ZIP Codes is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_d002	Error	When EMS Agency Service Area ZIP Codes has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_d003	Warning	When EMS Agency Service Area ZIP Codes has a Not Value, no other value should be recorded.

dAgency.09 - Primary Type of Service

Definition

The primary service type provided by the agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_05	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
9920001	911 Response (Scene) with Transport Capability
9920003	911 Response (Scene) without Transport Capability
9920005	Air Medical
9920007	ALS Intercept
9920011	Hazmat
9920013	Medical Transport (Convalescent, Interfacility Transfer Hospital and Nursing Home)
9920015	Rescue
9920017	Community Paramedicine
9920019	Critical Care (Ground)

Data Element Comment

The Primary Type of Service is associated with each of the EMS Agency Numbers.

dAgency.11 - Level of Service

Definition

The level of service which the agency provides EMS care for every request for service (the minimum certification level). This may be the license level granted by the state EMS office.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_07	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
9917001	Advanced Emergency Medical Technician (AEMT)
9917002	Emergency Medical Technician - Intermediate
9917003	Emergency Medical Responder (EMR)
9917005	Emergency Medical Technician (EMT)
9917007	Paramedic
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

Data Element Comment

The Level of Service is associated with the specific EMS Agency Number (dAgency.02) for the EMS Agency. For example a BLS licensed ambulance service (EMT-Basic) with EMT-Intermediate or EMT-Paramedic on staff, the appropriate level of service is "EMT-Basic". This is because the care provided to patients is limited to BLS skills.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

Associated Validation Rules

Rule ID	Level	Message
nemSch_d012	Warning	EMS Certification Levels Permitted to Perform Each Procedure, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.
nemSch_d013	Warning	EMS Certification Levels Permitted to Administer Each Medication, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.

State National

dAgency.12 - Organization Status

Definition

The primary organizational status of the agency. The definition of Volunteer or Non-Volunteer is based on state or local definitions.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_09	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
1016001	Mixed
1016003	Non-Volunteer
1016005	Volunteer

Data Element Comment

The Organizational Status is associated with the EMS Agency and the specific EMS Agency Number (dAgency.02).

dAgency.13 - Organizational Type

Definition

The organizational structure from which EMS services are delivered (fire, hospital, county, etc).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_08	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
9912001	Fire Department
9912003	Governmental, Non-Fire
9912005	Hospital
9912007	Private, Nonhospital
9912009	Tribal

Data Element Comment

Organizational Type is associated with the EMS Agency and the specific EMS Agency Number (dAgency.02).

Associated Validation Rules

Rule ID	Level	Message
nemSch_d008	Warning	Fire Department ID Number should be recorded when Organizational Type is "Fire Department".
nemSch_d009	Warning	Fire Department ID Number should only be recorded when Organizational Type is "Fire Department".

dAgency.14 - EMS Agency Organizational Tax Status

Definition

The EMS Agencies business/corporate organizational tax status.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
1018001	For Profit
1018003	Other (e.g., Government)
1018005	Not For Profit

Data Element Comment

Associated with the EMS Agency for the specific EMS Agency Number (dAgency.02).

dAgency.25 - National Provider Identifier

Definition

The National Provider Identifier issued by CMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_21	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

Constraints

Data Type	length
string	10

Data Element Comment

Only EMS Agencies billing for service will have an NPI number.

CMS (Centers for Medicare and Medicaid Services) NPI Registry lookup:
https://npiregistry.cms.hhs.gov/

Associated Validation Rules

Rule ID	Level	Message
nemSch_d001	Error	When National Provider Identifier is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_d002	Error	When National Provider Identifier has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_d003	Warning	When National Provider Identifier has a Not Value, no other value should be recorded.

dAgency.26 - Fire Department ID Number

Definition

The state assigned Fire Department ID Number for EMS Agency(ies) operating within a Fire Department.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

Constraints

Data Type	minLength	maxLength
string	1	20

Data Element Comment

Fire Department ID was added to better integrate Fire Department EMS Agencies and linkage to other EMS related data systems such as NFIRS.

Version 3 Changes Implemented

Added to better associate Fire and EMS licensure and operational identifiers.

Associated Validation Rules

Rule ID	Level	Message
nemSch_d001	Error	When Fire Department ID Number is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_d002	Error	When Fire Department ID Number has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_d003	Warning	When Fire Department ID Number has a Not Value, no other value should be recorded.
nemSch_d008	Warning	Fire Department ID Number should be recorded when Organizational Type is "Fire Department".
nemSch_d009	Warning	Fire Department ID Number should only be recorded when Organizational Type is "Fire Department".

dConfiguration

Legend

Dataset Level: N National S State D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID

dConfiguration



dConfiguration

Associated Validation Rules

Rule ID	Level	Message
nemSch_d005	Error	UUID must be universally unique.

State National

dConfiguration.01 - State Associated with this Configuration

Definition

The state associated with this configuration.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Pattern
[0-9]{2}

Data Element Comment

Associated with the state (dAgency.04 - EMS Agency State).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

The state EMS system does not need to import this information into their database. Reference the Demographic Dataset Submission Guide for further details.

Associated Validation Rules

Rule ID	Level	Message
nemSch_d010	Warning	There should be a configuration group where State Associated with this Configuration is the state recorded in EMS Agency State.
nemSch_d011	Warning	State Associated with this Configuration should be unique (the same state should not be listed more than once).
nemSch_d012	Warning	EMS Certification Levels Permitted to Perform Each Procedure, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.
nemSch_d013	Warning	EMS Certification Levels Permitted to Administer Each Medication, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.

State National

dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure

Definition

EMS certification levels which are permitted to perform the procedure listed in dConfiguration.07.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_05	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
9917001	Advanced Emergency Medical Technician (AEMT)
9917002	Emergency Medical Technician - Intermediate
9917003	Emergency Medical Responder (EMR)
9917005	Emergency Medical Technician (EMT)
9917007	Paramedic
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

Data Element Comment

Using each certification level within the agency, indicate the approved procedures allowed utilizing dConfiguration.07 (EMS Agency Procedures).

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

Associated Validation Rules

Rule ID	Level	Message
nemSch_d012	Warning	EMS Certification Levels Permitted to Perform Each Procedure, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.
nemSch_d013	Warning	EMS Certification Levels Permitted to Administer Each Medication, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.

State National

dConfiguration.07 - EMS Agency Procedures

Definition

A list of all procedures that the agency has implemented and available for use by any/all EMS certification levels.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Constraints

Data Type	maxInclusive	minInclusive
integer	999999999999999	100000

Data Element Comment

This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities. Each procedure is associated with the EMS professional certification levels permitted to perform the procedure.

EMS Agencies may identify additional SNOMEDCT procedure codes based on medical direction and their own need. If an agency resides in a state with statewide approved procedures, they should be listed/implemented here.

Code list is represented in SNOMEDCT: Reference the NEMSIS Suggested Lists at:
https://nemsis.org/technical-resources/version-3/version-3-resource-repository/

SNOMEDCT
Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Product: Product - UMLS Metathesaurus

dConfiguration.08 - EMS Certification Levels Permitted to Administer Each Medication

Definition

All EMS certification levels which are permitted to administer the medications listed in dConfiguration.09 (EMS Agency Medications).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_07	Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
9917001	Advanced Emergency Medical Technician (AEMT)
9917002	Emergency Medical Technician - Intermediate
9917003	Emergency Medical Responder (EMR)
9917005	Emergency Medical Technician (EMT)
9917007	Paramedic
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

Data Element Comment

Using each certification level within the agency, indicate the approved medications allowed utilizing dConfiguration.09 (EMS Agency Medications).

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

Associated Validation Rules

Rule ID	Level	Message
nemSch_d012	Warning	EMS Certification Levels Permitted to Perform Each Procedure, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.
nemSch_d013	Warning	EMS Certification Levels Permitted to Administer Each Medication, within the configuration group for the state recorded in EMS Agency State, should include the level recorded in Level of Service.

State National

dConfiguration.09 - EMS Agency Medications

Definition

A list of all medications the agency has implemented and have available for use.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_06	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

Code Type
9924003 - RxNorm 9924005 - SNOMED-CT

Constraints

Data Type	minLength	maxLength
string	2	9

Data Element Comment

This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities.

List of medications based on RxNorm (RXCUI) code and SNOMED-CT codes for blood products.

Reference the NEMSIS Suggested Lists at: https://nemsis.org/technical-resources/version-3/version-3-resources/

RxNorm
Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html
Product - RxNorm Full Monthly Release

SNOMED-CT
Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html
Product: Product - UMLS Metathesaurus.

Allowable SNOMED-CT codes are:
116762002 Administration of blood product
116795008 Transfusion of cryoprecipitate
116861002 Transfusion of fresh frozen plasma
116865006 Administration of albumin
180208003 Intravenous blood transfusion of platelets
33389009 Transfusion of whole blood
71493000 Transfusion of packed red blood cells

Associated Validation Rules

Rule ID	Level	Message
nemSch_d014	Error	EMS Agency Medications should be a code of between 2 and 7 digits when Code Type is "RxNorm".
nemSch_d015	Error	EMS Agency Medications should be a SNOMED code specifically allowed in the data dictionary when Code Type is "SNOMED".
nemSch_d016	Error	EMS Agency Medications should be an RxNorm code of between 2 and 7 digits or a SNOMED code specifically allowed in the data dictionary.

dConfiguration.10 - EMS Agency Protocols

Definition

A list of all of the EMS field protocols that the agency has in place and available for use.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_08	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
9914001	Airway
9914003	Airway-Failed
9914005	Airway-Obstruction/Foreign Body
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
9914009	Airway-Sedation Assisted (Non-Paralytic)
9914011	Cardiac Arrest-Asystole
9914013	Cardiac Arrest-Hypothermia-Therapeutic
9914015	Cardiac Arrest-Pulseless Electrical Activity
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
9914019	Cardiac Arrest-Post Resuscitation Care
9914021	Environmental-Altitude Sickness
9914023	Environmental-Cold Exposure
9914025	Environmental-Frostbite/Cold Injury
9914027	Environmental-Heat Exposure/Exhaustion
9914029	Environmental-Heat Stroke/Hyperthermia
9914031	Environmental-Hypothermia
9914033	Exposure-Airway/Inhalation Irritants
9914035	Exposure-Biological/Infectious
9914037	Exposure-Blistering Agents
9914041	Exposure-Chemicals to Eye
9914043	Exposure-Cyanide
9914045	Exposure-Explosive/ Blast Injury
9914047	Exposure-Nerve Agents
9914049	Exposure-Radiologic Agents
9914051	General-Back Pain
9914053	General-Behavioral/Patient Restraint
9914055	General-Cardiac Arrest
9914057	General-Dental Problems
9914059	General-Epistaxis
9914061	General-Fever
9914063	General-Individualized Patient Protocol
9914065	General-Indwelling Medical Devices/Equipment
9914067	General-IV Access
9914069	General-Medical Device Malfunction
9914071	General-Pain Control
9914073	General-Spinal Immobilization/Clearance
9914075	General-Universal Patient Care/ Initial Patient Contact
9914077	Injury-Amputation
9914079	Injury-Bites and Envenomations-Land
9914081	Injury-Bites and Envenomations-Marine
9914083	Injury-Bleeding/ Hemorrhage Control
9914085	Injury-Burns-Thermal
9914087	Injury-Cardiac Arrest
9914089	Injury-Crush Syndrome
9914091	Injury-Diving Emergencies

9914093	Injury-Drowning/Near Drowning
9914095	Injury-Electrical Injuries
9914097	Injury-Extremity
9914099	Injury-Eye
9914101	Injury-Head
9914103	Injury-Impaled Object
9914105	Injury-Multisystem
9914107	Injury-Spinal Cord
9914109	Medical-Abdominal Pain
9914111	Medical-Allergic Reaction/Anaphylaxis
9914113	Medical-Altered Mental Status
9914115	Medical-Bradycardia
9914117	Medical-Cardiac Chest Pain
9914119	Medical-Diarrhea
9914121	Medical-Hyperglycemia
9914123	Medical-Hypertension
9914125	Medical-Hypoglycemia/Diabetic Emergency
9914127	Medical-Hypotension/Shock (Non-Trauma)
9914129	Medical-Influenza-Like Illness/ Upper Respiratory Infection
9914131	Medical-Nausea/Vomiting
9914133	Medical-Newborn/ Neonatal Resuscitation
9914135	General-Overdose/Poisoning/Toxic Ingestion
9914137	Medical-Pulmonary Edema/CHF
9914139	Medical-Respiratory Distress/Asthma/COPD/Reactive Airway
9914141	Medical-Seizure
9914143	Medical-ST-Elevation Myocardial Infarction (STEMI)
9914145	Medical-Stroke/TIA
9914147	Medical-Supraventricular Tachycardia (Including Atrial Fibrillation)
9914149	Medical-Syncope
9914151	Medical-Ventricular Tachycardia (With Pulse)
9914153	Not Done
9914155	OB/GYN-Childbirth/Labor/Delivery
9914157	OB/GYN-Eclampsia
9914159	OB/GYN-Gynecologic Emergencies
9914161	OB/GYN-Pregnancy Related Emergencies
9914163	OB/GYN-Post-partum Hemorrhage
9914165	Other
9914167	Exposure-Carbon Monoxide
9914169	Cardiac Arrest-Do Not Resuscitate
9914171	Cardiac Arrest-Special Resuscitation Orders
9914173	Exposure-Smoke Inhalation
9914175	General-Community Paramedicine / Mobile Integrated Healthcare
9914177	General-Exception Protocol
9914179	General-Extended Care Guidelines
9914181	General-Interfacility Transfers
9914183	General-Law Enforcement - Blood for Legal Purposes
9914185	General-Law Enforcement - Assist with Law Enforcement Activity
9914187	General-Neglect or Abuse Suspected
9914189	General-Refusal of Care
9914191	Injury-Mass/Multiple Casualties
9914193	Injury-Thoracic
9914195	Medical-Adrenal Insufficiency
9914197	Medical-Apparent Life Threatening Event (ALTE)
9914199	Medical-Tachycardia
9914201	Cardiac Arrest-Determination of Death / Withholding Resuscitative Efforts
9914203	Injury-Conducted Electrical Weapon (e.g., Taser)
9914205	Injury-Facial Trauma
9914207	Injury-General Trauma Management
9914209	Injury-Lightning/Lightning Strike
9914211	Injury-SCUBA Injury/Accidents
9914213	Injury-Topical Chemical Burn
9914215	Medical-Beta Blocker Poisoning/Overdose
9914217	Medical-Calcium Channel Blocker Poisoning/Overdose
9914219	Medical-Opioid Poisoning/Overdose
9914221	Medical-Respiratory Distress-Bronchiolitis
9914223	Medical-Respiratory Distress-Croup
9914225	Medical-Stimulant Poisoning/Overdose

Data Element Comment

This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities.

State and local entities can add additional protocols to the list but the additional protocols must map to these uniform codes.

The list is defined by the NASEMSO State Medical Directors.

dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area

Definition

Indication as to whether Emergency Medical Dispatch is provided to the EMS Agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Code List

Code	Description
1213001	No
1213003	Yes, 100% of the EMS Agency's Service Area
1213005	Yes, Less than 100% of the EMS Agency's Service Area

Data Element Comment

Added to better document the implementation of Emergency Medical Dispatch. Associated with each EMS Agency and the specific EMS Agency Number (dAgency.02).

dConfiguration.16 - Crew Call Sign

Definition

The EMS crew call sign used to dispatch and communicate with the unit. This may be the same as the EMS Unit/Vehicle Number in many agencies.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_02	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_d017	Warning	Crew Call Sign should be unique (the same call sign should not be listed more than once).

sState

Legend		
Dataset Level:	N National	S State D Deprecated
Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional	
Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID	

sState

1 : 1	sState.01 - State	N	S	M

sState

State National

sState.01 - State

Definition

The state associated with the state data set.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Pattern
[0-9]{2}

Data Element Comment

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Used to populate the following data elements:
dAgency.04 EMS Agency State
dConfiguration.01 State Associated with this Configuration.

seCustomConfiguration

Legend

Dataset Level: N National S State D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID

seCustomConfiguration



seCustomConfiguration

Associated Validation Rules

Rule ID	Level	Message
nemSch_s010	Error	The Custom Element ID for each Patient Care Report Custom Data Element should be unique (the same ID should not be used more than once).

State National

seCustomConfiguration.01 - Patient Care Report Custom Data Element Title

Definition

This is the title of the patient care report custom data element created to collect information that is not defined formally in NEMSIS Version 3.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Attributes

nemsisElement
Data Type: anySimpleType **whiteSpace:** preserve

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

Used to populate eCustomConfiguration.01 Custom Data Element Title.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

State National

seCustomConfiguration.02 - Patient Care Report Custom Definition

Definition

The definition of the patient care report custom data element and how it should be used.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	0	255

Data Element Comment

Used to populate eCustomConfiguration.02 Custom Definition.

State National

seCustomConfiguration.03 - Patient Care Report Custom Data Type

Definition

The data type of the patient care report custom data element.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9902001	Binary
9902003	Date/Time
9902005	Integer/Number
9902007	Other
9902009	Text/String
9902011	Boolean

Data Element Comment

Used to populate eCustomConfiguration.03 Custom Data Type.

State National

seCustomConfiguration.04 - Patient Care Report Custom Data Element Recurrence

Definition

Indication if the patient care report custom data element will accept multiple values.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Used to populate eCustomConfiguration.04 Custom Data Element Recurrence.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

State National

seCustomConfiguration.05 - Patient Care Report Custom Data Element Usage

Definition

The state-level usage (Mandatory, Required, Recommended, or Optional) for the patient care report custom data element.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9903001	Mandatory
9903003	Required
9903005	Recommended
9903007	Optional

Data Element Comment

Mandatory = Must be completed and will not accept null values.
Required = Must be completed but will accept null values.
Recommended = Not required but if collected will accept null values.
Optional = Not required but if collected, it cannot be a null value.

Used to populate eCustomConfiguration.05 Custom Data Element Usage.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

State National

seCustomConfiguration.06 - Patient Care Report Custom Data Element Potential Values

Definition

The values which are associated with the patient care report custom data element. Values would be the choices provided to the user when they document the custom data element.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

nemsisCode
Data Type: anySimpleType **whiteSpace:** preserve

customValueDescription
Data Type: anySimpleType **whiteSpace:** preserve

Constraints

Data Type	minLength	maxLength
string	1	100

Data Element Comment

Used to populate eCustomConfiguration.06 Custom Data Element Potential Values.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s011	Error	Patient Care Report Custom Data Element Potential Values should be unique (the same value should not be listed more than once).
nemSch_s012	Error	The Custom Value Description for Patient Care Report Custom Data Element Potential Values should be unique (the same description should not be listed more than once).

State National

seCustomConfiguration.07 - Patient Care Report Custom Data Element Potential NOT Values (NV)

Definition

NOT Values (NV) associated with the patient care report custom data element.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Code List

Code	Description
7701001	Not Applicable
7701003	Not Recorded
7701005	Not Reporting

Data Element Comment

Used to populate eCustomConfiguration.07 Custom Data Element Potential NOT Values (NV).

Associated Validation Rules

Rule ID	Level	Message
nemSch_s013	Error	Patient Care Report Custom Data Element Potential NOT Values (NV) should be unique (the same value should not be listed more than once).

State National

seCustomConfiguration.08 - Patient Care Report Custom Data Element Potential Pertinent Negative Values (PN)

Definition

Pertinent Negative Values (PN) associated with the patient care report custom data element.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Code List

Code	Description
8801001	Contraindication Noted
8801003	Denied By Order
8801005	Exam Finding Not Present
8801007	Medication Allergy
8801009	Medication Already Taken
8801013	No Known Drug Allergy
8801015	None Reported
8801017	Not Performed by EMS
8801019	Refused
8801021	Unresponsive
8801023	Unable to Complete
8801025	Not Immunized
8801027	Order Criteria Not Met
8801029	Approximate
8801031	Symptom Not Present

Data Element Comment

Used to populate eCustomConfiguration.08 Custom Data Element Potential Pertinent Negative Values (PN).

Associated Validation Rules

Rule ID	Level	Message
nemSch_s014	Error	Patient Care Report Custom Data Element Potential Pertinent Negative Values (PN) should be unique (the same value should not be listed more than once).

State National

seCustomConfiguration.09 - Patient Care Report Custom Data Element Grouping ID

Definition

ID for patient care report custom data element grouping.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	0	255

Data Element Comment

Used to populate eCustomConfiguration.09 Custom Data Element Grouping ID.

sdCustomConfiguration

Legend

Dataset Level: N National S State D Deprecated

Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID

sdCustomConfiguration



sdCustomConfiguration

Associated Validation Rules

Rule ID	Level	Message
nemSch_s005	Error	The Custom Element ID for each Agency Demographic Custom Data Element should be unique (the same ID should not be used more than once).

State National

sdCustomConfiguration.01 - Agency Demographic Custom Data Element Title

Definition

This is the title of the custom data element created to collect information that is not defined formally in NEMSIS Version 3.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Attributes

nemsisElement
Data Type: anySimpleType **whiteSpace:** preserve

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

Used to populate dCustomConfiguration.01 Custom Data Element Title.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

State National

sdCustomConfiguration.02 - Agency Demographic Custom Definition

Definition

The definition of the agency demographic custom data element and how it should be used.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Constraints

Data Type	minLength	maxLength
string	0	255

Data Element Comment

Used to populate dCustomConfigration.02 Custom Definition.

State National

sdCustomConfiguration.03 - Agency Demographic Custom Data Type

Definition

The data type of the agency demographic custom element.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9902001	Binary
9902003	Date/Time
9902005	Integer/Number
9902007	Other
9902009	Text/String
9902011	Boolean

Data Element Comment

Used to populate dCustomConfiguration.03 Custom Data Type.

State National

sdCustomConfiguration.04 - Agency Demographic Custom Data Element Recurrence

Definition

Indication if the agency demographic custom data element will accept multiple values.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9923001	No
9923003	Yes

Data Element Comment

Used to populate dCustomConfiguration.04 Custom Data Element Recurrence.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

State National

sdCustomConfiguration.05 - Agency Demographic Custom Data Element Usage

Definition

The Usage (Mandatory, Required, Recommended, or Optional) for the agency demographic custom data element.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : 1

Code List

Code	Description
9903001	Mandatory
9903003	Required
9903005	Recommended
9903007	Optional

Data Element Comment

Mandatory = Must be completed and will not accept null values.
Required = Must be completed but will accept null values.
Recommended = Not required but if collected will accept null values.
Optional = Not required but if collected, it cannot be a null value.

Used to populate dCustomConfiguration.05 Custom Data Element Usage.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

State National

sdCustomConfiguration.06 - Agency Demographic Custom Data Element Potential Values

Definition

The values which are associated with the agency demographic custom data element. Values would be the choices provided to the user when they document the custom data element.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

nemsisCode
Data Type: anySimpleType **whiteSpace:** preserve

customValueDescription
Data Type: anySimpleType **whiteSpace:** preserve

Constraints

Data Type	minLength	maxLength
string	1	100

Data Element Comment

Used to populate dCustomConfiguration.06 Custom Data Element Potential Values.

Version 3 Changes Implemented

Added to allow customized data elements to be inserted and collected from within the NEMSIS Version 3 standard.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s006	Error	Agency Demographic Custom Data Element Potential Values should be unique (the same value should not be listed more than once).
nemSch_s007	Error	The Custom Value Description for Agency Demographic Custom Data Element Potential Values should be unique (the same description should not be listed more than once).

State National

sdCustomConfiguration.07 - Agency Demographic Custom Data Element Potential NOT Values (NV)

Definition

NOT Values (NV) associated with the agency demographic custom element.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Code List

Code	Description
7701001	Not Applicable
7701003	Not Recorded
7701005	Not Reporting

Data Element Comment

Used to populate dCustomConfiguration.07 Custom Data Element Potential NOT Values (NV).

Associated Validation Rules

Rule ID	Level	Message
nemSch_s008	Error	Agency Demographic Custom Data Element Potential NOT Values (NV) should be unique (the same value should not be listed more than once).

State National

sdCustomConfiguration.08 - Agency Demographic Custom Data Element Potential Pertinent Negative Values (PN)

Definition

Pertinent Negative Values (PN) associated with the agency demographic custom element.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Code List

Code	Description
8801001	Contraindication Noted
8801003	Denied By Order
8801005	Exam Finding Not Present
8801007	Medication Allergy
8801009	Medication Already Taken
8801013	No Known Drug Allergy
8801015	None Reported
8801017	Not Performed by EMS
8801019	Refused
8801021	Unresponsive
8801023	Unable to Complete
8801025	Not Immunized
8801027	Order Criteria Not Met
8801029	Approximate
8801031	Symptom Not Present

Data Element Comment

Used to populate dCustomConfiguration.08 Custom Data Element Potential Pertinent Negative Values (PN).

Associated Validation Rules

Rule ID	Level	Message
nemSch_s009	Error	Agency Demographic Custom Data Element Potential Pertinent Negative Values (PN) should be unique (the same value should not be listed more than once).

State National

sdCustomConfiguration.09 - Agency Demographic Custom Data Element Grouping ID

Definition

ID for agency demographic custom element grouping.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	0	255

Data Element Comment

Used to populate dCustomConfiguration.09 Custom Data Element Grouping ID.

sSoftware


Legend
Dataset Level: N National S State D Deprecated
Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID
sSoftware
1 : 1
sSoftware.SoftwareGroup
1 : 1
sSoftware.01 - Software Creator
N S R N, L
1 : 1
sSoftware.02 - Software Name
N S R N, L
1 : 1
sSoftware.03 - Software Version
N S R N, L
sSoftware

State National

sSoftware.01 - Software Creator

Definition

The name of the vendor, manufacturer, and developer who designed the application that created this state data set record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Software Creator is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Software Creator has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

sSoftware.02 - Software Name

Definition

The name of the application used to create this state data set record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Software Name is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Software Name has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

sSoftware.03 - Software Version

Definition

The version of the application used to create this state data set record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Software Version is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Software Version has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

sElement

Legend		
	Dataset Level:	N National S State D Deprecated
	Usage:	M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes:	N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID

sElement

1 : M	sElement.01 - State Collected Element	N	S	R	N, L

sElement

State National

sElement.01 - State Collected Element

Definition

The data elements that the state collects or requires.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minLength	maxLength
string	1	100

Data Element Comment

Used to configure the agency demographic and patient care report data elements that are to be collected and reported to the state by EMS agencies within the state.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When State Collected Element is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When State Collected Element has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s003	Warning	When State Collected Element has a Not Value, no other value should be recorded.
nemSch_s015	Warning	State Collected Element should be unique (the same element should not be listed more than once).

sConfiguration



sConfiguration

1 : M	sConfiguration.01 - State Certification/Licensure Levels	N	S	R	N, L	
1 : M	sConfiguration.ProcedureGroup					
1 : 1	sConfiguration.02 - EMS Certification Levels Permitted to Perform Each Procedure	N	S	R	N, L	
1 : M	sConfiguration.03 - Procedures Permitted by the State	N	S	R	N, L	
1 : M	sConfiguration.MedicationGroup					
1 : 1	sConfiguration.04 - EMS Certification Levels Permitted to Administer Each Medication	N	S	R	N, L	
1 : M	sConfiguration.05 - Medications Permitted by the State	N	S	R	N, L	
1 : M	sConfiguration.06 - Protocols Permitted by the State	N	S	R	N, L	

sConfiguration

State National

sConfiguration.01 - State Certification/Licensure Levels

Definition

The levels of certification/licensure for EMS personnel recognized by the state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D04_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9917001	Advanced Emergency Medical Technician (AEMT)
9917002	Emergency Medical Technician - Intermediate
9917003	Emergency Medical Responder (EMR)
9917005	Emergency Medical Technician (EMT)
9917007	Paramedic
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

Data Element Comment

Used to populate EMS-related values in the following data elements (some data elements contain additional non-EMS-related values, such as "Student" or "Patient" that should be allowed unless specifically instructed otherwise by the state):
dAgency.11 Level of Service
dConfiguration.06 EMS Certification Levels Permitted to Perform Each Procedure
dConfiguration.08 EMS Certification Levels Permitted to Administer Each Medication
dVehicle.05 Crew State Certification/Licensure Levels
dPersonnel.24 EMS Personnel's State EMS Certification Licensure Level
dPersonnel.38 EMS Personnel's Practice Level
ePayment.42 Specialty Care Transport Care Provider

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When State Certification/Licensure Levels is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When State Certification/Licensure Levels has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s003	Warning	When State Certification/Licensure Levels has a Not Value, no other value should be recorded.
nemSch_s016	Warning	State Certification/Licensure Levels should be unique (the same level should not be listed more than once).
nemSch_s017	Warning	EMS Certification Levels Permitted to Perform Each Procedure should be on the list of State Certification/Licensure Levels.
nemSch_s020	Warning	EMS Certification Levels Permitted to Administer Each Medication should be on the list of State Certification/Licensure Levels.

State National

sConfiguration.02 - EMS Certification Levels Permitted to Perform Each Procedure

Definition

The certification/licensure level that is permitted to perform the procedures listed in sConfiguration.03.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D04_05	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9917001	Advanced Emergency Medical Technician (AEMT)
9917002	Emergency Medical Technician - Intermediate
9917003	Emergency Medical Responder (EMR)
9917005	Emergency Medical Technician (EMT)
9917007	Paramedic
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

Data Element Comment

Used to populate dConfiguration.06 EMS Certification Levls Permitted to Perform Each Procedure.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When EMS Certification Levels Permitted to Perform Each Procedure is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When EMS Certification Levels Permitted to Perform Each Procedure has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s017	Warning	EMS Certification Levels Permitted to Perform Each Procedure should be on the list of State Certification/Licensure Levels.
nemSch_s018	Warning	EMS Certification Levels Permitted to Perform Each Procedure should be unique (the same level should not be listed more than once).

sConfiguration.03 - Procedures Permitted by the State

Definition

Procedures permitted by the state for the certification/licensure level listed in sConfiguration.02.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	maxInclusive	minInclusive
integer	999999999999999	100000

Data Element Comment

Used to populate dConfiguration.07 EMS Agency Procedures.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Procedures Permitted by the State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Procedures Permitted by the State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s003	Warning	When Procedures Permitted by the State has a Not Value, no other value should be recorded.
nemSch_s019	Warning	Procedures Permitted by the State should be unique (the same procedure should not be listed more than once for a particular level).

State National

sConfiguration.04 - EMS Certification Levels Permitted to Administer Each Medication

Definition

The certification/licensure level that is permitted to administer the medications listed in sConfiguration.05.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D04_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9917001	Advanced Emergency Medical Technician (AEMT)
9917002	Emergency Medical Technician - Intermediate
9917003	Emergency Medical Responder (EMR)
9917005	Emergency Medical Technician (EMT)
9917007	Paramedic
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

Data Element Comment

Used to populate dConfiguration.08 EMS Certification Levels Permitted to Administer Each Medication.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When EMS Certification Levels Permitted to Administer Each Medication is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When EMS Certification Levels Permitted to Administer Each Medication has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s020	Warning	EMS Certification Levels Permitted to Administer Each Medication should be on the list of State Certification/Licensure Levels.
nemSch_s021	Warning	EMS Certification Levels Permitted to Administer Each Medication should be unique (the same level should not be listed more than once).

sConfiguration.05 - Medications Permitted by the State

Definition

Medications permitted by the state for the certification/licensure level listed in sConfiguration.04.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Constraints

Data Type	minLength	maxLength
string	2	9

Data Element Comment

Used to populate dConfiguration.09 EMS Agency Medications

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Medications Permitted by the State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Medications Permitted by the State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s003	Warning	When Medications Permitted by the State has a Not Value, no other value should be recorded.
nemSch_s022	Warning	Medications Permitted by the State should be unique (the same medication should not be listed more than once for a particular level).
nemSch_s023	Error	Medications Permitted by the State should be a code of between 2 and 7 digits when Code Type is "RxNorm".
nemSch_s024	Error	Medications Permitted by the State should be a SNOMED code specifically allowed in the data dictionary when Code Type is "SNOMED".
nemSch_s025	Error	Medications Permitted by the State should be an RxNorm code of between 2 and 7 digits or a SNOMED code specifically allowed in the data dictionary.

sConfiguration.06 - Protocols Permitted by the State

Definition

Protocols permitted by the state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

Code List

Code	Description
9914001	Airway
9914003	Airway-Failed
9914005	Airway-Obstruction/Foreign Body
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
9914009	Airway-Sedation Assisted (Non-Paralytic)
9914011	Cardiac Arrest-Asystole
9914013	Cardiac Arrest-Hypothermia-Therapeutic
9914015	Cardiac Arrest-Pulseless Electrical Activity
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
9914019	Cardiac Arrest-Post Resuscitation Care
9914021	Environmental-Altitude Sickness
9914023	Environmental-Cold Exposure
9914025	Environmental-Frostbite/Cold Injury
9914027	Environmental-Heat Exposure/Exhaustion
9914029	Environmental-Heat Stroke/Hyperthermia
9914031	Environmental-Hypothermia
9914033	Exposure-Airway/Inhalation Irritants
9914035	Exposure-Biological/Infectious
9914037	Exposure-Blistering Agents
9914041	Exposure-Chemicals to Eye
9914043	Exposure-Cyanide
9914045	Exposure-Explosive/ Blast Injury
9914047	Exposure-Nerve Agents
9914049	Exposure-Radiologic Agents
9914051	General-Back Pain
9914053	General-Behavioral/Patient Restraint
9914055	General-Cardiac Arrest
9914057	General-Dental Problems
9914059	General-Epistaxis
9914061	General-Fever
9914063	General-Individualized Patient Protocol
9914065	General-Indwelling Medical Devices/Equipment
9914067	General-IV Access
9914069	General-Medical Device Malfunction
9914071	General-Pain Control
9914073	General-Spinal Immobilization/Clearance
9914075	General-Universal Patient Care/ Initial Patient Contact
9914077	Injury-Amputation
9914079	Injury-Bites and Envenomations-Land
9914081	Injury-Bites and Envenomations-Marine
9914083	Injury-Bleeding/ Hemorrhage Control

9914085	Injury-Burns-Thermal
9914087	Injury-Cardiac Arrest
9914089	Injury-Crush Syndrome
9914091	Injury-Diving Emergencies
9914093	Injury-Drowning/Near Drowning
9914095	Injury-Electrical Injuries
9914097	Injury-Extremity
9914099	Injury-Eye
9914101	Injury-Head
9914103	Injury-Impaled Object
9914105	Injury-Multisystem
9914107	Injury-Spinal Cord
9914109	Medical-Abdominal Pain
9914111	Medical-Allergic Reaction/Anaphylaxis
9914113	Medical-Altered Mental Status
9914115	Medical-Bradycardia
9914117	Medical-Cardiac Chest Pain
9914119	Medical-Diarrhea
9914121	Medical-Hyperglycemia
9914123	Medical-Hypertension
9914125	Medical-Hypoglycemia/Diabetic Emergency
9914127	Medical-Hypotension/Shock (Non-Trauma)
9914129	Medical-Influenza-Like Illness/ Upper Respiratory Infection
9914131	Medical-Nausea/Vomiting
9914133	Medical-Newborn/ Neonatal Resuscitation
9914135	General-Overdose/Poisoning/Toxic Ingestion
9914137	Medical-Pulmonary Edema/CHF
9914139	Medical-Respiratory Distress/Asthma/COPD/Reactive Airway
9914141	Medical-Seizure
9914143	Medical-ST-Elevation Myocardial Infarction (STEMI)
9914145	Medical-Stroke/TIA
9914147	Medical-Supraventricular Tachycardia (Including Atrial Fibrillation)
9914149	Medical-Syncope
9914151	Medical-Ventricular Tachycardia (With Pulse)
9914153	Not Done
9914155	OB/GYN-Childbirth/Labor/Delivery
9914157	OB/GYN-Eclampsia
9914159	OB/GYN-Gynecologic Emergencies
9914161	OB/GYN-Pregnancy Related Emergencies
9914163	OB/GYN-Post-partum Hemorrhage
9914165	Other
9914167	Exposure-Carbon Monoxide
9914169	Cardiac Arrest-Do Not Resuscitate
9914171	Cardiac Arrest-Special Resuscitation Orders
9914173	Exposure-Smoke Inhalation
9914175	General-Community Paramedicine / Mobile Integrated Healthcare
9914177	General-Exception Protocol
9914179	General-Extended Care Guidelines
9914181	General-Interfacility Transfers
9914183	General-Law Enforcement - Blood for Legal Purposes
9914185	General-Law Enforcement - Assist with Law Enforcement Activity
9914187	General-Neglect or Abuse Suspected
9914189	General-Refusal of Care
9914191	Injury-Mass/Multiple Casualties
9914193	Injury-Thoracic
9914195	Medical-Adrenal Insufficiency
9914197	Medical-Apparent Life Threatening Event (ALTE)
9914199	Medical-Tachycardia
9914201	Cardiac Arrest-Determination of Death / Withholding Resuscitative Efforts
9914203	Injury-Conducted Electrical Weapon (e.g., Taser)
9914205	Injury-Facial Trauma
9914207	Injury-General Trauma Management
9914209	Injury-Lightning/Lightning Strike
9914211	Injury-SCUBA Injury/Accidents
9914213	Injury-Topical Chemical Burn
9914215	Medical-Beta Blocker Poisoning/Overdose
9914217	Medical-Calcium Channel Blocker Poisoning/Overdose
9914219	Medical-Opioid Poisoning/Overdose
9914221	Medical-Respiratory Distress-Bronchiolitis

9914223 Medical-Respiratory Distress-Croup
9914225 Medical-Stimulant Poisoning/Overdose

Data Element Comment

Used to populate dConfiguration.10 EMS Agency Protocols.

Version 3 Changes Implemented

Added to better identify states with statewide protocols and define state EMS capability and care.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Protocols Permitted by the State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Protocols Permitted by the State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s003	Warning	When Protocols Permitted by the State has a Not Value, no other value should be recorded.
nemSch_s026	Warning	Protocols Permitted by the State should be unique (the same protocol should not be listed more than once).

sAgency



sAgency

0 : M	sAgencyGroup					
0 : 1	sAgency.01 - EMS Agency Unique State ID	N	S	E	N, L	
0 : 1	sAgency.02 - EMS Agency Number	N	S	E	N, L	
0 : 1	sAgency.03 - EMS Agency Name	N	S	E	N, L	

sAgency

State National

sAgency.01 - EMS Agency Unique State ID

Definition

The unique ID assigned to the EMS Agency which is associated with all state licensure numbers and information.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	1	50

Data Element Comment

Used to populate dAgency.01 EMS Agency Unique State ID.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When EMS Agency Unique State ID is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When EMS Agency Unique State ID has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s027	Warning	EMS Agency Unique State ID and EMS Agency Number should be a unique combination for each EMS agency.

State National

sAgency.02 - EMS Agency Number

Definition

The state-assigned provider number of the EMS agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_01	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	1	15

Data Element Comment

This may be the EMS Agency Name or a unique number assigned by the state EMS office. This is required to document multiple license types and numbers associated with the same EMS agency.

Used to populate the following data elements:
dAgency.02 EMS Agency Number
eScene.03 Other EMS or Public Safety Agency ID Number
eDisposition.02 Destination/Transferred To, Code (for transfer of EMS care)

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When EMS Agency Number is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When EMS Agency Number has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s027	Warning	EMS Agency Unique State ID and EMS Agency Number should be a unique combination for each EMS agency.

State National

sAgency.03 - EMS Agency Name

Definition

The formal name of the EMS agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_02	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

An EMS agency can have more than one Agency Number within a state. This reflects the ability for an EMS agency to have a different number for each service type or location (based on state implementation).

Used to populate the following data elements:
dAgency.03 EMS Agency Name
eScene.02 - Other EMS or Public Safety Agencies at Scene
eDisposition.01 - Destination/Transferred To, Name (for transfer of EMS care)

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When EMS Agency Name is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When EMS Agency Name has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

sFacility


Legend
Dataset Level: N National S State D Deprecated
Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID
sFacility
0 : M sFacilityGroup
0 : 1 sFacility.01 - Type of Facility N S E N, L
0 : M sFacility.FacilityGroup
0 : 1 sFacility.02 - Facility Name N S E N, L
0 : 1 sFacility.03 - Facility Location Code N S E N, L
0 : M sFacility.04 - Hospital Designations N S E N, L
0 : M sFacility.05 - Facility National Provider Identifier N S O
0 : 1 sFacility.06 - Facility Room, Suite, or Apartment N S O
0 : 1 sFacility.07 - Facility Street Address N S O
0 : 1 sFacility.08 - Facility City N S O
0 : 1 sFacility.09 - Facility State N S E N, L
0 : 1 sFacility.10 - Facility ZIP Code N S E N, L
0 : 1 sFacility.11 - Facility County N S E N, L
0 : 1 sFacility.12 - Facility Country N S O
0 : 1 sFacility.13 - Facility GPS Location N S O
0 : 1 sFacility.14 - Facility US National Grid Coordinates N S O
0 : M sFacility.15 - Facility Phone Number N S O
sFacility

State National

sFacility.01 - Type of Facility

Definition

The type of facility (healthcare or other) that the EMS agency transports patients to or from.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D04_15	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Code List

Code	Description
1701001	Assisted Living Facility
1701003	Clinic
1701005	Hospital
1701007	Nursing Home
1701009	Other
1701011	Urgent Care
1701013	Physical Rehabilitation Facility
1701015	Mental Health Facility
1701017	Dialysis Center
1701019	Diagnostic Services
1701021	Freestanding Emergency Department
1701023	Morgue/Mortuary
1701025	Police/Jail
1701027	Other EMS Responder (air)
1701029	Other EMS Responder (ground)
1701031	Other Recurring Care Center
1701033	Drug and/or Alcohol Rehabilitation Facility
1701035	Skilled Nursing Facility

Data Element Comment

Used to populate dFacility.01 Type of Facility.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Type of Facility is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Type of Facility has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s028	Warning	Type of Facility, Facility Location Code, Facility Street Address, Facility City, and Facility State should be a unique combination for each facility.

State National

sFacility.02 - Facility Name

Definition

The name of the facility.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D04_11	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	2	100

Data Element Comment

Used to populate dFacility.02 Facility Name

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Facility Name is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Facility Name has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

sFacility.03 - Facility Location Code

Definition

The code of the facility as assigned by the state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D04_12	Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Data Type	minLength	maxLength
string	2	50

Data Element Comment

Used to populate dFacility.03 Facility Location Code.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Facility Location Code is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Facility Location Code has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s028	Warning	Type of Facility, Facility Location Code, Facility Street Address, Facility City, and Facility State should be a unique combination for each facility.

State National

sFacility.04 - Hospital Designations

Definition

The designation(s) associated with the hospital (e.g. Trauma, STEMI, Peds, etc).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : M

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Code List

Code	Description
9908001	Behavioral Health
9908003	Burn Center
9908005	Critical Access Hospital
9908007	Hospital (General)
9908009	Neonatal Center
9908011	Pediatric Center
9908019	Rehab Center
9908021	Trauma Center Level 1
9908023	Trauma Center Level 2
9908025	Trauma Center Level 3
9908027	Trauma Center Level 4
9908029	Trauma Center Level 5
9908031	Cardiac-STEMI/PCI Capable
9908033	Cardiac-STEMI/PCI Capable (24/7)
9908035	Cardiac-STEMI/Non-PCI Capable
9908037	Stroke-Acute Stroke Ready Hospital (ASRH)
9908039	Stroke-Primary Stroke Center (PSC)
9908041	Stroke-Thrombectomy-Capable Stroke Center (TSC)
9908043	Stroke-Comprehensive Stroke Center (CSC)
9908045	Cancer Center
9908047	Labor and Delivery

Data Element Comment

Used to populate dFacility.04 Hospital Designations.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Hospital Designations is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Hospital Designations has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s003	Warning	When Hospital Designations has a Not Value, no other value should be recorded.
nemSch_s029	Warning	Hospital Designations should be unique (the same designation should not be listed more than once).

State National

sFacility.05 - Facility National Provider Identifier

Definition

The facility National Provider Identifier(s) associated with National Provider System (NPS).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Constraints

Data Type	length
string	10

Data Element Comment

Used to populate dFacility.05 Facility National Provider Identifier.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s030	Warning	Facility National Provider Identifier should be unique (the same identifier should not be listed more than once).

sFacility.06 - Facility Room, Suite, or Apartment

Definition

The number of the specific room, suite, or apartment of the facility.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Data Type	minLength	maxLength
string	1	15

Data Element Comment

Used to populate dFacility.06 Facility Room, Suite, or Apartment.

State National

sFacility.07 - Facility Street Address

Definition

The street address where the facility is located.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Attributes

StreetAddress2
Data Type: string **minLength:** 1 **maxLength:** 255

Constraints

Data Type	minLength	maxLength
string	1	255

Data Element Comment

Used to populate dFacility.07 Facility Street Address.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s028	Warning	Type of Facility, Facility Location Code, Facility Street Address, Facility City, and Facility State should be a unique combination for each facility.

State National

sFacility.08 - Facility City

Definition

The city where the facility is located (physical address).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Data Element Comment

City codes are based on GNIS Feature Class. The primary Feature Class to use is "Civil" with "Populated Place" and "Military" code as additional options.

Definitions for each GNIS City Feature Class can be found on the GNIS Codes website.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Used to populate dFacility.08 Facility City.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s028	Warning	Type of Facility, Facility Location Code, Facility Street Address, Facility City, and Facility State should be a unique combination for each facility.

State National

sFacility.09 - Facility State

Definition

The state where the facility is located.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Pattern

[0-9]{2}

Data Element Comment

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Used to populate dFacility.09 Facility State.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Facility State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Facility State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s028	Warning	Type of Facility, Facility Location Code, Facility Street Address, Facility City, and Facility State should be a unique combination for each facility.
nemSch_s031	Warning	Facility County should belong within the Facility State.

State National

sFacility.10 - Facility ZIP Code

Definition

The zip code where the facility is located.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Pattern

[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

Data Element Comment

ZIP Codes Product Website: https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/ Product: USA - 5-digit ZIP Code Database, Commercial Edition

Used to populate dFacility.10 Facility ZIP Code.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Facility ZIP Code is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Facility ZIP Code has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State National

sFacility.11 - Facility County

Definition

The county where the facility is located.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Recommended	Recurrence	0 : 1

Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Constraints

Pattern

[0-9]{5}

Data Element Comment

GNIS Codes Website: http://geonames.usgs.gov/domestic/download_data.htm

Used to populate dFacility.11 Facility County.

Associated Validation Rules

Rule ID	Level	Message
nemSch_s001	Error	When Facility County is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element), or it should be omitted (if the element is optional).
nemSch_s002	Error	When Facility County has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
nemSch_s031	Warning	Facility County should belong within the Facility State.

sFacility.12 - Facility Country

Definition

The country where the facility is located.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Code List

Code	Description
CA	Canada
MX	Mexico
US	United States

Data Element Comment

ANSI Country Codes (ISO 3166) Website: https://www.iso.org/iso-3166-country-codes.html

Used to populate dFacility.12 Facility Country.

sFacility.13 - Facility GPS Location

Definition

The facility GPS Coordinates.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern

(\+|-)?(90(\.[0]{1,6})?|([1-8][0-9]|[0-9])(\.[0-9]{1,6})?),(\+|-)?(180(\.[0]{1,6})?|(1[0-7][0-9]|[1-9][0-9]|[0-9])(\.[0-9]{1,6})?)

Data Element Comment

The pattern for GPS location is in the format "*latitude*,*longitude*" where:
- *latitude* has a minimum of -90 and a maximum of 90 with up to 6 decimal places
- *longitude* has a minimum of -180 and a maximum of 180 with up to 6 decimal places

Used to populated dFacility.13 Facility GPS Location.

sFacility.14 - Facility US National Grid Coordinates

Definition

The facility US National Grid Coordinates.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : 1

Constraints

Pattern
([1-9]|[1-5][0-9]|60)[C-HJ-NP-X][A-HJ-NP-Z][A-HJ-NP-V][0-9]{8}

Data Element Comment

Standard found at http://www.fgdc.gov/usng.

Used to populate dFacility.14 Facility US National Grid Coordinates.

sFacility.15 - Facility Phone Number

Definition

The facility phone number(s).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Optional	Recurrence	0 : M

Attributes

PhoneNumberType

9913001 - Fax	9913003 - Home	9913005 - Mobile
9913007 - Pager	9913009 - Work	

Constraints

Pattern

[2-9][0-9][0-9]-[2-9][0-9][0-9]-[0-9][0-9][0-9][0-9]

Data Element Comment

This element contains an attribute to define what type of phone number is being documented (e.g., Fax, Home, Mobile, Pager, and Work).

Used to populate dFacility.15 Facility Phone Number.

Index

DEMDataSet	**3**
DEMDataSet Grouping	4
EMSDataSet	**1**
EMSDataSet Grouping	2
StateDataSet	**5**
StateDataSet Grouping	6
dAgency	**234**
dAgency Grouping	235
dAgency.01 - EMS Agency Unique State ID	7
dAgency.01 - EMS Agency Unique State ID	236
dAgency.02 - EMS Agency Number	8
dAgency.02 - EMS Agency Number	237
dAgency.04 - EMS Agency State	9
dAgency.04 - EMS Agency State	238
dAgency.05 - EMS Agency Service Area States	239
dAgency.06 - EMS Agency Service Area County(ies)	240
dAgency.07 - EMS Agency Census Tracts	241
dAgency.08 - EMS Agency Service Area ZIP Codes	242
dAgency.09 - Primary Type of Service	243
dAgency.11 - Level of Service	244
dAgency.12 - Organization Status	245
dAgency.13 - Organizational Type	246
dAgency.14 - EMS Agency Organizational Tax Status	247
dAgency.25 - National Provider Identifier	248
dAgency.26 - Fire Department ID Number	249
dConfiguration	**250**
dConfiguration Grouping	251
dConfiguration.01 - State Associated with this Configuration	252
dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure	253
dConfiguration.07 - EMS Agency Procedures	254
dConfiguration.08 - EMS Certification Levels Permitted to Administer Each Medication	255
dConfiguration.09 - EMS Agency Medications	256
dConfiguration.10 - EMS Agency Protocols	257
dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area	260
dConfiguration.16 - Crew Call Sign	261
eArrest	**101**
eArrest Grouping	102
eArrest.01 - Cardiac Arrest	103
eArrest.02 - Cardiac Arrest Etiology	105
eArrest.03 - Resuscitation Attempted By EMS	106
eArrest.04 - Arrest Witnessed By	108
eArrest.07 - AED Use Prior to EMS Arrival	109

eArrest.09 - Type of CPR Provided 110
eArrest.11 - First Monitored Arrest Rhythm of the Patient 112
eArrest.12 - Any Return of Spontaneous Circulation 113
eArrest.14 - Date/Time of Cardiac Arrest 114
eArrest.16 - Reason CPR/Resuscitation Discontinued 116
eArrest.17 - Cardiac Rhythm on Arrival at Destination 117
eArrest.18 - End of EMS Cardiac Arrest Event 119
eArrest.20 - Who First Initiated CPR 120
eArrest.21 - Who First Applied the AED 122
eArrest.22 - Who First Defibrillated the Patient 124

eDispatch 34

eDispatch Grouping 35
eDispatch.01 - Dispatch Reason 36
eDispatch.02 - EMD Performed 38

eDisposition 188

eDisposition Grouping 189
eDisposition.05 - Destination State 190
eDisposition.06 - Destination County 191
eDisposition.07 - Destination ZIP Code 192
eDisposition.16 - EMS Transport Method 201
eDisposition.17 - Transport Mode from Scene 202
eDisposition.18 - Additional Transport Mode Descriptors 203
eDisposition.19 - Final Patient Acuity 204
eDisposition.20 - Reason for Choosing Destination 205
eDisposition.21 - Type of Destination 206
eDisposition.22 - Hospital In-Patient Destination 208
eDisposition.23 - Hospital Capability 209
eDisposition.24 - Destination Team Pre-Arrival Alert or Activation 211
eDisposition.25 - Date/Time of Destination Prearrival Alert or Activation 212
eDisposition.27 - Unit Disposition 193
eDisposition.28 - Patient Evaluation/Care 195
eDisposition.29 - Crew Disposition 198
eDisposition.30 - Transport Disposition 199
eDisposition.32 - Level of Care Provided per Protocol 214

eHistory 126

eHistory Grouping 127
eHistory.01 - Barriers to Patient Care 128
eHistory.17 - Alcohol/Drug Use Indicators 129

eInjury 96

eInjury Grouping 97
eInjury.01 - Cause of Injury 98
eInjury.03 - Trauma Triage Criteria (Steps 1 and 2) 99
eInjury.04 - Trauma Triage Criteria (Steps 3 and 4) 100

eMedications 159

eMedications Grouping 160

eMedications.01 - Date/Time Medication Administered 161
eMedications.02 - Medication Administered Prior to this Unit's EMS Care 163
eMedications.03 - Medication Administered 165
eMedications.04 - Medication Administered Route 167
eMedications.05 - Medication Dosage 169
eMedications.06 - Medication Dosage Units 170
eMedications.07 - Response to Medication 171
eMedications.08 - Medication Complication 172
eMedications.10 - Role/Type of Person Administering Medication 173

eOutcome 215

eOutcome Grouping 216
eOutcome.01 - Emergency Department Disposition 217
eOutcome.02 - Hospital Disposition 219
eOutcome.09 - Emergency Department Procedures 221
eOutcome.10 - Emergency Department Diagnosis 224
eOutcome.11 - Date/Time of Hospital Admission 225
eOutcome.12 - Hospital Procedures 227
eOutcome.13 - Hospital Diagnosis 230
eOutcome.16 - Date/Time of Hospital Discharge 231
eOutcome.18 - Date/Time of Emergency Department Admission 233
eOutcome.19 - Date/Time Emergency Department Procedure Performed 222
eOutcome.20 - Date/Time Hospital Procedure Performed 228

ePatient 59

ePatient Grouping 60
ePatient.07 - Patient's Home County 61
ePatient.08 - Patient's Home State 62
ePatient.09 - Patient's Home ZIP Code 63
ePatient.13 - Gender 64
ePatient.14 - Race 65
ePatient.15 - Age 66
ePatient.16 - Age Units 67

ePayment 68

ePayment Grouping 69
ePayment.01 - Primary Method of Payment 70
ePayment.50 - CMS Service Level 71

eProcedures 175

eProcedures Grouping 176
eProcedures.01 - Date/Time Procedure Performed 177
eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care 179
eProcedures.03 - Procedure 180
eProcedures.05 - Number of Procedure Attempts 181
eProcedures.06 - Procedure Successful 182
eProcedures.07 - Procedure Complication 183
eProcedures.08 - Response to Procedure 185
eProcedures.10 - Role/Type of Person Performing the Procedure 186

eProtocols	**154**
eProtocols Grouping	155
eProtocols.01 - Protocols Used	156
eRecord	**10**
eRecord Grouping	11
eRecord.01 - Patient Care Report Number	12
eRecord.02 - Software Creator	13
eRecord.03 - Software Name	14
eRecord.04 - Software Version	15
eResponse	**16**
eResponse Grouping	17
eResponse.01 - EMS Agency Number	18
eResponse.03 - Incident Number	19
eResponse.04 - EMS Response Number	20
eResponse.05 - Type of Service Requested	21
eResponse.07 - Unit Transport and Equipment Capability	23
eResponse.08 - Type of Dispatch Delay	24
eResponse.09 - Type of Response Delay	25
eResponse.10 - Type of Scene Delay	26
eResponse.11 - Type of Transport Delay	27
eResponse.12 - Type of Turn-Around Delay	28
eResponse.13 - EMS Vehicle (Unit) Number	30
eResponse.14 - EMS Unit Call Sign	31
eResponse.23 - Response Mode to Scene	32
eResponse.24 - Additional Response Mode Descriptors	33
eScene	**72**
eScene Grouping	73
eScene.01 - First EMS Unit on Scene	74
eScene.06 - Number of Patients at Scene	75
eScene.07 - Mass Casualty Incident	76
eScene.08 - Triage Classification for MCI Patient	77
eScene.09 - Incident Location Type	78
eScene.18 - Incident State	79
eScene.19 - Incident ZIP Code	80
eScene.21 - Incident County	81
eSituation	**82**
eSituation Grouping	83
eSituation.01 - Date/Time of Symptom Onset	84
eSituation.02 - Possible Injury	86
eSituation.07 - Chief Complaint Anatomic Location	87
eSituation.08 - Chief Complaint Organ System	88
eSituation.09 - Primary Symptom	89
eSituation.10 - Other Associated Symptoms	90
eSituation.11 - Provider's Primary Impression	91
eSituation.12 - Provider's Secondary Impressions	92

eSituation.13 - Initial Patient Acuity 93
eSituation.18 - Date/Time Last Known Well 94
eSituation.20 - Reason for Interfacility Transfer/Medical Transport 95

eTimes 39

eTimes Grouping 40
eTimes.01 - PSAP Call Date/Time 41
eTimes.03 - Unit Notified by Dispatch Date/Time 43
eTimes.05 - Unit En Route Date/Time 45
eTimes.06 - Unit Arrived on Scene Date/Time 47
eTimes.07 - Arrived at Patient Date/Time 49
eTimes.09 - Unit Left Scene Date/Time 51
eTimes.11 - Patient Arrived at Destination Date/Time 53
eTimes.12 - Destination Patient Transfer of Care Date/Time 55
eTimes.13 - Unit Back in Service Date/Time 57

eVitals 130

eVitals Grouping 131
eVitals.01 - Date/Time Vital Signs Taken 132
eVitals.02 - Obtained Prior to this Unit's EMS Care 134
eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG) 135
eVitals.04 - ECG Type 137
eVitals.05 - Method of ECG Interpretation 138
eVitals.06 - SBP (Systolic Blood Pressure) 139
eVitals.10 - Heart Rate 140
eVitals.12 - Pulse Oximetry 141
eVitals.14 - Respiratory Rate 142
eVitals.16 - End Tidal Carbon Dioxide (ETCO2) 143
eVitals.18 - Blood Glucose Level 144
eVitals.19 - Glasgow Coma Score-Eye 145
eVitals.20 - Glasgow Coma Score-Verbal 146
eVitals.21 - Glasgow Coma Score-Motor 147
eVitals.22 - Glasgow Coma Score-Qualifier 148
eVitals.26 - Level of Responsiveness (AVPU) 149
eVitals.27 - Pain Scale Score 150
eVitals.29 - Stroke Scale Score 151
eVitals.30 - Stroke Scale Type 152
eVitals.31 - Reperfusion Checklist 153

sAgency 305

sAgency Grouping 306
sAgency.01 - EMS Agency Unique State ID 307
sAgency.02 - EMS Agency Number 308
sAgency.03 - EMS Agency Name 309

sConfiguration 295

sConfiguration Grouping 296
sConfiguration.01 - State Certification/Licensure Levels 297
sConfiguration.02 - EMS Certification Levels Permitted to Perform Each Procedure 298
sConfiguration.03 - Procedures Permitted by the State 299

sConfiguration.04 - EMS Certification Levels Permitted to Administer Each Medication 300
sConfiguration.05 - Medications Permitted by the State 301
sConfiguration.06 - Protocols Permitted by the State 302

sElement 292

sElement Grouping 293
sElement.01 - State Collected Element 294

sFacility 310

sFacility Grouping 311
sFacility.01 - Type of Facility 312
sFacility.02 - Facility Name 313
sFacility.03 - Facility Location Code 314
sFacility.04 - Hospital Designations 315
sFacility.05 - Facility National Provider Identifier 316
sFacility.06 - Facility Room, Suite, or Apartment 317
sFacility.07 - Facility Street Address 318
sFacility.08 - Facility City 319
sFacility.09 - Facility State 320
sFacility.10 - Facility ZIP Code 321
sFacility.11 - Facility County 322
sFacility.12 - Facility Country 323
sFacility.13 - Facility GPS Location 324
sFacility.14 - Facility US National Grid Coordinates 325
sFacility.15 - Facility Phone Number 326

sSoftware 287

sSoftware Grouping 288
sSoftware.01 - Software Creator 289
sSoftware.02 - Software Name 290
sSoftware.03 - Software Version 291

sState 262

sState Grouping 263
sState.01 - State 264

sdCustomConfiguration 276

sdCustomConfiguration Grouping 277
sdCustomConfiguration.01 - Agency Demographic Custom Data Element Title 278
sdCustomConfiguration.02 - Agency Demographic Custom Definition 279
sdCustomConfiguration.03 - Agency Demographic Custom Data Type 280
sdCustomConfiguration.04 - Agency Demographic Custom Data Element Recurrence 281
sdCustomConfiguration.05 - Agency Demographic Custom Data Element Usage 282
sdCustomConfiguration.06 - Agency Demographic Custom Data Element Potential Values 283
sdCustomConfiguration.07 - Agency Demographic Custom Data Element Potential NOT Values (NV) 284
sdCustomConfiguration.08 - Agency Demographic Custom Data Element Potential Pertinent Negative Values (PN) 285
sdCustomConfiguration.09 - Agency Demographic Custom Data Element Grouping ID 286

seCustomConfiguration 265

seCustomConfiguration Grouping 266
seCustomConfiguration.01 - Patient Care Report Custom Data Element Title 267
seCustomConfiguration.02 - Patient Care Report Custom Definition 268
seCustomConfiguration.03 - Patient Care Report Custom Data Type 269
seCustomConfiguration.04 - Patient Care Report Custom Data Element Recurrence 270
seCustomConfiguration.05 - Patient Care Report Custom Data Element Usage 271
seCustomConfiguration.06 - Patient Care Report Custom Data Element Potential Values 272
seCustomConfiguration.07 - Patient Care Report Custom Data Element Potential NOT Values (NV) 273
seCustomConfiguration.08 - Patient Care Report Custom Data Element Potential Pertinent Negative Values (PN) 274
seCustomConfiguration.09 - Patient Care Report Custom Data Element Grouping ID 275