

Legend	Dataset Level: N National S State D Deprecated
	Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional
	Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID I = Custom Element ID, T = Time Stamp, G = Procedure Group Correlation ID

eAirway		
0 : 1	eAirway.AirwayGroup	
0 : M	eAirway.01 - Indications for Invasive Airway	S E N, L C
0 : M	eAirway.ConfirmationGroup	C G
0 : 1	eAirway.02 - Date/Time Airway Device Placement Confirmation	S E N, L
0 : 1	eAirway.03 - Airway Device Being Confirmed	S E N, L
0 : M	eAirway.04 - Airway Device Placement Confirmed Method	S E N, L C
0 : 1	eAirway.05 - Tube Depth	O
0 : 1	eAirway.06 - Type of Individual Confirming Airway Device Placement	S E N, L
0 : 1	eAirway.07 - Crew Member ID	S E N, L
0 : M	eAirway.08 - Airway Complications Encountered	S E N, L, P C
0 : M	eAirway.09 - Suspected Reasons for Failed Airway Management	S O C
0 : 1	eAirway.10 - Date/Time Decision to Manage the Patient with an Invasive Airway	O
0 : 1	eAirway.11 - Date/Time Invasive Airway Placement Attempts Abandoned	O

eAirway		
---------	--	--