

# NEMSIS Data Dictionary

NHTSA v3.4.0
Build 200910

## **EMS Data Standard**

### **National Elements Only**

Version Date: September 10, 2020

Funded by

National Highway Traffic Safety Administration (NHTSA)
Office of Emergency Medical Services

www.NEMSIS.org

### **NEMSIS Data Dictionary Version 3.4.0**

#### **NEMSIS** Overview and Summary

The NEMSIS data dictionary was developed through a collaborative effort with the EMS industry, including web-based reviews, public comment periods, focus groups, industry dialogue, topic-focused projects, and consensus. The National EMS Information System Version 3 represents a major revision from Version 2 released in 2005. Adopting a broad perspective, the initiative to move to a 3rd version of the NEMSIS data dictionary was fueled by the need to improve data quality, enhance our ability to assess EMS performance, augment the flexibility of the standard for state adoption and, to move the NEMSIS standard into the Health Level 7 (HL7) organization for approval as an American National Standards Institute (ANSI) standard.

#### NEMSIS Version 3 Element Configuration from v2.2.1

NEMSIS NHTSA Uniform PreHospital Dataset	Version 2.2.1	Version 3.3.4	Version 3.4.0
Demographic (Agency) NEMSIS Version 3 DataElements	110 (26%)	155 (27%)	157
Existing (version 2.2.1)	88 (80%)	87 (56%)	87 (55.5%)
New		68 (44%)	70 (44.5%)
Retired	22 (20%)		
EMS (ePCR) NEMSIS Version 3 Data Elements	315 (74%)	423 (73%)	428
Existing (version 2.2.1)	258 (82%)	260 (61%)	258 (60%)
New		165 (39%)	170 (40%)
Retired	57 (18%)		2
Overall Total NEMSIS Version 3 Data Elements	425	578	585
Existing (version 2.2.1)	346 (81%)	347 (60%)	345 (59%)
New		232 (40%)	240 (41%)
Retired	79 (19%)		2

#### **NEMSIS** Version 3 Element Configuration

Total Elements including the Custom Elements: 585

Excluding the Demographic and EMS (ePCR) Custom Elements: 561

Total National Elements	165	Total State Elements	104	Total "Other" Element	316
Mandatory	37	Recommended	83	Excluding the custom elements	292
Required	128	Optional	21	Demographic (Agency) Elements	90
Demographic (Agency) Elements	35	Demographic (Agency) Elements	32	Excluding the custom elements	78
Mandatory	22	Recommended	32	EMS (ePCR) Elements	226
Required	13	Optional	0	Excluding the custom elements	214
EMS (ePCR) Elements	130	EMS (ePCR) Elements	72		
Mandatory	15	Recommended	51		
Required	115	Optional	21		

#### **NEMSIS** Version 3.4.0 Data Dictionary Content

\*\*Note: The numbers to the right of the content listed below represent the location for each element on the Sample Page of the Data Dictionary (page vi).

#### Data Element Number (1)

- The NEMSIS Version 3 element numbering system has been revised to improve the information derived from just the data element number. An example of a data element number is dAgency.01.
  - The data element number begins with either a "d" representing the demographic (agency) section or an "e" representing the EMS PCR section.
  - A one-word descriptor for each section is now included in the data element number.
  - A period separates the section (e.g., dAgency) from the data element number (e.g., 01).

#### National and State Element Indicator (2) (5) (6)

- National = Yes, it is an indication that the data element is required to be collected at the local EMS agency level and submitted to the state.
- State = Yes, it is an indication that the data element is recommended to be collected at the State level.

#### Data Element Name (3)

• The name of the data element.

#### **Data Element Definition** (4)

•The definition of the data element.

#### **Version 2 Number** (7)

- The NEMSIS Version 2.2.1 Data Element Number.
- If the Data Element is new to Version 3.4.0, the Version 2 Number will be blank.

#### **Data Structure Information**

- Recurrence (12)
  - •An indication that the data element can have more than one value.
    - Represented by two characters separated by a colon. The configuration includes:
      - •0:1 = element is not required and can occur only once.
      - •0:M = element is not required and can repeat multiple times.
      - •1:1 = element is required and can occur only once.
      - •1:M = element is required and can repeat multiple times.
- Usage (8)
  - Indication of when the data element is expected to be collected.
    - Mandatory = Must be completed and does not allow for NOT values.
    - Required = Must be completed and allows NOT values.
    - Recommended = Does not need to be completed and allows NOT values.
    - Optional = Does not need to be completed and does not allow for NOT values.
- NOT Value Characteristics (10)
  - •Indication that the data element can have NOT values.
  - •NOT Values are used (where permitted) to document that a data element was not applicable, not completed, or not collected by the state.
  - NOT Values are documented as an attribute of an element. It allows the documentation of NOT value when the real value is not documented.
  - Please reference the NEMSIS White Paper describing the use of NOT Values, Pertinent Negatives, and Nill:

https://nemsis.org/media/nemsis v3/master/UsageGuides/NEMSIS V3 1 EMSDataSet Pertine

- NOT Values Accepted (14)
  - Indication of which of the following three NOT values is acceptable.
  - Not all data elements accept NOT values.
  - NOT Values have been condensed in Version 3.
    - Not Applicable = The data element is not applicable or pertinent.

- •Not Recorded = The data element is considered applicable, but was left blank. The software should auto-populate it with "Not Recorded".
- Not Reporting = The data element is not collected by the EMS agency or state. This NOT value does not apply to National elements where Usage is specified as "Required".
- Pertinent Negative Values (PN) (9) (14)
  - A list of Pertinent Negative Values which can be associated with a data element.
  - Not all data elements accept Pertinent Negative Values.
  - Pertinent Negative Values are documented as "an attribute" of an element. It allows the documentation of pertinent negative value in addition to the documentation of "real" value.
  - Please reference the NEMSIS White Paper describing the use of NOT Values, Pertinent Negatives, and Nill:

https://nemsis.org/media/nemsis\_v3/master/UsageGuides/NEMSIS\_V3\_1\_EMSDataSet\_Pertine

- Example of use:
  - Example #1 Aspirin Administration:
    - If the medication Aspirin is part of the agency protocol for Chest Pain but was not administered by the responding crew, the reason why should be documented. This is done through the use of Pertinent Negative Values. If the patient took the Aspirin prior to the EMS arrival on the scene, the value "Medication Already Taken" should be documented in addition to "Aspirin".
- Is Nillable (11)
  - •Indication that the element can accept a "blank" value.
  - If the element is left "blank", the software must submit an appropriate value of one of the two attributes: Pertinent Negative or NOT Values.

#### **Associated Performance Measure Initiatives (13)**

- Indication that the data element has value in describing, defining, or measuring EMS from a performance perspective. Performance Measures can be associated with EMS service delivery, patient care, or both. The following service delivery or time-dependent illness/injury performance measure topics have been included in NEMSIS Version 3:
  - Airway Airway Management
  - Cardiac Arrest Out of Hospital Cardiac Arrest
  - Pediatric Acute Pediatric Care
  - Response EMS Response Time
  - STEMI ST Elevation Myocardial Infarction (STEMI)
  - Stroke Acute Stroke Care
  - Trauma Acute Injury/Trauma Care

#### Attributes (14)

• An attribute provides extra information within an element.
For information related to the first three attributes, please see the NEMSIS document 'How to Utilize NEMSIS V3 "NOT values/pertinent negatives/nillable':

https://nemsis.org/media/nemsis\_v3/master/UsageGuides/NEMSIS\_V3\_1\_EMSDataSet\_Pertinent\_Ne

The following are possible attributes:

- PN (Pertinent Negative)
  - 8801001 Contraindication Noted
  - •8801003 Denied By Order
  - \*8801005 Exam Finding Not Present
  - 8801007 Medication Allergy
  - 8801009 Medication Already Taken
  - 8801013 No Known Drug Allergy
  - •8801015 None Reported
  - 8801017 Not Performed by EMS
  - •8801019 Refused
  - 8801021 Unresponsive
  - \*8801023 Unable to Complete

- 8801025 Not Immunized
- \*8801027 Order Criteria Not Met
- \*8801029 Approximate
- •8801031 Symptom Not Present
- •NV (Not Value)
  - •7701001 Not Applicable
  - •7701003 Not Recorded
  - 7701005 Not Reporting
- Nillable xsi:nil="true"
- Code Type
  - •9924001 = ICD-10
  - •9924003 = RxNorm
  - •9924005 = SNOMED-CT
- CorrelationID
  - Data Type = String
  - minLength = 0
  - maxLength = 255
- DistanceUnit
  - •9921001 Kilometers
  - 9921003 Miles
- EmailAddressType
  - 9904001 Personal
  - 9904003 Work
- nemsisCode
  - Data Type = String
- nemsisElement
  - Data Type = String
- nemsisValueDescription
  - Data Type = String
- PhoneNumberType
  - 9913001 Fax
  - 9913003 Home
  - 9913005 Mobile
  - 9913007 Pager
  - 9913009 Work
- ProcedureGroupCorrelationID
  - Date Type = CorrelationID
- StreetAddress2
  - Data Type = String
  - minLength = 1
  - maxLength = 255
- TimeStamp
  - Data Type = DateTime
  - •minValue = 1950-01-01T00:00:00-00:00
  - maxValue = 2050-01-01T00:00:00-00:00

- •UUID
  - •UUIDs must be generated using the IETF RFC 4122 standard.
  - RFC 4122 defines four algorithms for UUID generation, any of these four can be used.
  - •UUIDs must be represented in canonical form, matching the following regular expression:

[a-fA-F0-9]{8}-[a-fA-F0-9]{4}-[1-5][a-fA-F0-9]{3}-[89abAB][a-fA-F0-9]{3}-[a-fA-F0-9]{12}

- VelocityUnit
  - •9921001 Kilometers per Hour
  - •9921003 Miles per Hour

#### Code List (16)

- A list of values associated with the data element. Not all data elements have predefined value sets.
- Codes for each value:
  - The codes are based on a 7-digit number, in a 2-2-3 pattern (without dashes).
    - The first set of two numbers represent the data section.
    - •The second set of two numbers represent the element number.
    - The last set is a 3-digit number for each value beginning at 001; The codes increase in increments of two (2).
  - Codes are typically sequential (by two) and alphabetical. Some ordering is provided in an effort to present information based on workflow.
  - Several values and codes reference external standards such as ICD-10, RxNorm, SNOMED, etc. NEMSIS will assist in providing a recommended list of EMS specific values and codes from these larger standards for most elements using these external standards.

#### **Data Element Editorial Comments** (17)

 Comments are provided to describe additions, changes, clarifications, or additional insight into the data element.

#### **Version 3 Changes Implemented (18)**

 Comments are providing insight into specific Version 3 changes, such as new or revised data elements.

#### **Element Deprecated**(19)

• Elements that are signified as "deprecated" will be removed from a future version of the NEMSIS standard. Their use should now be avoided but will be supported until they are removed from the standard.

#### Associated Validation Rules (20)

•A list of national Schematron validation rules associated with the element. Additional validation rules may be implemented at the state or local level.







State

National

### 3 eExample.01 - Example Element Name

4 Definition

The definition of the element.

National Element	Yes	Pertinent Negatives (PN)	Yes (	<u></u>
6 State Element	Yes	NOT Values	Yes (	10
7 Version 2 Element	E00_01	Is Nillable	Yes (	11)
(8) Usage	Required	Recurrence	1:1	12

(13) Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

(14) Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded 7701005 - Not Reporting

Pertinent Negatives (PN)

8801001 - Contraindication Noted
8801003 - Denied By Order
8801005 - Exam Finding Not Present
8801007 - Medication Allergy
8801005 - Medication Allergy
8801005 - Exam Finding Not Present
8801007 - Medication Already Taken
88010013 - None Reported
8801001 - Not Performed by EMS
88010019 - Refused
8801002 - Medication Allergy
8801002 - Medication Allergy
8801003 - Denied By Order
8801005 - Exam Finding Not Present
8801001 - Not New Present
8801005 - Exam Finding Not Present
8801005 - Exam Finding Not Present
8801007 - Medication Allergy
8801003 - Medication Allergy
8801005 - Exam Finding Not Present

8801021 - Unresponsive 8801023 - Unable to Complete 8801025 - Not Immunized 8801027 - Order Criteria Not Met 8801029 - Approximate 8801031 - Symptom Not Present

Code Type

9924001 - ICD-10 9924003 - RxNorm 9924005 - SNOMED-CT

CorrelationID

Data Type: String minLength: 0 maxLength: 255

nemsisCode

Data Type: String white Space: preserve

nemsisElement

Data Type: String white Space: preserve

customValueDescription

Data Type: String white Space: preserve

StreetAddress2

Data Type: String minLength: 1 maxLength: 255

DistanceUnit

9929001 - Kilometers 9929003 - Miles

EmailAddressType

9904001 - Personal 9904003 - Work

PhoneNumberType

9913001 - Fax 9913003 - Home 9913005 - Mobile

9913007 - Pager 9913009 - Work

VelocityUnit

9921001 - Kilometers per Hour 9921003 - Miles per Hour

(15) Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

Pattern

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land +|-)[0-9]{2}:[0-9]{2}$ 

(16) Code List

Code Description SSEE001 Value A

SSEE003 Value B

SSEE005 Value C

SSEE007 Value D

00FF000 Value F

SSEE011 Value F

(17) Data Element Comment

The data element comment.

(18) Version 3 Changes Implemented

Any V3 change comments

19 Deprecated Comments

Any deprecation comments

(20) Associated Validation Rules

Rule ID Level Message

nemSch\_e001 Error When Example Element Name is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for

the element), or it should be omitted (if the element is optional).

nemSch\_e136 Warning Example Element Name should be recorded, unless Other Element Name is "Yes".

### **Table of Contents**

DEMDataSet	1
DEMDataSet Grouping	2
EMSDataSet	3
EMSDataSet Grouping	4
dAgency	5
dAgency Grouping	6
dAgency.01 - EMS Agency Unique State ID	7
dAgency.02 - EMS Agency Number	8
dAgency.04 - EMS Agency State	9
dAgency.05 - EMS Agency Service Area States	10
dAgency.06 - EMS Agency Service Area County(ies)	11
dAgency.07 - EMS Agency Census Tracts	12
dAgency.08 - EMS Agency Service Area ZIP Codes	13
dAgency.09 - Primary Type of Service	14
dAgency.11 - Level of Service	15
dAgency.12 - Organization Status	16 17
dAgency.13 - Organizational Type	18
dAgency.14 - EMS Agency Organizational Tax Status dAgency.15 - Statistical Calendar Year	19
dAgency.16 - Total Primary Service Area Size	20
dAgency.17 - Total Service Area Population	21
dAgency.18 - 911 EMS Call Center Volume per Year	22
dAgency.19 - EMS Dispatch Volume per Year	23
dAgency.20 - EMS Patient Transport Volume per Year	24
dAgency.21 - EMS Patient Contact Volume per Year	25
dAgency.25 - National Provider Identifier	26
dAgency.26 - Fire Department ID Number	27
dConfiguration	28
dConfiguration Grouping	29
dConfiguration.01 - State Associated with the Certification/Licensure Levels	30
dConfiguration.02 - State Certification/Licensure Levels	31
dConfiguration.03 - Procedures Permitted by the State	32
dConfiguration.04 - Medications Permitted by the State	33
dConfiguration.05 - Protocols Permitted by the State	34
dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure	37
dConfiguration.07 - EMS Agency Procedures	38
dConfiguration.08 - EMS Certification Levels Permitted to Administer Each Medication	39
dConfiguration.09 - EMS Agency Medications	40
dConfiguration 11 FMS Agency Specialty Sorvice Conshibity	41
dConfiguration.11 - EMS Agency Specialty Service Capability	44
dConfiguration 15 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area	45 46
dConfiguration 15 - Patient Monitoring Capability(ies)	46 47
dConfiguration.16 - Crew Call Sign	47


eRecord	48
eRecord Grouping	49
eRecord.01 - Patient Care Report Number	50
eRecord.02 - Software Creator	51
eRecord.03 - Software Name	52
eRecord.04 - Software Version	53
eResponse	54
eResponse Grouping	55
eResponse.01 - EMS Agency Number	56
eResponse.03 - Incident Number	57
eResponse.04 - EMS Response Number	58
eResponse.05 - Type of Service Requested	59
eResponse.07 - Primary Role of the Unit	60
eResponse.08 - Type of Dispatch Delay	61
eResponse.09 - Type of Response Delay	62
eResponse.10 - Type of Scene Delay	63
eResponse.11 - Type of Transport Delay	64
eResponse.12 - Type of Turn-Around Delay	65
eResponse.13 - EMS Vehicle (Unit) Number	67
eResponse.14 - EMS Unit Call Sign	68
eResponse.15 - Level of Care of This Unit	69
eResponse.23 - Response Mode to Scene	70
eResponse.24 - Additional Response Mode Descriptors	71
eDispatch	72
eDispatch eDispatch Grouping	<b>72</b> 73
eDispatch Grouping	73
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch	73 74
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes	73 74 76 <b>77</b>
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes eTimes Grouping	73 74 76 <b>77</b> 78
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes eTimes Grouping eTimes.01 - PSAP Call Date/Time	73 74 76 <b>77</b>
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes eTimes Grouping	73 74 76 <b>77</b> 78 79
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time	73 74 76 <b>77</b> 78 79 81
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time	73 74 76 <b>77</b> 78 79 81 83
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes  eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time eTimes.06 - Unit Arrived on Scene Date/Time	73 74 76 <b>77</b> 78 79 81 83 85
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time eTimes.06 - Unit Arrived on Scene Date/Time eTimes.07 - Arrived at Patient Date/Time	73 74 76 <b>77</b> 78 79 81 83 85 87
eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes  eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time eTimes.06 - Unit Arrived on Scene Date/Time eTimes.07 - Arrived at Patient Date/Time eTimes.09 - Unit Left Scene Date/Time	73 74 76 <b>77</b> 78 79 81 83 85 87
eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes  eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time eTimes.06 - Unit Arrived on Scene Date/Time eTimes.07 - Arrived at Patient Date/Time eTimes.09 - Unit Left Scene Date/Time eTimes.11 - Patient Arrived at Destination Date/Time	73 74 76 <b>77</b> 78 79 81 83 85 87 89
eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes  eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time eTimes.06 - Unit Arrived on Scene Date/Time eTimes.07 - Arrived at Patient Date/Time eTimes.09 - Unit Left Scene Date/Time eTimes.11 - Patient Arrived at Destination Date/Time eTimes.12 - Destination Patient Transfer of Care Date/Time	73 74 76 <b>77</b> 78 79 81 83 85 87 89 91
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes  eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time eTimes.06 - Unit Arrived on Scene Date/Time eTimes.07 - Arrived at Patient Date/Time eTimes.09 - Unit Left Scene Date/Time eTimes.11 - Patient Arrived at Destination Date/Time eTimes.12 - Destination Patient Transfer of Care Date/Time eTimes.13 - Unit Back in Service Date/Time	73 74 76 <b>77</b> 78 79 81 83 85 87 89 91 93 95
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes  eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time eTimes.06 - Unit Arrived on Scene Date/Time eTimes.07 - Arrived at Patient Date/Time eTimes.09 - Unit Left Scene Date/Time eTimes.11 - Patient Arrived at Destination Date/Time eTimes.12 - Destination Patient Transfer of Care Date/Time eTimes.13 - Unit Back in Service Date/Time	73 74 76  77 78 79 81 83 85 87 89 91 93 95
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes  eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time eTimes.06 - Unit Arrived on Scene Date/Time eTimes.07 - Arrived at Patient Date/Time eTimes.09 - Unit Left Scene Date/Time eTimes.11 - Patient Arrived at Destination Date/Time eTimes.12 - Destination Patient Transfer of Care Date/Time eTimes.13 - Unit Back in Service Date/Time  ePatient ePatient Grouping	73 74 76  77 78 79 81 83 85 87 89 91 93 95
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes  eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time eTimes.06 - Unit Arrived on Scene Date/Time eTimes.07 - Arrived at Patient Date/Time eTimes.09 - Unit Left Scene Date/Time eTimes.11 - Patient Arrived at Destination Date/Time eTimes.12 - Destination Patient Transfer of Care Date/Time eTimes.13 - Unit Back in Service Date/Time eTimes.17 - Patient Service Date/Time eTimes.19 - Patient Fransfer of Care Date/Time eTimes.19 - Unit Back in Service Date/Time eTimes.19 - Patient Fransfer of Care Date/Time eTimes.19 - Patient Fransfer of Care Date/Time	73 74 76  77 78 79 81 83 85 87 89 91 93 95  97
eDispatch Grouping eDispatch.01 - Complaint Reported by Dispatch eDispatch.02 - EMD Performed  eTimes  eTimes Grouping eTimes.01 - PSAP Call Date/Time eTimes.03 - Unit Notified by Dispatch Date/Time eTimes.05 - Unit En Route Date/Time eTimes.06 - Unit Arrived on Scene Date/Time eTimes.07 - Arrived at Patient Date/Time eTimes.09 - Unit Left Scene Date/Time eTimes.11 - Patient Arrived at Destination Date/Time eTimes.12 - Destination Patient Transfer of Care Date/Time eTimes.13 - Unit Back in Service Date/Time eTimes.17 - Patient Arrived at Destination Date/Time eTimes.19 - Destination Patient Transfer of Care Date/Time eTimes.19 - Patient Fransfer of Care Date/Time eTimes.19 - Patient Fransfer of Care Date/Time	73 74 76  77 78 79 81 83 85 87 89 91 93 95  97 98 99 100

ePatient.15 - Age ePatient.16 - Age Units	104 105
ePayment	106
ePayment Grouping	107
ePayment.01 - Primary Method of Payment	108
ePayment.50 - CMS Service Level	109
eScene	110
eScene Grouping	111
eScene.01 - First EMS Unit on Scene	112
eScene.06 - Number of Patients at Scene	113
eScene.07 - Mass Casualty Incident	114
eScene.08 - Triage Classification for MCI Patient	115
eScene.09 - Incident Location Type	116
eScene.18 - Incident State	117
eScene.19 - Incident ZIP Code	118
eScene.21 - Incident County	119
eSituation	120
eSituation Grouping	121
eSituation.01 - Date/Time of Symptom Onset	122
eSituation.02 - Possible Injury	124
eSituation.07 - Chief Complaint Anatomic Location	125
eSituation.08 - Chief Complaint Organ System	126
eSituation.09 - Primary Symptom	127
eSituation.10 - Other Associated Symptoms	128
eSituation.11 - Provider's Primary Impression	129
eSituation.12 - Provider's Secondary Impressions	130
eSituation.13 - Initial Patient Acuity	131
elnjury	132
elnjury Grouping	133
elnjury.01 - Cause of Injury	134
elnjury.03 - Trauma Center Criteria	135
elnjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor	136
eArrest	137
eArrest Grouping	138
eArrest.01 - Cardiac Arrest	139
eArrest.02 - Cardiac Arrest Etiology	141
eArrest.03 - Resuscitation Attempted By EMS	142
eArrest.04 - Arrest Witnessed By	144
eArrest.05 - CPR Care Provided Prior to EMS Arrival	145
eArrest.07 - AED Use Prior to EMS Arrival	146
eArrest.09 - Type of CPR Provided	147
eArrest.11 - First Monitored Arrest Rhythm of the Patient	148
eArrest 12 - Any Return of Spontaneous Circulation	149
eArrest.14 - Date/Time of Cardiac Arrest	150
eArrest 16 - Reason CPR/Resuscitation Discontinued	152

eArrest.17 - Cardiac Rhythm on Arrival at Destination eArrest.18 - End of EMS Cardiac Arrest Event	153 155
eHistory	156
eHistory Grouping	157
eHistory.01 - Barriers to Patient Care	158
eHistory.17 - Alcohol/Drug Use Indicators	159
eVitals	160
eVitals Grouping	161
eVitals.01 - Date/Time Vital Signs Taken	162
eVitals.02 - Obtained Prior to this Unit's EMS Care	164
eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)	165
eVitals.04 - ECG Type	167
eVitals.05 - Method of ECG Interpretation	168
eVitals.06 - SBP (Systolic Blood Pressure)	169
eVitals.08 - Method of Blood Pressure Measurement	170
eVitals.10 - Heart Rate	171
eVitals.12 - Pulse Oximetry	172
eVitals.14 - Respiratory Rate	173
eVitals.16 - End Tidal Carbon Dioxide (ETCO2)	174
eVitals.18 - Blood Glucose Level	175
eVitals.19 - Glasgow Coma Score-Eye	176
eVitals.20 - Glasgow Coma Score-Verbal	177
eVitals.21 - Glasgow Coma Score-Motor	178
eVitals.22 - Glasgow Coma Score-Qualifier	179
eVitals.26 - Level of Responsiveness (AVPU)	180
eVitals.27 - Pain Scale Score	181
eVitals.29 - Stroke Scale Score	182
eVitals.30 - Stroke Scale Type	183
eVitals.31 - Reperfusion Checklist	184
eProtocols	185
eProtocols Grouping	186
eProtocols.01 - Protocols Used	187
eProtocols.02 - Protocol Age Category	190
eMedications	191
eMedications Grouping	192
eMedications.01 - Date/Time Medication Administered	193
eMedications.02 - Medication Administered Prior to this Unit's EMS Care	195
eMedications.03 - Medication Given	196
eMedications.05 - Medication Dosage	197
eMedications.06 - Medication Dosage Units	198
eMedications.07 - Response to Medication	199
eMedications.08 - Medication Complication	200
eMedications.10 - Role/Type of Person Administering Medication	201
eProcedures	202
eProcedures Grouping	203

eProcedures.01 - Date/Time Procedure Performed eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care eProcedures.03 - Procedure eProcedures.05 - Number of Procedure Attempts eProcedures.06 - Procedure Successful eProcedures.07 - Procedure Complication eProcedures.08 - Response to Procedure eProcedures.10 - Role/Type of Person Performing the Procedure	204 206 207 208 209 210 212 213
eDisposition	215
eDisposition Grouping	216
eDisposition.05 - Destination State	217
eDisposition.06 - Destination County	218
eDisposition.07 - Destination ZIP Code	219
eDisposition.12 - Incident/Patient Disposition	220
eDisposition.16 - EMS Transport Method	223
eDisposition.17 - Transport Mode from Scene	224
eDisposition.18 - Additional Transport Mode Descriptors	225
eDisposition.19 - Final Patient Acuity	226
eDisposition.20 - Reason for Choosing Destination	227
eDisposition.21 - Type of Destination	228
eDisposition.22 - Hospital In-Patient Destination	229
eDisposition.23 - Hospital Capability	231
eDisposition.24 - Destination Team Pre-Arrival Alert or Activation	232
eDisposition.25 - Date/Time of Destination Prearrival Alert or Activation	233
eOutcome	235
eOutcome Grouping	236
eOutcome.01 - Emergency Department Disposition	237
eOutcome.02 - Hospital Disposition	239
eOther	240
eOther Grouping	241
eOther.05 - Suspected EMS Work Related Exposure, Injury, or Death	242

# **DEMDataSet**



# **EMSDataSet**

Legend Dataset Level: N National S State Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation ID, and/or U = UUID **EMSDataSet** Header 1 : M DemographicGroup dAgency.01 - EMS Agency Unique State ID dAgency.02 - EMS Agency Number 1:1 dAgency.04 - EMS Agency State PatientCareReport 1 : M eRecord 1:1 eResponse 1:1 eDispatch 1:1 eTimes ePatient 1:1 ePayment 1:1 eScene eSituation 1:1 elnjury 1:1 eArrest 1:1 eHistory eVitals 1:1 eProtocols **e**Medications 1:1 eProcedures 1:1 eDisposition eOutcome eOther

www.NEMSIS.org

Page 4

**EMSDataSet** 

Published: 09/10/2020

# dAgency

Legend	Dataset Level: N National S State D Deprecated	
	Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional	
	Attributes: N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation	ID, and/or U = UUID
dAgend	су	
1:1 dAg	ency.01 - EMS Agency Unique State ID	N S M
1:1 dAg	ency.02 - EMS Agency Number	N S M
1:1 dAg	ency.04 - EMS Agency State	N S M
1:M dAge	ency.AgencyServiceGroup	
1:1	dAgency.05 - EMS Agency Service Area States	N S M
1 : M	dAgency.06 - EMS Agency Service Area County(ies)	N S M
1 : M	dAgency.07 - EMS Agency Census Tracts	N S R N, L
1 : M	dAgency.08 - EMS Agency Service Area ZIP Codes	N S R N, L
1:1 dAg	ency.09 - Primary Type of Service	N S M
1:1 dAg	ency.11 - Level of Service	N S M
1:1 dAg	ency.12 - Organization Status	N S M
1:1 dAg	ency.13 - Organizational Type	N S M
1:1 dAg	ency.14 - EMS Agency Organizational Tax Status	N S M
1:M dAge	ency.AgencyYearGroup	
1:1	dAgency.15 - Statistical Calendar Year	N S M
1:1	dAgency.16 - Total Primary Service Area Size	N S R N, L
1:1	dAgency.17 - Total Service Area Population	N S R N, L
1:1	dAgency.18 - 911 EMS Call Center Volume per Year	N S R N, L
1:1	dAgency.19 - EMS Dispatch Volume per Year	N S R N, L
1:1	dAgency.20 - EMS Patient Transport Volume per Year	N S R N, L
1:1	dAgency.21 - EMS Patient Contact Volume per Year	N S R N, L
1 : M dAg	ency.25 - National Provider Identifier	N S R N, L
1:M dAg	ency.26 - Fire Department ID Number	N S R N, L
dAgend	су	

State

**National** 

#### dAgency.01 - EMS Agency Unique State ID

#### Definition

The unique ID assigned to the EMS Agency which is associated with all state licensure numbers and information.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

Associated Performance Measure Initiatives								
Airway	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma		

#### Constraints

Data TypeminLengthmaxLengthstring150

#### **Data Element Comment**

This may be the EMS Agency Name or a unique number assigned by the state EMS office. This is required to document multiple license types and numbers associated with the same EMS Agency.

State

**National** 

#### dAgency.02 - EMS Agency Number

#### Definition

The state-assigned provider number of the responding agency

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_01	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Constraints

Data TypeminLengthmaxLengthstring115

#### **Data Element Comment**

This is the primary identifier for the entire Demographic Section. Each of the Demographic sections must be associated with an EMS Agency Number. An EMS Agency can have more than one Agency Number within a state. This reflects the ability of an EMS Agency to have a different number for each service type or location (based on state implementation). The EMS Agency Number in dAgency.02 can be used to auto-populate eResponse.01 EMS Agency Number in the EMS Event section.

State

National

#### dAgency.04 - EMS Agency State

#### Definition

The state/territory which assigned the EMS agency number.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_03	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

ı				
ı	Associated	Performance	Meagure	Initiatives

Airwav	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Constraints

#### Pattern

[0-9]{2}

#### **Data Element Comment**

This has been clarified to reflect that it is the state in which the EMS Agency resides and the state associated with the EMS Agency number.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

State

National

#### dAgency.05 - EMS Agency Service Area States

#### Definition

The states in which the EMS Agency provides services including the state associated with the EMS Agency Number.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Constraints

#### Pattern

[0-9]{2}

#### Data Element Comment

Each state is captured as a group where the EMS agency provides service. The group includes dAgency.05, dAgency.06, dAgency.07, and Agency.08.

Element added to document all of the states in which the EMS agency provides services. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

#### Associated Validation Rules

Rule ID	Level	Message
âl_dAgency.05	5 Error	EMS Agency Service Area County(ies) should belong to the state with which it is grouped.
âl_dAgency.06	6 Warning	EMS Agency Census Tracts should belong to a county recorded in EMS Agency Service Area County(ies) in the state with which it is grouped.

State

National

#### dAgency.06 - EMS Agency Service Area County(ies)

#### Definition

The county(ies) within each state for which the agency formally provides service.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Constraints

#### **Pattern**

[0-9]{5}

#### **Data Element Comment**

Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state. County codes are based on ISO/ANSI codes. It is a 5-digit code based on state (2-digit) and county (3-digit).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

#### Associated Validation Rules

Rule	ID	Level	Message
Nule	שו	Levei	WESSaue

âl\_dAgency.05 Error EMS Agency Service Area County(ies) should belong to the state with which it is grouped.

âl\_dAgency.06 Warning EMS Agency Census Tracts should belong to a county recorded in EMS Agency Service Area

County(ies) in the state with which it is grouped.

dAgency.07

State National

#### dAgency.07 - EMS Agency Census Tracts

#### Definition

The US census tracts in which the EMS agency formally provides service.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### **Pattern**

[0-9]{11}

#### **Data Element Comment**

This data element was added to better document the service area of the EMS Agency. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

The format of the census tract number must be an 11-digit number, based upon the 2010 census, using the pattern: 2-digit State Code 3-digit County Code 6-digit Census Tract Number (no decimal)

Example: NEMSIS TAC office (UT, Salt Lake County, Census Tract - located at 295 Chipeta Way, Salt Lake City, UT) 49035101400

Census Tract Data Website (files and descriptions):

https://www.census.gov/geographies/reference-maps/2010/geo/2010-census-tract-maps.html

#### Associated Validation Rules

Rule ID	Level	Message
âl_dAgency.0	6 <mark>Warning</mark>	EMS Agency Census Tracts should belong to a county recorded in EMS Agency Service Area County(ies) in the state with which it is grouped.
â¦NvPn_Nil_N	lv <mark>Error</mark>	When EMS Agency Census Tracts is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	lil <mark>Error</mark>	When EMS Agency Census Tracts has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn_Nv_onl	ly <mark>Warning</mark>	When EMS Agency Census Tracts has a Not Value, no other value should be recorded.

State

National

#### dAgency.08 - EMS Agency Service Area ZIP Codes

#### Definition

The ZIP codes for the EMS Agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### **Pattern**

[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

#### **Data Element Comment**

This data element was added to better document the service area of the EMS Agency. Each state listed is associated with the counties, census tracts, and ZIP codes within the EMS Agency Service Area for each state.

Zip Codes Product Website: <a href="https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/">https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/</a> Product: USA - 5-digit ZIP Code Database, Commercial Edition

#### Associated Validation Rules

Rule ID	Level	Message
â¦NvPn_Nil_Nv	v <mark>Error</mark>	When EMS Agency Service Area ZIP Codes is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	il <mark>Error</mark>	When EMS Agency Service Area ZIP Codes has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn_Nv_only	y <mark>Warning</mark>	When EMS Agency Service Area ZIP Codes has a Not Value, no other value should be recorded.

State

National

#### dAgency.09 - Primary Type of Service

#### Definition

The primary service type provided by the agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_05	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airwav	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

Code	Description
9920001	911 Response (Scene) with Transport Capability
9920003	911 Response (Scene) without Transport Capability
9920005	Air Medical
9920007	ALS Intercept
9920011	Hazmat
9920013	Medical Transport (Convalescent, Interfacility Transfer Hospital and Nursing Home)
9920015	Rescue
9920017	Community Paramedicine
9920019	Critical Care (Ground)

#### Data Element Comment

The Primary Type of Service is associated with each EMS Agency Number.

State

**National** 

#### dAgency.11 - Level of Service

#### Definition

The level of service which the agency provides EMS care for every request for service (the minimum certification level). This may be the license level granted by the state EMS office.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_07	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

Associated Performance Measure Initiatives								
Airway	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma		

#### Code List

Code	Description
9917001	2009 Advanced Emergency Medical Technician (AEMT)
9917003	2009 Emergency Medical Responder (EMR)
9917005	2009 Emergency Medical Technician (EMT)
9917007	2009 Paramedic
9917009	First Responder
9917011	EMT-Basic
9917013	EMT-Intermediate
9917015	EMT-Paramedic
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

#### **Data Element Comment**

The Level of Service is associated with the specific EMS Agency Number (dAgency.02) for the EMS Agency. For example, a BLS licensed ambulance service (EMT-Basic) with EMT-Intermediate or EMT-Paramedic on staff, the appropriate level of service is "EMT-Basic". This is because the care provided to patients is limited to BLS skills.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

State

**National** 

#### dAgency.12 - Organization Status

#### Definition

The primary organizational status of the agency. The definition of Volunteer or Non-Volunteer is based on state or local definitions.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_09	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

Associated Performance Measure Initiatives								
Airway	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma		

#### Code List

CodeDescription1016001Mixed1016003Non-Volunteer1016005Volunteer

#### Data Element Comment

The Organizational Status is associated with the EMS Agency and the specific EMS Agency Number (dAgency.02).

State

National

#### dAgency.13 - Organizational Type

#### Definition

The organizational structure from which EMS services are delivered (fire, hospital, county, etc.).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_08	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airwav	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

CodeDescription9912001Fire Department9912003Governmental, Non-Fire9912005Hospital9912007Private, Nonhospital9912009Tribal

#### **Data Element Comment**

Organizational Type is associated with the EMS Agency and the specific EMS Agency Number (dAgency.02).

#### Associated Validation Rules

Rule ID	Level	Message
âlncy.26_fire	Warning	Fire Department ID Number should be recorded when Organizational Type is "Fire Department".
â¦.26_nonfire	Warning	Fire Department ID Number should only be recorded when Organizational Type is "Fire Department".

State

**National** 

#### dAgency.14 - EMS Agency Organizational Tax Status

#### Definition

The EMS Agencies business/corporate organizational tax status.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Code List

**Code** Description 1018001 For Profit

1018003 Other (e.g., Government)

1018005 Not For Profit

#### **Data Element Comment**

Associated with the EMS Agency for the specific EMS Agency Number (dAgency.02).

State

National

#### dAgency.15 - Statistical Calendar Year

#### Definition

The calendar year to which the information pertains for the EMS Agency and the specific EMS Agency Number (dAgency.02).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D01_10	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Constraints

Data TypeminInclusivemaxInclusiveinteger19002050

#### **Data Element Comment**

Added Calendar Year to the definition to remove confusion noted in draft comments. Will allow multiple entries to allow data to be stored on several years. This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02) and elements dAgency.16 through dAgency.22.

#### Associated Validation Rules

âlncy.15\_past Warning Statistical Calendar Year should be in the past.

âl\_dAgency.15 Warning Agency statistics for a particular Statistical Calendar Year should only be recorded once.

State

National

#### dAgency.16 - Total Primary Service Area Size

#### Definition

The total square miles in the agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_12	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

#### **Data Element Comment**

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year

#### Associated Validation Rules

Rule ID Level Messa	
	~~
	(16

âlNvPn\_Nil\_Nv Error When Total Primary Service Area Size is empty, it should have a Not Value (Not Applicable, Not

Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When Total Primary Service Area Size has a Not Value (Not Applicable, Not Recorded, or Not

Reporting), it should be empty.

State

National

#### dAgency.17 - Total Service Area Population

#### Definition

The total population in the agency's service area based if possible on year 2010 census data.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_13	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

#### **Data Element Comment**

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

#### Associated Validation Rules

Rule ID	امددا	Message
Kule II)	Level	wessage

â¦NvPn\_Nil\_Nv Error When Total Service Area Population is empty, it should have a Not Value (Not Applicable, Not

Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When Total Service Area Population has a Not Value (Not Applicable, Not Recorded, or Not

Reporting), it should be empty.

State

National

#### dAgency.18 - 911 EMS Call Center Volume per Year

#### Definition

The number of 911 calls received by the call center during the last calendar year.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_14	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

#### **Data Element Comment**

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

#### Version 3 Changes Implemented

Name Clarified with "Call Center"

#### Associated Validation Rules

Rule ID Leve	el Message
--------------	------------

âlNvPn\_Nil\_Nv Error When 911 EMS Call Center Volume per Year is empty, it should have a Not Value (Not

Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if

allowed for the element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When 911 EMS Call Center Volume per Year has a Not Value (Not Applicable, Not Recorded, or

Not Reporting), it should be empty.

State

National

#### dAgency.19 - EMS Dispatch Volume per Year

#### Definition

The number of EMS dispatches during the last calendar year.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

#### **Data Element Comment**

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

#### Associated Validation Rules

Rule ID Level Messa	
	~~
	(16

âlNvPn\_Nil\_Nv Error When EMS Dispatch Volume per Year is empty, it should have a Not Value (Not Applicable, Not

Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When EMS Dispatch Volume per Year has a Not Value (Not Applicable, Not Recorded, or Not

Reporting), it should be empty.

NEMSIS Version 3.4.0.200910CP2 dAgency.20

State

National

# dAgency.20 - EMS Patient Transport Volume per Year

#### Definition

The number of EMS transports per year based on last calendar year.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_16	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

#### **Data Element Comment**

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

#### Associated Validation Rules

#### Rule ID Level Message

â¦NvPn Nil Nv Error When EMS Patient Transport Volume per Year is empty, it should have a Not Value (Not

Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if

allowed for the element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When EMS Patient Transport Volume per Year has a Not Value (Not Applicable, Not Recorded,

or Not Reporting), it should be empty.

NEMSIS Version 3.4.0.200910CP2 dAgency.21

State

National

#### dAgency.21 - EMS Patient Contact Volume per Year

#### Definition

The number of EMS patient contacts per year based on last calendar year.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_17	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypeminInclusivemaxInclusivepositiveInteger14,000,000

#### **Data Element Comment**

This statistical information is associated with the EMS Agency's specific EMS Agency Number (dAgency.02). A value should be associated with each with (dAgency.15) Statistical Calendar Year.

#### Associated Validation Rules

#### Rule ID Level Message

â¦NvPn Nil Nv Error When EMS Patient Contact Volume per Year is empty, it should have a Not Value (Not

Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if

allowed for the element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When EMS Patient Contact Volume per Year has a Not Value (Not Applicable, Not Recorded, or

Not Reporting), it should be empty.

National

# dAgency.25 - National Provider Identifier

#### Definition

The National Provider Identifier issued by CMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	D01_21	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type length string 10

#### **Data Element Comment**

Only EMS Agencies billing for service will have an NPI (National Provider Identifier) number.

CMS (Centers for Medicare and Medicaid Services) NPI Registry lookup: https://npiregistry.cms.hhs.gov/

Rule ID	Level	Message
â¦NvPn_Nil_N	v <mark>Error</mark>	When National Provider Identifier is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When National Provider Identifier has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn_Nv_onl	y <mark>Warning</mark>	When National Provider Identifier has a Not Value, no other value should be recorded.

NEMSIS Version 3.4.0.200910CP2 dAgency.26

State

National

# dAgency.26 - Fire Department ID Number

#### Definition

The state assigned Fire Department ID Number for EMS Agency(ies) operating within a Fire Department.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

Data Type	minLength	maxLength
string	1	20

#### **Data Element Comment**


Fire Department ID was added to better integrate Fire Department EMS Agencies and linkage to other EMS related data systems such as NFIRS (National Fire Incident Reporting System).

#### Version 3 Changes Implemented

Added to better associate Fire and EMS licensure and operational identifiers.

Rule ID	Level	Message
âlncy.26_fire	Warning	Fire Department ID Number should be recorded when Organizational Type is "Fire Department".
âl.26_nonfire	Warning	Fire Department ID Number should only be recorded when Organizational Type is "Fire Department".
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When Fire Department ID Number is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	il <mark>Error</mark>	When Fire Department ID Number has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlvPn_Nv_only	/ <mark>Warning</mark>	When Fire Department ID Number has a Not Value, no other value should be recorded.

# dConfiguration



dConfiguration.01

State

National

# dConfiguration.01 - State Associated with the Certification/Licensure Levels

#### Definition

The state associated with the state certification/licensure levels.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Constraints

#### **Pattern**

[0-9]{2}

#### **Data Element Comment**

Associated with the state (dAgency.04 - EMS Agency State).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

The state EMS system does not need to import this information into their database. Reference the Demographic Dataset Submission Guide for further details.

**National** 

# dConfiguration.02 - State Certification/Licensure Levels

#### Definition

All of the potential levels of certification/licensure for EMS personnel recognized by the state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_01	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

#### Code List

Code	Description
9911001	2009 Advanced Emergency Medical Technician (AEMT)
9911003	2009 Emergency Medical Responder (EMR)
9911005	2009 Emergency Medical Technician (EMT)
9911007	2009 Paramedic
9911009	EMT-Basic
9911011	EMT-Intermediate
9911013	EMT-Paramedic
9911015	First Responder
9911019	Other
9911021	Physician
9911023	Critical Care Paramedic
9911025	Community Paramedicine
9911027	Nurse Practitioner
9911029	Physician Assistant
9911031	Licensed Practical Nurse (LPN)
9911033	Registered Nurse

# **Data Element Comment**

The new 2009 Education Levels have been added. The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

The state EMS system does not need to import this information into their database. Reference the Demographic Dataset Submission Guide for further details.

National

#### dConfiguration.03 - Procedures Permitted by the State

#### Definition

A list of all of the procedures permitted by the EMS Agency's licensing state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypemaxInclusiveminInclusiveinteger99999999999999100000

#### **Data Element Comment**

This data element should capture all of the procedures permitted by the state for any/all levels of EMS personnel in the state. This is associated with the EMS Agency State (dAgency.01). This is related to the EMS Agency's procedures (dConfiguration.07) which have been implemented within the EMS System.

State EMS systems which have regulatory authority to determine the procedures statewide may identify SNOMEDCT procedure codes based on medical direction and their own need.

Code list is represented in SNOMEDCT: Reference the NEMSIS Suggested Lists at: <a href="https://nemsis.org/technical-resources/version-3/version-3-resources/">https://nemsis.org/technical-resources/version-3/version-3-resources/</a>

#### **SNOMEDCT**

Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed main.html

Product: Product - UMLS Metathesaurus

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

Rule ID Level	Message
â¦NvPn_Nil_Nv <mark>Error</mark>	When Procedures Permitted by the State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil <mark>Error</mark>	When Procedures Permitted by the State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlvPn_Nv_only Warning	When Procedures Permitted by the State has a Not Value, no other value should be recorded.

National

#### dConfiguration.04 - Medications Permitted by the State

#### Definition

A list of all of the medications permitted by the state to be used by each EMS state certification/licensure level.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data TypeminLengthmaxLengthstring27

#### **Data Element Comment**

This data element should capture all of the medications permitted by the state for any/all levels of EMS personnel in the state. This should be stored as an RxNorm (RXCUI) Code. This is associated with the EMS Agency State (dAgency.01).

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

#### Version 3 Changes Implemented

State EMS systems which have regulatory authority to identify medications to be administered within the state may identify specific RxNorm codes based on medical direction and their own need.

List of medications based on RxNorm (RXCUI) code.

Reference the NEMSIS Suggested Lists at: https://nemsis.org/technical-resources/version-3/version-3-resources/

#### RxNorm

Website - http://uts.nlm.nih.gov

Product - UMLS Metathesaurus

Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html

Product - RxNorm Full Monthly Release

Rule ID Level	Message
âlNvPn_Nil_Nv <mark>Error</mark>	When Medications Permitted by the State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
âlNvPn_Nv_Nil Error	When Medications Permitted by the State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn Nv only Warning	When Medications Permitted by the State has a Not Value, no other value should be recorded.

National

# dConfiguration.05 - Protocols Permitted by the State

#### Definition

A list of all of the protocols permitted by the state.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

L	OUGC LIS	1
	Code	Description
	9914001	Airway
	9914003	Airway-Failed
	9914005	Airway-Obstruction/Foreign Body
	9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
	9914009	Airway-Sedation Assisted (Non-Paralytic)
	9914011	Cardiac Arrest-Asystole
	9914013	Cardiac Arrest-Hypothermia-Therapeutic
	9914015	Cardiac Arrest-Pulseless Electrical Activity
	9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
	9914019	Cardiac Arrest-Post Resuscitation Care
	9914021	Environmental-Altitude Sickness
	9914023	Environmental-Cold Exposure
	9914025	Environmental-Frostbite/Cold Injury
	9914027	Environmental-Heat Exposure/Exhaustion
	9914029	Environmental-Heat Stroke/Hyperthermia
	9914031	Environmental-Hypothermia
	9914033	Exposure-Airway/Inhalation Irritants
	9914035	Exposure-Biological/Infectious
	9914037	Exposure-Blistering Agents
	9914041	Exposure-Chemicals to Eye
	9914043	Exposure-Cyanide
	9914045	Exposure-Explosive/ Blast Injury
	9914047	Exposure-Nerve Agents
	9914049	Exposure-Radiologic Agents
	9914051	General-Back Pain
	9914053	General-Behavioral/Patient Restraint
	9914055	General-Cardiac Arrest
	9914057	General-Dental Problems
	9914059	General-Epistaxis
	9914061	General-Fever
	9914063	General-Individualized Patient Protocol
	9914065	General-Indwelling Medical Devices/Equipment
	9914067	General-IV Access
	9914069	General-Medical Device Malfunction
	9914071	General-Pain Control
	9914073	General-Spinal Immobilization/Clearance
	9914075	General-Universal Patient Care/ Initial Patient Contact
	9914077	Injury-Amputation
	9914079	Injury-Bites and Envenomations-Land
	9914081	Injury-Bites and Envenomations-Marine
	9914083	Injury-Bleeding/ Hemorrhage Control

9914085 Injury-Burns-Thermal 9914087 Injury-Cardiac Arrest 9914089 Injury-Crush Syndrome Injury-Diving Emergencies 9914091 Injury-Drowning/Near Drowning 9914093 9914095 Injury-Electrical Injuries Injury-Extremity 9914097 Injury-Eye 9914099 9914101 Injury-Head 9914103 Injury-Impaled Object 9914105 Injury-Multisystem 9914107 Injury-Spinal Cord 9914109 Medical-Abdominal Pain 9914111 Medical-Allergic Reaction/Anaphylaxis 9914113 Medical-Altered Mental Status 9914115 Medical-Bradycardia 9914117 Medical-Cardiac Chest Pain 9914119 Medical-Diarrhea 9914121 Medical-Hyperglycemia 9914123 Medical-Hypertension 9914125 Medical-Hypoglycemia/Diabetic Emergency 9914127 Medical-Hypotension/Shock (Non-Trauma) 9914129 Medical-Influenza-Like Illness/ Upper Respiratory Infection 9914131 Medical-Nausea/Vomiting 9914133 Medical-Newborn/ Neonatal Resuscitation 9914135 General-Overdose/Poisoning/Toxic Ingestion 9914137 Medical-Pulmonary Edema/CHF 9914139 Medical-Respiratory Distress/Asthma/COPD/Reactive Airway 9914141 Medical-Seizure Medical-ST-Elevation Myocardial Infarction (STEMI) 9914143 9914145 Medical-Stroke/TIA 9914147 Medical-Supraventricular Tachycardia (Including Atrial Fibrillation) 9914149 Medical-Syncope Medical-Ventricular Tachycardia (With Pulse) 9914151 9914153 Not Done 9914155 OB/GYN-Childbirth/Labor/Delivery 9914157 OB/GYN-Eclampsia 9914159 **OB/GYN-Gynecologic Emergencies** 9914161 **OB/GYN-Pregnancy Related Emergencies** 9914163 OB/GYN-Post-partum Hemorrhage 9914165 Other 9914167 **Exposure-Carbon Monoxide** 9914169 Cardiac Arrest-Do Not Resuscitate Cardiac Arrest-Special Resuscitation Orders 9914171 9914173 **Exposure-Smoke Inhalation** 9914175 General-Community Paramedicine / Mobile Integrated Healthcare 9914177 General-Exception Protocol 9914179 General-Extended Care Guidelines 9914181 General-Interfacility Transfers General-Law Enforcement - Blood for Legal Purposes 9914183 9914185 General-Law Enforcement - Assist with Law Enforcement Activity General-Neglect or Abuse Suspected 9914187 9914189 General-Refusal of Care 9914191 Injury-Mass/Multiple Casualties 9914193 Injury-Thoracic 9914195 Medical-Adrenal Insufficiency Medical-Apparent Life Threatening Event (ALTE) 9914197 9914199 Medical-Tachycardia Cardiac Arrest-Determination of Death / Withholding Resuscitative Efforts 9914201 Injury-Conducted Electrical Weapon (e.g., Taser) 9914203 9914205 Injury-Facial Trauma 9914207 Injury-General Trauma Management 9914209 Injury-Lightning/Lightning Strike 9914211 Injury-SCUBA Injury/Accidents 9914213 Injury-Topical Chemical Burn Medical-Beta Blocker Poisoning/Overdose 9914215 Medical-Calcium Channel Blocker Poisoning/Overdose 9914217 Medical-Opioid Poisoning/Overdose 9914219 9914221 Medical-Respiratory Distress-Bronchiolitis

#### **Data Element Comment**

This data element should capture all of the protocols permitted by the state for any/all levels of EMS personnel in the state. This is associated with the EMS Agency State (dAgency.01).

States can add additional protocols to the list but the additional state protocols must map to these uniform codes.

The list is defined by the NASEMSO State Medical Directors.

The EMS agency should submit "Not Applicable" and "Nil" to the state system for the demographic export. The state EMS system does not need to import this information into their database. It is the responsibility of the state to submit this element to the national EMS database (NEMSIS). Reference the Demographic Dataset Submission Guide for further details.

#### Version 3 Changes Implemented

Added to better identify states with statewide protocols and define state EMS capability and care.

Rule ID	Level	Message
â¦NvPn_Nil_N		When Protocols Permitted by the State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	Nil <mark>Error</mark>	When Protocols Permitted by the State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn_Nv_on	ly <mark>Warning</mark>	When Protocols Permitted by the State has a Not Value, no other value should be recorded.

National

# dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure

#### Definition

EMS certification levels which are permitted to perform the procedure listed in dConfiguration.07.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_05	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airwav	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

Code	Description
9917001	2009 Advanced Emergency Medical Technician (AEMT)
9917003	2009 Emergency Medical Responder (EMR)
9917005	2009 Emergency Medical Technician (EMT)
9917007	2009 Paramedic
9917009	First Responder
9917011	EMT-Basic
9917013	EMT-Intermediate
9917015	EMT-Paramedic
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

#### **Data Element Comment**

Using each certification level within the agency, indicate the approved procedures allowed utilizing dConfiguration.07 (EMS Agency Procedures).

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

**National** 

# dConfiguration.07 - EMS Agency Procedures

#### Definition

A list of all procedures that the agency has implemented and available for use by any/all EMS certification levels.

National Element	Yes Pertinent Negatives (PI		No
State Element	Yes NOT Values		No
Version 2 Element	D04_04	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Associat	Associated Performance Measure Initiatives							
Airway	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma		

#### Constraints

Data TypemaxInclusiveminInclusiveinteger99999999999999100000

#### **Data Element Comment**

This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities. Each procedure is associated with the EMS professional certification levels permitted to perform the procedure.

EMS Agencies may identify additional SNOMEDCT procedure codes based on medical direction and their own need. If an agency resides in a state with statewide approved procedures, they should be listed/implemented here.

Code list is represented in SNOMEDCT: Reference the NEMSIS Suggested Lists at: https://nemsis.org/technical-resources/version-3/version-3-resource-repository/

#### **SNOMEDCT**

Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed main.html

Product: Product - UMLS Metathesaurus

**National** 

# dConfiguration.08 - EMS Certification Levels Permitted to Administer Each Medication

#### Definition

All EMS certification levels which are permitted to administer the medications listed in dConfiguration.09 (EMS Agency Medications).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes NOT Values		No
Version 2 Element	D04_07	D04_07 Is Nillable	
Usage	Mandatory	Recurrence	1:1

Associated Performance Measure Initiatives								
Airway	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma		

#### Code List

Code	Description
9917001	2009 Advanced Emergency Medical Technician (AEMT)
9917003	2009 Emergency Medical Responder (EMR)
9917005	2009 Emergency Medical Technician (EMT)
9917007	2009 Paramedic
9917009	First Responder
9917011	EMT-Basic
9917013	EMT-Intermediate
9917015	EMT-Paramedic
9917019	Physician
9917021	Critical Care Paramedic
9917023	Community Paramedicine
9917025	Nurse Practitioner
9917027	Physician Assistant
9917029	Licensed Practical Nurse (LPN)
9917031	Registered Nurse

# **Data Element Comment**

Using each certification level within the agency, indicate the approved medications allowed utilizing dConfiguration.09 (EMS Agency Medications).

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

**National** 

# dConfiguration.09 - EMS Agency Medications

#### Definition

A list of all medications the agency has implemented and have available for use.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element D04_06		Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Constraints

Data TypeminLengthmaxLengthstring27

#### **Data Element Comment**

The medication list is stored as the RxNorm (RXCUI) Code. This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities.

List of medications based on RxNorm (RXCUI) codes.

Reference the NEMSIS Suggested Lists at: <a href="https://nemsis.org/technical-resources/version-3/version-3-resources/">https://nemsis.org/technical-resources/version-3-version-3-resources/</a>

#### RxNorm

Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html

Product - RxNorm Full Monthly Release

#### SNOMED-CT

Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed\_main.html

Product: Product - UMLS Metathesaurus.

National

# dConfiguration.10 - EMS Agency Protocols

# Definition

A list of all of the EMS field protocols that the agency has in place and available for use.

National Element	Yes	Pertinent Negatives (PN)	No	
State Element Yes		NOT Values No		
Version 2 Element D04_08		Is Nillable	No	
Usage Mandatory		Recurrence	1 : M	

# Associated Performance Measure Initiatives

Airwav	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

Code List	
Code	Description
9914001	Airway
9914003	Airway-Failed
9914005	Airway-Obstruction/Foreign Body
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
9914009	Airway-Sedation Assisted (Non-Paralytic)
9914011	Cardiac Arrest-Asystole
9914013	Cardiac Arrest-Hypothermia-Therapeutic
9914015	Cardiac Arrest-Pulseless Electrical Activity
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
9914019	Cardiac Arrest-Post Resuscitation Care
9914021	Environmental-Altitude Sickness
9914023	Environmental-Cold Exposure
9914025	Environmental-Frostbite/Cold Injury
9914027	Environmental-Heat Exposure/Exhaustion
9914029	Environmental-Heat Stroke/Hyperthermia
9914031	Environmental-Hypothermia
9914033	Exposure-Airway/Inhalation Irritants
9914035	Exposure-Biological/Infectious
9914037	Exposure-Blistering Agents
9914041	Exposure-Chemicals to Eye
9914043	Exposure-Cyanide
9914045	Exposure-Explosive/ Blast Injury
9914047	Exposure-Nerve Agents
9914049	Exposure-Radiologic Agents General-Back Pain
9914051 9914053	General-Behavioral/Patient Restraint
9914055	General-Cardiac Arrest
9914057	General-Dental Problems
9914059	General-Epistaxis
9914061	General-Fever
9914063	General-Individualized Patient Protocol
9914065	General-Individualized Fatterit Fotocol  General-Individualized Fatterit Fat
9914067	General-IV Access
9914069	General-Medical Device Malfunction
9914071	General-Pain Control
9914073	General-Spinal Immobilization/Clearance
9914075	General-Universal Patient Care/ Initial Patient Contact
9914077	Injury-Amputation
9914079	Injury-Bites and Envenomations-Land
9914081	Injury-Bites and Envenomations-Marine
9914083	Injury-Bleeding/ Hemorrhage Control
9914085	Injury-Burns-Thermal
9914087	Injury-Cardiac Arrest
9914089	Injury-Crush Syndrome
9914091	Injury-Diving Emergencies
	-

9914093	Injury-Drowning/Near Drowning
9914095	Injury-Electrical Injuries
9914097	Injury-Extremity
9914099 9914101	Injury-Eye Injury-Head
9914103	Injury-Impaled Object
9914105	Injury-Multisystem
9914107	Injury-Spinal Cord
9914109	Medical-Abdominal Pain
9914111	Medical-Allergic Reaction/Anaphylaxis
9914113	Medical-Altered Mental Status Medical-Bradycardia
9914115 9914117	Medical-Cardiac Chest Pain
9914119	Medical-Diarrhea
9914121	Medical-Hyperglycemia
9914123	Medical-Hypertension
9914125	Medical-Hypoglycemia/Diabetic Emergency
9914127	Medical-Hypotension/Shock (Non-Trauma)
9914129 9914131	Medical-Influenza-Like Illness/ Upper Respiratory Infection Medical-Nausea/Vomiting
9914133	Medical-Newborn/ Neonatal Resuscitation
9914135	General-Overdose/Poisoning/Toxic Ingestion
9914137	Medical-Pulmonary Edema/CHF
9914139	Medical-Respiratory Distress/Asthma/COPD/Reactive Airway
9914141	Medical-Seizure
9914143 9914145	Medical-ST-Elevation Myocardial Infarction (STEMI) Medical-Stroke/TIA
9914145	Medical-Stroke/TIA  Medical-Supraventricular Tachycardia (Including Atrial Fibrillation)
9914149	Medical-Syncope
9914151	Medical-Ventricular Tachycardia (With Pulse)
9914153	Not Done
9914155	OB/GYN-Childbirth/Labor/Delivery
9914157	OB/GYN-Eclampsia
9914159 9914161	OB/GYN-Gynecologic Emergencies OB/GYN-Pregnancy Related Emergencies
9914163	OB/GYN-Post-partum Hemorrhage
9914165	Other
9914167	Exposure-Carbon Monoxide
9914169	Cardiac Arrest-Do Not Resuscitate
9914171	Cardiac Arrest-Special Resuscitation Orders
9914173 9914175	Exposure-Smoke Inhalation General-Community Paramedicine / Mobile Integrated Healthcare
9914177	General-Exception Protocol
9914179	General-Extended Care Guidelines
9914181	General-Interfacility Transfers
9914183	General-Law Enforcement - Blood for Legal Purposes
9914185	General-Law Enforcement - Assist with Law Enforcement Activity
9914187	General-Neglect or Abuse Suspected General-Refusal of Care
9914189 9914191	Injury-Mass/Multiple Casualties
9914193	Injury-Thoracic
9914195	Medical-Adrenal Insufficiency
9914197	Medical-Apparent Life Threatening Event (ALTE)
9914199	Medical-Tachycardia
9914201	Cardiac Arrest-Determination of Death / Withholding Resuscitative Efforts
9914203 9914205	Injury-Conducted Electrical Weapon (e.g., Taser) Injury-Facial Trauma
9914207	Injury-General Trauma Management
9914209	Injury-Lightning/Lightning Strike
9914211	Injury-SCUBA Injury/Accidents
9914213	Injury-Topical Chemical Burn
9914215	Medical-Beta Blocker Poisoning/Overdose
9914217	Medical-Calcium Channel Blocker Poisoning/Overdose
9914219 9914221	Medical-Opioid Poisoning/Overdose  Medical-Respiratory Distress-Bronchiolitis
9914223	Medical-Respiratory Distress-Bronchiolius  Medical-Respiratory Distress-Croup
9914225	Medical-Stimulant Poisoning/Overdose
	3

# Data Element Comment

This is associated with the EMS Agency Number (dAgency.02) since each EMS Agency Number may have different capabilities.

State and local entities can add additional protocols to the list but the additional protocols must map to these uniform codes.

The list is defined by the NASEMSO State Medical Directors.

National

# dConfiguration.11 - EMS Agency Specialty Service Capability

#### Definition

Special training or services provided by the EMS Agency and available to the EMS service area/community.

National Element	Yes	Pertinent Negatives (PN)	No	
State Element	Yes	NOT Values	No	
Version 2 Element		Is Nillable	No	
Usage Mandatory		Recurrence	1 : M	

#### Code List

Code	Description
1211001	Air Rescue
1211003	CBRNE
1211005	Community Health Medicine
1211007	Disaster Medical Assistance Team (DMAT)
1211009	Disaster Mortuary (DMORT)
1211011	Dive Rescue
1211013	Farm Rescue
1211015	High Angle Rescue
1211017	Machinery Disentanglement
1211019	None
1211021	Ski / Snow Rescue
1211023	Tactical EMS
1211025	Trench / Confined Space Rescue
1211027	Urban Search and Rescue (USAR)
1211029	Vehicle Extrication
1211031	Veterinary Medical Assistance Team (VMAT)
1211033	Water or Ice Related Rescue (Incl Swift Water)
1211035	Wilderness Search and Rescue

#### **Data Element Comment**

# Associated Validation Rules

Rule ID	Level	Message
---------	-------	---------

âlion.11\_none Warning When EMS Agency Specialty Service Capability is "None", no other values should be recorded.

**National** 

# dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area

#### Definition

Indication as to whether Emergency Medical Dispatch is provided to the EMS Agency's service area.

National Element	Yes	Pertinent Negatives (PN)	No	
State Element	Yes	NOT Values	No	
Version 2 Element		Is Nillable	No	
Usage	Mandatory	Recurrence	1:1	

#### Associated Performance Measure Initiatives

Airway	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

1213001 No

1213003 Yes, 100% of the EMS Agency's Service Area

1213005 Yes, Less than 100% of the EMS Agency's Service Area

#### **Data Element Comment**

Added to better document the implementation of Emergency Medical Dispatch. Associated with each EMS Agency and the specific EMS Agency Number (dAgency.02).

**National** 

# dConfiguration.15 - Patient Monitoring Capability(ies)

#### Definition

The EMS Agency's patient monitoring capability which can be provided to any/all patients presenting to EMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

Airway	<ul> <li>Cardiac Arrest</li> </ul>	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

Description
Capnography-Numeric
Capnography-Waveform
ECG-12 Lead or Greater
ECG-Less than 12 Lead (Cardiac Monitor)
Oximetry-Carbon Monoxide
Oximetry-Oxygen
Pressure Measurement-Invasive (Arterial, CVP, Swan, etc.)
Pressure Measurement-Non-Invasive (Blood Pressure, etc.)
Ventilator-Transport
Vital Sign Monitoring

#### **Data Element Comment**

Added to identify the patient monitoring capability of the EMS Agency. Associated with each EMS Agency Number (dAgency.02) since each EMS Agency Number may have a different capability within each EMS Agency. Other patient monitoring capability may exist but NEMSIS Version 3 only includes these specific capabilities.

National

# dConfiguration.16 - Crew Call Sign

#### Definition

The EMS crew call sign used to dispatch and communicate with the unit. This may be the same as the EMS Unit/Vehicle Number in many agencies.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	D04_02	Is Nillable	No
Usage	Mandatory	Recurrence	1 : M

#### Constraints

Data TypeminLengthmaxLengthstring150


#### **Data Element Comment**

#### Associated Validation Rules

Rule ID Level Message

âln.16\_assert Warning Crew Call Sign should be unique (the same call sign should not be listed more than once).

# eRecord



State

National

# eRecord.01 - Patient Care Report Number

#### Definition

The unique number automatically assigned by the EMS agency for each Patient Care Report (PCR). This should be a unique number for the EMS agency all of time.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_01	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

Associat	ed Performance I	Measure Initi	atives				
Airway	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma	

#### Constraints

Data Type	minLength	maxLength
string	3	50

# Data Element Comment

State

National

# eRecord.02 - Software Creator

#### Definition

The name of the vendor, manufacturer, and developer who designed the application that created this record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_02	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Constraints

Data Type	minLength	maxLength
string	1	50

#### Data Element Comment

This is required to document the software used to generate the Patient Care Report. This is not the last software which aggregated/stored the Patient Care Report after it was sent from another software.

State

National

# eRecord.03 - Software Name

# Definition

The name of the application used to create this record.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_03	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Constraints

Data Type	minLength	maxLength
string	1	50

#### Data Element Comment

This is the EMS Agency's software, not the state or other level software which electronically received the data from the local EMS Agency.

State

National

# eRecord.04 - Software Version

# Definition

The version of the application used to create this record.


National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E01_04	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Constraints

Data Type	minLength	maxLength
string	1	50

# Data Element Comment

# eResponse



National

# eResponse.01 - EMS Agency Number

#### Definition

The state-assigned provider number of the responding agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_01	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Constraints

Data TypeminLengthmaxLengthstring115

#### **Data Element Comment**

The EMS Agency Number in eResponse.01 can auto-populate from dAgency.02 EMS Agency Number in the demographic section.

#### Associated Validation Rules

Rule ID Level Message

ålse.01\_match Warning EMS Agency Nun

EMS Agency Number in the patient care report should match EMS Agency Number in the agency demographic information.

National

# eResponse.03 - Incident Number

#### Definition

The incident number assigned by the 911 Dispatch System.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

Data Type	minLength	maxLength 50	
string	3	50	

#### Data Element Comment

This number can be used to associate multiple EMS responses, dispatch information, and other information to the same EMS event or patient.

Rule ID	Level	Message
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When Incident Number is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	Error	When Incident Number has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eResponse.04 - EMS Response Number

#### Definition

The internal EMS response number which is unique for each EMS Vehicle's (Unit) response to an incident within an EMS Agency.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_03	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type	minLength	maxLength
string	3	50

#### Data Element Comment

#### Associated Validation Rules

Rule ID Level	Message
â¦NvPn_Nil_Nv <mark>Error</mark>	When EMS Response Number is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When EMS Response Number has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eResponse.05 - Type of Service Requested

#### Definition

The type of service or category of service requested of the EMS Agency responding for this specific EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_04	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

Associate	ed Performance I	Measure Initi	atives				
Airway	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma	

#### Code List

CodeDescription2205001911 Response (Scene)2205003Intercept2205005Interfacility Transport2205007Medical Transport2205009Mutual Aid2205011Public Assistance/Other Not Listed2205013Standby

#### **Data Element Comment**

"Interfacility Transfer" has been changed to "Interfacility Transport". "Public Assistance/Other Not Listed" added for EMS expanded scope events such as elderly assistance, injury prevention, public education, immunization programs, etc.

Rule ID	Level	Message
âlituation.02	Warning	Possible Injury should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
âlituation.07	Warning	Chief Complaint Anatomic Location should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
âlituation.08	Warning	Chief Complaint Organ System should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
âlituation.09	Warning	Primary Symptom should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
â¦ituation.11	Warning	Provider's Primary Impression should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
âlituation.13	Warning	Initial Patient Acuity should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".

NEMSIS Version 3.4.0.200910CP2 eResponse.07

State

National

# eResponse.07 - Primary Role of the Unit

#### Definition

The primary role of the EMS unit which responded to this specific EMS event

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_05	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Associated Performance Measure Initiatives

Airwav	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma

#### Code List

Code	Description
2207003	Ground Transport
2207005	Non-Transport Administrative (e.g., Supervisor)
2207007	Non-Transport Assistance
2207009	Non-Transport Rescue
2207011	Air Transport-Helicopter
2207013	Air Transport-Fixed Wing

#### Data Element Comment

Supervisor clarified to Administrative Only. If the Supervisor is responding to assist, that would be considered Non-Transport. Transport separated into Air and Ground. In Version 2 there was no way to identify Air Transport.

National

#### eResponse.08 - Type of Dispatch Delay

#### Definition

The dispatch delays, if any, associated with the dispatch of the EMS unit to the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

<u> </u>	
Code	Description

2208001 Caller (Uncooperative)

2208003 Diversion/Failure (of previous unit)

2208005 High Call Volume

2208007 Language Barrier

2208009 Location (Inability to Obtain)

2208011 No EMS Vehicles (Units) Available

2208013 None/No Delay

2208015 Other

2208017 Technical Failure (Computer, Phone etc.)

#### **Data Element Comment**

A dispatch delay is any time delay that occurs from the time of PSAP call (eTimes.01) to the time the unit is notified by dispatch (eTimes.03).

Rule ID Leve	Message
â¦NvPn_Nil_Nv <mark>Error</mark>	When Type of Dispatch Delay is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil <mark>Error</mark>	When Type of Dispatch Delay has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlResponse.08 Warr	When Type of Dispatch Delay is "None/No Delay", no other value should be recorded.
âlvPn_Nv_only Warr	When Type of Dispatch Delay has a Not Value, no other value should be recorded.

National

# eResponse.09 - Type of Response Delay

#### Definition

The response delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
2209001	Crowd
2209003	Directions/Unable to Locate
2209005	Distance
2209007	Diversion (Different Incident)
2209009	HazMat
2209011	None/No Delay
2209013	Other
2209015	Rendezvous Transport Unavailable
2209017	Route Obstruction (e.g., Train)
2209019	Scene Safety (Not Secure for EMS)
2209021	Staff Delay
2209023	Traffic
2209025	Vehicle Crash Involving this Unit
2209027	Vehicle Failure of this Unit
2209029	Weather
2209031	Mechanical Issue-Unit, Equipment, etc.

# 2209033 Flight Planning Data Element Comment

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc. to return to service.

A response delay is any time delay that occurs from the time the unit is notified by dispatch (eTimes.03) to the time the unit arrived on scene (eTimes.06).

Rule ID	Level	Message
â¦NvPn_Nil_Nv	Error	When Type of Response Delay is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil	Error	When Type of Response Delay has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlResponse.09	<b>Warning</b>	When Type of Response Delay is "None/No Delay", no other value should be recorded.
âlvPn_Nv_only	- Warning	When Type of Response Delay has a Not Value, no other value should be recorded.

National

# eResponse.10 - Type of Scene Delay

#### Definition

The scene delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Description
Awaiting Air Unit
Awaiting Ground Unit
Crowd
Directions/Unable to Locate
Distance
Extrication
HazMat
Language Barrier
None/No Delay
Other
Patient Access
Safety-Crew/Staging
Safety-Patient
Staff Delay
Traffic
Triage/Multiple Patients
Vehicle Crash Involving this Unit
Vehicle Failure of this Unit
Weather
Mechanical Issue-Unit, Equipment, etc.

#### Data Element Comment

A scene delay is any time delay that occurs from the time the unit arrived on scene (eTimes.06) to the time the unit left the scene (eTimes.09).

Rule ID	Level	Message
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When Type of Scene Delay is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Type of Scene Delay has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦Response.10	) Warning	When Type of Scene Delay is "None/No Delay", no other value should be recorded.
âlvPn_Nv_only	/ <mark>Warning</mark>	When Type of Scene Delay has a Not Value, no other value should be recorded.

National

# eResponse.11 - Type of Transport Delay

#### Definition

The transport delays, if any, of the EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_09	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
2211001	Crowd
2211003	Directions/Unable to Locate
2211005	Distance
2211007	Diversion
2211009	HazMat
2211011	None/No Delay
2211013	Other
2211015	Rendezvous Transport Unavailable
2211017	Route Obstruction (e.g., Train)
2211019	Safety
2211021	Staff Delay
2211023	Traffic
2211025	Vehicle Crash Involving this Unit
2211027	Vehicle Failure of this Unit
2211029	Weather
2211031	Patient Condition Change (e.g., Unit Stopped)

#### **Data Element Comment**

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc.

A transport delay is any time delay that occurs from the time the unit left the scene (eTimes.09) to the time the patient arrived at the destination (eTimes.10).

Rule ID	Level	Message
â¦NvPn_Nil_Nv	Error	When Type of Transport Delay is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil	Error	When Type of Transport Delay has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlResponse.11	Warning	When Type of Transport Delay is "None/No Delay", no other value should be recorded.
â¦vPn_Nv_only	Warning Warning	When Type of Transport Delay has a Not Value, no other value should be recorded.

**National** 

#### eResponse.12 - Type of Turn-Around Delay

#### Definition

The turn-around delays, if any, of EMS unit associated with the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E02_10	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

#### Response

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
2212001	Clean-up
2212003	Decontamination
2212005	Distance
2212007	Documentation
2212009	ED Overcrowding / Transfer of Care
2212011	Equipment Failure
2212013	Equipment/Supply Replenishment
2212015	None/No Delay
2212017	Other
2212019	Rendezvous Transport Unavailable
2212021	Route Obstruction (e.g., Train)
2212023	Staff Delay
2212025	Traffic
2212027	Vehicle Crash of this Unit
2212029	Vehicle Failure of this Unit
2212031	Weather
2212033	EMS Crew Accompanies Patient for Facility Procedure

#### **Data Element Comment**

Rendezvous Transport Unavailable added for situations where there is a wait for an EMS Transport Unit, a Ferry, Air Medical, etc. to return to service.

If a patient is being transported by the unit, turn-around delay is any time delay that occurs from the time the patient arrived at the destination (eTimes.11) until the time the unit is back in service (eTimes.13) or unit back at the home location (eTimes.15) [whichever is the greater of the two times].

If no patient is being transported by the unit, turn-around delay is any time delay that occurs from the time the unit arrived on scene (eTimes.06) until the unit is back in service (eTimes.13) or the unit back at the home location (eTimes.15) [whichever is the greater of the two times].

Rule ID Level	Message
<del></del>	When Type of Turn-Around Delay is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
	When Type of Turn-Around Delay has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlResponse.12 Warning	When Type of Turn-Around Delay is "None/No Delay", no other value should be recorded.

NEMSIS Version 3.4.0.200910CP2 eResponse.13

State

National

# eResponse.13 - EMS Vehicle (Unit) Number

#### Definition

The unique physical vehicle number of the responding unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_11	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Constraints

Data TypeminLengthmaxLengthstring125

#### **Data Element Comment**

This is recommended to be the State Vehicle Permit Number if unique to the vehicle. If the vehicle is not licensed by the state, this should be a unique number only associated with a specific vehicle. This element should be populated from dVehicle.01 - Unit/Vehicle Number.

National

# eResponse.14 - EMS Unit Call Sign

#### Definition

The EMS unit number used to dispatch and communicate with the unit. This may be the same as the EMS Vehicle/Unit Number in many agencies.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_12	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Constraints

Data Type	minLength	maxLength	
string	1	50	

#### Data Element Comment

<sup>&</sup>quot;This element could be populated from a list created in dVehicle.03 EMS Unit Call Sign or dConfiguration.16 (Crew Call Sign).

**National** 

# eResponse.15 - Level of Care of This Unit

#### Definition

The level of care (BLS or ALS) the unit is able to provide based on the units' treatment capabilities for this EMS response.

National Element	Yes	Pertinent Negatives (PN) No	
State Element	Yes	NOT Values No	
Version 2 Element		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

Associat	ted Performance I	Measure Initi	atives				
Airway	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma	

#### Code List

Code	Description
2215001	BLS-First Responder/EMR
2215003	BLS-Basic /EMT
2215005	BLS-AEMT
2215007	BLS-Intermediate
2215023	<b>BLS-Community Paramedicine</b>
2215009	ALS-AEMT
2215011	ALS-Intermediate
2215013	ALS-Paramedic
2215015	ALS-Community Paramedicine
2215017	ALS-Nurse
2215019	ALS-Physician

#### **Data Element Comment**

2215021 Specialty Critical Care

Added to identify the level of care (license level) the EMS unit/crew can provide regardless of patient need, based on this unit's capabilities.

For example, if a unit/crew is staffed with an EMT-Intermediate or EMT-Paramedic but the unit is either licensed or stocked at a BLS level the appropriate level of care is "BLS-Basic". This is because the care provided to patients is limited to BLS skills.

**National** 

# eResponse.23 - Response Mode to Scene

#### Definition

The indication whether the response was emergent or non-emergent. An emergent response is an immediate response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E02_20	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

Associat	ed Performance I	Measure Initi	atives				
Airway	Cardiac Arrest	Pediatric	Response	STEMI	Stroke	Trauma	

#### Code List

Code	Description
2223001	Emergent (Immediate Response)
2223003	<b>Emergent Downgraded to Non-Emergent</b>
2223005	Non-Emergent
2223007	Non-Emergent Upgraded to Emergent

#### **Data Element Comment**

Information now split between eResponse.23 (Response Mode to Scene) and eResponse.24 (Additional Response Mode Descriptors)

National

# eResponse.24 - Additional Response Mode Descriptors

#### Definition

The documentation of response mode techniques used for this EMS response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

Description

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code


Ouc	Becomplien
2224001	Intersection Navigation-Against Normal Light Patterns
2224003	Intersection Navigation-With Automated Light Changing Technology
2224005	Intersection Navigation-With Normal Light Patterns
2224007	Scheduled
2224009	Speed-Enhanced per Local Policy
2224011	Speed-Normal Traffic
2224013	Unscheduled
2224015	Lights and Sirens
2224017	Lights and No Sirens
2224019	No Lights or Sirens
2224021	Initial No Lights or Sirens, Upgraded to Lights and Sirens
2224023	Initial Lights and Sirens, Downgraded to No Lights or Sirens

#### **Data Element Comment**

Descriptors have been added to better describe the EMS response. This includes information on whether the EMS event was schedule or unscheduled.

Rule ID	Level	Message
â¦NvPn_Nil_N	v <mark>Error</mark>	When Additional Response Mode Descriptors is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Additional Response Mode Descriptors has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn_Nv_only	/ <mark>Warning</mark>	When Additional Response Mode Descriptors has a Not Value, no other value should be recorded.

# **eDispatch**



National

# eDispatch.01 - Complaint Reported by Dispatch

#### Definition

The complaint dispatch reported to the responding unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E03_01	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Code List

0000 =:0	•
Code	Description
2301001	Abdominal Pain/Problems
2301003	Allergic Reaction/Stings
2301005	Animal Bite
2301007	Assault
2301009	Automated Crash Notification
2301011	Back Pain (Non-Traumatic)
2301013	Breathing Problem
2301015	Burns/Explosion
2301017	Carbon Monoxide/Hazmat/Inhalation/CBRN
2301019	Cardiac Arrest/Death
2301021	Chest Pain (Non-Traumatic)
2301023	Choking
2301025	Convulsions/Seizure
2301027	Diabetic Problem
2301029	Electrocution/Lightning
2301031	Eye Problem/Injury
2301033	Falls
2301035	Fire
2301037	Headache
2301039	Healthcare Professional/Admission
2301041	Heart Problems/AICD
2301043	Heat/Cold Exposure
2301045	Hemorrhage/Laceration
2301047	Industrial Accident/Inaccessible Incident/Other Entrapments (Non-Vehicle)
2301049	Medical Alarm
2301051	No Other Appropriate Choice
2301053	Overdose/Poisoning/Ingestion
2301055	Pandemic/Epidemic/Outbreak
2301057	Pregnancy/Childbirth/Miscarriage
2301059	Psychiatric Problem/Abnormal Behavior/Suicide Attempt
2301061	Sick Person
2301063	Stab/Gunshot Wound/Penetrating Trauma
2301065	Standby
2301067	Stroke/CVA
2301069	Traffic/Transportation Incident
2301071	Transfer/Interfacility/Palliative Care
2301073	Traumatic Injury
2301075	Well Person Check
2301077	Unconscious/Fainting/Near-Fainting Unknown Problem/Person Down
2301079	
2301081	Drowning/Diving/SCUBA Accident
2301083	Airmedical Transport

# **Data Element Comment**

Added Pandemic/Epidemic/Outbreak.

Added Automated Crash Notification Added Automated Grash Notification
Added Healthcare Professional Admission
Added Transfer/Interfacility/Palliative Care
- Other entries expanded based on current national EMD Dispatch List

National

#### eDispatch.02 - EMD Performed

#### Definition

Indication of whether Emergency Medical Dispatch was performed for this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E03_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description

2302001 No

2302003 Yes, With Pre-Arrival Instructions 2302005 Yes, Without Pre-Arrival Instructions

2302007 Yes, Unknown if Pre-Arrival Instructions Given

#### **Data Element Comment**

#### Associated Validation Rules

Rule ID	Level	Message
---------	-------	---------

âlNvPn\_Nil\_Nv Error When EMD Performed is empty, it should have a Not Value (Not Applicable, Not Recorded, or


Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it

should be omitted (if the element is optional).

ålNvPn\_Nv\_Nil Error When EMD Performed has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it

should be empty.

# eTimes



# eTimes

eTimes.01

State

National

#### eTimes.01 - PSAP Call Date/Time

#### Definition

The date/time the phone rings (911 call to public safety answering point or other designated entity) requesting EMS services.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### Pattern

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash d+$ 

#### **Data Element Comment**

This date/time might be the same as Dispatch Notified Date/Time (eTimes.02).

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours		
mm	a two-digit numeral that represents the minutes		
'+'	+' a nonnegative duration		
'-'	a nonpositive duration		

#### Associated Validation Rules

Rule ID Level Message

âlNvPn\_Nil\_Nv Error When PSAP Call Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element),

or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When PSAP Call Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

âl3\_eTimes.01 Warning Unit Notified by Dispatch Date/Time should not be earlier than PSAP Call Date/Time.

State

National

#### eTimes.03 - Unit Notified by Dispatch Date/Time

#### Definition

The date/time the responding unit was notified by dispatch.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E05_04	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year		
'-'	separators between parts of the date portion		
mm	a two-digit numeral that represents the month		
dd	a two-digit numeral that represents the day		
Т	separator that indicates time-of-day follows		
hh	a two-digit numeral that represents the hour		
1:1	a separator between parts of the time-of-day portion		
mm	a two-digit numeral that represents the minute		
SS	a two-integer-digit numeral that represents the whole seconds		
'.' s+	(not required) represents the fractional seconds		
ZZZZZZ	(required) represents the timezone (as described below)		

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours		
mm	a two-digit numeral that represents the minutes		
'+'	'+' a nonnegative duration		
'-'	a nonpositive duration		

Rule ID	Level	Message
âlr_eTimes.03	Warning	Date/Time of Destination Prearrival Alert or Activation should not be earlier than Unit Notified by Dispatch Date/Time.
â¦r_eTimes.03	Warning	Date/Time Medication Administered should not be earlier than Unit Notified by Dispatch Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
âlr_eTimes.03	Warning	Date/Time Procedure Performed should not be earlier than Unit Notified by Dispatch Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
âl3_eTimes.01	Warning	Unit Notified by Dispatch Date/Time should not be earlier than PSAP Call Date/Time.

âl5_eTimes.03 Warning	Unit En Route Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
âl6_eTimes.03 Warning	Unit Arrived on Scene Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
âl7_eTimes.03 Warning	Arrived at Patient Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
âl9_eTimes.03 Warning	Unit Left Scene Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
â¦1_eTimes.03 Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
âl2_eTimes.03 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
âl3_eTimes.03 Warning	Unit Back in Service Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
âlr_eTimes.03 Warning	Date/Time Vital Signs Taken should not be earlier than Unit Notified by Dispatch Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".

State

National

#### eTimes.05 - Unit En Route Date/Time

#### Definition

The date/time the unit responded; that is, the time the vehicle started moving.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### **Pattern**

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'_'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours		
mm	a two-digit numeral that represents the minutes		
'+'	+' a nonnegative duration		
	a nonpositive duration		

#### Associated Validation Rules

Rule ID Level Message

ålg\_eTimes.05 Warning Unit En Route Date/Time should be recorded unless Incident/Patient Disposition is "Canceled

(Prior to Arrival At Scene)".

ålNvPn\_Nil\_Nv Error When Unit En Route Date/Time is empty, it should have a Not Value (Not Applicable, Not

element), or it should be omitted (if the element is optional). âlNvPn\_Nv\_Nil Error When Unit En Route Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty. âl5\_eTimes.03 Warning Unit En Route Date/Time should not be earlier than Unit Notified by Dispatch Date/Time. Unit Arrived on Scene Date/Time should not be earlier than Unit En Route Date/Time. âl6\_eTimes.05 Warning âl9\_eTimes.05 Warning Unit Left Scene Date/Time should not be earlier than Unit En Route Date/Time. âl1\_eTimes.05 Warning Patient Arrived at Destination Date/Time should not be earlier than Unit En Route Date/Time. âl2\_eTimes.05 Warning Destination Patient Transfer of Care Date/Time should not be earlier than Unit En Route Date/Time. âl3\_eTimes.05 Warning Unit Back in Service Date/Time should not be earlier than Unit En Route Date/Time.

Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

State

National

#### eTimes.06 - Unit Arrived on Scene Date/Time

#### Definition

The date/time the responding unit arrived on the scene; that is, the time the vehicle stopped moving at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash d+)?(\backslash +|-)[0-9]{2}:[0-9]{2}(\backslash d+)?(\backslash d+$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'_'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours		
mm	a two-digit numeral that represents the minutes		
'+'	'+' a nonnegative duration		
'-'	a nonpositive duration		

#### Associated Validation Rules

Rule ID Level Message

âlg\_eTimes.06 Warning Unit Arrived on Scene Date/Time should be recorded unless Incident/Patient Disposition is "Canceled (Prior to Arrival At Scene)".

âlNvPn_Nil_Nv <mark>Error</mark>	When Unit Arrived on Scene Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil <mark>Error</mark>	When Unit Arrived on Scene Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl6_eTimes.03 Warning	Unit Arrived on Scene Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
âl6_eTimes.05 Warning	Unit Arrived on Scene Date/Time should not be earlier than Unit En Route Date/Time.
â¦9_eTimes.06 Warning	Unit Left Scene Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
â¦1_eTimes.06 Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
âl2_eTimes.06 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
âl3_eTimes.06 Warning	Unit Back in Service Date/Time should not be earlier than Unit Arrived on Scene Date/Time.

State

National

#### eTimes.07 - Arrived at Patient Date/Time

#### Definition

The date/time the responding unit arrived at the patient's side.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### **Pattern**

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'_'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours		
mm	a two-digit numeral that represents the minutes		
'+'	a nonnegative duration		
'_'	a nonpositive duration		

#### Associated Validation Rules

Rule ID Level Message

âlg\_eTimes.07 Warning Arrived at Patient Date/Time should be recorded when Incident/Patient Disposition is "Patient...".

âlNvPn\_Nil\_Nv Error When Arrived at Patient Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

element), or it should be omitted (if the element is optional). â¦NvPn\_Nv\_Nil Error When Arrived at Patient Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty. âlr\_eTimes.07 Warning Date/Time Medication Administered should not be earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes". Date/Time Medication Administered should not be later than Arrived at Patient Date/Time when âle\_eTimes.07 Warning Medication Administered Prior to this Unit's EMS Care is "Yes". âlr\_eTimes.07 Warning Date/Time Procedure Performed should not be earlier than Arrived at Patient Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes". âle\_eTimes.07 Warning Date/Time Procedure Performed should not be later than Arrived at Patient Date/Time when Procedure Performed Prior to this Unit's EMS Care is "Yes". âl7\_eTimes.03 Warning Arrived at Patient Date/Time should not be earlier than Unit Notified by Dispatch Date/Time. âl9\_eTimes.07 Warning Unit Left Scene Date/Time should not be earlier than Arrived at Patient Date/Time. Patient Arrived at Destination Date/Time should not be earlier than Arrived at Patient Date/Time. âl1\_eTimes.07 Warning âl2\_eTimes.07 Warning Destination Patient Transfer of Care Date/Time should not be earlier than Arrived at Patient Date/Time. âl3\_eTimes.07 Warning Unit Back in Service Date/Time should not be earlier than Arrived at Patient Date/Time. âlr\_eTimes.07 Warning Date/Time Vital Signs Taken should not be earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".

Prior to this Unit's EMS Care is "Yes".

Date/Time Vital Signs Taken should not be later than Arrived at Patient Date/Time when Obtained

âle\_eTimes.07 Warning

State

National

#### eTimes.09 - Unit Left Scene Date/Time

#### Definition

The date/time the responding unit left the scene with a patient (started moving).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_09	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### **Pattern**

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\cdot \cdot d+)?(\cdot +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'_'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours		
mm	a two-digit numeral that represents the minutes		
'+'	a nonnegative duration		
'-'	a nonpositive duration		

#### Associated Validation Rules

Rule ID Level Message

ålg\_eTimes.09 Warning Unit Left Scene Date/Time should be recorded when Incident/Patient Disposition is "... (With

Transport)" or "Patient Treated, Transported by this EMS Unit".

ålNvPn\_Nil\_Nv Error When Unit Left Scene Date/Time is empty, it should have a Not Value (Not Applicable, Not

element), or it should be omitted (if the element is optional). âlNvPn\_Nv\_Nil Error When Unit Left Scene Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty. âl9\_eTimes.03 Warning Unit Left Scene Date/Time should not be earlier than Unit Notified by Dispatch Date/Time. âl9\_eTimes.05 Warning Unit Left Scene Date/Time should not be earlier than Unit En Route Date/Time. âl9\_eTimes.06 Warning Unit Left Scene Date/Time should not be earlier than Unit Arrived on Scene Date/Time. âl9\_eTimes.07 Warning Unit Left Scene Date/Time should not be earlier than Arrived at Patient Date/Time. âl1\_eTimes.09 Warning Patient Arrived at Destination Date/Time should not be earlier than Unit Left Scene Date/Time. âl2\_eTimes.09 Warning Destination Patient Transfer of Care Date/Time should not be earlier than Unit Left Scene Date/Time.

âl3\_eTimes.09 Warning

Unit Back in Service Date/Time should not be earlier than Unit Left Scene Date/Time.

Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

State

National

#### eTimes.11 - Patient Arrived at Destination Date/Time

#### Definition

The date/time the responding unit arrived with the patient at the destination or transfer point.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_10	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### **Attributes**

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\cdot \cdot d+)?(\cdot +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

уууу	a four-digit numeral that represents the year
'_'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours		
mm	a two-digit numeral that represents the minutes		
'+'	a nonnegative duration		
'_'	a nonpositive duration		

#### Associated Validation Rules

#### Rule ID Level Message

âlg\_eTimes.11 Warning Patient Arrived at Destination Date/Time should be recorded when Incident/Patient Disposition is

"... (With Transport)" or "Patient Treated, Transported by this EMS Unit".

ålNvPn\_Nil\_Nv Error When Patient Arrived at Destination Date/Time is empty, it should have a Not Value (Not

	Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil <mark>Error</mark>	When Patient Arrived at Destination Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦1_eTimes.03 Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
â¦1_eTimes.05 Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit En Route Date/Time.
â¦1_eTimes.06 Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
âl1_eTimes.07 Warning	Patient Arrived at Destination Date/Time should not be earlier than Arrived at Patient Date/Time.
âl1_eTimes.09 Warning	Patient Arrived at Destination Date/Time should not be earlier than Unit Left Scene Date/Time.
âl2_eTimes.11 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Patient Arrived at Destination Date/Time.
â¦3_eTimes.11 Warning	Unit Back in Service Date/Time should not be earlier than Patient Arrived at Destination Date/Time.

State

National

#### eTimes.12 - Destination Patient Transfer of Care Date/Time

#### Definition

The date/time that patient care was transferred to the destination healthcare staff.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\cdot \cdot d+)?(\cdot +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

This was added to better document delays in ED transfer of care due to ED crowding or other issues beyond EMS control.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'_'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

#### Associated Validation Rules

Rule ID Level Message

âlg\_eTimes.12 Warning

Destination Patient Transfer of Care Date/Time should be recorded when Incident/Patient Disposition is "... (With Transport)" or "Patient Treated, Transported by this EMS Unit".

â¦NvPn_Nil_Nv <mark>Error</mark>	When Destination Patient Transfer of Care Date/Time is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil <mark>Error</mark>	When Destination Patient Transfer of Care Date/Time has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âle_eTimes.12 Warning	Date/Time of Destination Prearrival Alert or Activation should not be later than Destination Patient Transfer of Care Date/Time.
âle_eTimes.12 Warning	Date/Time Medication Administered should not be later than Destination Patient Transfer of Care Date/Time.
âle_eTimes.12 Warning	Date/Time Procedure Performed should not be later than Destination Patient Transfer of Care Date/Time.
âl_eArrest.14 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Date/Time of Cardiac Arrest.
âlituation.01 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Date/Time of Symptom Onset.
âl2_eTimes.03 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
âl2_eTimes.05 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit En Route Date/Time.
â 2_eTimes.06 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
âl2_eTimes.07 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Arrived at Patient Date/Time.
âl2_eTimes.09 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Unit Left Scene Date/Time.
âl2_eTimes.11 Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Patient Arrived at Destination Date/Time.
âl3_eTimes.12 Warning	Unit Back in Service Date/Time should not be earlier than Destination Patient Transfer of Care Date/Time.
âle_eTimes.12 Warning	Date/Time Vital Signs Taken should not be later than Destination Patient Transfer of Care Date/Time.

State

**National** 

# eTimes.13 - Unit Back in Service Date/Time

#### Definition

The date/time the unit back was back in service and available for response (finished with call, but not necessarily back in home location).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element E05_11		Is Nillable	No
Usage	Mandatory	Recurrence	1:1

#### Associated Performance Measure Initiatives

#### Response

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year		
'-'	separators between parts of the date portion		
mm	a two-digit numeral that represents the month		
dd	a two-digit numeral that represents the day		
Т	separator that indicates time-of-day follows		
hh	a two-digit numeral that represents the hour		
1:1	a separator between parts of the time-of-day portion		
mm	a two-digit numeral that represents the minute		
SS	a two-integer-digit numeral that represents the whole seconds		
'.' s+	(not required) represents the fractional seconds		
ZZZZZZ	(required) represents the timezone (as described below)		


Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Rule ID	Level	Message
âle_eTimes.13	Warning	Date/Time of Destination Prearrival Alert or Activation should not be later than Unit Back in Service Date/Time.
âle_eTimes.13	Warning	Date/Time Medication Administered should not be later than Unit Back in Service Date/Time.
âle_eTimes.13	Warning	Date/Time Procedure Performed should not be later than Unit Back in Service Date/Time.

âlt_eTimes.13 Warning	Unit Back in Service Date/Time should not be in the future (the current time according to this system is (value)).
âl_eArrest.14 Warning	Unit Back in Service Date/Time should not be earlier than Date/Time of Cardiac Arrest.
âlituation.01 Warning	Unit Back in Service Date/Time should not be earlier than Date/Time of Symptom Onset.
âl3_eTimes.03 Warning	Unit Back in Service Date/Time should not be earlier than Unit Notified by Dispatch Date/Time.
âl3_eTimes.05 Warning	Unit Back in Service Date/Time should not be earlier than Unit En Route Date/Time.
âl3_eTimes.06 Warning	Unit Back in Service Date/Time should not be earlier than Unit Arrived on Scene Date/Time.
âl3_eTimes.07 Warning	Unit Back in Service Date/Time should not be earlier than Arrived at Patient Date/Time.
âl3_eTimes.09 Warning	Unit Back in Service Date/Time should not be earlier than Unit Left Scene Date/Time.
âl3_eTimes.11 Warning	Unit Back in Service Date/Time should not be earlier than Patient Arrived at Destination Date/Time.
âl3_eTimes.12 Warning	Unit Back in Service Date/Time should not be earlier than Destination Patient Transfer of Care Date/Time.
âle_eTimes.13 Warning	Date/Time Vital Signs Taken should not be later than Unit Back in Service Date/Time.

## **ePatient**



State

National

#### ePatient.07 - Patient's Home County

#### Definition

The patient's home county or parish of residence.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### Pattern

[0-9]{5}

#### **Data Element Comment**

Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

Rule ID	Level	Message
âlePatient.07	Warning	Patient's Home County should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Patient's Home County is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	il <mark>Error</mark>	When Patient's Home County has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦ePatient.08	Warning	Patient's Home County should belong within the Patient's Home State.

State

National

#### ePatient.08 - Patient's Home State

#### Definition

The state, territory, or province where the patient resides.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### Pattern

[0-9]{2}

#### Data Element Comment

The ANSI Code Selection by text but stored as ANSI code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

Rule ID	Level	Message
âlePatient.08	Warning	Patient's Home State should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_Nv	Error	When Patient's Home State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Patient's Home State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlePatient.08	Warning	Patient's Home County should belong within the Patient's Home State.

State

National

#### ePatient.09 - Patient's Home ZIP Code

#### Definition

The patient's ZIP code of residence.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_08	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

#### **Pattern**

 $[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9] \\$ 

#### **Data Element Comment**

ZIP Codes Product Website: <a href="https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/">https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/</a> Product: USA - 5-digit ZIP Code Database, Commercial Edition

Rule ID	Level	Message
âlePatient.09	Warning	Patient's Home ZIP Code should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_Nv	/ Error	When Patient's Home ZIP Code is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Patient's Home ZIP Code has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

ePatient.13 NEMSIS Version 3.4.0.200910CP2

**National** 

#### ePatient.13 - Gender

#### Definition

#### The patient's gender.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_11	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Description Code 9906001 Female 9906003 Male

9906005 Unknown (Unable to Determine)

#### **Data Element Comment**

Rule ID	Level	Message
âlePatient.13	Warning	Gender should be recorded when Incident/Patient Disposition is "Patient".
â¦NvPn_Nil_Nv	Error	When Gender is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	Error	When Gender has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

#### ePatient.14 - Race

#### Definition

The patient's race as defined by the OMB (US Office of Management and Budget).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_12	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
2514001	American Indian or Alaska Native
2514003	Asian
2514005	Black or African American
2514007	Hispanic or Latino
2514009	Native Hawaiian or Other Pacific Islander
2514011	White

#### **Data Element Comment**

OMB requirements are provided at: <a href="https://grants.nih.gov/grants/guide/notice-files/NOT-OD-15-089.html">https://grants.nih.gov/grants/guide/notice-files/NOT-OD-15-089.html</a>. Using single multiple choice question methodology to improve the completion of ethnicity information.

Ethnicity (Version 2.2.1: E06\_13) has been merged with this data element and retired.

Rule ID	Level	Message
âlePatient.14	Warning	Race should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_Nv	v <mark>Error</mark>	When Race is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	il <mark>Error</mark>	When Race has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn_Nv_only	/ <mark>Warning</mark>	When Race has a Not Value, no other value should be recorded.

State

National

#### ePatient.15 - Age

#### Definition

The patient's age (either calculated from date of birth or best approximation).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_14	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

integer 1 120

#### **Data Element Comment**

#### Associated Validation Rules

Rule ID Level Message

âlePatient.15 Warning Age should be recorded when Incident/Patient Disposition is "Patient...".

ålNvPn\_Nil\_Nv Error When Age is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting,

if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be

omitted (if the element is optional).

ålNvPn\_Nv\_Nil Error When Age has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

âlePatient.16 Warning Age Units should be recorded when Age is recorded.

ePatient.16 NEMSIS Version 3.4.0.200910CP2

**National** 

## ePatient.16 - Age Units

#### Definition

The unit used to define the patient's age.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E06_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable 7701003 - Not Recorded


#### Code List

Code	Description
2516001	Days
2516003	Hours
2516005	Minutes
2516007	Months
2516009	Years

#### **Data Element Comment**

Rule ID	Level	Message
âlePatient.16	Warning	Age Units should be recorded when Incident/Patient Disposition is "Patient".
â¦NvPn_Nil_Nv	Error	When Age Units is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil	Error	When Age Units has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlePatient.16	Warning	Age Units should be recorded when Age is recorded.

# ePayment



State

National

## ePayment.01 - Primary Method of Payment

#### Definition

The primary method of payment or type of insurance associated with this EMS encounter.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E07_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
2601001	Insurance
2601003	Medicaid
2601005	Medicare
2601007	Not Billed (for any reason)
2601009	Other Government
2601011	Self Pay
2601013	Workers Compensation
2601015	Payment by Facility
2601017	Contracted Payment
2601019	Community Network
2601021	No Insurance Identified
2601023	Other Payment Option

#### **Data Element Comment**

Rule ID	Level	Message
âlePayment.0	1 Warning	Primary Method of Payment should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Primary Method of Payment is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Primary Method of Payment has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

#### ePayment.50 - CMS Service Level

#### Definition

The CMS service level for this EMS encounter.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E07_34	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description		
2650001	ALS, Level 1		

2650003 ALS, Level 1 Emergency

2650005 ALS, Level 2

2650007 BLS

2650009 BLS, Emergency

2650011 Fixed Wing (Airplane)

2650013 Paramedic Intercept

2650015 Specialty Care Transport

2650017 Rotary Wing (Helicopter)

#### **Data Element Comment**

#### Associated Validation Rules

Rule ID	Level	Message
---------	-------	---------

âlNvPn\_Nil\_Nv Error When CMS Service Level is empty, it should have a Not Value (Not Applicable, Not Recorded, or

Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it

should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When CMS Service Level has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it

should be empty.

## eScene

Leg	end Dataset Level: National SS State DD Deprecated				
	Usage: M = Mandatory , R = Required , E = Recommended, or O = Optional				
	Attributes: $\overline{\square}$ N = Not Values, P = Pertinent Negatives , L = Nillable, C = Correlation	ID, and/or U = UUID			
eSc	cene				
1:1	eScene.01 - First EMS Unit on Scene	N S R N, L			
1:1	eScene.06 - Number of Patients at Scene	N S R N, L			
1:1	eScene.07 - Mass Casualty Incident	N S R N, L			
1:1	eScene.08 - Triage Classification for MCI Patient	N S R N, L			
1:1	eScene.09 - Incident Location Type	N S R N, L			
1:1	eScene.18 - Incident State	N S R N, L			
1:1	eScene.19 - Incident ZIP Code	N S R N, L			
1:1	eScene.21 - Incident County	N S R N, L			
eSc	cene				

State

National

#### eScene.01 - First EMS Unit on Scene

#### Definition

Documentation that this EMS unit was the first EMS unit for the EMS Agency on the scene

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

#### **Data Element Comment**

Added to improve the evaluation of Response Times when multiple EMS units are responding to the same scene.

#### Associated Validation Rules

Rule ID	Level	Message

âlNvPn\_Nil\_Nv Error When First EMS Unit on Scene is empty, it should have a Not Value (Not Applicable, Not

Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

element), or it should be omitted (if the element is optional).

ålNvPn\_Nv\_Nil Error When First EMS Unit on Scene has a Not Value (Not Applicable, Not Recorded, or Not

Reporting), it should be empty.

eScene.06 NEMSIS Version 3.4.0.200910CP2

National

## eScene.06 - Number of Patients at Scene

#### Definition

Indicator of how many total patients were at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
2707001	Multiple
2707003	None
2707005	Single

#### Data Element Comment

Rule ID	Level	Message
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When Number of Patients at Scene is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	il <mark>Error</mark>	When Number of Patients at Scene has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âli_eScene.06	Warning	Number of Patients at Scene should be "Multiple" when Mass Casualty Incident is "Yes".

eScene.07 NEMSIS Version 3.4.0.200910CP2

**National** 

#### eScene.07 - Mass Casualty Incident

#### Definition

Indicator if this event would be considered a mass casualty incident (overwhelmed existing EMS resources).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Trauma

#### Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Description Code

9923001 No 9923003 Yes

#### **Data Element Comment**

Rule ID	Level	Message
â¦NvPn_Nil_N	lv <mark>Error</mark>	When Mass Casualty Incident is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	lil <mark>Error</mark>	When Mass Casualty Incident has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âli_eScene.00	6 Warning	Number of Patients at Scene should be "Multiple" when Mass Casualty Incident is "Yes".
âli_eScene.08	8 Warning	Triage Classification for MCI Patient should be recorded when Mass Casualty Incident is "Yes".

State

National

#### eScene.08 - Triage Classification for MCI Patient

#### Definition

The color associated with the initial triage assessment/classification of the MCI patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
2708001	Red - Immediate
2708003	Yellow - Delayed
2708005	Green - Minimal (Minor)
2708007	Gray - Expectant
2708009	Black - Deceased

#### **Data Element Comment**

This element is documented when eScene.07 (Mass Casualty Incident) = Yes.

Examples of triage systems include START and SALT.

Adapted from: SALT mass casualty triage: concept endorsed by the American College of Emergency Physicians, American College of Surgeons Committee on Trauma, American Trauma Society, National Association of EMS Physicians, National Disaster Life Support Education Consortium, and State and Territorial Injury Prevention Directors Association. Disaster Med Public Health Prep. 2008 Dec;2(4):245-6.

START reference: Benson M, Koenig KL, Schultz CH. Disaster triage: START, then SAVE-a new method of dynamic triage for victims of a catastrophic earthquake. Prehospital Disaster Med. 1996; Apr-Jun; 11(2): 117-24

Rule ID Level	Message
âlNvPn_Nil_Nv <mark>Error</mark>	When Triage Classification for MCI Patient is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil Error	When Triage Classification for MCI Patient has a Not Value (Not Applicable, Not Recorded, or No Reporting), it should be empty.
âli_eScene.08 Warnin	g Triage Classification for MCI Patient should be recorded when Mass Casualty Incident is "Yes".

State

National

#### eScene.09 - Incident Location Type

#### Definition

The kind of location where the incident happened.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### **Pattern**

Y92\.[0-9]{1,3}

#### **Data Element Comment**

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: https://nemsis.org/technical-resources/version-3/version-3-resources/

ICD-10-CM

Website - <a href="http://uts.nlm.nih.gov">http://uts.nlm.nih.gov</a>
Product - UMLS Metathesaurus

Rule ID	Level	Message
âlg_eScene.0	9 Warning	Incident Location Type should be recorded unless Incident/Patient Disposition is "Canceled (Prior to Arrival At Scene)".
â¦NvPn_Nil_N	lv <mark>Error</mark>	When Incident Location Type is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	Nil <mark>Error</mark>	When Incident Location Type has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

#### eScene.18 - Incident State

#### Definition

The state, territory, or province where the patient was found or to which the unit responded (or best approximation).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_14	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### **Pattern**

[0-9]{2}

#### **Data Element Comment**

Based on the ANSI State Code.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

#### Associated Validation Rules

Ruie ID Level Wessad	ae	Messa	Level	Rule ID
----------------------	----	-------	-------	---------

âlNvPn\_Nil\_Nv Error When Incident State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not

Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it

should be omitted (if the element is optional).

ålNvPn\_Nv\_Nil Error When Incident State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should

be empty.

âl1\_eScene.18 Warning Incident County should belong within the Incident State.

State

National

#### eScene.19 - Incident ZIP Code

#### Definition

The ZIP code of the incident location.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

#### **Pattern**

[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

#### **Data Element Comment**

ZIP Codes Product Website: <a href="https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/">https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/</a> Product: USA - 5-digit ZIP Code Database, Commercial Edition

#### Associated Validation Rules

Rule ID	Level	Message

âlNvPn\_Nil\_Nv Error When Incident ZIP Code is empty, it should have a Not Value (Not Applicable, Not Recorded, or

Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it

should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When Incident ZIP Code has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it

should be empty.

State

National

#### eScene.21 - Incident County

#### Definition

The county or parish where the patient was found or to which the unit responded (or best approximation).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E08_13	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### Pattern

[0-9]{5}


#### **Data Element Comment**

Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

Rule ID	Level	Message
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When Incident County is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Incident County has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl1_eScene.18	3 Warning	Incident County should belong within the Incident State.

## **eSituation**



### eSituation

State

National

#### eSituation.01 - Date/Time of Symptom Onset

#### Definition

The date and time the symptom began (or was discovered) as it relates to this EMS event. This is described or estimated by the patient, family, and/or healthcare professionals.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E05_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

#### **Pattern**

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'_'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

#### Version 3 Changes Implemented

Added to better define the EMS patient event.

#### Associated Validation Rules

Rule ID Level Message

âiNvPn\_Nil\_Nv Error When Date/Time of Symptom Onset is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
 âiNvPn\_Nv\_Nil Error When Date/Time of Symptom Onset has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
 âituation.01 Warning Destination Patient Transfer of Care Date/Time should not be earlier than Date/Time of Symptom Onset.
 âituation.01 Warning Unit Back in Service Date/Time should not be earlier than Date/Time of Symptom Onset.

State

National

#### eSituation.02 - Possible Injury

#### Definition

Indication whether or not there was an injury.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_04	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description

9922001 No

9922003 Unknown

9922005 Yes

#### **Data Element Comment**

This data element provides documentation to classify the EMS Reason for Encounter as either injury or non-injury related based on mechanism and not on actual injury. eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

Rule ID	Level	Message
âlituation.02	Warning	Possible Injury should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
â¦_eInjury.01	Warning	Cause of Injury should be recorded when Incident/Patient Disposition is "Patient" and Possible Injury is "Yes".
âl_eInjury.01	Warning	Cause of Injury should only be recorded when Possible Injury is "Yes".
âl_eInjury.03	Warning	Trauma Center Criteria should only be recorded when Possible Injury is "Yes".
âl_eInjury.04	Warning	Vehicular, Pedestrian, or Other Injury Risk Factor should only be recorded when Possible Injury is "Yes".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Possible Injury is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	il <mark>Error</mark>	When Possible Injury has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlituation.02	Warning	Possible Injury should be "Yes" when a symptom or impression is injury-related.

State

National

#### eSituation.07 - Chief Complaint Anatomic Location

#### Definition

The primary anatomic location of the chief complaint as identified by EMS personnel.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_11	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
2807001	Abdomen
2807003	Back
2807005	Chest
2807007	Extremity-Lower
2807009	Extremity-Upper
2807011	General/Global
2807013	Genitalia
2807015	Head
2807017	Neck

#### **Data Element Comment**

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

Rule ID	Level	Message
âlituation.07	Warning	Chief Complaint Anatomic Location should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_Nv <mark>Error</mark>		When Chief Complaint Anatomic Location is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	lil <mark>Error</mark>	When Chief Complaint Anatomic Location has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

#### eSituation.08 - Chief Complaint Organ System

#### Definition

The primary organ system of the patient injured or medically affected.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_12	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
2808001	Behavioral/Psychiatric
2808003	Cardiovascular
2808005	CNS/Neuro
2808007	Endocrine/Metabolic
2808009	GI
2808011	Global/General
2808013	Lymphatic/Immune
2808015	Musculoskeletal/Skin
2808017	Reproductive
2808019	Pulmonary

#### **Data Element Comment**

2808021 Renal

Altered to follow the anatomical organ systems as defined by general anatomy. Added Lymphatic/Immune; Merged Skin with Muscular-Skeletal. Changed OB/Gyn to Reproductive.

Retained non-organ system designations for Global/General and Behavioral/Psychiatric.

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

Rule ID	Level	Message
âlituation.08	Warning	Chief Complaint Organ System should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Chief Complaint Organ System is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Chief Complaint Organ System has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

eSituation.09 NEMSIS Version 3.4.0.200910CP2

**National** 

#### eSituation.09 - Primary Symptom

#### Definition

The primary sign and symptom present in the patient or observed by EMS personnel.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_13	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

#### **Pattern**

 $(R[0-6][0-9](\.[0-9]\{1,4\})?|(R73\.9)|(R99))|([A-QSTZ][0-9][0-9A-Z])((\.[0-9A-Z]\{1,4\})?)$ 

#### **Data Element Comment**

eSituation.02 (Possible Injury), eSituation.09 (Primary Symptom), eSituation.07 (Chief Complaint Anatomic Location), and eSituation.08 (Chief Complaint Organ System) are grouped together to form the EMS Reason for Encounter.

Code list is represented in ICD-10-CM Diagnosis Codes. Reference the NEMSIS Suggested Lists at: https://nemsis.org/technical-resources/version-3/version-3-resources/

ICD-10-CM

Website - http://uts.nlm.nih.gov Product - UMLS Metathesaurus

Rule ID	Level	Message
âlituation.09	Warning	Primary Symptom should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_Nv	Error	When Primary Symptom is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	Error	When Primary Symptom has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlituation.02	Warning	Possible Injury should be "Yes" when a symptom or impression is injury-related.
âlituation.10	Warning	Other Associated Symptoms should only be recorded when Primary Symptom is recorded.

State

National

#### eSituation.10 - Other Associated Symptoms

#### Definition

Other symptoms identified by the patient or observed by EMS personnel.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_14	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### **Pattern**

 $(R[0-6][0-9](\.[0-9]\{1,4\})?|(R73\.9)|(R99))|([A-QSTZ][0-9][0-9A-Z])((\.[0-9A-Z]\{1,4\})?)$ 

#### **Data Element Comment**

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: https://nemsis.org/technical-resources/version-3/version-3-resources/

ICD-10-CM

Website - <a href="http://uts.nlm.nih.gov">http://uts.nlm.nih.gov</a> Product - UMLS Metathesaurus

Rule ID	Level	Message	
â¦NvPn_Nil_N	v <mark>Error</mark>	When Other Associated Symptoms is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).	
â¦NvPn_Nv_N	il <mark>Error</mark>	When Other Associated Symptoms has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.	
âlituation.02	Warning	Possible Injury should be "Yes" when a symptom or impression is injury-related.	
âlituation.10	Warning	Other Associated Symptoms should only be recorded when Primary Symptom is recorded.	
â¦vPn_Nv_onl	y <mark>Warning</mark>	When Other Associated Symptoms has a Not Value, no other value should be recorded.	

State

National

#### eSituation.11 - Provider's Primary Impression

#### Definition

The EMS personnel's impression of the patient's primary problem or most significant condition which led to the management given to the patient (treatments, medications, or procedures).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### **Pattern**

 $(R[0-6][0-9](\.[0-9]\{1,4\})?|(R73\.9)|(R99))|([A-QSTZ][0-9][0-9A-Z])((\.[0-9A-Z]\{1,4\})?)$ 

#### **Data Element Comment**

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: <a href="https://nemsis.org/technical-resources/version-3/version-3-resources/">https://nemsis.org/technical-resources/version-3-version-3-resources/</a>

ICD-10-CM

Website - <a href="http://uts.nlm.nih.gov">http://uts.nlm.nih.gov</a>
Product - UMLS Metathesaurus

Rule ID	Level	Message
â¦ituation.11	Warning	Provider's Primary Impression should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Provider's Primary Impression is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Provider's Primary Impression has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlituation.02	Warning	Possible Injury should be "Yes" when a symptom or impression is injury-related.
âlituation.12	Warning	Provider's Secondary Impressions should only be recorded when Provider's Primary Impression is recorded.

State

National

#### eSituation.12 - Provider's Secondary Impressions

#### Definition

The EMS personnel's impression of the patient's secondary problem or most significant condition which led to the management given to the patient (treatments, medications, or procedures).

National Element Yes		Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E09_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Constraints

#### **Pattern**

 $(R[0-6][0-9](\.[0-9]{1,4})?|(R73\.9)|(R99))|([A-QSTZ][0-9][0-9A-Z])((\.[0-9A-Z]{1,4})?)$ 

#### **Data Element Comment**

Code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: <a href="https://nemsis.org/technical-resources/version-3-resources/">https://nemsis.org/technical-resources/version-3-version-3-resources/</a>

ICD-10-CM

Website - <a href="http://uts.nlm.nih.gov">http://uts.nlm.nih.gov</a>
Product - UMLS Metathesaurus

Rule ID	Level	Message
â¦NvPn_Nil_N	v <mark>Error</mark>	When Provider's Secondary Impressions is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Provider's Secondary Impressions has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlituation.02	<u>Warning</u>	Possible Injury should be "Yes" when a symptom or impression is injury-related.
âlituation.12	Warning	Provider's Secondary Impressions should only be recorded when Provider's Primary Impression is recorded.
âlvPn_Nv_onl	y <mark>Warning</mark>	When Provider's Secondary Impressions has a Not Value, no other value should be recorded.

State

National

#### eSituation.13 - Initial Patient Acuity

#### Definition

The acuity of the patient's condition upon EMS arrival at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code	Description
2813001	Critical (Red)
2813003	Emergent (Yellow)
2813005	Lower Acuity (Green)
2813007	Dead without Requesitation Effor

2813007 Dead without Resuscitation Efforts (Black)

#### **Data Element Comment**


Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at

http://www.nhtsa.gov/people/injury/ems/emscorecontent/images/EMSCoreContent.pdf

Dead without Resuscitation Efforts would be appropriate if resuscitation was initiated by non-EMS personnel but discontinued immediately upon evaluation by first arriving EMS personnel.

Rule ID	Level	Message
âlituation.13	Warning	Initial Patient Acuity should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Initial Patient Acuity is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Initial Patient Acuity has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

# elnjury



NEMSIS Version 3.4.0.200910CP2 eInjury.01

State

National

# elnjury.01 - Cause of Injury

#### Definition

The category of the reported/suspected external cause of the injury.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E10_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Trauma

# Attributes

## **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

#### **Pattern**

 $([TV-Y][0-9]{2})((\.[0-9A-Z]{1,4})?)$ 

# **Data Element Comment**

Suggested code list is represented in ICD-10-CM. Reference the NEMSIS Suggested Lists at: https://nemsis.org/technical-resources/version-3/version-3-resources/

Code list is represented in ICD-10 Codes.

Website - <a href="http://uts.nlm.nih.gov">http://uts.nlm.nih.gov</a>
Product - UMLS Metathesaurus

Rule ID	Level	Message
âl_elnjury.01	Warning	Cause of Injury should be recorded when Incident/Patient Disposition is "Patient" and Possible Injury is "Yes".
âl_elnjury.01	<b>Warning</b>	Cause of Injury should only be recorded when Possible Injury is "Yes".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Cause of Injury is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Cause of Injury has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn_Nv_onl	y <mark>Warning</mark>	When Cause of Injury has a Not Value, no other value should be recorded.

NEMSIS Version 3.4.0.200910CP2 elnjury.03

State

National

# elnjury.03 - Trauma Center Criteria

#### Definition

Physiologic and Anatomic Field Trauma Triage Criteria (steps 1 and 2) as defined by the Centers for Disease Control.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Associated Performance Measure Initiatives

Trauma

## Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
2903001	Amputation proximal to wrist or ankle
2903003	Crushed, degloved, mangled, or pulseless extremity
2903005	Chest wall instability or deformity (e.g., flail chest)
2903007	Glasgow Coma Score <= 13
2903009	Open or depressed skull fracture
2903011	Paralysis
2903013	Pelvic fractures
2903015	All penetrating injuries to head, neck, torso, and extremities proximal to elbow or knee
2903017	Respiratory Rate <10 or >29 breaths per minute (<20 in infants aged <1 year) or need for ventilatory
	support
2903019	Systolic Blood Pressure <90 mmHg
2903021	Two or more proximal long-bone fractures

# **Data Element Comment**

2011 Guidelines for the Field Triage of Injured Patients - value choices for Steps 1 and 2. For falls, one story is equal to 10 feet.

# Version 3 Changes Implemented

Added to better evaluate the CDC-ACS 2011 Guidelines for the Field Triage of Injured Patients.

Website: http://www.cdc.gov/mmwr/pdf/rr/rr6101.pdf

Rule ID	Level	Message
âl_elnjury.03	Warning	Trauma Center Criteria should only be recorded when Possible Injury is "Yes".
â¦NvPn_Nil_Nv	/ Error	When Trauma Center Criteria is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Trauma Center Criteria has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn_Nv_only	/ Warning	When Trauma Center Criteria has a Not Value, no other value should be recorded.

NEMSIS Version 3.4.0.200910CP2 elnjury.04

State

National

# elnjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor

#### Definition

Mechanism and Special Considerations Field Trauma Triage Criteria (steps 3 and 4) as defined by the Centers for Disease Control.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E10_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

#### Trauma

## Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
2904001	Auto v. Pedestrian/Bicyclist Thrown, Run Over, or > 20 MPH Impact
2904003	Fall Adults: > 20 ft. (one story is equal to 10 ft.)
2904005	Fall Children: > 10 ft. or 2-3 times the height of the child
2904007	Crash Death in Same Passenger Compartment
2904009	Crash Ejection (partial or complete) from automobile
2904011	Crash Intrusion, including roof: > 12 in. occupant site; > 18 in. any site
2904013	Crash Vehicle Telemetry Data (AACN) Consistent with High Risk of Injury
2904015	Motorcycle Crash > 20 MPH
2904017	SBP < 110 for age > 65
2904019	Anticoagulants and Bleeding Disorders
2904021	Pregnancy > 20 weeks
2904023	EMS Provider Judgment
2904025	Burn, without other trauma
2904027	Burn, with trauma mechanism

#### **Data Element Comment**

Assesses mechanism of injury and evidence of high-energy impact (Step 3) AND Assess special patient or system considerations (Step 4) based on CDC 2011 Guidelines for the Field Triage of Injured Patients Step 3 and 4. Website: http://www.cdc.gov/mmwr/pdf/rr/rr6101.pdf


# Version 3 Changes Implemented

Added to better evaluate the CDC-ACS 2011 Guidelines for the Field Triage of Injured Patients.

Website: https://www.cdc.gov/mmwr/preview/mmwrhtml/rr6101a1.htm

Rule ID	Level	Message
âl_elnjury.04	Warning	Vehicular, Pedestrian, or Other Injury Risk Factor should only be recorded when Possible Injury is "Yes".
â¦NvPn_Nil_Nv	/ Error	When Vehicular, Pedestrian, or Other Injury Risk Factor is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Vehicular, Pedestrian, or Other Injury Risk Factor has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn_Nv_only	/ <mark>Warning</mark>	When Vehicular, Pedestrian, or Other Injury Risk Factor has a Not Value, no other value should be recorded.

# **eArrest**



State

National

# eArrest.01 - Cardiac Arrest

#### Definition

Indication of the presence of a cardiac arrest at any time during this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description

3001001 No

3001003 Yes, Prior to EMS Arrival 3001005 Yes, After EMS Arrival

#### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria.

If this EMS event is for an interfacility transfer of a patient with a recent history of a cardiac arrest with ROSC, and who does not experience another cardiac arrest during transport, then do not document Cardiac Arrest (eArrest.01) with "Yes, Prior to EMS Arrival".

Rule ID	Level	Message
âl_eArrest.02	Warning	Cardiac Arrest Etiology should be recorded when Cardiac Arrest is "Yes".
âl_eArrest.03	Warning	Resuscitation Attempted By EMS should be recorded when Cardiac Arrest is "Yes".
âl_eArrest.04	<b>Warning</b>	Arrest Witnessed By should be recorded when Cardiac Arrest is "Yes".
âl_eArrest.05	Warning	CPR Care Provided Prior to EMS Arrival should be recorded when Cardiac Arrest is "Yes, Prior to EMS Arrival".
âl_eArrest.07	Warning	AED Use Prior to EMS Arrival should be recorded when Cardiac Arrest is "Yes, Prior to EMS Arrival".
âl_eArrest.17	Warning	Cardiac Rhythm on Arrival at Destination should be recorded when Incident/Patient Disposition is "Patient Dead at Scene (with Transport)" or "Patient Treated, Transported by this EMS Unit" and Cardiac Arrest is "Yes".
âl_eArrest.02	Warning	Cardiac Arrest Etiology should only be recorded when Cardiac Arrest is "Yes".
âl_eArrest.03	Warning	Resuscitation Attempted By EMS should only be recorded when Cardiac Arrest is "Yes".
âl_eArrest.04	Warning	Arrest Witnessed By should only be recorded when Cardiac Arrest is "Yes".
âl_eArrest.05	Warning	CPR Care Provided Prior to EMS Arrival should only be recorded when Cardiac Arrest is "Yes".
âl_eArrest.07	Warning	AED Use Prior to EMS Arrival should only be recorded when Cardiac Arrest is "Yes".
âl_eArrest.09	Warning	Type of CPR Provided should only be recorded when Cardiac Arrest is "Yes".

âl_eArrest.12	Warning	Any Return of Spontaneous Circulation should only be recorded when Cardiac Arrest is "Yes".
âl_eArrest.14	Warning	Date/Time of Cardiac Arrest should only be recorded when Cardiac Arrest is "Yes".
âl_eArrest.16	Warning	Reason CPR/Resuscitation Discontinued should only be recorded when Cardiac Arrest is "Yes".
âl_eArrest.17	Warning	Cardiac Rhythm on Arrival at Destination should only be recorded when Cardiac Arrest is "Yes".
âl_eArrest.18	Warning	End of EMS Cardiac Arrest Event should only be recorded when Cardiac Arrest is "Yes".
âlrdiacarrest	Warning	Hospital Capability should be recorded when Type of Destination is "Hospital" or "Freestanding Emergency Department" and Cardiac Arrest is "Yes".
â¦NvPn_Nil_Nv	/ Error	When Cardiac Arrest is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Cardiac Arrest has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

# eArrest.02 - Cardiac Arrest Etiology

#### Definition

Indication of the etiology or cause of the cardiac arrest (classified as cardiac, non-cardiac, etc.).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3002001	Cardiac (Presumed)
3002003	Drowning/Submersion
3002005	Drug Overdose
3002007	Electrocution
3002009	Exsanguination
3002011	Other
3002013	Respiratory/Asphyxia
3002015	Trauma

# Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria.

Following the UTSTEIN standard of cardiac arrest etiology the values were determined based on the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". <a href="http://circ.ahajournals.org/cgi/content/full/110/21/3385">http://circ.ahajournals.org/cgi/content/full/110/21/3385</a>

Rule ID	Level	Message
âl_eArrest.02	Warning	Cardiac Arrest Etiology should be recorded when Cardiac Arrest is "Yes".
âl_eArrest.02	Warning	Cardiac Arrest Etiology should only be recorded when Cardiac Arrest is "Yes".
â¦NvPn_Nil_Nv	Error	When Cardiac Arrest Etiology is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	I <mark>Error</mark>	When Cardiac Arrest Etiology has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

# eArrest.03 - Resuscitation Attempted By EMS

#### Definition

Indication of an attempt to resuscitate the patient who is in cardiac arrest (attempted, not attempted due to DNR, etc.)

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3003001	Attempted Defibrillation
3003003	Attempted Ventilation
3003005	Initiated Chest Compressions
3003007	Not Attempted-Considered Futile
3003009	Not Attempted-DNR Orders
3003011	Not Attempted-Signs of Circulation

#### Data Element Comment

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". <a href="http://circ.ahaiournals.org/cgi/content/full/110/21/3385">http://circ.ahaiournals.org/cgi/content/full/110/21/3385</a>

Rule ID	Level	Message
Kule ID	Level	message
âl_eArrest.03	Warning	Resuscitation Attempted By EMS should be recorded when Cardiac Arrest is "Yes".
âl_eArrest.03	Warning	Resuscitation Attempted By EMS should only be recorded when Cardiac Arrest is "Yes".
âltempted_not	Warning	Resuscitation Attempted By EMS should not contain both "Attempted/Initiated" and "Not Attempted".
âlpressions_1	Warning	Type of CPR Provided should contain "Compressions" when Resuscitation Attempted By EMS contains "Initiated Chest Compressions".
âlpressions_2	Warning	Resuscitation Attempted By EMS should contain "Initiated Chest Compressions" when Type of CPR Provided contains "Compressions".
â¦ntilation_1	Warning	Type of CPR Provided should contain "Ventilation" or "Compressions-Intermittent with Ventilation" when Resuscitation Attempted By EMS contains "Attempted Ventilation".
âlntilation_2	Warning	Resuscitation Attempted By EMS should contain "Attempted Ventilation" when Type of CPR Provided contains "Ventilation" or "Compressions-Intermittent with Ventilation".
â¦NvPn_Nil_Nv	Error	When Resuscitation Attempted By EMS is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	Error	When Resuscitation Attempted By EMS has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

# eArrest.04 - Arrest Witnessed By

#### Definition

Indication of who the cardiac arrest was witnessed by.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_04	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

#### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3004001	Not Witnessed
3004003	Witnessed by Family Member
3004005	Witnessed by Healthcare Provider
3004007	Witnessed by Lay Person

#### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". <a href="http://circ.ahajournals.org/cgi/content/full/110/21/3385">http://circ.ahajournals.org/cgi/content/full/110/21/3385</a>

Rule ID	Level	Message
âl_eArrest.04	Warning	Arrest Witnessed By should be recorded when Cardiac Arrest is "Yes".
âl_eArrest.04	Warning	Arrest Witnessed By should only be recorded when Cardiac Arrest is "Yes".
â¦NvPn_Nil_Nv	Error	When Arrest Witnessed By is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Arrest Witnessed By has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_eArrest.04	Warning	When Arrest Witnessed By is "Not Witnessed", no other value should be recorded.
âlvPn_Nv_only	/ <mark>Warning</mark>	When Arrest Witnessed By has a Not Value, no other value should be recorded.

State

National

#### eArrest.05 - CPR Care Provided Prior to EMS Arrival

#### Definition

Documentation of the CPR provided prior to EMS arrival.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

# **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". <a href="http://circ.ahajournals.org/cgi/content/full/110/21/3385">http://circ.ahajournals.org/cgi/content/full/110/21/3385</a>

Rule ID	Level	Message
âl_eArrest.05	Warning	CPR Care Provided Prior to EMS Arrival should be recorded when Cardiac Arrest is "Yes, Prior to EMS Arrival".
âl_eArrest.05	Warning	CPR Care Provided Prior to EMS Arrival should only be recorded when Cardiac Arrest is "Yes".
â¦NvPn_Nil_N	v <mark>Error</mark>	When CPR Care Provided Prior to EMS Arrival is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When CPR Care Provided Prior to EMS Arrival has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

#### eArrest.07 - AED Use Prior to EMS Arrival

#### Definition

# Documentation of AED use Prior to EMS arrival.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

3007001 No

3007003 Yes, Applied without Defibrillation

3007005 Yes, With Defibrillation

#### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". <a href="http://circ.ahajournals.org/cgi/content/full/110/21/3385">http://circ.ahajournals.org/cgi/content/full/110/21/3385</a>

Rule ID	Level	Message
âl_eArrest.07	Warning	AED Use Prior to EMS Arrival should be recorded when Cardiac Arrest is "Yes, Prior to EMS Arrival".
âl_eArrest.07	<b>Warning</b>	AED Use Prior to EMS Arrival should only be recorded when Cardiac Arrest is "Yes".
â¦NvPn_Nil_Nv	/ Error	When AED Use Prior to EMS Arrival is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When AED Use Prior to EMS Arrival has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

eArrest.09 NEMSIS Version 3.4.0.200910CP2

**National** 

# eArrest.09 - Type of CPR Provided

# Definition

Documentation of the type/technique of CPR used by EMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code	Description
3009001	Compressions-Continuous
3009003	Compressions-External Band Type Device
3009005	Compressions-External Plunger Type Device
3009007	Compressions-External Thumper Type Device
3009009	Compressions-Intermittent with Ventilation
3009011	Compressions-Other Device
3009013	Ventilation-Bag Valve Mask
3009015	Ventilation-Impedance Threshold Device
3009017	Ventilation-Mouth to Mouth
3009019	Ventilation-Pocket Mask

## Data Element Comment

Added to capture special CPR techniques.

Rule ID	Level	Message
âl_eArrest.09	Warning	Type of CPR Provided should only be recorded when Cardiac Arrest is "Yes".
âlpressions_1	Warning	Type of CPR Provided should contain "Compressions" when Resuscitation Attempted By EMS contains "Initiated Chest Compressions".
âlpressions_2	Warning	Resuscitation Attempted By EMS should contain "Initiated Chest Compressions" when Type of CPR Provided contains "Compressions".
âlntilation_1	Warning	Type of CPR Provided should contain "Ventilation" or "Compressions-Intermittent with Ventilation" when Resuscitation Attempted By EMS contains "Attempted Ventilation".
âlntilation_2	Warning	Resuscitation Attempted By EMS should contain "Attempted Ventilation" when Type of CPR Provided contains "Ventilation" or "Compressions-Intermittent with Ventilation".
â¦NvPn_Nil_Nv	Error	When Type of CPR Provided is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	Error	When Type of CPR Provided has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlvPn_Nv_only	- Warning	When Type of CPR Provided has a Not Value, no other value should be recorded.

State

National

# eArrest.11 - First Monitored Arrest Rhythm of the Patient

#### Definition

Documentation of what the first monitored arrest rhythm which was noted.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3011001	Asystole
3011005	PEA
3011007	Unknown AED Non-Shockable Rhythm
3011009	Unknown AED Shockable Rhythm
3011011	Ventricular Fibrillation
3011013	Ventricular Tachycardia-Pulseless

#### **Data Element Comment**

Added term "Arrest" to title to clarify this is the arrest rhythm

Values "Other" and "Normal Sinus Rhythm" removed since they are not Cardiac Arrest Rhythms.

Value "Ventricular Tachycardia" has been changed to "Ventricular Tachycardia-Pulseless".

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". <a href="http://circ.ahajournals.org/cgi/content/full/110/21/3385">http://circ.ahajournals.org/cgi/content/full/110/21/3385</a>

Rule ID	Level	Message
â¦NvPn_Nil_N	v <mark>Error</mark>	When First Monitored Arrest Rhythm of the Patient is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When First Monitored Arrest Rhythm of the Patient has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

eArrest.12 NEMSIS Version 3.4.0.200910CP2

**National** 

# eArrest.12 - Any Return of Spontaneous Circulation

#### Definition

Indication whether or not there was any return of spontaneous circulation.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_06	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### **Attributes**

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3012001	No
3012003	Yes, At Arrival at the ED
3012005	Yes, Prior to Arrival at the ED
3012007	Yes, Sustained for 20 consecutive minutes

#### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". http://circ.ahajournals.org/cgi/content/full/110/21/3385

This element needs to be documented when the patient has been in cardiac arrest and transported to a healthcare facility to show the change in patient condition, if any.

Any ROSC is defined as any brief (approximately >30 seconds) restoration of spontaneous circulation that provides evidence of more than an occasional gasp, occasional fleeting palpable pulse, or arterial waveform.

Rule ID	Level	Message
âl_eArrest.12	Warning	Any Return of Spontaneous Circulation should only be recorded when Cardiac Arrest is "Yes".
â¦NvPn_Nil_Nv	Error	When Any Return of Spontaneous Circulation is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	Error	When Any Return of Spontaneous Circulation has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_eArrest.12	Warning	When Any Return of Spontaneous Circulation is "No", no other value should be recorded.
âlvPn_Nv_only	Warning Warning	When Any Return of Spontaneous Circulation has a Not Value, no other value should be recorded.

eArrest.14

State

National

#### eArrest.14 - Date/Time of Cardiac Arrest

#### Definition

The date/time of the cardiac arrest (if not known, please estimate).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_08	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest

#### Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". <a href="http://circ.ahaiournals.org/cgi/content/full/110/21/3385">http://circ.ahaiournals.org/cgi/content/full/110/21/3385</a>

Changed from estimated time prior to EMS arrival to date/time of cardiac arrest.

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'_'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
ZZZZZZ	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

Rule ID	Level	Message
âl_eArrest.14	Warning	Date/Time of Cardiac Arrest should only be recorded when Cardiac Arrest is "Yes".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Date/Time of Cardiac Arrest is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Date/Time of Cardiac Arrest has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_eArrest.14	Warning	Destination Patient Transfer of Care Date/Time should not be earlier than Date/Time of Cardiac Arrest.
âl_eArrest.14	Warning	Unit Back in Service Date/Time should not be earlier than Date/Time of Cardiac Arrest.

eArrest.16 NEMSIS Version 3.4.0.200910CP2

**National** 

# eArrest.16 - Reason CPR/Resuscitation Discontinued

#### Definition

The reason that CPR or the resuscitation efforts were discontinued.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_10	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3016001	DNR
3016003	Medical Control Order
3016005	Obvious Signs of Death
3016007	Physically Unable to Perform
3016009	Protocol/Policy Requirements Completed
3016011	Return of Spontaneous Circulation (pulse or BP noted)

#### Data Element Comment

Added Resuscitation to Title to allow better documentation of disposition.

Rule ID	Level	Message
âl_eArrest.16	<b>Warning</b>	Reason CPR/Resuscitation Discontinued should only be recorded when Cardiac Arrest is "Yes".
âl_eArrest.16	Warning	Reason CPR/Resuscitation Discontinued should be recorded when Incident/Patient Disposition is "Patient Dead at Scene-Resuscitation Attempted"
â¦NvPn_Nil_Nv	Error	When Reason CPR/Resuscitation Discontinued is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Reason CPR/Resuscitation Discontinued has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

# eArrest.17 - Cardiac Rhythm on Arrival at Destination

#### Definition

The patient's cardiac rhythm upon delivery or transfer to the destination.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E11_11	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
9901001	Agonal/Idioventricular
9901003	Asystole
9901005	Artifact
9901007	Atrial Fibrillation
9901009	Atrial Flutter
9901011	AV Block-1st Degree
9901013	AV Block-2nd Degree-Type 1
9901015	AV Block-2nd Degree-Type 2
9901017	AV Block-3rd Degree
9901019	Junctional
9901021	Left Bundle Branch Block
	Non-STEMI Anterior Ischemia
9901025	Non-STEMI Inferior Ischemia
9901027	Non-STEMI Lateral Ischemia
9901029	Non-STEMI Posterior Ischemia
9901031	Other
9901033	Paced Rhythm
9901035	PEA
9901037	
9901039	Premature Ventricular Contractions
9901041	Right Bundle Branch Block
9901043	Sinus Arrhythmia
9901045	Sinus Bradycardia
9901047	•
9901049	Sinus Tachycardia
9901051	
9901053	
9901055	
9901057	
9901059	Supraventricular Tachycardia
9901061	Torsades De Points
9901063	Unknown AED Non-Shockable Rhythm
9901065	Unknown AED Shockable Rhythm
9901067	Ventricular Fibrillation
9901069	Ventricular Tachycardia (With Pulse)
9901071	Ventricular Tachycardia (Pulseless)

# **Data Element Comment**

This element needs to be documented when the patient has been in cardiac or respiratory arrest and transported to a healthcare facility to show the change in patient condition, if any. The cardiac rhythm list has been updated to be the same for eVitals.03 (Cardiac Rhythm Electrocardiography (ECG)). They are using the common type: CardiacRhythm. ST segment

Associated	\/alidation	Dulac

Rule ID	Level	Message
âl_eArrest.17	Warning	Cardiac Rhythm on Arrival at Destination should be recorded when Incident/Patient Disposition is "Patient Dead at Scene (with Transport)" or "Patient Treated, Transported by this EMS Unit" and Cardiac Arrest is "Yes".
âl_eArrest.17	Warning	Cardiac Rhythm on Arrival at Destination should only be recorded when Cardiac Arrest is "Yes".
â¦NvPn_Nil_Nv	Error	When Cardiac Rhythm on Arrival at Destination is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Cardiac Rhythm on Arrival at Destination has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlvPn_Nv_only	<mark>Warning</mark>	When Cardiac Rhythm on Arrival at Destination has a Not Value, no other value should be recorded.

State

National

# eArrest.18 - End of EMS Cardiac Arrest Event

#### Definition

The patient's outcome at the end of the EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Cardiac Arrest

# Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
3018001	Expired in ED
3018003	Expired in the Field
3018005	Ongoing Resuscitation in ED
3018007	ROSC in the Field
3018009	ROSC in the ED
3018011	Ongoing Resuscitation by Other EMS

#### **Data Element Comment**


This element is a component of the Utstein Cardiac Arrest Criteria as identified in the American Heart Association journal "Resuscitation" from 2004 entitled "Cardiac Arrest and Cardiopulmonary Resuscitation Outcome Reports". <a href="http://circ.ahaiournals.org/cgi/content/full/110/21/3385">http://circ.ahaiournals.org/cgi/content/full/110/21/3385</a>

#### Version 3 Changes Implemented

Added to better identify the outcome of EMS cardiac arrest patients.

Rule ID	Level	Message
âl_eArrest.18	Warning	End of EMS Cardiac Arrest Event should only be recorded when Cardiac Arrest is "Yes".
â¦NvPn_Nil_N	v <mark>Error</mark>	When End of EMS Cardiac Arrest Event is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
âlNvPn_Nv_N	il <mark>Error</mark>	When End of EMS Cardiac Arrest Event has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

# eHistory



NEMSIS Version 3.4.0.200910CP2 eHistory.01

State

National

# eHistory.01 - Barriers to Patient Care

# Definition

Indication of whether or not there were any patient specific barriers to serving the patient at the scene.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_01	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code 3101001 3101003 3101005 3101007 3101009 3101011 3101013	Description Cultural, Custom, Religious Developmentally Impaired Hearing Impaired Language None Noted Obesity Physical Barrier (Unable to Access Patient)
3101015	Physically Impaired
3101017 3101019	Physically Restrained Psychologically Impaired
3101021	Sight Impaired
3101023	Speech Impaired
3101025	Unattended or Unsupervised (including minors)
3101027	Unconscious
3101029	Uncooperative
3101031	State of Emotional Distress

# **Data Element Comment**

Rule ID	Level	Message
â¦NvPn_Nil_N	√ <mark>Error</mark>	When Barriers to Patient Care is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	il <mark>Error</mark>	When Barriers to Patient Care has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âleHistory.01	<b>Warning</b>	When Barriers to Patient Care is "None Noted", no other value should be recorded.
â¦vPn_Nv_only	/ <mark>Warning</mark>	When Barriers to Patient Care has a Not Value, no other value should be recorded.

NEMSIS Version 3.4.0.200910CP2 eHistory.17

State

National

# eHistory.17 - Alcohol/Drug Use Indicators

# Definition

Indicators for the potential use of alcohol or drugs by the patient related to the patient's current illness or injury.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E12_19	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Associated Performance Measure Initiatives

#### Trauma

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801015 - None Reported 8801019 - Refused 8801023 - Unable to Complete


#### Code List

Code	Description
3117001	Alcohol Containers/Paraphernalia at Scene
3117003	Drug Paraphernalia at Scene
3117005	Patient Admits to Alcohol Use
3117007	Patient Admits to Drug Use
3117009	Positive Level known from Law Enforcement or Hospital Record
3117011	Smell of Alcohol on Breath

# Data Element Comment

Rule ID	Level	Message
â¦NvPn_Nil_l	Nv <mark>Error</mark>	When Alcohol/Drug Use Indicators is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_l	Nil <mark>Error</mark>	When Alcohol/Drug Use Indicators has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_Nv_Not_N	lil <mark>Error</mark>	When Alcohol/Drug Use Indicators has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
â¦vPn_Nv_or	nly <mark>Warning</mark>	When Alcohol/Drug Use Indicators has a Not Value, no other value should be recorded.
â¦vPn Pn or	nly <mark>Warning</mark>	When Alcohol/Drug Use Indicators has a Pertinent Negative, no other value should be recorded.

# **eVitals**



eVitals.01

State

National

# eVitals.01 - Date/Time Vital Signs Taken

#### Definition

The date/time vital signs were taken on the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\cdot \cdot d+)?(\cdot +|-)[0-9]{2}:[0-9]{2}$ 

#### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

уууу	a four-digit numeral that represents the year
'_'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
':'	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

#### Associated Validation Rules

Rule ID Level Message

â¦NvPn\_Nil\_Nv Error

When Date/Time Vital Signs Taken is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

â¦NvPn_Nv_Nil <mark>Error</mark>	When Date/Time Vital Signs Taken has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_eVitals.01 Warning	Date/Time Vital Signs Taken should be recorded, unless Obtained Prior to this Unit's EMS Care is "Yes".
âlr_eTimes.03 Warning	Date/Time Vital Signs Taken should not be earlier than Unit Notified by Dispatch Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".
âlr_eTimes.07 Warning	Date/Time Vital Signs Taken should not be earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".
âle_eTimes.12 Warning	Date/Time Vital Signs Taken should not be later than Destination Patient Transfer of Care Date/Time.
âle_eTimes.13 Warning	Date/Time Vital Signs Taken should not be later than Unit Back in Service Date/Time.
âle_eTimes.07 Warning	Date/Time Vital Signs Taken should not be later than Arrived at Patient Date/Time when Obtained Prior to this Unit's EMS Care is "Yes".

NEMSIS Version 3.4.0.200910CP2 eVitals.02

State

National

# eVitals.02 - Obtained Prior to this Unit's EMS Care

#### Definition

Indicates that the information which is documented was obtained prior to the documenting EMS unit's care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

# **Data Element Comment**

This is the NEMSIS Version 3 method to document prior aid.

Associated validation (validation)		
Rule ID Level	Message	
â¦NvPn_Nil_Nv <mark>Error</mark>	When Obtained Prior to this Unit's EMS Care is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).	
â¦NvPn_Nv_Nil <mark>Error</mark>	When Obtained Prior to this Unit's EMS Care has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.	
âl_eVitals.01 <mark>Warn</mark> i	ng Date/Time Vital Signs Taken should be recorded, unless Obtained Prior to this Unit's EMS Care is "Yes".	
âlr_eTimes.03 Warni	Date/Time Vital Signs Taken should not be earlier than Unit Notified by Dispatch Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".	
âlr_eTimes.07 Warni	Date/Time Vital Signs Taken should not be earlier than Arrived at Patient Date/Time, unless Obtained Prior to this Unit's EMS Care is "Yes".	
âle_eTimes.12 Warni	ng Date/Time Vital Signs Taken should not be later than Destination Patient Transfer of Care Date/Time.	
âle_eTimes.13 Warni	ng Date/Time Vital Signs Taken should not be later than Unit Back in Service Date/Time.	
âle_eTimes.07 Warni	Date/Time Vital Signs Taken should not be later than Arrived at Patient Date/Time when Obtained Prior to this Unit's EMS Care is "Yes".	

eVitals.03

State

National

# eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)

# Definition

The cardiac rhythm / ECG and other electrocardiography findings of the patient as interpreted by EMS personnel.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_03	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

Cardiac Arrest STEMI

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

#### Code List

Description
Agonal/Idioventricular
Asystole
Artifact
Atrial Fibrillation
Atrial Flutter
AV Block-1st Degree
AV Block-2nd Degree-Type 1
AV Block-2nd Degree-Type 2
AV Block-3rd Degree
Junctional
Left Bundle Branch Block
Non-STEMI Anterior Ischemia
Non-STEMI Inferior Ischemia
Non-STEMI Lateral Ischemia
Non-STEMI Posterior Ischemia
Other
Paced Rhythm
PEA
Premature Atrial Contractions
Premature Ventricular Contractions
Right Bundle Branch Block
Sinus Arrhythmia
Sinus Bradycardia
Sinus Rhythm
Sinus Tachycardia
STEMI Anterior Ischemia
STEMI Inferior Ischemia
STEMI Lateral Ischemia
STEMI Posterior Ischemia
Supraventricular Tachycardia
Torsades De Points
Unknown AED Non-Shockable Rhythm
Unknown AED Shockable Rhythm
Ventricular Fibrillation
Ventricular Tachycardia (With Pulse)
Ventricular Tachycardia (Pulseless)

# **Data Element Comment**

Rule ID Level	Message
âlon.23_stemi Warning	Hospital Capability should be recorded when Type of Destination is "Hospital" or "Freestanding Emergency Department" and Cardiac Rhythm / Electrocardiography (ECG) is "STEMI".
â¦NvPn_Nil_Nv <mark>Error</mark>	When Cardiac Rhythm / Electrocardiography (ECG) is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil <mark>Error</mark>	When Cardiac Rhythm / Electrocardiography (ECG) has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦_Nv_Not_Nil Error	When Cardiac Rhythm / Electrocardiography (ECG) has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
âlvPn_Nv_only <mark>Warning</mark>	When Cardiac Rhythm / Electrocardiography (ECG) has a Not Value, no other value should be recorded.
âlvPn_Pn_only Warning	When Cardiac Rhythm / Electrocardiography (ECG) has a Pertinent Negative, no other value should be recorded.

eVitals.04 NEMSIS Version 3.4.0.200910CP2

**National** 

# eVitals.04 - ECG Type

# Definition

The type of ECG associated with the cardiac rhythm.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

# Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code	Description
3304001	3 Lead
3304003	4 Lead
3304005	5 Lead
3304007	12 Lead-Left Sided (Normal)
3304009	12 Lead-Right Sided
3304011	15 Lead
3304013	18 Lead
3304015	Other (AED, Not Listed)

# **Data Element Comment**

# Version 3 Changes Implemented

Added to better document ECG results.

Rule ID	Level	Message
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When ECG Type is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When ECG Type has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

# eVitals.05 - Method of ECG Interpretation

#### Definition

#### The method of ECG interpretation.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Associated Performance Measure Initiatives

STEMI

# Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code Descrip	otion

3305001 Computer Interpretation 3305003 Manual Interpretation

3305005 Transmission with No Interpretation 3305007 Transmission with Remote Interpretation

#### **Data Element Comment**

# Version 3 Changes Implemented

Added to better document ECG results.

Rule ID	Level	Message
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When Method of ECG Interpretation is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Method of ECG Interpretation has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlvPn_Nv_only	/ <mark>Warning</mark>	When Method of ECG Interpretation has a Not Value, no other value should be recorded.

<sup>&</sup>quot;Transmission with no interpretation" may be used by EMS Agency Personnel that are not trained to interpret cardiac rhythms.

State

National

# eVitals.06 - SBP (Systolic Blood Pressure)

#### Definition

The patient's systolic blood pressure.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_04	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

#### Constraints

Data Type minInclusive maxInclusive

integer 0 500

#### **Data Element Comment**

Required for ACS-Field Triage and other patient scoring systems.

#### Associated Validation Rules

Rule ID	Level	Message	

â!NvPn\_Nil\_Nv Error When SBP (Systolic Blood Pressure) is empty, it should have a Not Value (Not Applicable, Not

Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

,

ålNvPn\_Nv\_Nil Error When SBP (Systolic Blood Pressure) has a Not Value (Not Applicable, Not Recorded, or Not

Reporting), it should be empty.

âl\_Nv\_Not\_Nil Error When SBP (Systolic Blood Pressure) has a Pertinent Negative, it should be empty and it should

not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State

National

# eVitals.08 - Method of Blood Pressure Measurement

# Definition

Indication of method of blood pressure measurement.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code	Description
3308001	Arterial Line
3308003	Doppler
3308005	Cuff-Automated
3308007	Cuff-Manual Auscultated
3308009	Cuff-Manual Palpated Only
3308011	Venous Line

# **Data Element Comment**

Rule ID	Level	Message
â¦NvPn_Nil_I	Nv <mark>Error</mark>	When Method of Blood Pressure Measurement is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_l	Nil <mark>Error</mark>	When Method of Blood Pressure Measurement has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

# eVitals.10 - Heart Rate

#### Definition

The patient's heart rate expressed as a number per minute.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

# Constraints

Data Type minInclusive maxInclusive

integer 0 500

#### Data Element Comment

Pulse Rate and Electronic Monitor Rate have been merged with an additional data element for Method of Heart Rate Measurement.

Rule ID	Level	Message
â¦NvPn_Nil_	_Nv <mark>Error</mark>	When Heart Rate is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_	_Nil <mark>Error</mark>	When Heart Rate has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_Nv_Not_	Nil <mark>Error</mark>	When Heart Rate has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State

National

# eVitals.12 - Pulse Oximetry

#### Definition

The patient's oxygen saturation.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_09	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

#### Constraints

Data Type minInclusive maxInclusive

integer 0 100

#### **Data Element Comment**

#### Associated Validation Rules

Rule ID	Level	Message
â¦NvPn_Nil_Nv	Error	When Pulse Oximetry is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
âlNvPn_Nv_Nil	Error	When Pulse Oximetry has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_Nv_Not_Nil	Error	When Pulse Oximetry has a Pertinent Negative, it should be empty and it should not have a Not

Value (Not Applicable, Not Recorded, or Not Reporting).

eVitals.14 NEMSIS Version 3.4.0.200910CP2

**National** 

# eVitals.14 - Respiratory Rate

#### Definition

The patient's respiratory rate expressed as a number per minute.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_11	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801005 - Exam Finding Not Present 8801019 - Refused 8801023 - Unable to Complete

#### Constraints

minInclusive **Data Type** maxInclusive

300 integer

#### **Data Element Comment**

#### Associated Validation Rules

Rule ID	Levei	Message
â¦NvPn_Nil_N	v <mark>Error</mark>	When Respiratory Rate is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	il <mark>Error</mark>	When Respiratory Rate has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

âl\_Nv\_Not\_Nil Error When Respiratory Rate has a Pertinent Negative, it should be empty and it should not have a Not

Value (Not Applicable, Not Recorded, or Not Reporting).

State

National

# eVitals.16 - End Tidal Carbon Dioxide (ETCO2)

#### Definition

The numeric value of the patient's exhaled end tidal carbon dioxide (ETCO2) level measured as a unit of pressure in millimeters of mercury (mmHg).

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_13	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

#### Constraints

Data Type minInclusive maxInclusive

integer 0 200

#### **Data Element Comment**

#### Associated Validation Rules

âlNvPn\_Nil\_Nv Error When End Tidal Carbon Dioxide (ETCO2) is empty, it should have a Not Value (Not Applicable,

Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for

the element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When End Tidal Carbon Dioxide (ETCO2) has a Not Value (Not Applicable, Not Recorded, or Not

Reporting), it should be empty.

âl\_Nv\_Not\_Nil Error When End Tidal Carbon Dioxide (ETCO2) has a Pertinent Negative, it should be empty and it

should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State

National

# eVitals.18 - Blood Glucose Level

#### Definition

The patient's blood glucose level.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_14	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Pediatric Stroke

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

# Constraints

Data TypeminInclusivemaxInclusiveinteger02000

# Data Element Comment

For glucometers with "High" and "Low" readings, report "600" for "High" and "20" for "Low".

Rule ID	Level	Message
â¦NvPn_Nil_N	lv <mark>Error</mark>	When Blood Glucose Level is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	lil <mark>Error</mark>	When Blood Glucose Level has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_Nv_Not_N	il <mark>Error</mark>	When Blood Glucose Level has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State

National

# eVitals.19 - Glasgow Coma Score-Eye

#### Definition

The patient's Glasgow Coma Score Eye opening response.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

# Code List

Code	Description
1	No eye movement when assessed (All Age Groups)
2	Opens Eyes to painful stimulation (All Age Groups)
3	Opens Eyes to verbal stimulation (All Age Groups)
4	Opens Eyes spontaneously (All Age Groups)

#### Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

Rule ID	Level	Message
â¦NvPn_Nil_	Nv <mark>Error</mark>	When Glasgow Coma Score-Eye is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_	Nil <mark>Error</mark>	When Glasgow Coma Score-Eye has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_Nv_Not_I	Nil <mark>Error</mark>	When Glasgow Coma Score-Eye has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State

National

# eVitals.20 - Glasgow Coma Score-Verbal

#### Definition

The patient's Glasgow Coma Score Verbal response.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_16	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

# Code List

Code	Description	
1	No verbal/vocal response (All Age Groups)	
2	Incomprehensible sounds (>2 Years); Inconsolable, agitated	
3	Inappropriate words (>2 Years); Inconsistently consolable, moaning	
4	Confused (>2 Years); Cries but is consolable, inappropriate interactions	
5	Oriented (>2 Years): Smiles, oriented to sounds, follows objects, interacts	

### Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

Rule ID	Level	Message
â¦NvPn_Nil_N	lv <mark>Error</mark>	When Glasgow Coma Score-Verbal is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	Nil <mark>Error</mark>	When Glasgow Coma Score-Verbal has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_Nv_Not_N	il <mark>Error</mark>	When Glasgow Coma Score-Verbal has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State

National

# eVitals.21 - Glasgow Coma Score-Motor

#### Definition

The patient's Glasgow Coma Score Motor response.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_17	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

# Code List

Code	Description
1	No Motor Response (All Age Groups)
2	Extension to pain (All Age Groups)
3	Flexion to pain (All Age Groups)
4	Withdrawal from pain (All Age Groups)
5	Localizing pain (All Age Groups)
6	Obeys commands (>2Years); Appropriate response to stimulation

# Data Element Comment

Definitions now based on the National Trauma Data Standard (NTDS).

Rule ID	Level	Message
â¦NvPn_Nil_	_Nv <mark>Error</mark>	When Glasgow Coma Score-Motor is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv	_Nil <mark>Error</mark>	When Glasgow Coma Score-Motor has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_Nv_Not_	Nil <mark>Error</mark>	When Glasgow Coma Score-Motor has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State

National

# eVitals.22 - Glasgow Coma Score-Qualifier

#### Definition

Documentation of factors which make the GCS score more meaningful.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_18	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Code List

• •	_		
Code	Desc	۲IN	tion

3322001 Eye Obstruction Prevents Eye Assessment

3322003 Initial GCS has legitimate values without interventions such as intubation and sedation

3322005 Patient Chemically Paralyzed 3322007 Patient Chemically Sedated

3322009 Patient Intubated

#### **Data Element Comment**

Definitions now based on the National Trauma Data Standard (NTDS).

Rule ID	Level	Message
â¦NvPn_Nil_Nv	Error	When Glasgow Coma Score-Qualifier is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	Error	When Glasgow Coma Score-Qualifier has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_eVitals.22	Warning	When Glasgow Coma Score-Qualifier is "Initial GCS has legitimate values without interventions such as intubation and sedation", no other value should be recorded.
âlvPn_Nv_only	<mark>Warning</mark>	When Glasgow Coma Score-Qualifier has a Not Value, no other value should be recorded.

State

National

# eVitals.26 - Level of Responsiveness (AVPU)

# Definition

The patient's highest level of responsiveness.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_22	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

# Code List

 Code
 Description

 3326001
 Alert

 3326003
 Verbal

 3326005
 Painful

 3326007
 Unresponsive

#### **Data Element Comment**

Definition changed to indicate highest level of responsiveness.

Rule ID	Level	Message
â¦NvPn_Nil_N	v <mark>Error</mark>	When Level of Responsiveness (AVPU) is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Level of Responsiveness (AVPU) has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

#### eVitals.27 - Pain Scale Score

#### Definition

The patient's indication of pain from a scale of 0-10.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_23	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Pediatric STEMI Trauma

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

# Constraints

Data TypeminInclusivemaxInclusiveinteger010

#### **Data Element Comment**

The Pain Score can be obtained from several pain measurement tools or pain scale types (eVitals.28). The pain scale type used should have a numeric value associated with each diagram as appropriate. If the pain scale type utilizes multiple indicators/categories the total should be calculated and entered for the pain score associated with the patient assessment.

Rule ID	Level	Message
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When Pain Scale Score is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Pain Scale Score has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_Nv_Not_Nil	Error	When Pain Scale Score has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

State

National

# eVitals.29 - Stroke Scale Score

# Definition

The findings or results of the Stroke Scale Type (eVitals.30) used to assess the patient exhibiting stroke-like symptoms.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_24	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Stroke

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

#### Code List

Code	Description
3329001	Negative
3329003	Non-Conclusive
3329005	Positive

#### **Data Element Comment**

Rule ID	Level	Message
â¦n.23_stroke	Warning	Hospital Capability should be recorded when Type of Destination is "Hospital" or "Freestanding Emergency Department" and Stroke Scale Score is "Positive".
â¦NvPn_Nil_Nv	/ Error	When Stroke Scale Score is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Stroke Scale Score has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦_Nv_Not_Nil	Error	When Stroke Scale Score has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

eVitals.30 NEMSIS Version 3.4.0.200910CP2

**National** 

# eVitals.30 - Stroke Scale Type

# Definition

# The type of stroke scale used.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

# Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code	Description
3330001	Cincinnati
3330003	Los Angeles
3330005	Massachusetts
3330007	Miami Emergency Neurologic Deficit (MEND)
3330009	NIH
3330011	Other Stroke Scale Type
3330013	F.A.S.T. Exam

# Data Element Comment

# Version 3 Changes Implemented

Added to include additional detail on the stroke scale used.

Rule ID	Level	Message
â¦NvPn_Nil_N	v <mark>Error</mark>	When Stroke Scale Type is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Stroke Scale Type has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

State

National

# eVitals.31 - Reperfusion Checklist

#### Definition

The results of the patient's Reperfusion Checklist for potential Thrombolysis use.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E14_25	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

STEMI Stroke

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801019 - Refused 8801023 - Unable to Complete

# Code List


Code	Description
3331001	Definite Contraindications to Thrombolytic Use
3331003	No Contraindications to Thrombolytic Use
3331005	Possible Contraindications to Thrombolytic Use

# Data Element Comment

Name changed from Thrombolytic Screen

Rule ID	Level	Message
â¦NvPn_Nil_	_Nv <mark>Error</mark>	When Reperfusion Checklist is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_	_Nil <mark>Error</mark>	When Reperfusion Checklist has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âl_Nv_Not_	Nil <mark>Error</mark>	When Reperfusion Checklist has a Pertinent Negative, it should be empty and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

# **eProtocols**



eProtocols.01 NEMSIS Version 3.4.0.200910CP2

**National** 

# eProtocols.01 - Protocols Used

# Definition

The protocol used by EMS personnel to direct the clinical care of the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E17_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

# Code List

000.0 =.0	•
Code	Description
9914001	Airway
9914003	Airway-Failed
9914005	Airway-Obstruction/Foreign Body
9914007	Airway-Rapid Sequence Induction (RSI-Paralytic)
9914009	Airway-Sedation Assisted (Non-Paralytic)
9914011	Cardiac Arrest-Asystole
9914013	Cardiac Arrest-Hypothermia-Therapeutic
9914015	Cardiac Arrest-Pulseless Electrical Activity
9914017	Cardiac Arrest-Ventricular Fibrillation/ Pulseless Ventricular Tachycardia
9914019	Cardiac Arrest-Post Resuscitation Care
9914021	Environmental-Altitude Sickness
9914023	Environmental-Cold Exposure
9914025	Environmental-Frostbite/Cold Injury
9914027	Environmental-Heat Exposure/Exhaustion
9914029	Environmental-Heat Stroke/Hyperthermia
9914031	Environmental-Hypothermia
9914033	Exposure-Airway/Inhalation Irritants
9914035	Exposure-Biological/Infectious
9914037	Exposure-Blistering Agents
9914041	Exposure-Chemicals to Eye
9914043	Exposure-Cyanide
9914045	Exposure-Explosive/ Blast Injury
9914047	Exposure-Nerve Agents
9914049	Exposure-Radiologic Agents
9914051	General-Back Pain
9914053	General-Behavioral/Patient Restraint
9914055	General-Cardiac Arrest
9914057	General-Dental Problems
9914059	General-Epistaxis
9914061	General-Fever
9914063	General-Individualized Patient Protocol
9914065	General-Indwelling Medical Devices/Equipment
9914067	General-IV Access
9914069	General-Medical Device Malfunction
9914071	General-Pain Control
9914073	General-Spinal Immobilization/Clearance
9914075	General-Universal Patient Care/ Initial Patient Contact
9914077	Injury-Amputation
9914079	Injury-Bites and Envenomations-Land
9914081	Injury-Bites and Envenomations-Marine
9914083	Injury-Bleeding/ Hemorrhage Control

9914085 Injury-Burns-Thermal 9914087 Injury-Cardiac Arrest 9914089 Injury-Crush Syndrome Injury-Diving Emergencies 9914091 Injury-Drowning/Near Drowning 9914093 9914095 Injury-Electrical Injuries Injury-Extremity 9914097 Injury-Eye 9914099 9914101 Injury-Head 9914103 Injury-Impaled Object 9914105 Injury-Multisystem 9914107 Injury-Spinal Cord 9914109 Medical-Abdominal Pain 9914111 Medical-Allergic Reaction/Anaphylaxis 9914113 Medical-Altered Mental Status 9914115 Medical-Bradycardia 9914117 Medical-Cardiac Chest Pain 9914119 Medical-Diarrhea 9914121 Medical-Hyperglycemia 9914123 Medical-Hypertension 9914125 Medical-Hypoglycemia/Diabetic Emergency 9914127 Medical-Hypotension/Shock (Non-Trauma) 9914129 Medical-Influenza-Like Illness/ Upper Respiratory Infection 9914131 Medical-Nausea/Vomiting 9914133 Medical-Newborn/ Neonatal Resuscitation 9914135 General-Overdose/Poisoning/Toxic Ingestion 9914137 Medical-Pulmonary Edema/CHF 9914139 Medical-Respiratory Distress/Asthma/COPD/Reactive Airway 9914141 Medical-Seizure Medical-ST-Elevation Myocardial Infarction (STEMI) 9914143 9914145 Medical-Stroke/TIA 9914147 Medical-Supraventricular Tachycardia (Including Atrial Fibrillation) 9914149 Medical-Syncope Medical-Ventricular Tachycardia (With Pulse) 9914151 9914153 Not Done 9914155 OB/GYN-Childbirth/Labor/Delivery 9914157 OB/GYN-Eclampsia 9914159 **OB/GYN-Gynecologic Emergencies** 9914161 **OB/GYN-Pregnancy Related Emergencies** 9914163 OB/GYN-Post-partum Hemorrhage 9914165 Other 9914167 **Exposure-Carbon Monoxide** 9914169 Cardiac Arrest-Do Not Resuscitate Cardiac Arrest-Special Resuscitation Orders 9914171 9914173 **Exposure-Smoke Inhalation** 9914175 General-Community Paramedicine / Mobile Integrated Healthcare 9914177 General-Exception Protocol 9914179 General-Extended Care Guidelines 9914181 General-Interfacility Transfers 9914183 General-Law Enforcement - Blood for Legal Purposes 9914185 General-Law Enforcement - Assist with Law Enforcement Activity General-Neglect or Abuse Suspected 9914187 9914189 General-Refusal of Care 9914191 Injury-Mass/Multiple Casualties 9914193 Injury-Thoracic 9914195 Medical-Adrenal Insufficiency 9914197 Medical-Apparent Life Threatening Event (ALTE) 9914199 Medical-Tachycardia Cardiac Arrest-Determination of Death / Withholding Resuscitative Efforts 9914201 Injury-Conducted Electrical Weapon (e.g., Taser) 9914203 9914205 Injury-Facial Trauma 9914207 Injury-General Trauma Management 9914209 Injury-Lightning/Lightning Strike 9914211 Injury-SCUBA Injury/Accidents 9914213 Injury-Topical Chemical Burn Medical-Beta Blocker Poisoning/Overdose 9914215 Medical-Calcium Channel Blocker Poisoning/Overdose 9914217 9914219 Medical-Opioid Poisoning/Overdose 9914221 Medical-Respiratory Distress-Bronchiolitis

# **Data Element Comment**

Protocols are grouped into Airway, Environmental, Exposure, General, Injury, Medical, and OB/GYN.

There is a new data element eProtocols.02 to indicate whether the protocol is Adult, Pediatric, or General (both).

State and local entities can add additional protocols to the list but the additional protocols must map to these uniform codes. The protocol code list should be derived from dConfiguration.05 and/or dConfiguration.10

Rule ID	Level	Message
â¦NvPn_Nil_N	lv <mark>Error</mark>	When Protocols Used is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	lil <mark>Error</mark>	When Protocols Used has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

NEMSIS Version 3.4.0.200910CP2 eProtocols.02

State

National

# eProtocols.02 - Protocol Age Category

#### Definition

The age group the protocol is written to address

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

CodeDescription3602001Adult Only3602003General3602005Pediatric Only

#### **Data Element Comment**

Protocols are grouped into Airway, Environmental, Exposure, General, Injury, Medical, and OB/GYN. -There is a new data element to indicate whether the protocol is Adult, Pediatric, or General (both).

#### Version 3 Changes Implemented

Added to better document protocol use.

#### Associated Validation Rules

Rule ID Level Messa
---------------------


âlNvPn\_Nil\_Nv Error When Protocol Age Category is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element),

or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When Protocol Age Category has a Not Value (Not Applicable, Not Recorded, or Not Reporting),

it should be empty.

# **eMedications**



National

# eMedications.01 - Date/Time Medication Administered

#### Definition

The date/time medication administered to the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\land d+)?(\land +|-)[0-9]{2}:[0-9]{2}$ 

# **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzzz)

уууу	a four-digit numeral that represents the year
'_'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'_'	

#### Associated Validation Rules

Rule ID Level Message

âlications.01 Warning Date/Time Medication Administered should be recorded, unless Medication Administered Prior to

this Unit's EMS Care is "Yes".

ålNvPn\_Nil\_Nv Error When Date/Time Medication Administered is empty, it should have a Not Value (Not Applicable,

Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional). âlNvPn\_Nv\_Nil Error When Date/Time Medication Administered has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty. âlr\_eTimes.03 Warning Date/Time Medication Administered should not be earlier than Unit Notified by Dispatch Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes". âlr\_eTimes.07 Warning Date/Time Medication Administered should not be earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes". Date/Time Medication Administered should not be later than Destination Patient Transfer of Care âle\_eTimes.12 Warning Date/Time. âle\_eTimes.13 Warning Date/Time Medication Administered should not be later than Unit Back in Service Date/Time. âle\_eTimes.07 Warning Date/Time Medication Administered should not be later than Arrived at Patient Date/Time when Medication Administered Prior to this Unit's EMS Care is "Yes".

National

# eMedications.02 - Medication Administered Prior to this Unit's EMS Care

#### Definition

Indicates that the medication administration which is documented was administered prior to this EMS unit's care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code Description

9923001 No 9923003 Yes

#### Data Element Comment

This is the NEMSIS Version 3 method to document prior aid.

Rule ID	Level	Message
âlications.01	Warning	Date/Time Medication Administered should be recorded, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When Medication Administered Prior to this Unit's EMS Care is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Medication Administered Prior to this Unit's EMS Care has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦r_eTimes.03	Warning	Date/Time Medication Administered should not be earlier than Unit Notified by Dispatch Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
âlr_eTimes.07	Warning	Date/Time Medication Administered should not be earlier than Arrived at Patient Date/Time, unless Medication Administered Prior to this Unit's EMS Care is "Yes".
âle_eTimes.12	Warning	Date/Time Medication Administered should not be later than Destination Patient Transfer of Care Date/Time.
âle_eTimes.13	Warning	Date/Time Medication Administered should not be later than Unit Back in Service Date/Time.
â¦e_eTimes.07	Warning	Date/Time Medication Administered should not be later than Arrived at Patient Date/Time when Medication Administered Prior to this Unit's EMS Care is "Yes".

National

# eMedications.03 - Medication Given

#### Definition

#### The medication given to the patient

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_03	Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

#### Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801001 - Contraindication Noted 8801003 - Denied By Order 8801007 - Medication Allergy 8801009 - Medication Already Taken 8801019 - Refused 8801023 - Unable to Complete

#### Constraints

Data TypeminLengthmaxLengthstring27

# **Data Element Comment**

List of medications based on RxNorm (RXCUI) codes.

Reference the NEMSIS Suggested Lists at: https://nemsis.org/technical-resources/version-3/version-3-resources/

#### RxNorm

Website - http://uts.nlm.nih.gov

Product - UMLS Metathesaurus

Website - http://www.nlm.nih.gov/research/umls/rxnorm/docs/rxnormfiles.html

Product - RxNorm Full Monthly Release

Rule ID Level	Message
âlications.03 Warning	Medication Given should be recorded when a medication is administered.
	When Medication Given is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
	When Medication Given has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
	When Medication Given has a Pertinent Negative, it should have a value and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).

National

# eMedications.05 - Medication Dosage

# Definition

The dose or amount of the medication administered to the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

# Constraints

Data TypetotalDigitsfractionDigitsdecimal93

# **Data Element Comment**

Rule ID	Level	Message
âlications.06	Warning	Medication Dosage Units should be recorded when Medication Dosage is recorded.
âlNvPn_Nil_N	v <mark>Error</mark>	When Medication Dosage is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Medication Dosage has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eMedications.06 - Medication Dosage Units

# Definition

The unit of medication dosage administered to patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code	Description
3706001	Grams (gms)
3706003	Inches (in)
3706005	International Units (IU)
3706007	Keep Vein Open (kvo)
3706009	Liters (I)
3706011	Liters Per Minute (I/min [fluid])
3706013	Metered Dose (MDI)
3706015	Micrograms (mcg)
3706017	Micrograms per Kilogram per Minute (mcg/kg/min)
3706019	Milliequivalents (mEq)
3706021	Milligrams (mg)
3706023	Milligrams per Kilogram Per Minute (mg/kg/min)
3706025	Milliliters (ml)
3706027	Milliliters per Hour (ml/hr)
3706029	Other
3706031	Centimeters (cm)
3706033	Drops (gtts)
3706035	Liters Per Minute (LPM [gas])
3706037	Micrograms per Minute (mcg/min)
3706039	Milligrams per Kilogram (mg/kg)
3706041	Milligrams per Minute (mg/min)
3706043	Puffs
3706045	Units per Hour (units/hr)
3706047	Micrograms per Kilogram (mcg/kg)
3706049	Units
3706051	Units per Kilogram per Hour (units/kg/hr)
3706053	Units per Kilogram (units/kg)

# Data Element Comment

Rule ID	Level	Message
âlications.06	Warning	Medication Dosage Units should be recorded when Medication Dosage is recorded.
â¦NvPn_Nil_N	v <mark>Error</mark>	When Medication Dosage Units is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Medication Dosage Units has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eMedications.07 - Response to Medication

#### Definition

The patient's response to the medication.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

# **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
9916001	Improved
9916003	Unchanged
9916005	Worse

# Data Element Comment

#### Associated Validation Rules

Rule ID	Level	Message
Nuie ID	Levei	IVIESSAUE

â!NvPn\_Nil\_Nv Error When Response to Medication is empty, it should have a Not Value (Not Applicable, Not

Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When Response to Medication has a Not Value (Not Applicable, Not Recorded, or Not Reporting),

it should be empty.

National

# eMedications.08 - Medication Complication

#### Definition

Any complication (abnormal effect on the patient) associated with the administration of the medication to the patient by EMS.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E18_08	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

#### Attributes

#### NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

#### Code List

Code

3708001	Altered Mental Status
3708003	Apnea
3708005	Bleeding
3708007	Bradycardia
3708009	Bradypnea
3708011	Diarrhea
3708013	Extravasation
3708015	Hypertension
3708017	Hyperthermia
3708019	Hypotension
3708021	Hypothermia
3708023	Hypoxia

Description

3708025 Injury 3708029 Nausea 3708031 None 3708033 Other

3708035 Respiratory Distress

3708037 Tachycardia 3708039 Tachypnea 3708041 Vomiting 3708043 Itching 3708045 Urticaria

#### **Data Element Comment**

Rule ID	Level	Message
â¦NvPn_Nil_N	v <mark>Error</mark>	When Medication Complication is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Medication Complication has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlications.08	Warning	When Medication Complication is "None", no other value should be recorded.
âlvPn_Nv_onl	y <mark>Warning</mark>	When Medication Complication has a Not Value, no other value should be recorded.

National

# eMedications.10 - Role/Type of Person Administering Medication

#### Definition

The type (level) of EMS or Healthcare Professional Administering the Medication. For medications administered prior to EMS arrival, this may be a non-EMS healthcare professional.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

#### Attributes

#### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

#### Code List

Code	Description
9905001	2009 Advanced Emergency Medical Technician (AEMT)
9905003	2009 Emergency Medical Responder (EMR)
9905005	2009 Emergency Medical Technician (EMT)
9905007	2009 Paramedic
9905009	EMT-Basic
9905011	EMT-Intermediate
9905013	EMT-Paramedic
9905015	First Responder
9905019	Other Healthcare Professional
9905021	Other Non-Healthcare Professional
9905023	Patient/Lay Person
9905025	Physician
9905027	Respiratory Therapist
9905029	Student
9905031	Critical Care Paramedic
9905033	Community Paramedicine
9905035	Nurse Practitioner
9905037	Physician Assistant
9905039	Licensed Practical Nurse (LPN)
9905041	Registered Nurse

#### **Data Element Comment**

Added to document the type of healthcare professional administering the medication. This could be auto-completed from the crew ID but is necessary to document medication administration prior to EMS arrival. State may maintain an enumerated list but must collapse to the National Standard.


The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

#### Version 3 Changes Implemented

Added to better document the type of healthcare professional who administered the medication.

Rule ID	Level	Message
â¦NvPn_Nil_N	lv <mark>Error</mark>	When Role/Type of Person Administering Medication is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	lil <mark>Error</mark>	When Role/Type of Person Administering Medication has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

# **eProcedures**



National

### eProcedures.01 - Date/Time Procedure Performed

### Definition

The date/time the procedure was performed on the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### **Attributes**

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

**Pattern** 

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\cdot \cdot d+)?(\cdot +|-)[0-9]{2}:[0-9]{2}$ 

### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm

hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

### Associated Validation Rules

Rule ID Level Message

âlNvPn\_Nil\_Nv Error

When Date/Time Procedure Performed is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

â¦NvPn_Nv_Nil <mark>Error</mark>	When Date/Time Procedure Performed has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlocedures.01 Warning	Date/Time Procedure Performed should be recorded, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
âlr_eTimes.03 Warning	Date/Time Procedure Performed should not be earlier than Unit Notified by Dispatch Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
â¦r_eTimes.07 Warning	Date/Time Procedure Performed should not be earlier than Arrived at Patient Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
âle_eTimes.12 Warning	Date/Time Procedure Performed should not be later than Destination Patient Transfer of Care Date/Time.
âle_eTimes.13 Warning	Date/Time Procedure Performed should not be later than Unit Back in Service Date/Time.
âle_eTimes.07 Warning	Date/Time Procedure Performed should not be later than Arrived at Patient Date/Time when Procedure Performed Prior to this Unit's EMS Care is "Yes".

**National** 

# eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care

### Definition

Indicates that the procedure which was performed and documented was performed prior to this EMS unit's care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

### Code List

Code Description

9923001 No

9923003 Yes

# Data Element Comment

This is the NEMSIS Version 3 method to document prior aid.

Associated Validation	n Rules
Rule ID Level	Message
â¦NvPn_Nil_Nv <mark>Error</mark>	When Procedure Performed Prior to this Unit's EMS Care is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Nil <mark>Error</mark>	When Procedure Performed Prior to this Unit's EMS Care has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlocedures.01 Warnin	Date/Time Procedure Performed should be recorded, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
âlr_eTimes.03 Warnin	Date/Time Procedure Performed should not be earlier than Unit Notified by Dispatch Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
âlr_eTimes.07 Warnin	Date/Time Procedure Performed should not be earlier than Arrived at Patient Date/Time, unless Procedure Performed Prior to this Unit's EMS Care is "Yes".
âle_eTimes.12 Warnin	Date/Time Procedure Performed should not be later than Destination Patient Transfer of Care Date/Time.
âle_eTimes.13 Warnin	g Date/Time Procedure Performed should not be later than Unit Back in Service Date/Time.
âle_eTimes.07 Warnin	Date/Time Procedure Performed should not be later than Arrived at Patient Date/Time when Procedure Performed Prior to this Unit's EMS Care is "Yes".

National

# eProcedures.03 - Procedure

### Definition

The procedure performed on the patient.

National Element	Yes	Pertinent Negatives (PN)	Yes
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_03	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### Attributes

NOT Values (NV)

7701001 - Not Applicable 7701003 - Not Recorded

**Pertinent Negatives (PN)** 

8801001 - Contraindication Noted 8801003 - Denied By Order 8801019 - Refused

8801023 - Unable to Complete

### Constraints

Data TypemaxInclusiveminInclusiveinteger99999999999999100000

# **Data Element Comment**

Procedures which are recorded as a Vital Sign do not have to be documented in the Procedure Section.

Code list is represented in SNOMEDCT. Reference the NEMSIS Suggested Lists at:

https://nemsis.org/technical-resources/version-3/version-3-resources/

### **SNOMEDCT**

Website: http://www.nlm.nih.gov/research/umls/Snomed/snomed main.html

Product: Product - UMLS Metathesaurus

Rule ID	Level	Message
â¦NvPn_Nil_N	Nv <mark>Error</mark>	When Procedure is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	Nil <mark>Error</mark>	When Procedure has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlocedures.03	3 Error	When Procedure has a Pertinent Negative, it should have a value and it should not have a Not Value (Not Applicable, Not Recorded, or Not Reporting).
âlocedures.03	3 Warning	Procedure should be recorded when a procedure is performed.

National

# eProcedures.05 - Number of Procedure Attempts

### Definition

The number of attempts taken to complete a procedure or intervention regardless of success.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### **Attributes**

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

Data Type minInclusive maxInclusive

integer 1 10

### **Data Element Comment**

### Associated Validation Rules

Rule ID Level Message

âlNvPn\_Nil\_Nv Error When Number of Procedure Attempts is empty, it should have a Not Value (Not Applicable, Not

Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

element), or it should be omitted (if the element is optional).

ålNvPn\_Nv\_Nil Error When Number of Procedure Attempts has a Not Value (Not Applicable, Not Recorded, or Not

Reporting), it should be empty.

National

### eProcedures.06 - Procedure Successful

### Definition

Indicates that this individual procedure attempt which was performed on the patient was successful.

National Element	Yes Pertinent Negatives (PN)		No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Code List

Code Description

9923001 No 9923003 Yes

### **Data Element Comment**

### Associated Validation Rules

Rule ID	Level	Message

ålNvPn\_Nil\_Nv Error When Procedure Successful is empty, it should have a Not Value (Not Applicable, Not Recorded,

or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element),

or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When Procedure Successful has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it

should be empty.

National

# eProcedures.07 - Procedure Complication

### Definition

Any complication (abnormal effect on the patient) associated with the performance of the procedure on the patient.

National Element	Yes Pertinent Negatives (PN)		No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_07	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Associated Performance Measure Initiatives

Airway Pediatric Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description

3907001 Altered Mental Status

3907003 Apnea

3907005 Bleeding

3907007 Bradypnea

3907009 Diarrhea

3907011 Esophageal Intubation-immediately

3907013 Esophageal Intubation-other

3907015 Extravasation

3907017 Hypertension

3907019 Hyperthermia

3907021 Hypotension

3907023 Hypothermia

3907025 Hypoxia

3907027 Injury

3907031 Nausea

3907033 None

3907035 Other

3907039 Respiratory Distress

3907041 Tachycardia

3907043 Tachypnea

3907045 Vomiting

3907047 Bradycardia

3907049 Itching

3907051 Urticaria

### **Data Element Comment**

âlvPn\_Nv\_only Warning

### Associated Validation Rules

Rule ID	Level	Message
â¦NvPn_Nil_N	v <mark>Error</mark>	When Procedure Complication is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Procedure Complication has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlocedures.07	Warning	When Procedure Complication is "None", no other value should be recorded.

When Procedure Complication has a Not Value, no other value should be recorded.

National

# eProcedures.08 - Response to Procedure

### Definition

The patient's response to the procedure.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E19_08	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description
9916001	Improved
9916003	Unchanged
9916005	Worse

# Data Element Comment

### Associated Validation Rules

Rule ID	Level	Message
Nuie ID	Levei	IVIESSAUE

âlNvPn\_Nil\_Nv Error When Response to Procedure is empty, it should have a Not Value (Not Applicable, Not

Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the

element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When Response to Procedure has a Not Value (Not Applicable, Not Recorded, or Not Reporting),

it should be empty.

National

# eProcedures.10 - Role/Type of Person Performing the Procedure

### Definition

The type (level) of EMS or Healthcare Professional performing the procedure. For procedures performed prior to EMS arrival, this may be a non-EMS healthcare professional.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Code List

<u> </u>	
Code	Description

9905001 2009 Advanced Emergency Medical Technician (AEMT)

9905003 2009 Emergency Medical Responder (EMR)

9905005 2009 Emergency Medical Technician (EMT)

9905007 2009 Paramedic

9905009 EMT-Basic

9905011 EMT-Intermediate

9905013 EMT-Paramedic

9905015 First Responder

9905019 Other Healthcare Professional

9905021 Other Non-Healthcare Professional

9905023 Patient/Lay Person

9905025 Physician

9905027 Respiratory Therapist

9905029 Student

9905031 Critical Care Paramedic

9905033 Community Paramedicine

9905035 Nurse Practitioner

9905037 Physician Assistant

9905039 Licensed Practical Nurse (LPN)

9905041 Registered Nurse

### **Data Element Comment**

Added to document the type of healthcare professional administering the medication. This could be auto-completed from the crew ID but is necessary to document medication administration prior to EMS arrival. State may maintain an enumerated list but must collapse to the National Standard.

The category EMT-Intermediate includes EMS professionals with an "85" or "99" certification level.

### Version 3 Changes Implemented


Added to document the type of healthcare professional performing the procedure.

### Associated Validation Rules

Rule ID	Level	Message
â¦NvPn_Nil_N	v <mark>Error</mark>	When Role/Type of Person Performing the Procedure is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When Role/Type of Person Performing the Procedure has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

# **eDisposition**



National

# eDisposition.05 - Destination State

### Definition

The state of the destination the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

### Pattern

[0-9]{2}

### **Data Element Comment**

Based on the ANSI Code. May be auto-populated if list created in dFacility.09 (Facility State).

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

Rule ID	Level	Message
âlposition.05	<b>Warning</b>	Destination County should belong within the Destination State.
âlposition.05	Warning	Destination State should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_Nv	/ Error	When Destination State is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	il <mark>Error</mark>	When Destination State has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eDisposition.06 - Destination County

### Definition

The destination county in which the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_06	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable 7701003 - Not Recorded

### Constraints

### **Pattern**

[0-9]{5}

# **Data Element Comment**

May be auto-populated if list created in dFacility.11 (Facility County). Based on the ANSI Code Single Choice based on the County Name but stored as the ANSI code (combined 5 digit State and County codes) Should be required if there is a patient associated with the event.

GNIS Codes Website: http://geonames.usgs.gov/domestic/download\_data.htm

Rule ID	Level	Message
âlposition.05	Warning	Destination County should belong within the Destination State.
âlposition.06	Warning	Destination County should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_Nv	v <mark>Error</mark>	When Destination County is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Destination County has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eDisposition.07 - Destination ZIP Code

### Definition

The destination ZIP code in which the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_07	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

### Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

### Constraints

### **Pattern**

[0-9]{5}|[0-9]{5}-[0-9]{4}|[0-9]{5}-[0-9]{5}|[A-Z][0-9][A-Z] [0-9][A-Z][0-9]

### **Data Element Comment**

May be auto-populated if list created in dFacility.10 (Facility ZIP Code).

ZIP Codes Product Website: <a href="https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/">https://www.zipcodedownload.com/Products/Product/Z5Commercial/Standard/Overview/</a> Product: USA - 5-digit ZIP Code Database, Commercial Edition

Rule ID	Level	Message
âlposition.07	Warning	Destination ZIP Code should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Destination ZIP Code is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Destination ZIP Code has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eDisposition.12 - Incident/Patient Disposition

# Definition

Type of disposition treatment and/or transport of the patient by this EMS Unit.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	No
Version 2 Element	E20_10	Is Nillable	No
Usage	Mandatory	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Code List

Code	Description
4212001	Assist, Agency
4212003	Assist, Public
4212005	Assist, Unit
4212007	Canceled (Prior to Arrival At Scene)
4212009	Canceled on Scene (No Patient Contact)
4212011	Canceled on Scene (No Patient Found)
4212013	Patient Dead at Scene-No Resuscitation Attempted (With Transport)
4212015	Patient Dead at Scene-No Resuscitation Attempted (Without Transport)
4212017	Patient Dead at Scene-Resuscitation Attempted (With Transport)
4212019	Patient Dead at Scene-Resuscitation Attempted (Without Transport)
4212021	Patient Evaluated, No Treatment/Transport Required
4212023	Patient Refused Evaluation/Care (With Transport)
4212025	Patient Refused Evaluation/Care (Without Transport)
4212027	Patient Treated, Released (AMA)
4212029	Patient Treated, Released (per protocol)
4212031	Patient Treated, Transferred Care to Another EMS Unit
4212033	Patient Treated, Transported by this EMS Unit
4212035	Patient Treated, Transported by Law Enforcement
4212037	Patient Treated, Transported by Private Vehicle
4212039	Standby-No Services or Support Provided
4212041	Standby-Public Safety, Fire, or EMS Operational Support Provided
4212043	Transport Non-Patient, Organs, etc.

# Data Element Comment

. 1000010100		
Rule ID	Level	Message
âl_eArrest.17	Warning	Cardiac Rhythm on Arrival at Destination should be recorded when Incident/Patient Disposition is "Patient Dead at Scene (with Transport)" or "Patient Treated, Transported by this EMS Unit" and Cardiac Arrest is "Yes".
â¦_eArrest.16	Warning	Reason CPR/Resuscitation Discontinued should be recorded when Incident/Patient Disposition is "Patient Dead at Scene-Resuscitation Attempted"
âlposition.05	Warning	Destination State should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlposition.06	Warning	Destination County should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlposition.07	Warning	Destination ZIP Code should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlposition.16	Warning	EMS Transport Method should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated. Transported by this EMS Unit".

âlposition.17	Warning	Transport Mode from Scene should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlposition.19	Warning	Final Patient Acuity should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlposition.20	Warning	Reason for Choosing Destination should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlposition.21	Warning	Type of Destination should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlePatient.07	Warning	Patient's Home County should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlePatient.08	Warning	Patient's Home State should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlePatient.09	Warning	Patient's Home ZIP Code should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlePatient.13	Warning	Gender should be recorded when Incident/Patient Disposition is "Patient".
âlePatient.14	Warning	Race should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlePatient.15	Warning	Age should be recorded when Incident/Patient Disposition is "Patient".
âlePatient.16	<u>Warning</u>	Age Units should be recorded when Incident/Patient Disposition is "Patient".
âlePayment.01	Warning	Primary Method of Payment should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlg_eScene.09	Warning	Incident Location Type should be recorded unless Incident/Patient Disposition is "Canceled (Prior to Arrival At Scene)".
âlituation.02	Warning	Possible Injury should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
âlituation.07	Warning	Chief Complaint Anatomic Location should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
âlituation.08	Warning	Chief Complaint Organ System should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
âlituation.09	<u>Warning</u>	Primary Symptom should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
âlituation.11	Warning	Provider's Primary Impression should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
âlituation.13	Warning	Initial Patient Acuity should be recorded when Type of Service Requested is "911 Response (Scene)" and Incident/Patient Disposition is "Patient Treated, Transported by this EMS Unit".
âlg_eTimes.05	Warning	Unit En Route Date/Time should be recorded unless Incident/Patient Disposition is "Canceled (Prior to Arrival At Scene)".
âlg_eTimes.06	Warning	Unit Arrived on Scene Date/Time should be recorded unless Incident/Patient Disposition is "Canceled (Prior to Arrival At Scene)".
âlg_eTimes.07	Warning	Arrived at Patient Date/Time should be recorded when Incident/Patient Disposition is "Patient".
âlg_eTimes.09	Warning	Unit Left Scene Date/Time should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlg_eTimes.11	Warning	Patient Arrived at Destination Date/Time should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".

âlg\_eTimes.12 Warning

Destination Patient Transfer of Care Date/Time should be recorded when Incident/Patient
Disposition is "... (With Transport)" or "Patient Treated, Transported by this EMS Unit".

âl\_elnjury.01 Warning Cause of Injury should be recorded when Incident/Patient Disposition is "Patient..." and Possible Injury is "Yes".

National

# eDisposition.16 - EMS Transport Method

### Definition

The method of transport by this EMS Unit.

National Element	Yes	Pertinent Negatives (PN)	No	
State Element	Yes	NOT Values	Yes	
Version 2 Element		Is Nillable	Yes	
Usage	Required	Recurrence	1:1	

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

# NOT Values (NV)

7701001 - Not Applicable 770100

7701003 - Not Recorded

### Code List

Code	Description
4216001	Air Medical-Fixed Wing
4216003	Air Medical-Rotor Craft
4216005	Ground-Ambulance
4216007	Ground-ATV or Rescue Vehicle
4216009	Ground-Bariatric
4216011	Ground-Other Not Listed
4216013	Ground-Mass Casualty Bus/Vehicle
4216015	Ground-Wheelchair Van

4216015 Ground-Writer 4216017 Water-Boat

### **Data Element Comment**

Required if the patient is transported by EMS.

# Version 3 Changes Implemented

Added to better describe Air and Ground Transport methods.

Rule ID	Level	Message
âlposition.16	Warning	EMS Transport Method should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When EMS Transport Method is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When EMS Transport Method has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eDisposition.17 - Transport Mode from Scene

### Definition

Indication whether the transport was emergent or non-emergent.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_14	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

# Code List

	_		
Code	Desc	rin	tion

4217001 Emergent (Immediate Response)

4217003 Emergent Downgraded to Non-Emergent

4217005 Non-Emergent

4217007 Non-Emergent Upgraded to Emergent

### **Data Element Comment**

Information now split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

Rule ID	Level	Message
âlposition.17	Warning	Transport Mode from Scene should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Transport Mode from Scene is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	lil <mark>Error</mark>	When Transport Mode from Scene has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eDisposition.18 - Additional Transport Mode Descriptors

### Definition

The documentation of transport mode techniques for this EMS response.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1 : M

# Attributes

# **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description
4218001	Intersection Navigation-Against Normal Light Patterns
4218003	Intersection Navigation-With Automated Light Changing Technology
4218005	Intersection Navigation-With Normal Light Patterns
4218007	Speed-Enhanced per Local Policy
4218009	Speed-Normal Traffic
4218011	Lights and Sirens
4218013	Lights and No Sirens
4218015	No Lights or Sirens
4218017	Initial No Lights or Sirens, Upgraded to Lights and Sirens
4218019	Initial Lights and Sirens, Downgraded to No Lights or Sirens

### **Data Element Comment**

Information now split between eDisposition.17 (Transport Mode from Scene) and eDisposition.18 (Additional Transport Mode Descriptors). Element eDisposition.18 (Additional Transport Mode Descriptors) has been added to document the use of lights and sirens or other descriptive information.

Rule ID	Level	Message
â¦NvPn_Nil_Nv	Error	When Additional Transport Mode Descriptors is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Additional Transport Mode Descriptors has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦vPn_Nv_only	Warning	When Additional Transport Mode Descriptors has a Not Value, no other value should be recorded.

National

# eDisposition.19 - Final Patient Acuity

### Definition

The acuity of the patient's condition after EMS care.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_15	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Trauma

### Attributes

### **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code	Description
4219001	Critical (Red)
4219003	Emergent (Yellow)
4219005	Lower Acuity (Green)
4219007	Dead without Resuscitation Efforts (Black)

# **Data Element Comment**

Definitions related to "Critical, Emergent, and Lower Acuity" can be found in the National EMS Core Content document from NHTSA EMS (DOT HS 809-898 July 2005) at

http://www.nhtsa.gov/people/injury/ems/emscorecontent/images/EMSCoreContent.pdf

Rule ID	Level	Message
âlposition.19	Warning	Final Patient Acuity should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Final Patient Acuity is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Final Patient Acuity has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

**National** 

# eDisposition.20 - Reason for Choosing Destination

### Definition

The reason the unit chose to deliver or transfer the patient to the destination.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_16	Is Nillable	Yes
Usage	Required	Recurrence	1 : M

### Associated Performance Measure Initiatives

Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

NOT Values (NV) 7701001 - Not Applicable

7701003 - Not Recorded

# Code List

Code	Description
4220001	Closest Facility
4220003	Diversion
4220005	Family Choice
4220007	Insurance Status/Requirement
4220009	Law Enforcement Choice
4220011	On-Line/On-Scene Medical Direction
4220013	Other
4220015	Patient's Choice
4220017	Patient's Physician's Choice
4220019	Protocol
4220021	Regional Specialty Center

# **Data Element Comment**

Required if the patient was transported.

Rule ID	Level	Message
âlposition.20	Warning	Reason for Choosing Destination should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
â¦NvPn_Nil_N	v <mark>Error</mark>	When Reason for Choosing Destination is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	il <mark>Error</mark>	When Reason for Choosing Destination has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
âlvPn_Nv_only	y <mark>Warning</mark>	When Reason for Choosing Destination has a Not Value, no other value should be recorded.

National

# eDisposition.21 - Type of Destination

# Definition

The type of destination the patient was delivered or transferred to.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E20_17	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric Response STEMI Stroke Trauma

# Attributes

### NOT Values (NV)

7701001 - Not Applicable 770100

7701003 - Not Recorded

### Code List

Code	Description
4221001	Home
4221003	Hospital-Emergency Department
4221005	Hospital-Non-Emergency Department Bed
4221007	Medical Office/Clinic
4221009	Morgue/Mortuary
4221011	Nursing Home/Assisted Living Facility
4221013	Other
4221015	Other EMS Responder (air)
4221017	Other EMS Responder (ground)
4221019	Police/Jail
4221021	Urgent Care
4221023	Freestanding Emergency Department

### Data Element Comment

Required if Patient Transported by EMS.

Rule ID	Level	Message
âlposition.21	Warning	Type of Destination should be recorded when Incident/Patient Disposition is " (With Transport)" or "Patient Treated, Transported by this EMS Unit".
âlposition.22	Warning	Hospital In-Patient Destination should be recorded when Type of Destination is "Hospital-Non-Emergency Department Bed".
âlrdiacarrest	Warning	Hospital Capability should be recorded when Type of Destination is "Hospital" or "Freestanding Emergency Department" and Cardiac Arrest is "Yes".
âlon.23_stemi	Warning	Hospital Capability should be recorded when Type of Destination is "Hospital" or "Freestanding Emergency Department" and Cardiac Rhythm / Electrocardiography (ECG) is "STEMI".
âln.23_stroke	Warning	Hospital Capability should be recorded when Type of Destination is "Hospital" or "Freestanding Emergency Department" and Stroke Scale Score is "Positive".
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When Type of Destination is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Type of Destination has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eDisposition.22 - Hospital In-Patient Destination

# Definition

The location within the hospital that the patient was taken directly by EMS (e.g., Cath Lab, ICU, etc.).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

# NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description
4222001	Hospital-Burn
4222003	Hospital-Cath Lab
4222005	Hospital-CCU
4222007	Hospital-Endoscopy
4222009	Hospital-Hospice
4222011	Hospital-Hyperbaric Oxygen Treatment
4222013	Hospital-ICU
4222015	Hospital-Labor and Delivery
4222017	Hospital-Med/Surg
4222019	Hospital-Mental Health
4222021	Hospital-MICU
4222023	Hospital-NICU
4222025	Hospital-Nursery
4222027	Hospital-Peds (General)
4222029	Hospital-Peds ICU
4222031	Hospital-OR
4222033	Hospital-Orthopedic
4222035	Hospital-Other
4222037	Hospital-Out-Patient Bed
4222039	Hospital-Radiology Services - MRI
4222041	Hospital-Radiology Services - CT/PET
4222043	Hospital-Radiology Services - X-Ray
4222045	Hospital-Radiation
4222047	Hospital-Rehab
4222049	Hospital-SICU
4222051	Hospital-Oncology
4222053	Hospital-Outpatient Surgery

# **Data Element Comment**

To be documented when in eDisposition.21 "Hospital-Non-Emergency Department Bed" is selected.

# Version 3 Changes Implemented

Added to identify the location within the hospital that the patient was directly taken to by EMS.

Rule ID	Level	Message
âlposition.22	Warning	Hospital In-Patient Destination should be recorded when Type of Destination is "Hospital-Non-Emergency Department Bed".
â¦NvPn_Nil_Nv	Error	When Hospital In-Patient Destination is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
âlNvPn_Nv_Nil	Error	When Hospital In-Patient Destination has a Not Value (Not Applicable, Not Recorded, or Not

Reporting), it should be empty.

**National** 

# eDisposition.23 - Hospital Capability

### Definition

The primary hospital capability associated with the patient's condition for this transport (e.g., Trauma, STEMI, Peds, etc.).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Attributes

### NOT Values (NV)

7701001 - Not Applicable

Description

7701003 - Not Recorded

### Code List

Code

Joac	Description
9908001	Behavioral Health
9908003	Burn Center
9908005	Critical Access Hospital
9908007	Hospital (General)
9908009	Neonatal Center
9908011	Pediatric Center
9908017	Stroke Center
9908019	Rehab Center
9908021	Trauma Center Level 1
9908023	Trauma Center Level 2
9908025	Trauma Center Level 3
9908027	Trauma Center Level 4
9908029	Trauma Center Level 5
9908031	Cardiac-STEMI/PCI Capable
9908033	Cardiac-STEMI/PCI Capable (24/7)
9908035	Cardiac-STEMI/Non-PCI Capable

# **Data Element Comment**

To be documented when eDisposition.21 (Type of Destination) is 1) Hospital-Emergency Department, 2) Hospital-Non-Emergency Department Bed, or 3) Freestanding Emergency Department.

### Version 3 Changes Implemented

Added to aid in determining if patients are transported to the appropriate hospital based on provider impression, assessment, and treatment.

Rule ID	Level	Message
âlrdiacarrest	Warning	Hospital Capability should be recorded when Type of Destination is "Hospital" or "Freestanding Emergency Department" and Cardiac Arrest is "Yes".
âlon.23_stemi	Warning	Hospital Capability should be recorded when Type of Destination is "Hospital" or "Freestanding Emergency Department" and Cardiac Rhythm / Electrocardiography (ECG) is "STEMI".
âln.23_stroke	Warning	Hospital Capability should be recorded when Type of Destination is "Hospital" or "Freestanding Emergency Department" and Stroke Scale Score is "Positive".
â¦NvPn_Nil_Nv	r Error	When Hospital Capability is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Hospital Capability has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

# eDisposition.24 - Destination Team Pre-Arrival Alert or Activation

### Definition

Indication that an alert (or activation) was called by EMS to the appropriate destination healthcare facility team. The alert (or activation) should occur prior to the EMS Unit arrival at the destination with the patient.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Cardiac Arrest STEMI Stroke Trauma

### Attributes

### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

# Code List

	_		
Code	Desc	rin	tion

4224001 No

4224003 Yes-Adult Trauma

4224005 Yes-Cardiac Arrest

4224007 Yes-Obstetrics

4224009 Yes-Other

4224011 Yes-Pediatric Trauma

4224013 Yes-STEMI

4224015 Yes-Stroke

4224017 Yes-Trauma (General)

# **Data Element Comment**

# Version 3 Changes Implemented

Added to better document performance measure for acute time dependent illness and injury systems of care.

Rule ID	Level	Message
âl.24_present	Warning	Destination Team Pre-Arrival Alert or Activation should be recorded when Date/Time of Destination Prearrival Alert or Activation is recorded.
âl.25_present	Warning	Date/Time of Destination Prearrival Alert or Activation should be recorded when Destination Team Pre-Arrival Alert or Activation is recorded with a value other than "None".
â¦NvPn_Nil_Nv	r Error	When Destination Team Pre-Arrival Alert or Activation is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Destination Team Pre-Arrival Alert or Activation has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

National

### eDisposition.25 - Date/Time of Destination Prearrival Alert or Activation

### Definition

The Date/Time EMS alerted, notified, or activated the destination healthcare facility prior to EMS arrival. The EMS assessment identified the patient as acutely ill or injured based on exam and possibly specified alert criteria.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element		Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

# Attributes

# **NOT Values (NV)**

7701001 - Not Applicable

7701003 - Not Recorded

### Constraints

Data Type minInclusive maxInclusive

dateTime 1950-01-01T00:00:00-00:00 2050-01-01T00:00:00-00:00

### **Pattern**

 $[0-9]{4}-[0-9]{2}-[0-9]{2}T[0-9]{2}:[0-9]{2}:[0-9]{2}(\cdot d+)?(\cdot +|-)[0-9]{2}:[0-9]{2}$ 

### **Data Element Comment**

DateTime consists of finite-length characters of the form: yyyy '-' mm '-' dd 'T' hh ':' mm ':' ss ('.' s+)? (zzzzzz)

уууу	a four-digit numeral that represents the year
'-'	separators between parts of the date portion
mm	a two-digit numeral that represents the month
dd	a two-digit numeral that represents the day
Т	separator that indicates time-of-day follows
hh	a two-digit numeral that represents the hour
1:1	a separator between parts of the time-of-day portion
mm	a two-digit numeral that represents the minute
SS	a two-integer-digit numeral that represents the whole seconds
'.' s+	(not required) represents the fractional seconds
zzzzz	(required) represents the timezone (as described below)

Timezones, required, are durations with (integer-valued) hour and minute properties in the form: ('+' | '-') hh ':' mm


hh	a two-digit numeral (with leading zeros as required) that represents the hours
mm	a two-digit numeral that represents the minutes
'+'	a nonnegative duration
'-'	a nonpositive duration

### Version 3 Changes Implemented

Added to better document performance measure for acute time dependent illness and injury systems of care.

Rule ID	Level	Message
âl.24_present	Warning	Destination Team Pre-Arrival Alert or Activation should be recorded when Date/Time of Destination Prearrival Alert or Activation is recorded.
âl.25_present	Warning	Date/Time of Destination Prearrival Alert or Activation should be recorded when Destination Team Pre-Arrival Alert or Activation is recorded with a value other than "None".
â¦N∨Pn_Nil_N	v <mark>Error</mark>	When Date/Time of Destination Prearrival Alert or Activation is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	il <mark>Error</mark>	When Date/Time of Destination Prearrival Alert or Activation has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.
â¦r_eTimes.03	Warning	Date/Time of Destination Prearrival Alert or Activation should not be earlier than Unit Notified by Dispatch Date/Time.
âle_eTimes.12	2 Warning	Date/Time of Destination Prearrival Alert or Activation should not be later than Destination Patient Transfer of Care Date/Time.
âle_eTimes.13	3 Warning	Date/Time of Destination Prearrival Alert or Activation should not be later than Unit Back in Service Date/Time.

# **eOutcome**



NEMSIS Version 3.4.0.200910CP2 eOutcome.01

State

National

# eOutcome.01 - Emergency Department Disposition

### Definition

The known disposition of the patient from the Emergency Department (ED).

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E22_01	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### Attributes

### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description
01	Discharged to home or self care (routine discharge)
02	Discharged/transferred to another short term general hospital for inpatient care
03	Discharged/transferred to a skilled nursing facility (SNF)
04	Discharged/transferred to an intermediate care facility (ICF)
05	Discharged/transferred to another type of institution not defined elsewhere in this code list
06	Discharged/transferred to home under care of organized home health service organization in anticipation of
	covered skills care
07	Left against medical advice or discontinued care
09	Admitted as an inpatient to this hospital.
20	Deceased/Expired (or did not recover - Religious Non Medical Health Care Patient)
21	Discharged/transferred to court/law enforcement
30	Still a patient or expected to return for outpatient services.
43	Discharged/transferred to a Federal Health Care Facility (e.g., VA or federal health care facility)
50	Discharged/transferred to Hospice - home.
51	Discharged/transferred to Hospice - medical facility
61	Discharged/transferred within this institution to a hospital based Medicare approved swing bed.
62	Discharged/transferred to a inpatient rehabilitation facility including distinct part units of a hospital.
63	Discharged/transferred to long term care hospitals
64	Discharged/transferred to a nursing facility certified under Medicaid but not certified under Medicare
65	Discharged/transferred to a psychiatric hospital or psychiatric distinct part unit of a hospital.
66	Discharged/transferred to a Critical Access Hospital (CAH).
70	Discharged/transferred to another type of health care institution not defined elsewhere in the code list.

### **Data Element Comment**

The list of values and codes is based on and in compliance with the Medicare Claims Processing Manual Chapter 25 Completing and Processing the Form CMS-1450 Data Set, referencing the Uniform Bill - Form CMS-1450 (UB-04) and the FL 17 - Patient Discharge Status Required. (For all Part A inpatient, SNF, hospice, home health agency (HHA) and outpatient hospital services.) This code indicates the patient's status as of the "Through" date of the billing period (FL 6).

Codes are available from Medicare contractors and the National Uniform Billing company (NUBC <a href="http://www.nubc.org">http://www.nubc.org</a>) via the NUBC's Official UB-04 Data Specifications Manual.

Rule ID	Level	Message
â¦NvPn_Nil_Nv	/ <mark>Error</mark>	When Emergency Department Disposition is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_Ni	l <mark>Error</mark>	When Emergency Department Disposition has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

NEMSIS Version 3.4.0.200910CP2 eOutcome.02

State

National

# eOutcome.02 - Hospital Disposition

### Definition

The known disposition of the patient from the hospital, if admitted.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E22_02	Is Nillable	Yes
Usage	Required	Recurrence	1:1

### Associated Performance Measure Initiatives

Airway Cardiac Arrest Pediatric STEMI Stroke Trauma

### Attributes

### NOT Values (NV)

7701001 - Not Applicable

7701003 - Not Recorded

### Code List

Code	Description
01	Discharged to home or self care (routine discharge)
02	Discharged/transferred to another short term general hospital for inpatient care
03	Discharged/transferred to a skilled nursing facility (SNF)
04	Discharged/transferred to an intermediate care facility (ICF)
05	Discharged/transferred to another type of institution not defined elsewhere in this code list
06	Discharged/transferred to home under care of organized home health service organization in anticipation of covered skills care
07	Left against medical advice or discontinued care
20	Deceased/Expired (or did not recover - Religious Non Medical Health Care Patient)
21	Discharged/transferred to court/law enforcement
30	Still a patient or expected to return for outpatient services.
43	Discharged/transferred to a Federal Health Care Facility (e.g., VA or federal health care facility)
50	Discharged/transferred to Hospice - home.
51	Discharged/transferred to Hospice - medical facility
61	Discharged/transferred within this institution to a hospital based Medicare approved swing bed.
62	Discharged/transferred to a inpatient rehabilitation facility including distinct part units of a hospital.
63	Discharged/transferred to long term care hospitals
64	Discharged/transferred to a nursing facility certified under Medicaid but not certified under Medicare
65	Discharged/transferred to a psychiatric hospital or psychiatric distinct part unit of a hospital.
66	Discharged/transferred to a Critical Access Hospital (CAH).
70	Discharged/transferred to another type of health care institution not defined elsewhere in the code list.


### **Data Element Comment**

The list of values and codes is based on and in compliance with the Medicare Claims Processing Manual Chapter 25 Completing and Processing the Form CMS-1450 Data Set, referencing the Uniform Bill - Form CMS-1450 (UB-04) and the FL 17 - Patient Discharge Status Required. (For all Part A inpatient, SNF, hospice, home health agency (HHA) and outpatient hospital services.) This code indicates the patient's status as of the "Through" date of the billing period (FL 6).

Codes are available from Medicare contractors and the National Uniform Billing company (NUBC <a href="http://www.nubc.org">http://www.nubc.org</a>) via the NUBC's Official UB-04 Data Specifications Manual.

Rule ID	Level	Message
â¦NvPn_Nil_N	Nv <mark>Error</mark>	When Hospital Disposition is empty, it should have a Not Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent Negative (if allowed for the element), or it should be omitted (if the element is optional).
â¦NvPn_Nv_N	Nil <mark>Error</mark>	When Hospital Disposition has a Not Value (Not Applicable, Not Recorded, or Not Reporting), it should be empty.

# **eOther**



NEMSIS Version 3.4.0.200910CP2 eOther.05

State

National

# eOther.05 - Suspected EMS Work Related Exposure, Injury, or Death

### Definition

Indication of an EMS work related exposure, injury, or death associated with this EMS event.

National Element	Yes	Pertinent Negatives (PN)	No
State Element	Yes	NOT Values	Yes
Version 2 Element	E23_05	Is Nillable	Yes
Usage	Required	Recurrence	1:1

# Attributes

**NOT Values (NV)** 

7701001 - Not Applicable 7701003 - Not Recorded

### Code List

Code Description

9923001 No 9923003 Yes

### **Data Element Comment**

Associated with eOther.04 (EMS Professional (Crew Member) ID)

### Associated Validation Rules

Rule ID	Level	Message
---------	-------	---------

ålNvPn\_Nil\_Nv Error When Suspected EMS Work Related Exposure, Injury, or Death is empty, it should have a Not

Value (Not Applicable, Not Recorded, or Not Reporting, if allowed for the element) or a Pertinent

Negative (if allowed for the element), or it should be omitted (if the element is optional).

âlNvPn\_Nv\_Nil Error When Suspected EMS Work Related Exposure, Injury, or Death has a Not Value (Not Applicable,

Not Recorded, or Not Reporting), it should be empty.

# Index

DEMDataSet	1
DEMDataSet Grouping	2
EMSDataSet	3
EMSDataSet Grouping	4
dAgency	5
dAgency Grouping	6
dAgency.01 - EMS Agency Unique State ID	7
dAgency.02 - EMS Agency Number	8
dAgency.04 - EMS Agency State	9
dAgency.05 - EMS Agency Service Area States	10
dAgency.06 - EMS Agency Service Area County(ies)	11
dAgency.07 - EMS Agency Census Tracts	12
dAgency.08 - EMS Agency Service Area ZIP Codes	13
dAgency.09 - Primary Type of Service	14
dAgency.11 - Level of Service	15
dAgency.12 - Organization Status	16
dAgency.13 - Organizational Type	17
dAgency.14 - EMS Agency Organizational Tax Status	18
dAgency.15 - Statistical Calendar Year	19
dAgency.16 - Total Primary Service Area Size	20
dAgency.17 - Total Service Area Population	21
dAgency.18 - 911 EMS Call Center Volume per Year	22
dAgency.19 - EMS Dispatch Volume per Year	23
dAgency.20 - EMS Patient Transport Volume per Year	24
dAgency.21 - EMS Patient Contact Volume per Year	25
dAgency.25 - National Provider Identifier	26
dAgency.26 - Fire Department ID Number	27
dConfiguration	28
dConfiguration Grouping	29
dConfiguration.01 - State Associated with the Certification/Licensure Levels	30
dConfiguration.02 - State Certification/Licensure Levels	31
dConfiguration.03 - Procedures Permitted by the State	32
dConfiguration.04 - Medications Permitted by the State	33
dConfiguration.05 - Protocols Permitted by the State	34
dConfiguration.06 - EMS Certification Levels Permitted to Perform Each Procedure	37
dConfiguration.07 - EMS Agency Procedures	38
dConfiguration.08 - EMS Certification Levels Permitted to Administer Each Medication	39
dConfiguration.09 - EMS Agency Medications	40
dConfiguration.10 - EMS Agency Protocols	41
dConfiguration.11 - EMS Agency Specialty Service Capability	44
dConfiguration.13 - Emergency Medical Dispatch (EMD) Provided to EMS Agency Service Area	45
dConfiguration.15 - Patient Monitoring Capability(ies)	46
dConfiguration.16 - Crew Call Sign	47

eArrest each each each each each each each each	137
eArrest Grouping	138
eArrest.01 - Cardiac Arrest	139
eArrest.02 - Cardiac Arrest Etiology	141
eArrest.03 - Resuscitation Attempted By EMS	142
eArrest.04 - Arrest Witnessed By	144
eArrest.05 - CPR Care Provided Prior to EMS Arrival	145
eArrest.07 - AED Use Prior to EMS Arrival	146
eArrest.09 - Type of CPR Provided	147
eArrest.11 - First Monitored Arrest Rhythm of the Patient	148
eArrest.12 - Any Return of Spontaneous Circulation	149
eArrest.14 - Date/Time of Cardiac Arrest	150
eArrest.16 - Reason CPR/Resuscitation Discontinued	152
eArrest.17 - Cardiac Rhythm on Arrival at Destination	153
eArrest.18 - End of EMS Cardiac Arrest Event	155
eDispatch	72
eDispatch Grouping	73
eDispatch.01 - Complaint Reported by Dispatch	73 74
eDispatch.02 - EMD Performed	74 76
ebispatch.uz - EMD Feriornied	70
eDisposition	215
eDisposition Grouping	216
eDisposition.05 - Destination State	217
eDisposition.06 - Destination County	218
eDisposition.07 - Destination ZIP Code	219
eDisposition.12 - Incident/Patient Disposition	220
eDisposition.16 - EMS Transport Method	223
eDisposition.17 - Transport Mode from Scene	224
eDisposition.18 - Additional Transport Mode Descriptors	225
eDisposition.19 - Final Patient Acuity	226
eDisposition.20 - Reason for Choosing Destination	227
eDisposition.21 - Type of Destination	228
eDisposition.22 - Hospital In-Patient Destination	229
eDisposition.23 - Hospital Capability	231
eDisposition.24 - Destination Team Pre-Arrival Alert or Activation	232
eDisposition.25 - Date/Time of Destination Prearrival Alert or Activation	233
eHistory	156
eHistory Grouping	157
eHistory.01 - Barriers to Patient Care	158
eHistory.17 - Alcohol/Drug Use Indicators	159
elnjury	132
elnjury Grouping	133
elnjury.01 - Cause of Injury	134
elnjury.03 - Trauma Center Criteria	135
elnjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor	136

eMedications	191
eMedications Grouping eMedications.01 - Date/Time Medication Administered eMedications.02 - Medication Administered Prior to this Unit's EMS Care eMedications.03 - Medication Given eMedications.05 - Medication Dosage eMedications.06 - Medication Dosage Units eMedications.07 - Response to Medication eMedications.08 - Medication Complication eMedications.10 - Role/Type of Person Administering Medication	192 193 195 196 197 198 199 200 201
eOther	240
eOther Grouping eOther.05 - Suspected EMS Work Related Exposure, Injury, or Death	241 242
eOutcome	235
eOutcome Grouping eOutcome.01 - Emergency Department Disposition eOutcome.02 - Hospital Disposition	236 237 239
ePatient	97
ePatient Grouping ePatient.07 - Patient's Home County ePatient.08 - Patient's Home State ePatient.09 - Patient's Home ZIP Code ePatient.13 - Gender ePatient.14 - Race ePatient.15 - Age ePatient.16 - Age Units	98 99 100 101 102 103 104 105
ePayment	106
ePayment Grouping ePayment.01 - Primary Method of Payment ePayment.50 - CMS Service Level	107 108 109
eProcedures	202
eProcedures Grouping eProcedures.01 - Date/Time Procedure Performed eProcedures.02 - Procedure Performed Prior to this Unit's EMS Care eProcedures.03 - Procedure eProcedures.05 - Number of Procedure Attempts eProcedures.06 - Procedure Successful eProcedures.07 - Procedure Complication eProcedures.08 - Response to Procedure eProcedures.10 - Role/Type of Person Performing the Procedure	203 204 206 207 208 209 210 212 213
eProtocols	185
eProtocols Grouping eProtocols.01 - Protocols Used	186 187

eProtocols.02 - Protocol Age Category	190
eRecord	48
eRecord Grouping	49
eRecord.01 - Patient Care Report Number	50
eRecord.02 - Software Creator	51
eRecord.03 - Software Name	52
eRecord.04 - Software Version	53
eResponse	54
eResponse Grouping	55
eResponse.01 - EMS Agency Number	56
eResponse.03 - Incident Number	57
eResponse.04 - EMS Response Number	58
eResponse.05 - Type of Service Requested	59
eResponse.07 - Primary Role of the Unit	60
eResponse.08 - Type of Dispatch Delay	61
eResponse.09 - Type of Response Delay	62
eResponse.10 - Type of Scene Delay	63
eResponse.11 - Type of Transport Delay	64
eResponse.12 - Type of Turn-Around Delay	65
eResponse.13 - EMS Vehicle (Unit) Number	67
eResponse.14 - EMS Unit Call Sign	68
eResponse.15 - Level of Care of This Unit	69
eResponse.23 - Response Mode to Scene	70
eResponse.24 - Additional Response Mode Descriptors	71
aCoome.	440
eScene	110
eScene Grouping	111
eScene.01 - First EMS Unit on Scene	112
eScene.06 - Number of Patients at Scene	113
eScene.07 - Mass Casualty Incident	114
eScene.08 - Triage Classification for MCI Patient	115
eScene.09 - Incident Location Type	116
eScene.18 - Incident State	117
eScene.19 - Incident ZIP Code	118
eScene.21 - Incident County	119
eSituation	120
eSituation Grouping	121
eSituation.01 - Date/Time of Symptom Onset	122
eSituation.02 - Possible Injury	124
eSituation.07 - Chief Complaint Anatomic Location	125
eSituation.08 - Chief Complaint Organ System	126
eSituation.09 - Primary Symptom	
eSituation.10 - Other Associated Symptoms	127 128

130

131

eSituation.12 - Provider's Secondary Impressions

eSituation.13 - Initial Patient Acuity

eTimes	77
eTimes Grouping	78
eTimes.01 - PSAP Call Date/Time	79
eTimes.03 - Unit Notified by Dispatch Date/Time	81
eTimes.05 - Unit En Route Date/Time	83
eTimes.06 - Unit Arrived on Scene Date/Time	85
eTimes.07 - Arrived at Patient Date/Time	87
eTimes.09 - Unit Left Scene Date/Time	89
eTimes.11 - Patient Arrived at Destination Date/Time	91
eTimes.12 - Destination Patient Transfer of Care Date/Time	93
eTimes.13 - Unit Back in Service Date/Time	95
eVitals	160
eVitals Grouping	161
eVitals.01 - Date/Time Vital Signs Taken	162
eVitals.02 - Obtained Prior to this Unit's EMS Care	164
eVitals.03 - Cardiac Rhythm / Electrocardiography (ECG)	165
eVitals.04 - ECG Type	167
eVitals.05 - Method of ECG Interpretation	168
eVitals.06 - SBP (Systolic Blood Pressure)	169
eVitals.08 - Method of Blood Pressure Measurement	170
eVitals.10 - Heart Rate	171
eVitals.12 - Pulse Oximetry	172
eVitals.14 - Respiratory Rate	173
eVitals.16 - End Tidal Carbon Dioxide (ETCO2)	174
eVitals.18 - Blood Glucose Level	175
eVitals.19 - Glasgow Coma Score-Eye	176
eVitals.20 - Glasgow Coma Score-Verbal	177
eVitals.21 - Glasgow Coma Score-Motor	178
eVitals.22 - Glasgow Coma Score-Qualifier	179
eVitals.26 - Level of Responsiveness (AVPU)	180
eVitals.27 - Pain Scale Score	181
eVitals.29 - Stroke Scale Score	182
eVitals.30 - Stroke Scale Type	183
eVitals.31 - Reperfusion Checklist	184