

# NEMSIS V3 Suggested List – eSituation.12 – Provider’s Secondary Impressions

---

## Date

January 19, 2012 (FINAL)

April 17, 2013 ([Updated list and ICD-10-CM Range](#))

May 17, 2013 ([Updated list and ICD-10-CM Range to include R Codes](#))

June 5, 2013 ([Updated table with explanation](#))

March 5, 2014 ([Four New values added](#): two R codes and two Z codes)

## Authors

Karen E. Jacobson – NEMSIS Director

NASEMSO Data Managers Council

Keith R. Davis – NEMSIS Data Architect

N. Clay Mann – NEMSIS P.I.

## eSituation.12 - Provider's Secondary Impressions

The code list associated with eSituation.12 (Provider's Secondary Impressions) represents a range of values found in the 10<sup>th</sup> revision of the International Classification of Diseases – Clinical Modification (CD-10-CM). The process for gaining access to the ICD-10 CM code values is provided below.

## Suggested List

The suggested code list for eSituation.12 (Provider's Secondary Impressions)) is represented in the ICD-10-CM ranges listed in the table below. The specific [167](#) suggested ICD-10-CM codes are listed at the end of this document, beginning on page four.

In order to capture the majority of the ICD-10-CM Codes within the NEMSIS Version 3 dataset, the range of codes (and corresponding XSD patterns) have been extended for the Impression elements (eSituation.11 - Provider's Primary Impression & eSituation.12 - Provider's Secondary Impressions). [The range now includes the R Signs and Symptoms codes to meet the needs of EMS in the pre-hospital setting. The NEMSIS TAC recommends a limited use of R codes where possible. A total of 13 R Codes have been added to the provider impression suggested list.](#)

[Based on the NEMSIS Version 3.3.1 dataset the ICD-10-CM codes used to document the EMS professional’s provider impression may allow the general section code. No longer is it a requirement for the codes to incorporate at minimum one \(1\) decimal point. In order to allow for specificity of the impression description the EMS professional may document out to four characters following the decimal. For example, D49 Neoplasms of unspecified behavior \[EMS Use: Cancer, unspecified\], is now allowed.](#)

In the case of an injury to a lower leg the EMS professional may be more specific and document S89.91XA (Unspecified injury of right lower leg, initial encounter) to provide further level of detail.

**The ICD-10-CM Range for inclusion in the NEMSIS Version 3 Provider Impression codes:**

ICD-10-CM Range	ICD-10-CM Chapter & Description
<a href="#">A00-Q99.9</a>	<u>Chapters I through XVII:</u> Ch I. Certain infectious and parasitic diseases; Ch II. Neoplasms; Ch III. Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism; Ch IV. Endocrine, nutritional and metabolic diseases; Ch V. Mental and behavioral disorders; Ch VI. Diseases of the nervous system; Ch VII. Diseases of the eye and adnexa; Ch VIII. Diseases of the ear and mastoid process; Ch IX. Diseases of the circulatory system; Ch X. Diseases of the respiratory system; Ch XI. Diseases of the digestive system; Ch XII. Diseases of the skin and subcutaneous tissue; Ch XIII. Diseases of the musculoskeletal system and connective tissue; Ch XIV. Diseases of the genitourinary system; Ch XV. Pregnancy, childbirth and the puerperium; Ch XVI. Certain conditions originating in the perinatal period; Ch XVII. Congenital malformations, deformations and chromosomal abnormalities
<a href="#">R00-R69 and R99</a>	<u>Sections of Chapter XVIII: Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</u>
<a href="#">S00-T88.9XXS</a>	<u>Sections of Chapter XIX: Injury, poisoning and certain other consequences of external causes</u>
<a href="#">Z00-55-Z99.89</a>	<u>Sections of Chapter XXI: Factors influencing health status and contact with health services</u>

## Licensed “Suggested Lists”

The U.S. National Library of Medicine provides access to the ICD-10-CM code values through the Unified Medical Language System (UMLS). An applicant must accept the terms of the UMLS Metathesaurus License and create a UMLS Terminology Services (UTS) account for access to UMLS datasets and terminology browsers.

More information can be found at: <http://www.nlm.nih.gov/databases/umls.html>.

The NEMSIS TAC may only distribute suggested lists with specific value codes from the UMLS system to entities licensed through the UMLS system. Thus, each software developer must seek licensing and provide proof of licensing before gaining access to all of the pre-defined suggested lists available through the NEMSIS TAC.

## Access to “Suggested List” Archive Files

Access to suggested code lists will be provided on a special section of the NEMESIS TAC’s download site. A licensed user will be able to login to the site and download the appropriate archive file (RxNorm, ICD-10, etc).

The UMLS license verification service helps determine if the remote user has a license to use and/or distribute certain code sets. If the user does not have a current license, access to the “suggested lists” archive will be denied.

The “suggested list” files will be zipped archives that are automatically created each time one of the licensed code databases is updated in the NEMESIS master data repository.

## Viewing and Using the “Suggested List” Archive Files

The downloaded suggested list appears in a pipe-delimited text format. The proper code to utilize is the code with the name of the element and closest to the value description. Please note that the CUI, AUI, and TTY fields are included for reference purposes. These codes allow one to locate the exact code and description in the UMLS Metathesaurus that was selected for inclusion in the suggested list.

The list provides additional fields indicating when a record became active in the NEMESIS TAC’s master data repository as well as the version of the source used for a particular code and description in the suggested list.

## Conclusions

By maintaining a single source of these data and making it available internally as well as to our customers, we improve our data quality and consistency. This will reduce reporting errors in data submissions provided it is used as part of our own and our customer’s data management best practices.

## Unified Medical language System (UMLS) Term Types (TTY)

This is a partial list of Term Types in Source (TTY) from the National Library of Medicine website. The NEMESIS TAC recommends, and will be using primarily the designated preferred name (PT) and occasionally the hierarchical term (HT) Term Types in its suggested lists. To view the full list of UMLS abbreviations used in data element please visit the National Library of Medicine website:

[http://www.nlm.nih.gov/research/umls/knowledge\\_sources/metathesaurus/release/abbreviations.html](http://www.nlm.nih.gov/research/umls/knowledge_sources/metathesaurus/release/abbreviations.html) .

TTY (Term Type in Source)		TTY (Term Type in Source)	
DN	Display Name	HT	Hierarchical term
DO	Domain	LT	Lower Level Term
ET	Entry term	PT	Designated preferred name
HC	Hierarchical class	RT	Designated related term
HD	Hierarchical descriptor		

## ICD-10 CM Suggested List for eSituation. 12 Provider's Secondary Impressions

The suggested ICD-10-CM Impression descriptions listed below are ordered based on the ICD-10-CM code. Please note the associated Impression Category in the [last](#) column. The appropriate term type (TTY) code is identified for each description. [The Provider Impression excel spreadsheet is separated into three worksheets where the suggested list is ordered by 1\) ICD-10-CM Code; 2\) Impressions Category or Intent; and 3\) EMS Descriptor to Use.](#)

The June 5 2013 update provides the columns to the right in a light red background to identify examples EMS friendly vocabulary and options for training purposes. The “Example EMS Descriptor” column includes terminology that may be used by the EMS community in place of the official health care data standard description. Please note neither the official code nor description has been changed. The backend code and description remain that of the health care data standard for the element. This is true at the NEMSIS TAC and for EMS software development companies and their products. The EMS terminology is derived from the health care data standard and has not changed the meaning of the description. Where possible a data standard synonym is used. This information may be used for EMS training purposes or implemented in the EMS software used by EMS.

	TTY Code	ICD-10- CM Code	ICD-10-CM Description	NEMSIS Version 3 - Impressions Explanation of Inclusion or Clarification SYN: The ICD-10-CM synonym for the description. Clar: A clarification for code inclusion and/or intended use.	NEMSIS Version 3 - Impressions Example EMS Descriptor	Impression Category
1	PT	A41.9	Sepsis, unspecified organism	SYN: Septicemia <b>NOS; Sepsis, unspecified.</b>	Septicemia (1); or Sepsis (2)	Infection
2	PT	B97.21	SARS-associated coronavirus as the cause of diseases classified elsewhere		SARS	Infection
3	PT	B97.4	Respiratory syncytial virus as the cause of diseases classified elsewhere		RSV	Infection
4	PT	B99.9	Unspecified infectious disease		<i>Unspecified infectious disease</i>	Infection
5	HT	D49	Neoplasms of unspecified behavior		Cancer, unspecified	Cancer
6	HT	D57.0	Hb-SS disease with crisis	<b>SYN: Sickle-cell disease NOS with crisis.</b>	Sickle Cell Crisis	Blood Disorder
7	PT	D64.9	Anemia, unspecified		<i>Anemia, unspecified</i>	Blood Disorder
8	HT	E13.64	Other specified diabetes mellitus with hypoglycemia		Diabetes with hypoglycemia (1); or Hypoglycemia-Diabetes (2)	Diabetic, Endocrine, or Metabolic Disease
9	PT	E13.65	Other specified diabetes mellitus with hyperglycemia		Diabetes with hyperglycemia (1); or Hyperglycemia-Diabetes (2)	Diabetic, Endocrine, or Metabolic Disease

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS Version 3 - Impressions Explanation of Inclusion or Clarification	NEMSIS Version 3 - Impressions <b>Example EMS Descriptor</b>	Impression Category
10	PT	E16.2	Hypoglycemia, unspecified		<i>Hypoglycemia, unspecified</i>	Diabetic, Endocrine, or Metabolic Disease
11	PT	E27.40	Unspecified adrenocortical insufficiency	SYN: Adrenocortical insufficiency NOS.	Adrenocortical insufficiency	Diabetic, Endocrine, or Metabolic Disease
12	PT	E66.9	Obesity, unspecified		<i>Obesity, unspecified</i>	Diabetic, Endocrine, or Metabolic Disease
13	PT	E86.0	Dehydration		<i>Dehydration</i>	Diabetic, Endocrine, or Metabolic Disease
14	PT	E86.1	Hypovolemia		<i>Hypovolemia</i>	Diabetic, Endocrine, or Metabolic Disease
15	PT	E87.5	Hyperkalemia		<i>Hyperkalemia</i>	Diabetic, Endocrine, or Metabolic Disease
16	PT	E88.9	Metabolic disorder, unspecified		<i>Metabolic disorder, unspecified</i>	Diabetic, Endocrine, or Metabolic Disease
17	PT	F10.239	Alcohol dependence with withdrawal, unspecified		<i>Alcohol dependence with withdrawal, unspecified</i>	Behavioral Disorders related to Substance Use
18	HT	F10.9	Alcohol use, unspecified		<i>Alcohol use, unspecified</i>	Behavioral Disorders related to Substance Use
19	HT	F10.92	Alcohol use, unspecified with intoxication		<i>Alcohol use, unspecified with intoxication</i>	Behavioral Disorders related to Substance Use
20	HT	F11	Opioid related disorders		<i>Opioid related disorders</i>	Behavioral Disorders related to Substance Use
21	HT	F13	Sedative, hypnotic, or anxiolytic related disorders		Non-specified Sedative, hypnotic or anxiolytic related disorders	Behavioral Disorders related to Substance Use
22	HT	F14	Cocaine related disorders		<i>Cocaine related disorders</i>	Behavioral Disorders related to Substance Use

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS Version 3 - Impressions Explanation of Inclusion or Clarification	NEMSIS Version 3 - Impressions <b>Example EMS Descriptor</b>	Impression Category
23	HT	F15	Other stimulant related disorders		Nonspecific Inhalant disorders	Behavioral Disorders related to Substance Use
24	HT	F16	Hallucinogen related disorders		<i>Hallucinogen related disorders</i>	Behavioral Disorders related to Substance Use
25	HT	F18	Inhalant related disorders	Clar: Use to document propellant, gas.	<i>Inhalant related disorders</i>	Behavioral Disorders related to Substance Use
26	HT	F19	Other psychoactive substance related disorders	SYN: Polysubstance drug use (indiscriminate drug use).	Psychoactive substance related disorders, other	Behavioral Disorders related to Substance Use
27	PT	F99	Mental disorder, not otherwise specified	SYN: Mental illness NOS.	Behavioral / psychiatric disorder	Behavioral Disorders
28	PT	G03.9	Meningitis, unspecified		Meningitis	CNS/Nervous System
29	PT	G04.90	Encephalitis and encephalomyelitis, unspecified		<i>Encephalitis and encephalomyelitis, unspecified</i>	CNS/Nervous System
30	PT	G40.901	Epilepsy, unspecified, not intractable, with status epilepticus		Seizures with status epilepticus	CNS/Nervous System
31	PT	G40.909	Epilepsy, unspecified, not intractable, without status epilepticus	SYN: Seizure Disorder NOS; Epileptic seizures NOS; Recurrent seizures NOS.	Seizures without status epilepticus	CNS/Nervous System
32	HT	G43.9	Migraine, unspecified		Migraine	CNS/Nervous System
33	PT	G45.9	Transient cerebral ischemic attack, unspecified	SYN: TIA.	TIA	CNS/Nervous System
34	PT	G81.90	Hemiplegia, unspecified affecting unspecified side		Hemiplegia	CNS/Nervous System
35	PT	G82.20	Paraplegia, unspecified		Paraplegia	CNS/Nervous System
36	PT	G82.50	Quadriplegia, unspecified		Quadriplegia	CNS/Nervous System
37	HT	G89.1	Acute pain, not elsewhere classified	Clar: EMS should not use acute pain as a primary impression. Document this as a secondary impression.	<i>Acute pain, not elsewhere classified</i>	CNS/Nervous System

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMESIS Version 3 - Impressions Explanation of Inclusion or Clarification	NEMESIS Version 3 - Impressions Example EMS Descriptor	Impression Category
38	HT	G89.2	Chronic pain, not elsewhere classified	Clar: EMS should not use chronic pain as a primary impression. Document this as a secondary impression.	<i>Chronic pain, not elsewhere classified</i>	CNS/Nervous System
39	PT	H53.9	Unspecified visual disturbance		<i>Unspecified visual disturbance</i>	Eye
40	PT	H57.10	Ocular pain, unspecified eye		<i>Ocular pain, unspecified eye</i>	Eye
41	PT	I10	Essential (primary) hypertension	SYN: High blood pressure.	Hypertension	Circulatory System
42	PT	I20.0	Unstable angina	Clar: New onset or >20 minutes.	Angina, unstable	Circulatory System
43	PT	I20.9	Angina pectoris, unspecified	Clar: < 20 minutes. SYN: Angina NOS; Ischemic chest pain.	Angina (1); or Ischemic chest pain (2)	Circulatory System
44	HT	I21.0	ST elevation (STEMI) myocardial infarction of anterior wall		<i>ST elevation (STEMI) myocardial infarction of anterior wall</i>	Circulatory System
45	HT	I21.1	ST elevation (STEMI) myocardial infarction of inferior wall		<i>ST elevation (STEMI) myocardial infarction of inferior wall</i>	Circulatory System
46	HT	I21.2	ST elevation (STEMI) myocardial infarction of other sites	Clar: Includes Lateral and Posterior.	<i>ST elevation (STEMI) myocardial infarction of other sites</i>	Circulatory System
47	PT	I21.4	Non-ST elevation (NSTEMI) myocardial infarction		<i>Non-ST elevation (NSTEMI) myocardial infarction</i>	Circulatory System
48	HT	I26	Pulmonary embolism		<i>Pulmonary embolism</i>	Circulatory System
49	PT	I31.4	Cardiac tamponade		<i>Cardiac tamponade</i>	Circulatory System
50	PT	I46.9	Cardiac arrest, cause unspecified		Cardiac Arrest	Circulatory System
51	PT	I49.9	Cardiac arrhythmia, unspecified		Cardiac arrhythmia/dysrhythmia	Circulatory System
52	PT	I50.9	Heart failure, unspecified	SYN: Congestive heart failure NOS; Congestive heart disease.	CHF	Circulatory System
53	PT	I62.9	Nontraumatic intracranial hemorrhage, unspecified		Head bleed	Circulatory System
54	PT	I63.9	Cerebral infarction, unspecified	Clar: all strokes. SYN: Stroke NOS.	Stroke	Circulatory System
55	PT	I95.9	Hypotension, unspecified		Hypotension	Circulatory System
56	PT	J00	Acute nasopharyngitis [common cold]		Common cold	Respiratory System



	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMIS Version 3 - Impressions Explanation of Inclusion or Clarification	NEMIS Version 3 - Impressions Example EMS Descriptor	Impression Category
57	PT	J05.0	Acute obstructive laryngitis [croup]		Croup	Respiratory System
58	HT	J05.1	Acute epiglottitis		<i>Acute epiglottitis</i>	Respiratory System
59	HT	J11	Influenza due to unidentified influenza virus		Influenza, unspecified	Respiratory System
60	PT	J18.9	Pneumonia, unspecified organism		Pneumonia, unspecified	Respiratory System
61	PT	J20.9	Acute bronchitis, unspecified		<i>Acute bronchitis, unspecified</i>	Respiratory System
62	PT	J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation	SYN: Decompensated COPD.	COPD with exacerbation	Respiratory System
63	PT	J45.901	Unspecified asthma with (acute) exacerbation		Asthma with exacerbation	Respiratory System
64	PT	J68.9	Unspecified respiratory condition due to chemicals, gases, fumes and vapors		Respiratory condition due to chemicals, gases, fumes, and vapors	Respiratory System
65	PT	J80	Acute respiratory distress syndrome		Respiratory distress, acute	Respiratory System
66	PT	J81.0	Acute pulmonary edema		Pulmonary edema, acute	Respiratory System
67	PT	J93.9	Pneumothorax, unspecified		Pneumothorax	Respiratory System
68	HT	J96.9	Respiratory failure, unspecified		<i>Respiratory failure, unspecified</i>	Respiratory System
69	PT	J98.01	Acute bronchospasm		<i>Acute bronchospasm</i>	Respiratory System
70	PT	J98.9	Respiratory disorder, unspecified	SYN: Respiratory disease (chronic) NOS.	<i>Respiratory disorder, unspecified</i>	Respiratory System
71	PT	K08.8	Other specified disorders of teeth and supporting structures	SYN: Toothache NOS.	Tooth pain	Digestive System
72	HT	K21	Gastro-esophageal reflux disease		GERD	Digestive System
73	PT	K22.2	Esophageal obstruction		<i>Esophageal obstruction</i>	Digestive System
74	PT	K35.80	Unspecified acute appendicitis	SYN: Acute appendicitis NOS.	Appendicitis, acute	Digestive System
75	PT	K59.00	Constipation, unspecified		Constipation	Digestive System
76	PT	K59.1	Functional diarrhea		Diarrhea	Digestive System
77	PT	K92.0	Hematemesis		<i>Hematemesis</i>	Digestive System
78	PT	K92.1	Melena	Clar: Blood in the stool is an indicator of Lower GI Bleed.	<i>Melena</i>	Digestive System
79	PT	L55.0	Sunburn of first degree		<i>Sunburn of first degree</i>	Skin



	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMIS Version 3 - Impressions Explanation of Inclusion or Clarification	NEMIS Version 3 - Impressions Example EMS Descriptor	Impression Category
80	PT	L55.1	Sunburn of second degree		<i>Sunburn of second degree</i>	Skin
81	PT	L55.2	Sunburn of third degree		<i>Sunburn of third degree</i>	Skin
82	PT	M54.9	Dorsalgia, unspecified	SYN: Back pain, NOS; Backache NOS.	Back Pain	Musculoskeletal
83	PT	N93.9	Abnormal uterine and vaginal bleeding, unspecified		Uterine or vaginal bleeding, abnormal	Genitourinary
84	HT	O03	Spontaneous abortion	SYN: Miscarriage	<i>Spontaneous abortion</i>	Pregnancy or Childbirth - Maternal
85	HT	O14.9	Unspecified pre-eclampsia		Pre-eclampsia	Pregnancy or Childbirth - Maternal
86	PT	O21.9	Vomiting of pregnancy, unspecified		Vomiting due to pregnancy	Pregnancy or Childbirth - Maternal
87	HT	O60.0	Preterm labor without delivery		<i>Preterm labor without delivery</i>	Pregnancy or Childbirth - Maternal
88	HT	O60.1	Preterm labor with preterm delivery		<i>Preterm labor with preterm delivery</i>	Pregnancy or Childbirth - Maternal
89	PT	O62.0	Primary inadequate contractions		Pregnancy with contractions	Pregnancy or Childbirth - Maternal
90	PT	O71.9	Obstetric trauma, unspecified	Clar: This is trauma during delivery - to the mom (e.g. perineal tear, etc.).	<i>Obstetric trauma, unspecified</i>	Pregnancy or Childbirth - Maternal
91	HT	O72	Postpartum hemorrhage	SYN/Clar: Hemorrhage after delivery of fetus or infant.	<i>Postpartum hemorrhage</i>	Pregnancy or Childbirth - Maternal
92	PT	O72.1	Other immediate postpartum hemorrhage		<i>Other immediate postpartum hemorrhage</i>	Pregnancy or Childbirth - Maternal
93	PT	O73.0	Retained placenta without hemorrhage		<i>Retained placenta without hemorrhage</i>	Pregnancy or Childbirth - Maternal
94	HT	O75	Other complications of labor and delivery, not elsewhere classified		<i>Other complications of labor and delivery, not elsewhere classified</i>	Pregnancy or Childbirth - Maternal
95	PT	O80	Encounter for full-term uncomplicated delivery		Labor and Delivery, uncomplicated delivery	Pregnancy or Childbirth - Maternal
96	HT	P07.3	Preterm [premature] newborn [other]		Preterm newborn	Childbirth - Infant

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS Version 3 - Impressions Explanation of Inclusion or Clarification	NEMSIS Version 3 - Impressions Example EMS Descriptor	Impression Category
97	PT	P08.21	Post-term newborn		<i>Post-term newborn</i>	Childbirth - Infant
98	HT	P15	Other birth injuries		Other birth injuries to the newborn	Childbirth - Infant
99	HT	P22	Respiratory distress of newborn		<i>Respiratory distress of newborn</i>	Childbirth - Infant
100	HT	P24.0	Meconium aspiration		<i>Meconium aspiration</i>	Childbirth - Infant
101	PT	Q89.9	Congenital malformation, unspecified	SYN: Congenital deformity NOS.	Congenital deformity	Congenital Abnormality
102	PT	R04.0	Epistaxis	SYN: Nosebleed	Epistaxis	Respiratory System
103	PT	R07.89	Other chest pain	SYN: Anterior chest-wall pain	Chest Pain, Other [non-cardiac]	Circulatory System
104	PT	R10.0	Acute abdomen		Acute abdomen	Digestive System, Abdomen
105	PT	R10.2	Pelvic and perineal pain		Pelvic and perineal pain	Digestive System, Pelvic
106	PT	R10.84	Generalized abdominal pain		Generalized abdominal pain	Digestive System, Abdomen
107	ET	R41.0	Delirium NOS	SYN: Confusion NOS; Disorientation, unspecified	Excited (Agitated) Delirium	Behavioral Disorders
108	PT	R41.82	Altered mental status, unspecified		Altered mental status	CNS/Nervous System
109	PT	R50.9	Fever, unspecified	SYN: Fever with chills; Fever with rigors; Persistent Fever	Fever	Fever
110	PT	R51	Headache		Headache	Headache
111	PT	R53.1	Weakness		Weakness	Weakness
112	PT	R53.81	Other malaise	SYN: Chronic debility; General physical deterioration	Malaise	Malaise
113	PT	R55	Syncope and collapse	SYN: Fainting; Vasovagal attack	Syncope and collapse	Syncope
114		R99	Ill-defined and unknown cause of mortality	SYN: Death (unexplained) NOS	Obvious Death	Death
115	HT	S05	Injury of eye and orbit		<i>Injury of eye and orbit</i>	Injury
116	HT	S06.0X0	Concussion without loss of consciousness		<i>Concussion without loss of consciousness</i>	Injury
117	HT	S06.0X9	Concussion with loss of consciousness of unspecified duration		Concussion with loss of consciousness	Injury
118	HT	S06.4	Epidural hemorrhage		<i>Epidural hemorrhage</i>	Injury

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS Version 3 - Impressions Explanation of Inclusion or Clarification	NEMSIS Version 3 - Impressions Example EMS Descriptor	Impression Category
119	HT	S06.5	Traumatic subdural hemorrhage		Subdural hemorrhage, traumatic	Injury
120	HT	S06.6	Traumatic subarachnoid hemorrhage		Subarachnoid hemorrhage, traumatic	Injury
121	HT	S06.9	Unspecified intracranial injury	SYN: Brain injury NOS.	Intracranial injury, unspecified	Injury
122	HT	S09.90	Unspecified injury of head	SYN: Head injury, NOS.	Injury of head	Injury
123	HT	S09.91	Unspecified injury of ear		Injury of ear	Injury
124	HT	S09.92	Unspecified injury of nose		Injury of nose	Injury
125	HT	S09.93	Unspecified injury of face		Injury of face	Injury
126	HT	S19.9	Unspecified injury of neck		Injury of neck	Injury
127	HT	S27.0	Traumatic pneumothorax		Pneumothorax, traumatic	Injury
128	HT	S27.1	Traumatic hemothorax		Hemothorax, traumatic	Injury
129	HT	S29.9	Unspecified injury of thorax		Injury of thorax (upper chest)	Injury
130	HT	S39.91	Unspecified injury of abdomen		Injury of abdomen	Injury
131	HT	S39.92	Unspecified injury of lower back		Injury of lower back	Injury
132	HT	S39.93	Unspecified injury of pelvis		Injury of pelvis	Injury
133	HT	S39.94	Unspecified injury of external genitals		Injury of external genitals	Injury
134	HT	S49.9	Unspecified injury of shoulder and upper arm		Injury of shoulder or upper arm	Injury
135	HT	S59.90	Unspecified injury of elbow		Injury of elbow	Injury
136	HT	S59.91	Unspecified injury of forearm		Injury of forearm	Injury
137	HT	S69.9	Unspecified injury of wrist, hand and finger(s)		Injury of wrist, hand, or fingers	Injury
138	HT	S79.91	Unspecified injury of hip		Injury of hip	Injury
139	HT	S79.92	Unspecified injury of thigh		Injury of thigh (upper leg)	Injury
140	HT	S89.9	Unspecified injury of lower leg		Injury of lower leg	Injury
141	HT	S99.91	Unspecified injury of ankle		Injury of ankle	Injury
142	HT	S99.92	Unspecified injury of foot		Injury of foot	Injury
143	PT	T14.90	Injury, unspecified		<i>Injury, unspecified</i>	Injury
144	PT	T14.91	Suicide attempt		<i>Suicide attempt</i>	Intent
145	HT	T15	Foreign body on external eye		<i>Foreign body on external eye</i>	Foreign Object in Body
146	HT	T16	Foreign body in ear		<i>Foreign body in ear</i>	Foreign Object in Body

	TTY Code	ICD-10-CM Code	ICD-10-CM Description	NEMSIS Version 3 - Impressions Explanation of Inclusion or Clarification	NEMSIS Version 3 - Impressions Example EMS Descriptor	Impression Category
147	HT	T17.9	Foreign body in respiratory tract, part unspecified		<i>Foreign body in respiratory tract, part unspecified</i>	Foreign Object in Body
148	HT	T18.9	Foreign body of alimentary tract, part unspecified		Foreign body in digestive system, part unspecified	Foreign Object in Body
149	HT	T19.9	Foreign body in genitourinary tract, part unspecified		<i>Foreign body in genitourinary tract, part unspecified</i>	Foreign Object in Body
150	PT	T30.0	Burn of unspecified body region, unspecified degree		Burn, unspecified location and degree	Injury, heat or cold
151	HT	T33.90	Superficial frostbite of unspecified sites		Frostbite, superficial of unspecified location	Injury, heat or cold
152	HT	T34.90	Frostbite with tissue necrosis of unspecified sites		Frostbite, with tissue necrosis of unspecified location	Injury, heat or cold
153	HT	T67.0	Heatstroke and sunstroke		<i>Heatstroke and sunstroke</i>	Injury, heat or cold
154	HT	T67.5	Heat exhaustion, unspecified		<i>Heat exhaustion, unspecified</i>	Injury, heat or cold
155	HT	T68	Hypothermia		<i>Hypothermia</i>	Injury, heat or cold
156	HT	T70	Effects of air pressure and water pressure		<i>Effects of air pressure and water pressure</i>	Air or Water Pressure Effects
157	HT	T70.29	Other effects of high altitude	SYN: Mountain sickness; Hypobaropathy	Altitude Sickness	Air or Water Pressure Effects
158	HT	T70.3	Caisson disease [decompression sickness]		Decompression sickness (e.g. scuba diving or hyperbaric chamber related conditions)	Air or Water Pressure Effects
159	HT	T71.9	Asphyxiation due to unspecified cause	SYN: Suffocation NOS; Traumatic asphyxia NOS.	Suffocation (1); or Asphyxia (2)	Asphyxiation
160	HT	T78.2	Anaphylactic shock, unspecified	SYN: Anaphylaxis; Allergic shock; Anaphylactic reaction.	Anaphylactic shock	Allergy/Anaphylaxis
161	HT	T78.40	Allergy, unspecified		Allergic Reaction	Allergy/Anaphylaxis
162	HT	T79.4	Traumatic shock		<i>Traumatic shock</i>	Traumatic Shock
163	PT	Z00.00	Encounter for general adult medical examination without abnormal findings	SYN: Encounter for adult health check-up NOS	Encounter, adult, no findings or complaints	No Patient Complaint

	TTY Code	ICD-10- CM Code	ICD-10-CM Description	NEMSIS Version 3 - Impressions Explanation of Inclusion or Clarification	NEMSIS Version 3 - Impressions <b>Example EMS Descriptor</b>	Impression Category
164	PT	Z00.129	Encounter for routine child health examination without abnormal findings	SYN: Encounter for routine child health examination NOS	Encounter, child, no findings or complaints	No Patient Complaint
165	PT	Z74.01	Bed confinement status	SYN: Bedridden.	Bedridden	Decreased Mobility
166	PT	Z74.09	Other reduced mobility		<i>Other reduced mobility</i>	Decreased Mobility
167	PT	Z77.9	Other contact with and (suspected) exposures hazardous to health	Clar: This includes exposures to arsenic, metals, asbestos, pollution, molds, radon, chemicals, etc.	Health hazard contact (1); or Suspected exposure (2)	Exposure to hazardous material