

Legend

Dataset Level: **N** National **S** State **D** Deprecated

Usage:  M = Mandatory , R = Required , E = Recommended, or O = Optional

Attributes: N = Not Values, P = Pertinent Negatives, L = Nillable, C = Correlation ID, and/or U = UUID
I = Custom Element ID, T = Time Stamp, G = Procedure Group Correlation ID

eAirway

0 : 1	eAirway.AirwayGroup			
0 : M	eAirway.01 - Indications for Invasive Airway	S	E	N, L, C
0 : M	eAirway.ConfirmationGroup			C, G
0 : 1	eAirway.02 - Date/Time Airway Device Placement Confirmation	S	E	N, L
0 : 1	eAirway.03 - Airway Device Being Confirmed	S	E	N, L
0 : M	eAirway.04 - Airway Device Placement Confirmed Method	S	E	N, L, C
0 : 1	eAirway.05 - Tube Depth	O		
0 : 1	eAirway.06 - Type of Individual Confirming Airway Device Placement	S	E	N, L
0 : 1	eAirway.07 - Crew Member ID	S	E	N, L
0 : M	eAirway.08 - Airway Complications Encountered	S	E	N, L, C
0 : M	eAirway.09 - Suspected Reasons for Failed Airway Management	S	O	C
0 : 1	eAirway.10 - Date/Time Decision to Manage the Patient with an Invasive Airway	O		
0 : 1	eAirway.11 - Date/Time Invasive Airway Placement Attempts Abandoned	O		

eAirway