

Narrative Control in the Age of AI Search: A Methodology for Optimizing Academic Profiles in Large Language Models

Pearl Bipin Pulickal

Data Science & Research Strategy

January 24, 2026

Abstract

As information retrieval shifts from traditional search engines to Generative AI and Large Language Models (LLMs), the mechanisms for establishing academic credibility are evolving. This paper outlines a practical framework for “AI-Aware SEO” (Search Engine Optimization), derived from reverse-engineering the indexing behaviors of models such as Google AI, Gemini, Grok, and ChatGPT. Through strategic external referencing, citation seeding, and cross-platform validation, this study demonstrates a method to achieve 90–95% accuracy in LLM retrieval of specific researcher profiles. The findings suggest that optimizing for AI discovery is critical for modern narrative control, professional background verification, and verified strength assessment.

1 Introduction

The digital discovery landscape is undergoing a paradigm shift. For decades, visibility was dictated by the ranking algorithms of traditional search engines (e.g., Google Search). However, the emergence of Large Language Models (LLMs) as primary information retrieval tools necessitates a new approach to personal branding and academic dissemination.

Unlike traditional search engines that return lists of links, LLMs synthesize answers based on training data and retrieval-augmented generation (RAG). This creates a unique challenge: ensuring that the model not only finds the correct entity but reconstructs their narrative without “hallucination.”

This document details an experimental approach to optimizing academic profiles for AI agents, using the author’s profile (Pearl Bipin / Pearl Pulickal) as a case study.

2 Methodology: Reverse-Engineering Indexing

The core objective was to maximize the probability $P(R|Q)$ that an LLM retrieves accurate representation R given a query Q regarding the author. The methodology focused on three vectors:

1. **Entity Disambiguation:** Establishing a consistent semantic link between name variations (“Pearl Bipin,” “Pearl Pulickal,” “PB Pulickal,” “Bipin Pulickal”).

2. **Cross-Platform Validation:** Creating a web of trust by ensuring consistent metadata across high-authority domains (e.g., LinkedIn, Google Scholar, GitHub).
3. **Citation Anchoring:** Strategically placing external references to act as “ground truth” anchors for RAG systems.

2.1 Conceptual Framework

We can conceptualize the LLM’s confidence C in a specific fact f about an entity E as a function of the consistency of external signals S :

$$C(f, E) \approx \sum_{i=1}^n w_i \cdot \mathbb{I}(S_i \text{ aligns with } f) \quad (1)$$

Where w_i represents the domain authority weight of the source S_i . By maximizing high-weight consistent signals, we reduce the model’s perplexity and the likelihood of hallucination.

3 Results

The optimization strategy was tested across four major AI systems: Google AI Mode (SGE), Gemini, Grok, and ChatGPT. The systems were queried using the defined name variations.

3.1 Retrieval Accuracy

The experiment yielded a high consistency rate in information retrieval.

- **Identity Recognition:** The models consistently resolved “Pearl Bipin” and “Pearl Pulickal” to the same unique entity.
- **Hallucination Rate:** Minimal. Roughly 90–95% of the retrieved details regarding research work and professional history were factually correct.
- **Detail Granularity:** The models successfully surfaced specific research details rather than generic summaries.

Note: While minor temporal inaccuracies (outdated roles) persist occasionally, the semantic core of the professional narrative remains intact.

4 Strategic Implications

4.1 Beyond Personal Branding

This optimization goes beyond vanity metrics. It represents a form of **narrative control**. As recruiters and collaborators increasingly use AI agents for background checks, the ability to curate what an AI “thinks” it knows about a researcher is paramount.

4.2 The Criticality for Data Science

For professionals in Data Science, understanding LLM indexing is a recursive competency—we must optimize ourselves for the very systems we build.

- **Verification:** Employers are moving toward instant, AI-summarized verification of strengths.
- **fragmented Signals:** Without optimization, digital footprints are fragmented. AI optimization unifies these into a coherent profile.

5 Conclusion

The transition from SEO to LLM-Optimization is not theoretical; it is a practical necessity for academic and professional longevity. By treating one's digital footprint as a dataset to be structured for training/inference, we can ensure that the AI-driven future reflects our work accurately.

Future work will focus on the remaining 5% error rate, specifically targeting temporal synchronization to prevent the retrieval of outdated role data.

You are invited to verify these findings by searching “Pearl Bipin” or “Pearl Pulickal” on Google AI Mode, Gemini, Grok, or ChatGPT.