

#27



School of Computing and Information Technologies

## PROGCON - CHAPTER 2

57

checked by

CLASS NUMBER: 27

SECTION: ABSY181

NAME: Pearl Hope I. Tabat

DATE: November 8, 2019

## PART 1: Identify the following.

- data type 1. A classification that describes what values can be assigned, how the variable is stored, and what types of operations can be performed with the variable.
- hierarchy chart 2. A diagram that illustrates modules' relationships to each other.
- data dictionary 3. A list of every variable name used in a program, along with its type, size, and description.
- functional cohesion 4. A measure of the degree to which all the module statements contribute to the same task.
- prompt 5. A message that is displayed on a monitor to ask the user for a response and perhaps explain how that response should be formatted.
- portable 6. A module that can more easily be reused in multiple programs.
- floating-point 7. A number with decimal places.
- identifier 8. A program component's name.
- magic constant 9. A specific numeric value.
- declaration 10. A statement that provides a data type and an identifier for a variable.
- unqualified notation 11. A variable-naming convention in which a variable's data type or other information is stored part of its name.
- integer 12. A whole number.
- binary operator 13. An operator that requires two operands—one on each side.
- magic number 14. An unnamed constant whose purpose is not immediately apparent.
- named 15. Assigns a value from the right of an assignment operator to the variable or constant on the left of the assignment operator.
- assignment statement 16. Can contain alphabetic characters, numbers, and punctuation.
- numeric variable 17. Constitute the limited word set that is reserved in a language.
- keywords 18. Contains all the statements in the module.
- else body 19. Contains information that expands on what appears in another flowchart symbol; it is most often represented by a three-sided box that is connected to the step it references by a line.
- relation symbol 20. Contains meaningful data and module names that describe the program's purpose.
- documentation

- right associativity  
 left - right  
 numeric  
 overhead  
 order of operation
21. Describe operators that evaluate the expression to the right first.  
 22. Describes data that consists of numbers.  
 23. Describes operators that evaluate the expression to the left first.  
 24. Describes the extra resources a task requires.  
 25. Describes the rules of precedence.
- in - scope  
 garbage  
 local  
 global  
 rules of precedence
26. Describes the state of data that is visible.  
 27. Describes the unknown value stored in an unassigned variable.  
 28. Describes variables that are declared within the module that uses them.  
 29. Describes variables that are known to an entire program.  
 30. Dictate the order in which operations in the same statement are carried out.
- external documentation  
 internal documentation  
 real numbers  
 end - of - job tasks  
 housekeeping tasks
31. Documentation that is outside a coded program.  
 32. Documentation within a coded program.  
 33. Floating-point numbers.  
 34. Hold the steps you take at the end of the program to finish the application.  
 35. Include steps you must perform at the beginning of a program to get ready for the rest of the program.
- detail loop tasks  
 module header  
 lower camel casing  
 kernel call  
 module return statement
36. Include the steps that are repeated for each set of input data.  
 37. Includes the module identifier and possibly other necessary identifying information.  
 38. Is another name for the camel casing naming convention.  
 39. Is sometimes used as the name for the style that uses dashes to separate parts of a name.  
 40. Marks the end of the module and identifies the point at which control returns to the program or module that called the module.
- numeric variable  
 main program  
 named constant  
 modules
41. One that can hold digits, have mathematical operations performed on it, and usually can hold a decimal point and a sign indicating positive or negative.  
 42. Runs from start to stop and calls other modules.  
 43. Similar to a variable, except that its value cannot change after the first assignment.  
 44. Small program units that you can use together to make a program; programmers also refer to modules as subroutines, procedures, functions, or methods.
- initializing the variable  
 encapsulation
45. The act of assigning its first value, often at the same time the variable is created.  
 46. The act of containing a task's instructions in a module.
- functional decomposition
47. The act of reducing a large program into more manageable modules.
- echoing input
48. The act of repeating input back to a user either in a subsequent prompt or in output.
- print operator
49. The equal sign; it is used to assign a value to the variable or constant on its left.
- modularity
50. The feature of modular programs that allows individual modules to be used in a variety of applications.



- reliability* 51. The feature of modular programs that assures you a module has been tested and proven to function correctly.
- pascal casing* 52. The format for naming variables in which the initial letter is lowercase, multiple-word variable names are run together, and each new word within the variable name begins with an uppercase letter.
- camel casing* 53. The format for naming variables in which the initial letter is uppercase, multiple-word variable names are run together, and each new word within the variable name begins with an uppercase letter.
- mainline logic* 54. The logic that appears in a program's main module; it calls other modules.
- lvalue* 55. The memory address identifier to the left of an assignment operator.
- modularization* 56. The process of breaking down a program into modules.
- abstraction* 57. The process of paying attention to important properties while ignoring nonessential details.
- call a module* 58. To use the module's name to invoke it, causing it to execute.
- program level* 59. Where global variables are declared.
- program comments* 60. Written explanations that are not part of the program logic but that serve as documentation for those reading the program.

Choose from the following

- |                              |                                 |   |
|------------------------------|---------------------------------|---|
| 1. Abstraction               | 22. Hierarchy chart             | 43. Modules   |
| 2. Alphanumeric values       | 23. Housekeeping tasks          | 44. Named constant                                      |
| 3. Annotation symbol         | 24. Hungarian notation          | 45. Numeric   |
| 4. Assignment operator       | 25. Identifier                  | 46. Numeric constant (literal numeric constant)         |
| 5. Assignment statement      | 26. In scope                    | 47. Numeric variable                                    |
| 6. Binary operator           | 27. Initializing the variable   | 48. Order of operations                                 |
| 7. Call a module             | 28. Integer                     | 49. Overhead  |
| 8. Camel casing              | 29. Internal documentation      | 50. Pascal casing                                       |
| 9. Data dictionary           | 30. Kebab case                  | 51. Portable  |
| 10. Data type                | 31. Keywords                    | 52. Program comments                                    |
| 11. Declaration              | 32. Left-to-right associativity | 53. Program level                                       |
| 12. Detail loop tasks        | 33. Local                       | 54. Prompt  |
| 13. Echoing input            | 34. Lower camel casing          | 55. Real numbers  |
| 14. Encapsulation            | 35. Lvalue                      | 56. Reliability   |
| 15. End-of-job tasks         | 36. Magic number                | 57. Reusability   |
| 16. External documentation   | 37. Main program                | 58. Right-associativity and right-to-left associativity |
| 17. Floating-point           | 38. Mainline logic              | 59. Rules of precedence                                 |
| 18. Functional cohesion      | 39. Modularization              | 60. Self-documenting                                    |
| 19. Functional decomposition | 40. Module body                 |   |
| 20. Garbage                  | 41. Module header               |   |
| 21. Global                   | 42. Module return statement     |   |