Simulating Meth Production Networks

Carl A. B. Pearson[1] Burton H. Singer[1] David A. Bright[2]

Emerging Pathogens Institute, University of Florida[1]

School of Social Sciences, University of New South Wales[2]

19 FEB 14

Supported by ARO Award #W911NF-11-1-0036Z

OVERVIEW

1. SNA Concerns

OVERVIEW

1. SNA Concerns
2. A Meth Bust Network

OVERVIEW

1. SNA Concerns
2. A Meth Bust Network
3. Simulating Production

OVERVIEW

1. SNA Concerns
2. A Meth Bust Network
3. Simulating Production
4. Next Steps

NETWORKS ARE NOT THE PHENOMENA

- What is? Context dependent.

NETWORKS ARE NOT THE PHENOMENA

- What is? Context dependent.
- What do we observe? Interaction events, environmental changes.

NETWORKS ARE NOT THE PHENOMENA

- What is? Context dependent.
- What do we observe? Interaction events, environmental changes.
- A network is a representation

NETWORKS ARE NOT THE PHENOMENA

- What is? Context dependent.
- What do we observe? Interaction events, environmental changes.
- A network is a representation
- For some cases: that's useful - can reliably observe events, translate to network, calculate property with predictive power relative to some future outcome

NETWORKS ARE NOT THE PHENOMENA

- What is? Context dependent.
- What do we observe? Interaction events, environmental changes.
- A network is a representation
- For some cases: that's useful - can reliably observe events, translate to network, calculate property with predictive power relative to some future outcome
- For "dark" networks - highly questionable

PROSECUTED METH PRODUCTION & DISTRIBUTION GROUP

TODO: INSERT PLOT AS BACKGROUND

PROSECUTED METH PRODUCTION & DISTRIBUTION GROUP

TODO: INSERT PLOT AS BACKGROUND

- individuals convicted, connected by association, from public record prosecutorial data

PROSECUTED METH PRODUCTION & DISTRIBUTION GROUP

TODO: INSERT PLOT AS BACKGROUND

- individuals convicted, connected by association, from public record prosecutorial data
- how might this data be flawed?

PROSECUTED METH PRODUCTION & DISTRIBUTION GROUP

TODO: INSERT PLOT AS BACKGROUND

- individuals convicted, connected by association, from public record prosecutorial data
- how might this data be flawed?
- if we take this as the model, even after adding roles, what do we know is unrepresented?

PROSECUTED METH PRODUCTION & DISTRIBUTION GROUP

TODO: INSERT PLOT AS BACKGROUND

- individuals convicted, connected by association, from public record prosecutorial data
- how might this data be flawed?
- if we take this as the model, even after adding roles, what do we know is unrepresented?
- given those issues: does simulation on this network – which includes deriving network statistics and predictions from them – make sense?

SIMULATING METH PRODUCTION

AKA, answer the last question formally

SIMULATING METH PRODUCTION

AKA, answer the last question formally

- Prosecution data hypothesize roles

SIMULATING METH PRODUCTION

AKA, answer the last question formally

- Prosecution data hypothesize roles
- use as basis for mechanical description

SIMULATING METH PRODUCTION

AKA, answer the last question formally

- Prosecution data hypothesize roles
- use as basis for mechanical description
- simulate that enterprise

SIMULATING METH PRODUCTION

AKA, answer the last question formally

- Prosecution data hypothesize roles
- use as basis for mechanical description
- simulate that enterprise
- compare measures – pseudoephedrine consumption, methamphetamine production, net profit rates – to available estimates

SIMULATING METH PRODUCTION

Relatively few parts, all written in Scala

`World` meth consumption rate, pseudo cost

`Suppliers`, `Retailers`, `Wholesaler` margins and purchase or delivery efficiencies

`Middleman` margin, efficiency

`Cook` margin, pseudo conversion efficiency

SIMPLE ECONOMIC FORCES ONLY

Agents try to net their margin per iteration. Demand for meth inelastic. No economies of scale.

SIMULATING METH PRODUCTION

Relatively few parts, all written in Scala

`World` meth consumption rate, pseudo cost

`Suppliers`, `Retailers`, `Wholesaler` margins and purchase or delivery efficiencies

`Middleman` margin, efficiency

`Cook` margin, pseudo conversion efficiency

SIMPLE ECONOMIC FORCES ONLY

Agents try to net their margin per iteration. Demand for meth inelastic. No economies of scale.

SIMULATING METH PRODUCTION

Relatively few parts, all written in Scala

`World` meth consumption rate, pseudo cost

`Suppliers`, `Retailers`, `Wholesaler` margins and purchase or delivery efficiencies

`Middleman` margin, efficiency

`Cook` margin, pseudo conversion efficiency

SIMPLE ECONOMIC FORCES ONLY

Agents try to net their margin per iteration. Demand for meth inelastic. No economies of scale.

SIMULATING METH PRODUCTION

Relatively few parts, all written in Scala

`World` meth consumption rate, pseudo cost

`Suppliers`, `Retailers`, `Wholesaler` margins and purchase or delivery efficiencies

`Middleman` margin, efficiency

`Cook` margin, pseudo conversion efficiency

SIMPLE ECONOMIC FORCES ONLY

Agents try to net their margin per iteration. Demand for meth inelastic. No economies of scale.

SIMULATING METH PRODUCTION

Relatively few parts, all written in Scala

`World` meth consumption rate, pseudo cost

`Suppliers`, `Retailers`, `Wholesaler` margins and purchase or delivery efficiencies

`Middleman` margin, efficiency

`Cook` margin, pseudo conversion efficiency

SIMPLE ECONOMIC FORCES ONLY

Agents try to net their margin per iteration. Demand for meth inelastic. No economies of scale.

PARAMETER ESTIMATES[2][3][4][1]

Use kilograms as reference mass unit, AUS $ as reference price unit

Unit Meth per Unit Pseudo	0.9
Meth Conversion Efficiency	0.5 - 1.0
Meth Consumption	average 10 doses per user per month, 0.0001 units per dose, 20 users per capita
thing	margins and purchase or delivery efficiencies
Middleman	margin, efficiency
Cook	margin, pseudo conversion efficiency

STEADY STATE RESULTS

Street Price X per dose vs observed Y per dose

Gang Takehome X per month vs observed Y per month

STEADY STATE RESULTS

Street Price X per dose vs observed Y per dose

Gang Takehome X per month vs observed Y per month

PERTURBATIONS

TODO series of background plots

- Increase Pseudo Cost at time T
- Increase Demand at time T
- Increase Margins at time T
- Decrease efficiencies at time T

TODO

Next Steps

ion Model	translate simulate outputs via filter to observations
Dynamics	intra- and intergroup competition, turnover of employees, customers
Outcomes	single gang interventions, evolution of competing gangs

QUESTIONS?

talk and simulation source available at

https://github.com/pearsonca/sunbelt-2014

https://github.com/pearsonca/scala-commsim

REFERENCES

Australian Crime Commission et al.

AustralianCrime Commission Illicit Drug Data Report, 2006-07.

Australian Crime Commission, 2008.

Wendy Gong, Alison Ritter, David Bright, and Chris Doran.

How profitable is methamphetamine dealing in australia?

Drug and alcohol dependence, 122(3):208–212, 2012.

Rebecca McKetin, Jennifer McLaren, Erin Kelly, Wayne Hall, and Q Hickman.

Estimating the number of regular and dependent methamphetamine users in Australia.

National Drug and Alcohol Research Centre, 2005.

Alison Ritter, David Bright, and Wendy Gong.

Evaluating drug law enforcement interventions directed towards methamphetamine in Australia.

National Drug Law Enforcement Research Fund (NDLERF), 2012.

SUPPORTING MATERIAL

Meth Consumption

100 mg per dose; per capita: roughly 10 “regular” users (between weekly and monthly dose), roughly 10 “dependent” users