



KasKold Companion User Guide

Watch-only kpub management, transaction preparation, external signing, finalization, and broadcast

KasKold Companion is strictly watch-only on Web, Android, and iOS. Wallet creation, recovery phrases, private keys, and signing belong only to KasKold Hardware or KasKold Vault.

1. Start with kpub management

Companion opens on the public-account surface. Load or select a kpub exported by Hardware or Vault. Broadcast TX and Multisig remain available directly from startup.

Companion can	Companion cannot
Manage kpubs, addresses, balances, UTXOs and history	Create or restore a private wallet
Construct ordinary, multisig, covenant and stealth transactions	Store a mnemonic, seed, xprv or private key
Prepare signing requests and accept signed responses	Sign locally
Finalize and broadcast	Unlock a software signer

2. Prepare and authorize a spend

- Enter destination, amount, fee policy, and optional UTXO controls in Companion.
- Companion prepares the PSKT/KSPT signing request from public/watch-only state.
- Transfer the request to KasKold Hardware or Vault Web/Android/iOS.
- Review recipient, amount, fee, change, network, and relevant covenant/multisig context on the signer, then approve there.
- Return the signed response to Companion for finalization and broadcast.

3. Signer choices

Signer	Role
KasKold Hardware	Purpose-built offline CoreS3 signer
KasKold Vault Web	Browser software signer without blockchain watcher/node/broadcast capability
KasKold Vault Android / iOS	Dedicated network-isolated native signer apps

4. Node, privacy, and safety

- A public Kaspa node can observe queried addresses and can misrepresent network state. Use a trusted/private node when that trade-off matters.
- Treat Companion as potentially hostile for authorization purposes: the Hardware/Vault review is the authority for a spend.
- Companion never becomes a signer by changing a mode; there is no software-custody mode in Companion.