



KasKold Companion Covenants & Stealth Guide

Covenant, swap, oracle, crowdfunding, and stealth authorization workflows

Protocol compatibility note: some cryptographic domain strings intentionally retain their historical KasSigner spelling. They are wire/cryptographic compatibility identifiers, not product branding.

1. Authorization boundary

Companion constructs recognized covenant and stealth workflows online. External signing authority remains offline in KasKold Hardware or Vault; the signer independently validates supported structure and presents spend context. Opaque commitments receive stronger warnings.

2. Current workflow families

Family	Purpose / boundary
Piggy Bank / Time-Locked Savings	Constrained savings and time/DAA release paths
Dead Man's Switch / Allowance / Spending Limit	Recovery and bounded-spend policies
Merkle Whitelist	Destination-restricted spending
Direct Channel / PayJoin / Commit-Reveal	Structured cooperative transaction workflows
Private Swap v2	Transaction-sighash-bound adaptor signatures with isolated swap keys
KIP-20 Vaults	Vault/recovery policy
Oracle-v1	Canonical release statement commitment with isolated oracle covenant authority
ZK Crowdfunding / ZK Price Oracle	Proof-bound campaign/oracle workflows
Stealth payments	One-time destination derivation and scanning

3. COVENANT SIGN

COVENANT SIGN authorizes an exact reviewed external commitment with an isolated mnemonic-derived covenant key. Recognized schemes are recomputed on-device where applicable. It is not a generic ordinary-wallet SIGN HASH API.

4. Private Swap

Private Swap uses isolated swap keys and transaction-sighash-bound adaptor signatures. The signer reviews the canonical claim transaction. The current path is intentionally separated from retired raw-hash/adaptor APIs.

5. Oracle-v1 compatibility

Oracle-v1 release statements use the historical cryptographic prefix "KasSigner Oracle v1 " for compatibility. KasKold preserves that domain string while the user-facing product name is KasKold.

6. Stealth

Stealth workflows separate discovery/view capability from spend authority. Companion performs online scanning/discovery; spending still follows the selected signer custody mode.

7. Review checklist

- Confirm network, wallet identity, recipient outputs, amount, fee, and change.
- For multisig/covenants, verify descriptor/script ownership and timing/recovery conditions.
- Reject unknown or opaque commitment requests unless you independently understand exactly what is being authorized.