SOUNDHOUND / CONVERSATIONAL AI

Intent Test Results

Cloud telephony pilot scenario



ILLUSTRATIVE SAMPLE REPORT
Simulated dataset and results. This test was not conducted by SoundHound and does not represent SoundHound product performance.

Example evaluation of first-turn intent recognition for common telecom support calls. Includes a balanced test set, per-intent results, observed confusion themes, and a recommended retest plan.

Prepared as a discussion artifact | October 2026

01 / TEST SUMMARY

Overall intent accuracy: 92%

Illustrative benchmark across 10 intents and 500 simulated caller utterances. Each intent had 50 examples, including paraphrases and common spoken variations.

92%	500	10	50
Top-1 intent accuracy	Utterances evaluated	Intent classes	Examples per intent

PER-INTENT RESULTS

Intent	Correct	Recall
Agent request	49 / 50	98%
Balance inquiry	48 / 50	96%
Service outage	48 / 50	96%
Add a line	47 / 50	94%
Payment due date	47 / 50	94%
Plan change	46 / 50	92%
Usage / data balance	46 / 50	92%
Upgrade eligibility	44 / 50	88%
Payment arrangement	43 / 50	86%
Cancel service	42 / 50	84%

Reading this table: recall is the share of the 50 utterances in each intent correctly identified as that intent. Precision, false-positive rate, and end-to-end containment were not calculated in this illustrative exercise.

02 / ERROR REVIEW + NEXT STEPS

Focus retesting on neighboring intents

The lowest-scoring classes involve decisions callers may describe with overlapping language. A production evaluation should measure both correct recognition and the cost of a wrong action.

SIMULATED RECALL BY INTENT

Likely confusion pairs to probe

Payment due date vs. payment arrangement
Upgrade eligibility vs. plan change
Cancel service vs. request a human agent

Suggested controls

Ask one short clarifying question when confidence is low.
Require explicit confirmation before account changes or cancellation.
Offer agent transfer without making callers repeat the reason.

RECOMMENDED RETEST

Expand
Add accents, noisy audio, short utterances, corrections, interruptions, and multiple intents.

Measure
Track per-intent precision/recall, confusion matrix, abstain rate, latency, and action success.

Gate
Set risk-based thresholds; route uncertain or consequential cases to an agent.

All metrics and diagnostic examples in this document are simulated for illustration. Replace with measured results from an agreed test corpus before making product, vendor, or launch decisions.