


1. index.html

```
① indexhtml M # style.css M ② Logic.php M ③ dataMahasiswa.php M # style2.css U
④ indexhtml > @ html > @ head
  1  <!DOCTYPE html>
  2  <html lang="en">
  3  <head>
  4    <meta charset="UTF-8">
  5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
  6    <title>Formulir Mahasiswa</title>
  7
  8    <link rel="stylesheet" href="style.css">
  9
 10   <link rel="preconnect" href="https://fonts.googleapis.com">
 11   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 12   <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;700&display=swap" rel="stylesheet">
 13
 14 </head>
 15
 16 <body>
 17
 18   <div class="header">
 19     <h1 class="poppins-bold">FORMULIR DATA MAHASISWA</h1>
 20   </div>
 21
 22   <form action="Logic.php" method="post">
 23     <div class="box">
 24
 25       <!-- NIM -->
 26       <div class="ref">
 27         <label class="main poppins-medium">NIM:</label>
 28         <input type="number" name="nim" required>
 29       </div>
 30
 31       <!-- NAMA -->
 32       <div class="ref">
 33         <label class="main poppins-medium">NAMA:</label>
 34         <input type="text" name="name" required>
 35       </div>
 36
 37       <!-- PRODI -->
 38       <div class="ref">
 39         <label class="main poppins-medium">PRODI:</label>
 40         <input type="text" name="prodi" required>
 41       </div>
 42
 43       <!-- JENIS KELAMIN -->
 44       <div class="ref">
 45         <label class="main poppins-medium">JENIS KELAMIN:</label>
 46         <div class="radio-group">
 47           <label class="poppins-regular">
 48             <input type="radio" name="JenisKelamin" value="laki-laki" required>
 49             Laki-laki
 50           </label>&lt;br&gt;
 51
 52           <label class="poppins-regular">
 53             <input type="radio" name="JenisKelamin" value="perempuan" required>
 54             Perempuan
 55           </label>
 56         </div>
 57       </div>
 58
 59       <!-- ALAMAT -->
 60       <div class="ref">
 61         <label class="main poppins-medium">ALAMAT:</label>
 62         <textarea name="alamat" required></textarea>
 63       </div>
 64
 65     </div>
 66
 67     <button type="submit" name="submit" class="submit-container poppins-bold">SUBMIT</button>
 68   </form>
 69
 70 </body>
 71 </html>
 72
```

2. style.css

```
① index.html M ② style.css M X ③ Logic.php M ④ dataMahasiswa.php M ⑤ style2.css U
⑥ style.css > ⑦ .box
127 .ref{
128     margin-left: 18px;
129     margin-right: 18px;
130     margin-bottom: 18px;
131     margin-top: 18px;
132 }
133
134 .box{
135     border-radius: 55px;
136     background: #FA812F;
137     box-shadow: 0 2px 8px rgba(0,0,0,0.2);
138     padding: 35px;
139     margin-left: 400px;
140     margin-right: 400px;
141     margin-top: 20px;
142 }
143
144 button {
145     display: block;
146     width: 158px;
147
148     margin-right: 58px;
149     padding-left: 58px;
150     margin-top: 20px;
151     margin-bottom: 20px;
152
153     border: none;
154     border-radius: 18px;
155     font-size: 18px;
156     text-align: center;
157     box-shadow: 0 3px 6px rgba(0,0,0,0.2);
158 }
159
160 .submit-container {
161
162     justify-content: center;
163     width: 100%;
164     padding: 20px 0;
165 }
166
167 .submit-container:hover{
168     position: relative;
169     font-size: 28px;
170     background-color: #008383;
171 }
172
173 input[type = "number"]){
174     background-color: #rgb(255, 255, 255);
175     padding: 10px;
176     border-radius: 18px;
177     width: 568px;
178     border: 1px solid #rgba(0, 0, 0, 0.473);
179 }
180
181 input[type = "text"]){
182     background-color: #rgb(255, 255, 255);
183     padding: 10px;
184     border-radius: 18px;
185     width: 568px;
186     border: 1px solid #rgba(0, 0, 0, 0.473);
187 }
188
189 textarea{
190     background-color: #rgb(255, 255, 255);
191     padding: 10px;
192     border-radius: 18px;
193     width: 568px;
194     border: 1px solid #rgba(0, 0, 0, 0.473);
195 }
196
197 .radio-group {
198     display: flexbox;
199     gap: 15px;
200     align-items: center;
201     font-size: 16px;
202 }
```

3. Logic.php



The screenshot shows a code editor with multiple tabs at the top: index.html M, # style.css M, Logic.php M X, dataMahasiswa.php M, and # style2.css U. The Logic.php tab is active. The code in the editor is as follows:

```
1 <?php
2 $koneksi = mysqli_connect("localhost", "root", "", "phpDiscord");
3
4
5
6 $vnim= $_POST["nim"];
7 $vname= $_POST["name"];
8 $vprodi= $_POST["prodi"];
9 $vjenisKelamin= $_POST["JenisKelamin"];
10 $Valamat= $_POST["alamat"];
11
12 $query = "INSERT INTO formulir(nim, nama, prodi, JenisKelamin, alamat) VALUES
13 ('$vnim', '$vname', '$vprodi', '$vjenisKelamin', '$Valamat')";
14
15 mysqli_query( $koneksi, $query);
16
17 header(header: "Location:dataMahasiswa.php");
18
19 // echo "$vnim";
20 // echo "$vname";
21 // echo "$vprodi";
22 // echo "$vjenisKelamin";
23 // echo "$Valamat";
24
25 ?>
```

4. DataMahasiswa.php

```
index.html M # style.css M Logic.php M dataMahasiswa.php M X # style2.css U
dataMahasiswa.php
1
2
3 $koneksi = mysqli_connect("localhost", "root", "", "phpDiscord");
4 $query = "SELECT * FROM FORMULIR";
5 $result = mysqli_query($koneksi, $query);
6
7 ?>
8
9 <!DOCTYPE html>
10 <html lang="en">
11 <head>
12     <meta charset="UTF-8">
13     <meta name="viewport" content="width=device-width, initial-scale=1.0">
14     <title>Data Mahasiswa</title>
15
16     <link rel="stylesheet" href="style2.css">
17 </head>
18 <body>
19
20
21     <table border="1">
22
23         <tr>
24             <th class="poppins-bold">No</th>
25             <th class="poppins-bold">NIM</th>
26             <th class="poppins-bold">Nama</th>
27             <th class="poppins-bold">Program Studi</th>
28             <th class="poppins-bold">Jenis Kelamin</th>
29             <th class="poppins-bold">Alamat</th>
30         </tr>
31
32         <?php
33             $no = 1;
34             while ($baris = mysqli_fetch_assoc($result)){
35                 ?>
36                 <tr>
37                     <td class="poppins-regular"><?php echo $no++ ?></td>
38                     <td class="poppins-regular"><?php echo $baris['nim'] ?></td>
39                     <td class="poppins-regular"><?php echo $baris['nama'] ?></td>
40                     <td class="poppins-regular"><?php echo $baris['prodi'] ?></td>
41                     <td class="poppins-regular"><?php echo $baris['jenisKelamin'] ?></td>
42                     <td class="poppins-regular"><?php echo $baris['alamat'] ?></td>
43                 </tr>
44             <?php
45         }
46     ?>
47
48     </table>
49
50     <a href="index.html" class="poppins-bold">Tambah Data</a>
51
52
53     </body>
54     </html>
55
```

5. style2.css

The screenshot shows a code editor window with multiple tabs at the top: index.html, style.css, Logic.php, dataMahasiswa.php, and style2.css (the active tab). The style2.css tab contains the following CSS code:

```
# style2.css > ...
97 .poppins-black-italic {
98   font-weight: 900;
99   font-style: italic;
100 }
101
102
103
104
105 body{
106   background-color: #FEF3E2;
107   text-align: center;
108 }
109
110 table{
111   width: 100%;
112   border-collapse: collapse;
113   margin-bottom: 50px;
114   padding: 10px;
115 }
116
117 th, td {
118   border: 1px solid #333;
119   padding: 8px;
120   text-align: left;
121 }
122
123 th {
124   background-color: #FA812F;
125   color: #000;
126   font-weight: bold;
127 }
128
129 a{
130   background: #F4F4F4;
131   padding: 15px;
132   border-radius: 25px;
133   box-shadow: 0 2px 8px rgba(0,0,0,0.2);
134   margin-left: 10px;
135   margin-right: 10px;
136   margin-bottom: 10px;
137   margin-top: 10px;
138   text-align: center;
139   font-size: 18px;
140   color: #000;
141 }
142
143 a:hover{
144   background-color: #D00303;
145   color: #fff;
146   font-size: 20px;
147 }
```

HASIL RUN

1.

A screenshot of a web browser window titled "FORMULIR DATA MAHASISWA". The form consists of five input fields: "NIM" (with a placeholder), "NAMA" (with a placeholder), "PRODI" (with a placeholder), "JENIS KELAMIN" (radio buttons for "Laki-laki" and "Perempuan"), and "ALAMAT" (with a placeholder). The entire form is contained within an orange rounded rectangle. The browser tabs include "localhost / 127.0.0.1 / phpdisc", "Formulir Mahasiswa", "github - Yahoo Hasil Pencarian", and "GitHub". The status bar at the bottom shows the date as 07/12/2025 and the time as 18:23.

2.

A screenshot of a web browser window titled "Data Mahasiswa". It displays a table of student data with the following columns: No, NIM, Nama, Program Studi, Gender, and Alamat. The table has 9 rows. A "Tambah Data" button is located below the table. The browser tabs are the same as in the previous screenshot. The status bar at the bottom shows the date as 07/12/2025 and the time as 18:23.

No	NIM	Nama	Program Studi	Gender	Alamat
1	202431001	Rachel Leonardo	Teknik Informatika	Laki-laki	Jl. Pahlawan
2	202431066	Aisyah Nur Kusuma	Teknik Informatika	Perempuan	Haji Mali
3	202431085	Rafael Laurent Wowiling	Teknik Informatika	Laki-laki	Haji hajian
4	202431086	Abdul Akyas Sugianto	Teknik Informatika	Laki-laki	Cipondoh
5	202431092	Naufal Rizky JP	Teknik Informatika	Laki-laki	Sumatera Utara
6	202431099	Kazzariyan	Teknik Informatika	Laki-laki	Haji Mali
7	202431170	Gangsar Anjasmoro	Teknik Informatika	Laki-laki	Haji Selong
8	202432222	Muhammad Kaisar	Sistem Informasi	Laki-laki	Kendari
9	202433067	Deli Maharani	Teknik Lingkungan	Perempuan	Haji Selong

3.

The screenshot shows the phpMyAdmin interface for a MySQL database named 'phpdiscord'. The left sidebar lists databases: Baru, datamahasiswa, information_schema, mysql, mytko, performance_schema, phpdiscord, phpmadmin, and test. The 'formulir' table under the 'phpdiscord' database is selected. The table has columns: nim, nama, prodi, jenisKelamin, and alamat. The data grid displays 8 rows of student information. At the bottom, there are buttons for 'Operasi hasil kueri' (Query results operations) including 'Konsol' (Console), 'Salin ke clipboard' (Copy to clipboard), 'Ekspor' (Export), 'Tampilkan bagan' (Show chart), and 'Buat tampilan' (Create view).

	nim	nama	prodi	jenisKelamin	alamat
<input type="checkbox"/>	202431001	Rachel Leonardo	Teknik Informatika	perempuan	Kolaka
<input type="checkbox"/>	202431066	Aisyah Nur Kusuma	Teknik Informatika	perempuan	Haji Mali
<input type="checkbox"/>	202431085	Rafael Laurent Wowling	Teknik Informatika	laki-laki	Haji hajian
<input type="checkbox"/>	202431086	Abdul Akyas Sugianto	Teknik Informatika	laki-laki	Cipondoh
<input type="checkbox"/>	202431092	Naufal Rizky,JP	Teknik Informatika	laki-laki	Sumatera Utara
<input type="checkbox"/>	202431099	Kazzariyan	Teknik Informatika	laki-laki	Haji Mali
<input type="checkbox"/>	202431170	Gangsar Anjasmoro	Teknik Informatika	laki-laki	Haji Selong
<input type="checkbox"/>	202432222	Muhammad Kaiser	Sistem Informasi	laki-laki	Kendari
<input type="checkbox"/>	202433067	Deli Maharanı	Teknik Lingkungan	perempuan	Haji Selong