

Exemplo Prático



Aula

Exemplo - GEFIN

- Crie uma classe que represente um lançamento de crédito ou débito, com uma descrição, data, valor.
- Opcionalmente, faça essa implementação com o uso de herança.
- Movimento
 - Crédito
 - Débito

Exercícios



Aula

Exercício - GEFIN

Crie um programa que use a implementação da classe Movimento para um CRUD dessa funcionalidade.

The screenshot shows a Windows-style application window titled "Lançamentos de Créditos e Débitos". The interface includes the following elements:

- ID Saldo:** A text box containing the value "4".
- Buscar:** A search button with an adjacent empty text box and a dropdown arrow.
- Login:** A text box containing the value "PEUBORG".
- Descrição:** A text box containing the value "CAIXA ANTERIOR".
- Data:** A text box containing the date "31/12/2007" next to a calendar icon.
- Valor:** A text box containing the value "76,00".
- Tipo do Lançamento:** A group box containing two radio buttons: "Crédito" (unselected) and "Débito" (selected).
- Sair:** A button with a red arrow icon and the text "Sair".
- Bottom Bar:** A row of buttons: "Incluir" (with a green plus icon), "Alterar" (with a pencil icon), "Excluir" (with a red minus icon), "Limpar" (with a red X icon), and four navigation arrows (back, forward, and two others).