
non-inferiority margin 0.97
parity
Standard DDA · frozen v1
vs Sage + predicted features + mokapot
D0 · peptidoforms
0.990 [0.989, 0.992]
D1 · peptidoforms
0.998 [0.997, 1.000]
Chimeric · v2_sep (candidate)
vs Sage chimera + predicted features + mokapot
D0 (R = 5) · peptidoforms
1.149 [1.147, 1.152]
D1 (R = 2) · peptidoforms
1.137 [1.120, 1.140]
D8h dev holdout (R = 2) · peptidoforms
1.150 [1.069, 1.203]
D8h dev holdout (R = 2) · protein groups
0.999 [0.951, 1.039]
Ion-trap CID / TMT · itcid_linear_pred
vs Sage + Prosit features + mokapot
D4 · sequences
1.034 [1.030, 1.037]
D10cf · sequences
1.093 [1.088, 1.097]
Cross-encoder ce_s (research arm) · NO-GO
vs frozen v1 (static_gbm_pred), not vs Sage
D8h dev holdout · peptidoforms
0.983 [0.968, 0.999]
0.95
1.00
1.05
1.10
1.15
1.20
1.25
1.30
Ratio of identifications, Vulcan / comparator,
at matched entrapment-estimated FDP 1% (arm P), 95% CI
default scorer (frozen / per class)
protein groups (hollow)
chimeric candidate v2_sep
NO-GO research arm
dev data only · no held-out test-set result · D0/D1 are selection sets · FDR claims not gate-validated