Title	getNeuroPatients
URL	/:neuroId/patients
Method	GET
URL Params	Required: neuroId = [integer]
Success Response	Example: Code: 200 Content: {code:200, status: "Ok", patients: patients} patients: [{patientId: 2, name: "Diego Santos Rocha", sex: 'M' email: "dsr@gmail.com", age: 56, user_locId: 1, attribId: 2}, …]
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}
| Sample Call | ```javascript
$.ajax({
    url:"/api/neuros/"+neuroId+"/patients",
    method:"get",
    success: function(result, status){
    },
    error: function(){
       console.log("Error");
    }
  })
``` |

Title	getPatient
URL	/:patientId
Method	GET
URL Params	Required: patientId = [integer]
Success Response	Example: Code: 200 Content: {code:200, status: "Ok", patient: patient} patient: {patientId: 2, name: "Diego Santos Rocha", sex: 'M', email: "dsr@gmail.com", age: 56, user_locId: 1}
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}
| Sample Call | ```javascript
$.ajax({
    url:"/api/patients/"+patientId ",
    method:"get",
    success: function(result, status){
    },
    error: function(){
       console.log("Error");
    }
  })
``` |

Title	scheduleTest
URL	/:neuroId/patients/:patientId/tests
Method	POST
URL Params	Required: neuroid = [integer] patientId = [integer]
Data Params	Example: data: {attribId: 2}
Success Response	Example: Code: 200 Content: {code:200, status:"Ok"}
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}

Sample Call	`$.ajax({`
	`    url:"/api/neuros/"+neuroId+"/patients/"+patientId+"/tests",`
	`    method:"post",`
	`    data: {attribId: attribId},`
	`    success: function(data, status){`
	`    },`
	`    error: function(){`
	`      console.log("Error");`
	`    }`
	`  })`

Title	getReplay
URL	/:patientId/tests/:testId/completed/replay
Method	GET
URL Params	Required: patientId = [integer] testId = [integer]
Success Response	Example: Code: 200 Content: {code:200, status: "Ok", rec: rec}
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}

Sample Call	`$.ajax({`
	`    url: "/api/patients/"+patientId+"/tests/"+testId+"/replay",`
	`    method: "get",`
	`    success: function(result, status){`
	`    }`
	`  });`

Title	getNeuroPatientTests
URL	/:neuroId/attributions/:attribId /tests
Method	GET
URL Params	Required: neuroId = [integer] attribId = [integer]
Success Response	Example: Code: 200 Content: {code:200, status: "Ok", tests: tests} tests: [{testId: 3, testState: "Completed", assignedDate: 19-01-2020, completedDate: 20-01-2020, comment: "-"}, …]
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}
| Sample Call | ```
$.ajax({
    url: '/api/neuros/'+neuroId+'/attributions/'+attribId+'/tests',
    mathod: 'get',
    success: function(result, status){
    }
  })
``` |

Title	getNeuroTestsRoutes
URL	/:neuroId/patients/tests/routes
Method	GET
URL Params	Required: neuroId = [integer]
Success Response	Example: Code: 200 Content: {code:200, status: "Ok", routes: routes} routes: [{patientId: 2, name: "Diego Santos Rocha", patientRoutes: patientRoutes}, …] patientRoutes: [{testId: 4, repetitions: 5, coords: point(-9.157689, 38.779941), waypoints: "[[38.67269,-9.16597],[38.67269,-9.16585], …]", time: 21, distance: 4.8}, …]
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}
| Sample Call | ```
$.ajax({
   url:"/api/neuros/"+neuroId+"/patients/tests/routes",
   method:"get",
   success: function(result, status){
   },
   error: function(){
      console.log("Error");
   }
  })
``` |

Title	fileTest
URL	/:patientId/tests/:testId/file
Method	POST
URL Params	Required: patientId = [integer] testId = [integer]
Data Params	Example: data: {comment: "Resultados positivos"}
Success Response	Example: Code: 200 Content: {code:200, status:"Ok"}
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}

Sample Call	```$.ajax({```
	``` url: '/api/patients/'+patientId+'/tests/'+testId+'/file',```
	``` method:"post",```
	``` data: {comment: comment},```
	``` success: function(){```
	``` },```
	``` error: function(){```
	``` console.log("Error");```
	``` }```
	``` })```

Title	rescheduleTest
URL	/:neuroId/patients/:patientId/tests/:testId/reschedule
Method	POST
URL Params	Required: neuroId = [integer] patientId = [integer] testId = [integer]
Data Params	Example: data: {attribId: 6, comment: "Remarcado porque: Muitos erros"}
Success Response	Example: Code: 200 Content: {code:200, status:"Ok"}
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}

Sample Call	```$.ajax({url:"/api/neuros/"+neuroId+"/patients/"+patientId+"/tests/"+testId+"/reschedule",```
	``` method:"post",```
	``` data: {attribId: attribId, comment: "Remarcado porque: "+comment},```
	``` success: function(data, status){```
	``` },```
	``` error: function(){```
	``` console.log("Error");```
	``` }```
	``` })```

Title	saveRoutes
URL	/:patientId/tests/:testId/routes
Method	POST
URL Params	Required: patientId = [integer] testId = [integer]
Data Params	Example: data: {waypoints: "[[38.67269,-9.16597],[38.67269,-9.16585], …]", time: 21, distance: 4.8}
Success Response	Example: Code: 200 Content: {code:200, status:"Ok"}
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}

Sample Call	```
	$.ajax({
	   url:"/api/patients/"+patientId+"/tests/"+testId+"/routes",
	   method:"post",
	   data: {waypoints: JSON.stringify(waypoints), time: time, distance: distance},
	   success: function(data, status){
	   },
	   error: function(){
	      console.log("Error");
	   }
	  })
	``

Title	saveReplay
URL	/:patientId/tests/:testId/replay
Method	POST
URL Params	Required: patientId = [integer] testId = [integer]
Data Params	Example: data: {lat: 38.67269, lng: -9.16597, rec: JSON.stringify(rec)}
Success Response	Example: Code: 200 Content: {code:200, status:"Ok"}
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}

Sample Call	```
	$.ajax({
	   url: "/api/patients/"+patientId+"/tests/"+testId+"/replay",
	   method: "post",
	   data: {lat: coords.lat, lng: coords.lng, rec: JSON.stringify(serRec)},
	   success: function(res, status){
	   }
	});
	``

Title	cancelTest
URL	/:patientId/tests/:testId/cancel
Method	POST
URL Params	Required: patientId = [integer] testId = [integer]
Data Params	Example: data: {comment: "Cancelado pelo paciente: Não quero fazer"}
Success Response	Example: Code: 200 Content: {code:200, status:"Ok"}
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}

Sample Call	```$.ajax({```
	``` url: '/api/patients/'+patientId+'/tests/'+testId+'/cancel',```
	``` method:"post",```
	``` data: {comment: "Cancelado pelo paciente: "+comment},```
	``` success: function(){```
	``` },```
	``` error: function(){```
	``` console.log("Error");```
	``` }```
	``` })```

Title	getPatientTests
URL	/:patientId/tests
Method	GET
URL Params	Required: patientId = [integer]
Success Response	Example: Code: 200 Content: {code:200, status: "Ok", tests: tests} tests: [{testId: 14, testState: "Pending", assignedDate: 19-01-2020, neuro: "Luís Melo Rocha", completedDate: 21-01-2020, comment: "-"}, …]
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}

Sample Call	```$.ajax({```
	``` url: '/api/patients/'+patientId+'/tests',```
	``` method: 'get',```
	``` success: function(result){```
	``` tests = result.tests;```
	``` notifyHtmlInjection(tests);```
	``` testsHtmlInjection(tests);```
	``` }```
	``` })```

Title	getUser
URL	/:name
Method	GET
URL Params	Required: name = [String]
Success Response	Example: Code: 200 Content: {code:200, status: "Ok", user: user} user: {userId: 3, name: "Luís Melo Rocha", sex: 'M', email: "lmr@gmail.com", birthdate: 1967-12-25, coords: point(-9.165965, 38.672674), patientId: null, neuroid: 1}
Error Response	Example: Code: 500 Contente: {code:500, status: "Error in the connection to the database"}

Sample Call	$.ajax({
	    url: "/api/users/" + name,
	    method: "get",
	    contentType: "application/json",
	    dataType: "json",
	    success: function(result, status){
	    }
	  })