
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 61, column 13; to line 61, column 131

<img class="auctionPhoto"

src="https://lbaw2211.lbaw.fe.up.pt/default_images/auction_default.svg"
alt="Auction Photo"/>

alt="Auction Photo"/>

| Auction Photo | Auction Photo
```

width="150"↔

height="60"←

id="logo"↔

3. Warning Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 149, column 17; to line 149, column 35

<h1 id="user-name">←

4. Info Trailing slash on void elements <u>has no effect</u> and <u>interacts badly with unquoted attribute values</u>.

From line 166, column 25; to line 167, column 225

5. Error Attribute name not allowed on element meta at this point.

From line 201, column 21; to line 201, column 97

<meta name="csrf-token"

content="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0" />

Attributes for element meta:

Global attributes

name — Metadata name

http-equiv — Pragma directive

content — Value of the element

charset — Character encoding declaration

media — Applicable media

Error Element meta is missing one or more of the following attributes:

itemprop, property.

From line 201, column 21; to line 201, column 97

<meta name="csrf-token"

content="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0" />

Attributes for element meta:

Global attributes

name — Metadata name

http-equiv — Pragma directive

content — Value of the element

charset — Character encoding declaration

media — Applicable media

7. Info Trailing slash on void elements <u>has no effect</u> and <u>interacts badly with</u> unquoted attribute values.

6.

```
From line 201, column 21; to line 201, column 97

<meta name="csrf-token"

content="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0" />
```

```
8.
     Error Attribute hash not allowed on element button at this point.
    From line 219, column 13; to line 219, column 219
                 <button class="nav-link active text-dark" id="nav-auctions-tab"</pre>
    hash="auctions" data-bs-toggle="tab"...s-target="#nav-auctions" type="button"
    role="tab" aria-controls="nav-auctions" aria-selected="true">Auctio
    Attributes for element button:
        Global attributes
        <u>disabled</u> — Whether the form control is disabled
        form — Associates the element with a form element
        <u>formaction</u> — <u>URL</u> to use for <u>form submission</u>
        <u>formenctype</u> — <u>Entry list</u> encoding type to use for <u>form submission</u>
        <u>formmethod</u> — Variant to use for <u>form submission</u>
        <u>formnovalidate</u> — Bypass form control validation for <u>form submission</u>
        <u>formtarget</u> — <u>Navigable</u> for <u>form submission</u>
        name — Name of the element to use for form submission and in the form.elements API
        type — Type of button
        value — Value to be used for form submission
```

```
Error Attribute hash not allowed on element button at this point.
9.
    From line 220, column 13; to line 220, column 212
                 <button class="nav-link text-dark" id="nav-followed-tab"</pre>
    hash="follows" data-bs-toggle="tab" data-bs...-target="#nav-followed"
    type="button" role="tab" aria-controls="nav-followed" aria-
    Attributes for element button:
       Global attributes
       <u>disabled</u> — Whether the form control is disabled
       form — Associates the element with a form element
       formaction — URL to use for form submission
       <u>formenctype</u> — <u>Entry list</u> encoding type to use for <u>form submission</u>
       <u>formmethod</u> — Variant to use for <u>form submission</u>
       formnovalidate — Bypass form control validation for form submission
       formtarget — Navigable for form submission
       name — Name of the element to use for form submission and in the form.elements API
       type — Type of button
       value — Value to be used for form submission
```

Error Attribute hash not allowed on element button at this point.

10.

```
From line 221, column 13; to line 221, column 209
                   <button class="nav-link text-dark" id="nav-reviews-tab"</pre>
     hash="reviews" data-bs-toggle="tab" data-bs-target="#nav-reviews"
     type="button" role="tab" aria-controls="nav-reviews" aria-
     Attributes for element button:
         Global attributes
         disabled — Whether the form control is disabled
         form — Associates the element with a form element
         formaction — URL to use for form submission
         <u>formenctype</u> — <u>Entry list</u> encoding type to use for <u>form submission</u>
         <u>formmethod</u> — Variant to use for <u>form submission</u>
         <u>formnovalidate</u> — Bypass form control validation for <u>form submission</u>
         <u>formtarget</u> — <u>Navigable</u> for <u>form submission</u>
         <u>name</u> — Name of the element to use for <u>form submission</u> and in the <u>form.elements</u> API
         type — Type of button
         value — Value to be used for form submission
      Error Attribute hash not allowed on element button at this point.
11.
     From line 223, column 29; to line 223, column 213
                   <button class="nav-link text-dark" id="nav-edit-tab" hash="edit"</pre>
     data-bs-toggle="tab" data-bs-target="#nav-edit" type="button" role="tab" aria-
     controls="nav-edit" aria-selected="false">Edit P
     Attributes for element button:
         Global attributes
         disabled — Whether the form control is disabled
         <u>form</u> — Associates the element with a <u>form</u> element
         <u>formaction</u> — <u>URL</u> to use for <u>form submission</u>
         <u>formenctype</u> — <u>Entry list</u> encoding type to use for <u>form submission</u>
         formmethod — Variant to use for form submission
         <u>formnovalidate</u> — Bypass form control validation for <u>form submission</u>
         <u>formtarget</u> — <u>Navigable</u> for <u>form submission</u>
         name — Name of the element to use for form submission and in the form.elements API
         <u>type</u> — Type of button
         <u>value</u> — Value to be used for <u>form submission</u>
12.
      Error Attribute hash not allowed on element button at this point.
     From line 224, column 25; to line 224, column 210
                   <button class="nav-link text-dark" id="nav-bids-tab" hash="bids"</pre>
     data-bs-toggle="tab" data-bs-target="#nav-bids" type="button" role="tab" aria-
```

```
Attributes for element button:

Global attributes

disabled — Whether the form control is disabled

form — Associates the element with a form element

formaction — URL to use for form submission

formenctype — Entry list encoding type to use for form submission

formnovalidate — Bypass form control validation for form submission

formtarget — Navigable for form submission

name — Name of the element to use for form submission and in the form.elements API

type — Type of button

value — Value to be used for form submission
```

14. Warning Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 230, column 5; to line 230, column 8 uid"> ← <h1>Auctio

15. Info Trailing slash on void elements <u>has no effect</u> and <u>interacts badly with</u> <u>unquoted attribute values</u>.

```
From line 235, column 25; to line 235, column 128

<img class="image"

src="https://lbaw2211.lbaw.fe.up.pt/images/default_auction.jpg" alt="auction
photo"/>

↔

↔
```

16. Warning Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

```
17.
     Error No p element in scope but a p end tag seen.
    From line 247, column 17; to line 247, column 20
                Warning Article lacks heading. Consider using h2 h6 elements to add
18.
    identifying headings to all articles.
    From line 234, column 5; to line 234, column 51
    ap">↩↩
                <article class="auction-card " id="auction-4" >←
     Info Trailing slash on void elements has no effect and interacts badly with
19.
    unquoted attribute values.
    From line 253, column 25; to line 253, column 152
               <img class="image"</pre>
    src="https://lbaw2211.lbaw.fe.up.pt/image/3AEGxSd2vK6cslwnsaUvidkWAJo5UvHyZBJJ
    JLM0.jpg" alt="auction photo"/>↔
    Warning Consider using the h1 element as a top-level heading only (all h1)
20.
    elements are treated as top-level headings by many screen readers and other
    tools).
    From line 256, column 9; to line 256, column 28
               <h1 class=" title ">vioalo
    >←
     Warning Article lacks heading. Consider using h2 h6 elements to add
21.
    identifying headings to all articles.
    From line 252, column 1; to line 252, column 47
     rticle>↔↔<article class="auction-card " id="auction-6" >↔
22.
     Error Attribute hash not allowed on element div at this point.
    From line 283, column 13; to line 283, column 136
                <div class="tab-pane fade" id="nav-followed" role="tabpanel"</pre>
    hash="follows" aria-labelledby="nav-followed-tab" tabindex="0">↔
    Attributes for element div:
       Global attributes
    Warning Consider using the hi element as a top-level heading only (all hi
23.
    elements are treated as top-level headings by many screen readers and other
    tools).
    From line 285, column 5; to line 285, column 22
               <h1 class="title"> 1 Auc
    wed">↩
```

25. Warning Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 292, column 9; to line 292, column 28
>← <h1 class=" title ">violin

26. Error No p element in scope but a p end tag seen.

From line 301, column 17; to line 301, column 20

27. Warning Article lacks heading. Consider using h2 h6 elements to add identifying headings to all articles.

From line 288, column 5; to line 288, column 51

ap">↔ <article class="auction-card" id="auction-1" >↔

Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

From line 286, column 5; to line 286, column 35
</h1>
</ri>
</h1>

<section class="auctions-list">

29. Error Attribute hash not allowed on element div at this point.

From line 313, column 13; to line 313, column 134

Attributes for element div:

Global attributes

Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

From line 314, column 17; to line 314, column 64

<section class="user-reviews" id="user-reviews">←

```
31.
    Error Attribute hash not allowed on element div at this point.
     From line 331, column 29; to line 331, column 141
                <div class="tab-pane fade" id="nav-edit" role="tabpanel"</pre>
     hash="edit" aria-labelledby="nav-edit-tab" tabindex="0"> \leftrightarrow
     Attributes for element div:
        Global attributes
     Error Attribute hash not allowed on element div at this point.
32.
     From line 359, column 25; to line 359, column 137
                <div class="tab-pane fade" id="nav-bids" role="tabpanel"</pre>
     hash="bids" aria-labelledby="nav-bids-tab" tabindex="0">←
     Attributes for element <u>div</u>:
        Global attributes
    (Error) Attribute | user | not allowed on element | svg | at this point.
33.
     From line 372, column 25; to line 372, column 248
                <svg class="position-absolute bot-0 end-0 sort bi bi-sort-alpha-up"</pre>
     user="pedro-exe" order="auction"..." xmlns="http://www.w3.org/2000/svg"
     width="16" height="16" fill="currentColor" viewBox="0 0 16 16">↔
    Error Attribute order not allowed on element svg at this point.
34.
     From line 372, column 25; to line 372, column 248
                <svg class="position-absolute bot-0 end-0 sort bi bi-sort-alpha-up"</pre>
     user="pedro-exe" order="auction"..." xmlns="http://www.w3.org/2000/svg"
     width="16" height="16" fill="currentColor" viewBox="0 0 16 16">↔
35.
    Error Attribute sort not allowed on element syglat this point.
     From line 372, column 25; to line 372, column 248
                <svg class="position-absolute bot-0 end-0 sort bi bi-sort-alpha-up"</pre>
     user="pedro-exe" order="auction"..." xmlns="http://www.w3.org/2000/svg"
     width="16" height="16" fill="currentColor" viewBox="0 0 16 16">↔
    Error Attribute user not allowed on element svg at this point.
36.
     From line 380, column 45; to line 380, column 271
                <svg class="position-absolute bot-0 end-0 sort bi bi-sort-numeric-</pre>
     up" user="pedro-exe" order="bidsda..." xmlns="http://www.w3.org/2000/svg"
     width="16" height="16" fill="currentColor" viewBox="0 0 16 16">←
    Error Attribute order not allowed on element syglat this point.
37.
     From line 380, column 45; to line 380, column 271
```

38. Error Attribute sort not allowed on element syg at this point.

From line 380, column 45; to line 380, column 271

39. **Error Duplicate attribute** class

At line 388, column 228
entColor" class="bi bi-sort-nu

40. Error Attribute user not allowed on element svg at this point.

From line 388, column 41; to line 388, column 272

41. Error Attribute order not allowed on element svg at this point.

From line 388, column 41; to line 388, column 272

<svg class="position-absolute bot-0 end-0 sort" user="pedro-exe"
order="value" sort="asc" role="butt...0/svg" width="16" height="16"
fill="currentColor" class="bi bi-sort-numeric-up" viewBox="0 0 16 16">←

42. Error Attribute sort not allowed on element svg at this point.

From line 388, column 41; to line 388, column 272

Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

From line 216, column 5; to line 216, column 48

ion> \leftrightarrow <section id="profile_options" class="w-100"> \leftrightarrow

Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

```
From line 145, column 11; to line 145, column 48

<section class="user-profile d-flex ">←←
```

Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

From line 144, column 9; to line 144, column 30

→ <section id="content"> ← </section id="content"> ←

Document checking completed.

Source

```
1. ←
 2. <!DOCTYPE html>↔
 3. <html lang="en">↔
4.
      <head>←
        <meta charset="utf-8">↔
 5.
6.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">←
 7.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
 8.
9.
        <!-- CSRF Token -->↔
10.
        <meta name="csrf-token"</pre>
    content="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0">↔
11.
12.
        <title>MelodyAuctions</title>↔
13. ←
        <!-- Styles -->↔
14.
15. ←
        <link href="https://lbaw2211.lbaw.fe.up.pt/css/milligram.min.css"</pre>
16.
    rel="stylesheet">↔
17.
        <link href="https://lbaw2211.lbaw.fe.up.pt/css/app.css" rel="stylesheet">←
18.
        <link href="https://lbaw2211.lbaw.fe.up.pt/css/auctions.css"</pre>
    rel="stylesheet">↔
19. ←
20. ←
21.
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css"
    rel="stylesheet" integrity="sha384-
    Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
    crossorigin="anonymous">←
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
22.
    awesome/4.7.0/css/font-awesome.min.css">↔
23.
            <link href="https://lbaw2211.lbaw.fe.up.pt/css/profile.css"</pre>
24.
    rel="stylesheet">\hookrightarrow
25.
        <link rel="stylesheet"</pre>
    href="https://lbaw2211.lbaw.fe.up.pt/css/review.css">↔
26. ←
27. ←
28.
        <!-- Scripts -->↔
29. ←
30.
        <script>↔
31.
            // Fix for Firefox autofocus CSS bug↔
            // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
32.
    messes-up-css-loading/18945951#18945951↔
33.
        </script>↔
34.
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/default.js" defer>
    </script>↔
35.
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/app.js" defer></script>←
36.
               <script>↔
```

```
37.
            window.User = {↔
38.
                id: 3↔
39.
40.
          </script>↔
41.
                 <script src="https://lbaw2211.lbaw.fe.up.pt/js/tabs.js" defer>
    </script>↩
42.
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/generic_search_bar.js"</pre>
    defer> </script>↔
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/user_profile.js" defer>
43.
    </script>↩
44.
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/auctions.js" defer>
    </script>↩
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/report.js" defer>
45.
    </script>↩
46.
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/bids.js" defer> </script>←
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/edit.js" defer></script>↔
47.
48.
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/review.js" defer>
    </script>↔
49.
   \leftarrow
50.
      </head>←
51. ←
52.
        <body>←
53.
                                        <div id="notificationsContainer">←
54.
        <div id = "notBtn">↔
55.
            <!--Number supports double digets and automaticly hides itself when
    there is nothing between divs -->↔
            <div id = "notifications">↔
56.
                <div class = "display">↔
57.
                                          <div class = "cont">↔
58.
                             <div id="1" class = "sec ">↔
59.
60.
        <div class = "notificationPhoto">←
                 <img class="auctionPhoto"</pre>
61.
    src="https://lbaw2211.lbaw.fe.up.pt/default_images/auction_default.svg"
    alt="Auction Photo"/>↩
            </div>←
62.
63.
                     <div class = "notificationContent">Auction violino is ending in
    less than 30 minutes</div>↔
                     <div class = "notificationContent sub">15 hours ago</div>←
64.
65.
        <div hidden class = "notificationDate">2023-01-02 23:53:27</div>←
                               </div>←
66. </div>
                                 </div>←
67.
68.
            </div>←
69.
        </div>←
70. </div>
                                      <header class="navbar navbar-expand-lg bg-light</pre>
71.
            <div class="container-fluid navbar-container">←
72.
            <img class="navbar-brand m-3"←</pre>
73.
                src=
    "https://lbaw2211.lbaw.fe.up.pt/default_images/logo_high.svg"↔
                74.
                height="60"←
75.
                width="150"←
76.
77.
                alt="Melody auctions Logo"/>↩
78.
79.
              <div class="fixed-options" >←
80. ←
81.
82.
                     <div id="notificationsBellContainer">←
                         <div id = "numberOfNotifications"></div>←
83.
                         <i id="notificationBell" class="fa fa-bell fa-4x" aria-</pre>
84.
    hidden="true"></i>↔
85.
                     </div>←
86.
                                      <div id= "user-profile" class="pedro-exe</pre>
    profile-userpic me-3">↔
87.
                         <img class="rounded-circle h6 profilepic"</pre>
    src="https://lbaw2211.lbaw.fe.up.pt/default images/default.jpg" alt="User
    Image">↔
88.
                       </div>←
89.
                             <button class="navbar-toggler collapsed" type="button"</pre>
    data-bs-toggle="collapse" data-bs-target="#navbar" aria-controls="navbar" aria-
    expanded="false" aria-label="Toggle navigation">↔
```

```
<span class="navbar-toggler-icon"></span>↔
90.
91.
               </button>←
92.
93.
             </div>↩
94.
95.
              <div class="navbar-collapse collapse" id="navbar" >←
96.
               100 mb-2 mb-lg-0">↔
97.
                 class="nav-item">↔
                   <a id="home" class="nav-link h6 px-5 text-dark"</pre>
98.
    href="https://lbaw2211.lbaw.fe.up.pt">Home</a>↔
99.
                 ←
100.
                 class="nav-item">←
101.
                   <a id="sell" class="nav-link h6 px-5 text-dark"</pre>
    href="https://lbaw2211.lbaw.fe.up.pt/auction/create">Sell</a>↔
102.
103.
                 ←
104.
                   <a id="buy" class="nav-link h6 px-5 text-dark"</pre>
    href="https://lbaw2211.lbaw.fe.up.pt/auction">Buy</a>↔
105.
                 ←
106. ←
107.
                 ←
108.
                   <div class="d-flex flex-row flex-grow-1 m-top">←
109.
                     <div class="d-flex flex-row flex-grow-1">←
110.
                       <div class="flex-grow-1 m-auto">←
                         <input id="search bar" class="form-control border-end-0</pre>
111.
    border rounded-pill" type="search" value="">↔
                         <div id="search_results" class="mx-3">↔
112.
113.
                           <div class="dropdown-menu bx-3">←
114.
                           </div>↩
115.
                         </div>←
116.
                       </div>←
117.
                       <span class="input-group-append">←
118.
                           <button id="search-button" class="btn btn-outline-</pre>
    secondary bg-white border-bottom-0 border rounded-pill ms-n5" type="button">↔
119.
                             <i class="fa fa-search" aria-hidden="true"></i></i>
120.
                           </button>←
121.
                       </span>↔
122.
                     </div>←
123.
                     <div id="auctionsOrUsers" class="dropdown ms-3 me-5">←
124.
                       <button class="btn dropdown-toggle" type="button"</pre>
    id="auctionsOrUsersButton" data-bs-toggle="dropdown" aria-
    expanded="false">Auctions</button>↔
                       125.
    labelledby="auctionsOrUsersButton">←
126.
                         </pr></pr>
127.
                         class="dropdown-item">Users
128.
                       ←
129.
                     </div>←
130.
                   </div>←
131.
                 ↩
132. ←
133.
                 \hookrightarrow
134.
               ↔
135.
              </div>←
136. ←
137.
              ب
138. ←
139.
            </div>←
140.
            \rightarrow
141.
          </header>↩
142. ←
143.
          <main>↔
144.
            <section id="content">←
145.
              <section class="user-profile d-flex ">←
146. ←
        147.
148.
149.
                   <h1 id="user-name">←
150.
                   <a id="username-at" href=""> &#64;pedro-exe</a>↔
151.
                   </h1>↔
```

```
152.
             </header>↩
                          <form id="logout"
153.
     action="https://lbaw2211.lbaw.fe.up.pt/logout" method="POST">←
                      <input type="hidden" name="_token"</pre>
154.
     value="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0">
                                                                         <button
     type="submit" class="btn btn-danger">Logout</button>
155.
                 </form>←
156.
                      <section class="profile-sidebar">←
                  <!-- SIDEBAR USERPIC -->↔
157.
158.
                  <div id= "prof_pic" class="profile-userpic">←
159.
                                       <img id="default_pic" class="pic</pre>
     default profilepic"
     src="https://lbaw2211.lbaw.fe.up.pt/default images/default.jpg" alt="User
     Image">↔
160.
                                  </div>↩
                              <div style="display:none" id="image form"</pre>
161.
     class="relative flex items-center min-h-screen justify-center overflow-
     hidden">↩
                      <form action="https://lbaw2211.lbaw.fe.up.pt/user/pedro-exe"</pre>
162.
     method="POST" enctype="multipart/form-data">↔
163.
                          <input type="hidden" name="_token"</pre>
     value="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0">↔
164.
                          <label class="block mb-4">←
                              <span style="display:none" class="sr-only">Choose
165.
     File</span>↔
                              <input required style="display:none" id="imageUpload"</pre>
166.
     type="file" name="image"←
                                  class="block w-full text-sm text-gray-500 file:mr-4
167.
     file:py-2 file:px-4 file:rounded-full file:border-0 file:text-sm file:font-
     semibold file:bg-blue-50 file:text-blue-700 hover:file:bg-blue-100" />↔
168.
                                                   </label>↔
169.
                          <button type="submit" class="btn btn-</pre>
     primary">Submit</button>↔
170.
                      </form>←
171.
                  </div>←
172.
173.
                              <div class="profile-usertitle">←
                      <div class="profile-usertitle-name">←
174.
175.
                          Pedro Gomes↔
176.
                      </div>←
177.
                                       <div class="average-rating">↔
178.
                          Average Rating: 5 ⭐ ←
179.
                      </div>←
180.
                                       <div class="profile-usertitle-description">←
181.
                          Description: Life is a wild ride↔
182.
                      </div>←
183.
                      <div class="profile-usertitle-contact">←
                          Phone number: 921412112 <br>
∀
184.
185.
                          E-Mail: pedro@gmail.com↔
186.
                      </div>←
187.
                  </div>←
188.
                 <!-- END SIDEBAR USER TITLE -->↔
                              <form style="display:none" id="report-form"</pre>
189.
     action="https://lbaw2211.lbaw.fe.up.pt/user/pedro-exe/report" method="POST">↔
190.
                      <input type="hidden" name=" token"</pre>
     value="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0">
     <label for="complaint">Complaint</label>←
191.
                      <textarea id="complaint" name="reportstext" rows="4" cols="50">
     </textarea>↔
192.
                      <button type="submit" class="btn btn-primary">Report</button>←
193.
                  </form>←
194.
195.
                              <div id="balance">↔
196.
                      <h2 id="current balance">←
197.
                          Balance: <output id="actual_balance">423423</output> $↔
198.
199.
                      <button id="add-balance" class="btn btn-primary">Add
     Balance</button>←
200.
                      <form style="display:none" id="add-balance-form"</pre>
     action="https://lbaw2211.lbaw.fe.up.pt/api/user/pedro-exe/balance"
     method="POST">↔
```

```
<meta name="csrf-token"</pre>
201.
     content="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0" />↩
202.
                          <input type="hidden" name="_method" value="PUT">
     <label for="balance-input">Amount</label>←
                         <input type="number" name="balance" id="balance-input"</pre>
203.
     placeholder="Balance" required min="1">↔
                         <button id="add" type="submit" class="btn btn-
204.
     primary">Add</button>↔
205.
                     </form>←
206.
                 </div>←
207.
                                      </section>↔
208. ←
209.
                         <form id="delete-user"</pre>
     action="https://lbaw2211.lbaw.fe.up.pt/user/pedro-exe" method="POST">↔
210.
                     <input type="hidden" name=" token"</pre>
     value="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0">
     type="hidden" name="_method" value="DELETE">
                                                                   <button
     type="submit" class="btn btn-danger">Delete Account</button>↔
211.
                 </form>↩
212.
213.
             \leftarrow
214.
         </section>←
215. ←
216.
         <section id="profile_options" class="w-100">←
217.
             <div class="nav nav-tabs mb-2" id="nav-tab" role="tablist">←
218.
                 <button class="nav-link active text-dark" id="nav-auctions-tab"</pre>
219.
     hash="auctions" data-bs-toggle="tab" data-bs-target="#nav-auctions"
     type="button" role="tab" aria-controls="nav-auctions" aria-
     selected="true">Auctions owned</button>←
220.
                 <button class="nav-link text-dark" id="nav-followed-tab"</pre>
     hash="follows" data-bs-toggle="tab" data-bs-target="#nav-followed"
     type="button" role="tab" aria-controls="nav-followed" aria-
     selected="false">Followed Auctions</button>←
221.
                 <button class="nav-link text-dark" id="nav-reviews-tab"</pre>
     hash="reviews" data-bs-toggle="tab" data-bs-target="#nav-reviews" type="button"
     role="tab" aria-controls="nav-reviews" aria-selected="false">User
     Reviews</button>←
222.
                 \leftarrow
223.
                                  <button class="nav-link text-dark" id="nav-edit-</pre>
     tab" hash="edit" data-bs-toggle="tab" data-bs-target="#nav-edit" type="button"
     role="tab" aria-controls="nav-edit" aria-selected="false">Edit
     Profile</button>←
224.
                              <button class="nav-link text-dark" id="nav-bids-tab"</pre>
     hash="bids" data-bs-toggle="tab" data-bs-target="#nav-bids" type="button"
     role="tab" aria-controls="nav-bids" aria-selected="false" >My Bids</button>←
225.
             </div>←
226.
             </nav>←
             <div class="tab-content" id="nav-tabContent">←
227.
228.
                 <div class="tab-pane fade show active" id="nav-auctions"</pre>
     hash="auctions" role="tabpanel" aria-labelledby="nav-auctions-tab"
     tabindex="0">←
229.
                     <section id='owned-auctions' class="container-fluid">←
230.
         <h1>Auctions owned</h1>←
231.
         <div class="ms-1"> ←
                 <div class="d-flex w-100 auctions-list flex-wrap">←
232.
233. ←
         <article class="auction-card " id="auction-4" >←
234.
235.
                              <img class="image"</pre>
     src="https://lbaw2211.lbaw.fe.up.pt/images/default_auction.jpg" alt="auction
     photo"/>↩
         \leftarrow
236.
237.
         <section class="auction-card-text">←
238.
             <h1 class=" title ">Violin</h1>↔
239. ←
240.
             ←
241.
                         Not Sold←
242.
                     ←
             <span class='price-value'> 250</span> €

243.
             class="text-secondary date">←
244.
245.
```

```
246.
                       Auction ended 2023-01-03
    01:29:00
247.
                   ←
248.
        </section>←
249. </article>↔
250. ←
251. ←
252. <article class="auction-card " id="auction-6" >←
                           <img class="image"</pre>
253.
    src="https://lbaw2211.lbaw.fe.up.pt/image/3AEGxSd2vK6cslwnsaUvidkWAJo5UvHyZBJJJ
    LMO.jpg" alt="auction photo"/>↩
254.
255.
        <section class="auction-card-text">←
            <h1 class=" title ">vioaloo</h1>↔
256.
257. ←
258.
            ←
259.
260.
               Starting price ←
261.
                              ←
            <span class='price-value'> 1</span> €
262.
            class="text-secondary date">←
263.
264.
265.
266.
                   Starting in ←
267.
               \downarrow
268.
               <span class="countdown "> </span>↔
269.
               <span hidden class="enddate">2023-01-05 13:34:00</span>←
270.
271. ←
272.
                   ←
273.
        </section>↔
274. </article>↔
275. ←
276. ←
277. ←
278. </div>↔
279. ←
280.
        </div>←
        <button id="owned-button" type="button" class="ms-5 mt-5 btn btn-dark btn-</pre>
281.
    rounded">See all auctions owned</button>↔
282.
    </section>
                         </div>←
283.
               <div class="tab-pane fade" id="nav-followed" role="tabpanel"</pre>
    hash="follows" aria-labelledby="nav-followed-tab" tabindex="0">←
284.
                   <section class="auctions-followed">←
        <h1 class="title"> 1 Auctions followed</h1>←
285.
        <section class="auctions-list">
286.
                                             <div class="d-flex w-100 auctions-</pre>
    list flex-wrap">↩
287.
        <article class="auction-card " id="auction-1" >←
288.
289.
               <img class="image"</pre>
    src="https://lbaw2211.lbaw.fe.up.pt/default_images/auction_default.svg"
    alt="auction photo"/>↩
290.
291.
        <section class="auction-card-text">←
292.
            <h1 class=" title ">violino</h1>↔
293. ←
294.
            ←
295.
                       Sold for←
296.
                   ←
297.
            <span class='price-value'> 25</span> €
298.
            ←
299.
300.
                       Auction ended 2023-01-03
    00:45:00
                   ←
301.
        </section>←
302.
303. </article>↔
304. ←
305. ←
306. ←
307. </div>↔
```

```
308. ←
309.
310.
         </section>↔
311. </section>←
312.
                  </div>←
313.
                  <div class="tab-pane fade" id="nav-reviews" role="tabpanel"</pre>
     hash="reviews" aria-labelledby="nav-reviews-tab" tabindex="0">←
314.
                      <section class="user-reviews" id="user-reviews">←
                          <article class="review">←
315.
316.
                      <header>←
317.
                          <h2 class="user"><a
     href="https://lbaw2211.lbaw.fe.up.pt/user/rui-exe">↔
318.
                                                        <img
     src="https://lbaw2211.lbaw.fe.up.pt/storage/image/VLRVRHFUORoO7CvgOIjQCd4jyc3c7
     wYgOgoHKZ4e.jpg" alt="Profile picture" class="rounded-circle" width="50"
     height="50">↔
319.
                                                        @rui-exe↔
320.
                              </a>←
321.
                          </h2>←
322.
                          <h2 class="score">Score: 5/5</h2>↔
323.
                          <h2 class="date">Date: 2022-11-07</h2>↔
324.
                      </header>←
325.
                      Muito bom↔
326.
                  </article>↔
327.
328. </section>←
329.
                  </div>←
330.
                                  <div class="tab-pane fade" id="nav-edit"</pre>
331.
     role="tabpanel" hash="edit" aria-labelledby="nav-edit-tab" tabindex="0">
332.
                          <div id="alter-info">←
333.
         <br>
<
334.
         <form id="edituser" method="POST"</pre>
     action="https://lbaw2211.lbaw.fe.up.pt/user/pedro-exe">←
335.
             <input type="hidden" name=" token"</pre>
     value="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0">←
336.
             <input type="hidden" name="_method" value="PUT">
                                                                        <label
     for="email">E-Mail Address</label>↔
337.
             <input id="email" type="email" name="email" value="pedro@gmail.com"</pre>
     required>↔
338.
339.
             <label for="firstname">First Name</label>←
340.
             <input id="firstname" type="text" name="firstname" value="Pedro"</pre>
     required>↔
341.
342.
             <label for="lastname">Last Name</label>←
             <input id="lastname" type="text" name="lastname" value="Gomes"</pre>
343.
     required>↔
344.
345.
             <label for="username">Username</label>←
             <input id="username" type="text" name="username" value="pedro-exe"</pre>
346.
     reauired>↔
347.
348.
             <label for="description">Description</label>←
349.
             <textarea id="description" name="description"> Life is a wild ride
     </textarea>↔
350.
351.
             <label for="contact">Contact</label>←
352.
             <input id="contact" type="text" name="contact" value="921412112">←
353.
                      <button type="submit" class="btn btn-primary">←
354.
                 Fdi+↔
355.
             </button>↔
356.
         </form>←
357. ←
358. </div>
                            </div>←
                              <div class="tab-pane fade" id="nav-bids"</pre>
359.
     role="tabpanel" hash="bids" aria-labelledby="nav-bids-tab" tabindex="0">↔
360.
                                               <section id ="bids">↔
361.
362. ←
363.
         <h2>My Bids</h2>↔
```

```
364.
        ←
365.
            <thead>←
366.
                →
367.
                    ←
368.
369. ←
370.
                        \sim
371.
372.
                            <svg class="position-absolute bot-0 end-0 sort bi bi-</pre>
    sort-alpha-up" user="pedro-exe" order="auction" sort="asc" role="button"
    xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor"
    viewBox="0 0 16 16">←
373.
                            <path fill-rule="evenodd" d="M10.082 5.629 9.664</pre>
    7H8.598l1.789-5.332h1.234L13.402 7h-1.12l-.419-1.371h-1.781zm1.57-.785L11
    2.687h-.047l-.652 2.157h1.351z"/>↔
374.
                            <path d="M12.96 14H9.028v-.69112.579-</pre>
    3.72v-.054H9.098v-.867h3.785v.691l-2.567 3.72v.054h2.645V14zm-8.46-.5a.5.5 0 0
    1-1 0V3.707L2.354 4.854a.5.5 0 1 1-.708-.708l2-1.999.007-.007a.498.498 0 0 1
     .7.006l2 2a.5.5 0 1 1-.707.708L4.5 3.707V13.5z"/>↔
375.
                            </svg>←
                        \leftarrow
376.
377.
378.

→
379.
                    Date↔
380.
                                               <svg class="position-absolute bot-0</pre>
    end-0 sort bi bi-sort-numeric-up" user="pedro-exe" order="bidsdate" sort="asc'
    role="button" xmlns="http://www.w3.org/2000/svg" width="16" height="16"
    fill="currentColor" viewBox="0 0 16 16">←
381.
                            <path d="M12.438 1.668V7H11.39V2.684h-.051l-</pre>
    1.211.859v-.96911.262-.906h1.046z"/>↔
                            <path fill-rule="evenodd" d="M11.36 14.098c-1.137 0-</pre>
382.
    1.708-.657-1.762-1.278h1.004c.058.223.343.45.773.45.824 0 1.164-.829 1.133-
    1.856h-.059c-.148.39-.57.742-1.261.742-.91 0-1.72-.613-1.72-1.758 0-1.148.848-
    1.835 1.973-1.835 1.09 0 2.063.636 2.063 2.687 0 1.867-.723 2.848-2.145
    2.848zm.062-2.735c.504 0 .933-.336.933-.972 0-.633-.398-1.008-.94-1.008-.52
    0-.927.375-.927 1 0 .64.418.98.934.98z"/>↔
383.
                            <path d="M4.5 13.5a.5.5 0 0 1-1 0V3.707L2.354</pre>
    4.854a.5.5 0 1 1-.708-.708l2-1.999.007-.007a.498.498 0 0 1 .7.006l2 2a.5.5 0 1
    1-.707.708L4.5 3.707V13.5z"/>↔
384.
                            </svg>←
385.
386.
                    ←
387.
                    scope="col">Value↔
388.
                                           <svg class="position-absolute bot-0</pre>
    end-0 sort" user="pedro-exe" order="value" sort="asc" role="button" xmlns="http://www.w3.org/2000/svg" width="16" height="16" fill="currentColor"
    389.
    1.211.859v-.96911.262-.906h1.046z"/>↔
390.
                            <path fill-rule="evenodd" d="M11.36 14.098c-1.137 0-</pre>
    1.708-.657-1.762-1.278h1.004c.058.223.343.45.773.45.824 0 1.164-.829 1.133-
    1.856h-.059c-.148.39-.57.742-1.261.742-.91 0-1.72-.613-1.72-1.758 0-1.148.848-
    1.835 1.973-1.835 1.09 0 2.063.636 2.063 2.687 0 1.867-.723 2.848-2.145
    2.848zm.062-2.735c.504 0 .933-.336.933-.972 0-.633-.398-1.008-.94-1.008-.52
    0-.927.375-.927 1 0 .64.418.98.934.98z"/>↔
391.
                            <path d="M4.5 13.5a.5.5 0 0 1-1 0V3.707L2.354</pre>
    4.854a.5.5 0 1 1-.708-.708l2-1.999.007-.007a.498.498 0 0 1 .7.006l2 2a.5.5 0 1
    1-.707.708L4.5 3.707V13.5z"/>↔
392.
                            </svg>←
393.
                        \downarrow
                    ←
394.
                ←
395.
396.
            </thead>↩
397.
            ←
398.
                                 ←
                        ←
399.
400.
                            <a href="https://lbaw2211.lbaw.fe.up.pt/auction/1"</pre>
    class="link-dark text-decoration-none">←
401.
                               violino↩
402.
                            </a>←
```

```
403.
                     ←
404.
                     2022-11-17 12:00:00.321
405.
                     20€↔
406.
                  ↔
407.
                     ←
408. ←
409.
410.
       ←
411.
412. ←
413.
       \leftarrow
414. </section>↔
415.
              </div>←
416.
           </div>←
417.
418.
       </section>↔
419. ←
420. ←
421. </section>↔
422. ←
423.
           </section>↩
424.
           <div aria-live="polite" aria-atomic="true" class="position-relative">←
425.
            <div id="toast-container" class="toast-container top-0 end-0 p-3">
    </div>↔
426.
           </div>↩
427.
         </main>↔
428.
           <footer class="py-3 my-4">↔
429.
             ←
430.
              <a class="nav-link px-2 text-muted"</pre>
    href="https://lbaw2211.lbaw.fe.up.pt/about-us">About Us</a>
              <a class="nav-link px-2 text-muted"</pre>
431.
    href="https://lbaw2211.lbaw.fe.up.pt/contact-us">Contact Us</a>↔
432.
            ↔
433.
             © 2022 - Melody Auctions↔
434.
           </footer>←
435.
           <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.
    js" integrity="sha384-
    OERcA2EqjJCMA+/3y+gxIOqMEjwtxJY7qPCqsdltbNJuaOe923+mo//f6V8Qbsw3"
    crossorigin="anonymous"></script>↔
436.
437.
         </body>←
438. </html>
```

Used the HTML parser.

Total execution time 120 milliseconds.

About this checker • Report an issue • Version: 22.12.5