Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 50, column 13; to line 50, column 131

<img class="auctionPhoto"

src="https://lbaw2211.lbaw.fe.up.pt/default_images/auction_default.svg"
alt="Auction Photo"/>

alt="Auction Photo"/>

| Auction Photo | Auction Photo
```

width="150"↔

height="60"←

id="logo"↔

3. Warning Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools).

From line 136, column 7; to line 136, column 10

```
4">← <h1> Creat
```

4. Error The first child option element of a select element with a required attribute, and without a multiple attribute, and without a size attribute whose value is greater than 1, must have either an empty value attribute, or must have no text content. Consider either adding a placeholder option label, or adding a size attribute with a value equal to the number of option elements.

From line 178, column 27; to line 178, column 44

```
<option value="2">←
```

5. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 195, column 11; to line 195, column 110

6. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

```
From line 200, column 11; to line 200, column 106
```

7. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any cases where no heading is needed.

```
From line 133, column 9; to line 133, column 30
```

```
>← <section id="content">←
```

Document checking completed.

Source

- 1. ↩
- 2. <!DOCTYPE html>←
- 3. <html lang="en">↔
- 4. <head>←

```
5.
        <meta charset="utf-8">↔
        <meta http-equiv="X-UA-Compatible" content="IE=edge">←
6.
 7.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
 8.
9.
        <!-- CSRF Token -->↔
10.
        <meta name="csrf-token"</pre>
    content="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0">↔
11.
12.
        <title>MelodyAuctions</title>↔
13. ←
14.
        <!-- Styles -->↔
15. ←
        <link href="https://lbaw2211.lbaw.fe.up.pt/css/milligram.min.css"</pre>
16.
    rel="stylesheet">↔
17.
        <link href="https://lbaw2211.lbaw.fe.up.pt/css/app.css" rel="stylesheet">←
18.
        <link href="https://lbaw2211.lbaw.fe.up.pt/css/auctions.css"</pre>
    rel="stylesheet">↔
19.
   \leftarrow
20. ←
21.
        link
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css"
    rel="stylesheet" integrity="sha384-
    Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeu0xjzrPF/et3URy9Bv1WTRi"
    crossorigin="anonymous">↔
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
22.
    awesome/4.7.0/css/font-awesome.min.css">↔
23.
        \leftarrow
24.
        ے
25.
        <!-- Scripts -->↔
26. ←
27.
        <script>←
28.
            // Fix for Firefox autofocus CSS bug↔
29.
            // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
    messes-up-css-loading/18945951#18945951↔
30.
        </script>↔
31.
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/default.js" defer>
    </script>↩
        <script src="https://lbaw2211.lbaw.fe.up.pt/js/app.js" defer></script>↔
32.
33.
              <script>↔
34.
            window.User = {←
35.
                id: 3↔
36.
            }←
37.
          </script>↔
38.
                 <script
    src="https://lbaw2211.lbaw.fe.up.pt/js/generic_search_bar.js" defer>
    </script>↩
39.
      </head>↩
40. ←
41.
        <body>←
42.
                                        <div id="notificationsContainer">←
        <div id = "notBtn">←
43.
44.
            <!--Number supports double digets and automaticly hides itself when
    there is nothing between divs -->↔
45.
            <div id = "notifications">←
46.
                <div class = "display">←
47.
                                          <div class = "cont">↔
                             <div id="1" class = "sec ">↔
48.
        <div class = "notificationPhoto">←
49.
50.
                <img class="auctionPhoto"</pre>
    src="https://lbaw2211.lbaw.fe.up.pt/default_images/auction_default.svg"
    alt="Auction Photo"/>↩
51.
            </div>←
52.
                     <div class = "notificationContent">Auction violino is ending in
    less than 30 minutes</div>↔
                     <div class = "notificationContent sub">15 hours ago</div>←
53.
54.
        <div hidden class = "notificationDate">2023-01-02 23:53:27</div>←
55. </div>
                               </div>←
                                 </div>←
56.
57.
            </div>←
58.
        </div>←
```

```
59. </div>
                                     <header class="navbar navbar-expand-lg bg-light</pre>
     rounded" >↔
             <div class="container-fluid navbar-container">←
 60.
 61.
             <img class="navbar-brand m-3"←</pre>
 62.
                 src=
     "https://lbaw2211.lbaw.fe.up.pt/default images/logo high.svg"↔
                 id="logo"←
 63.
                 height="60"←
 64.
                 width="150"←
 65.
                 alt="Melody auctions Logo"/>\leftarrow
 66.
 67.
 68.
               <div class="fixed-options" >←
 69. ←
 70.
 71.
                     <div id="notificationsBellContainer">←
                         <div id = "numberOfNotifications"></div>←
 72.
                         <i id="notificationBell" class="fa fa-bell fa-4x" aria-</pre>
 73.
     hidden="true"></i>↔
 74.
                     </div>←
                                     <div id= "user-profile" class="pedro-exe</pre>
 75.
     profile-userpic me-3">↔
 76.
                         <img class="rounded-circle h6 profilepic"</pre>
     src="https://lbaw2211.lbaw.fe.up.pt/default images/default.jpg" alt="User
     Image">↔
 77.
                       </div>←
 78.
                             <button class="navbar-toggler collapsed" type="button"</pre>
     data-bs-toggle="collapse" data-bs-target="#navbar" aria-controls="navbar" aria-
     expanded="false" aria-label="Toggle navigation">↔
 79.
                   <span class="navbar-toggler-icon"></span>↔
 80.
                 </button>↩
 81.
 82.
               </div>←
 83. ←
               <div class="navbar-collapse collapse" id="navbar" >←
 84.
 85.
                 100 mb-2 mb-lg-0">↔
                   class="nav-item">←
 86.
                     <a id="home" class="nav-link h6 px-5 text-dark"</pre>
 87.
     href="https://lbaw2211.lbaw.fe.up.pt">Home</a>↔
                   ←
 88.
 89.
                   class="nav-item">↔
                     <a id="sell" class="nav-link h6 px-5 text-dark"</pre>
 90.
     href="https://lbaw2211.lbaw.fe.up.pt/auction/create">Sell</a>↔
 91.
                   ↔
 92.
                   class="nav-item">←
                     <a id="buy" class="nav-link h6 px-5 text-dark"</pre>
 93.
     href="https://lbaw2211.lbaw.fe.up.pt/auction">Buy</a>↔
 94
                   ←
 95. ←
 96.
                   ←
                     <div class="d-flex flex-row flex-grow-1 m-top">←
 97.
 98.
                       <div class="d-flex flex-row flex-grow-1">←
 99.
                         <div class="flex-grow-1 m-auto">←
                           <input id="search bar" class="form-control border-end-0</pre>
100.
     border rounded-pill" type="search" value="">↔
101.
                           <div id="search results" class="mx-3">←
102.
                             <div class="dropdown-menu bx-3">↔
103.
                             </div>←
104.
                           </div>←
105.
                         </div>←
                         <span class="input-group-append">↔
106.
107.
                             <button id="search-button" class="btn btn-outline-</pre>
     secondary bg-white border-bottom-0 border rounded-pill ms-n5" type="button">←
108.
                               <i class="fa fa-search" aria-hidden="true"></i>↔
109.
                             </button>←
110.
                         </span>←
111.
112.
                       <div id="auctionsOrUsers" class="dropdown ms-3 me-5">←
113.
                         <button class="btn dropdown-toggle" type="button"</pre>
     id="auctionsOrUsersButton" data-bs-toggle="dropdown" aria-
     expanded="false">Auctions</button>↔
```

```
114.
                         labelledby="auctionsOrUsersButton">←
                           class="dropdown-item chosen">Auctions
115.
116.
                           class="dropdown-item">Users
117.
118.
                       </div>←
119.
                     </div>←
120.
                   ↩
121. ←
122.
123.
                 ↔
               </div>↩
124.
125. ←
126.
127. ←
128.
             </div>←
129.
             \downarrow
130.
           </header>↩
131. ←
132.
           <main>←
133.
             <section id="content">←
134.
                 <article class='container'>↔
         <header class="border-bottom pb-4">←
135.
136.
           <h1> Create new Auction</h1>←
137.
         </header>↩
138. ←
139.
         <div>←
140. ←
141.
           <form class="form-create" method="post"</pre>
     action="https://lbaw2211.lbaw.fe.up.pt/auction" onsubmit="return
     form_create_auction(this)" enctype="multipart/form-data">←
142.
143.
             <div class="mb-3 img-preview-container">←
144.
               <label for="auction image" class="form-label ">Auction
     image</label>↔
145.
               <img id="auction img"</pre>
     src="https://lbaw2211.lbaw.fe.up.pt/images/default_auction.jpg" class="img-
     fluid mx-auto d-block " alt="...">↩
146.
               <br>→
147.
               <input required name="photo" class="form-control" type="file"</pre>
     id="auction_image" accept="image/png, image/jpeg">↔
148.
             </div>←
149. ←
             <div class="mb-3">↔
150.
151.
               <label for="auction_name" class="form-label">Auction Name (Title)
     </label>↩
152.
               <input required name="name" type="text" class="form-control"</pre>
     id="auction name">↔
153.
             </div>↩
154.
             <div class="mb-3">↔
155.
               <label for="auction_description" class="form-</pre>
     label">Description</label>↔
156.
               <textarea required name="description" class="form-control"
     id="auction_description" style="height:100%;" rows="5"></textarea>↔
157.
             </div>↩
158. ←
159.
             <div class="mb-3">↔
160.
               <label for="manufactor" class="form-label">Manufactor</label>←
161.
162.
               <input required name="manufactor" class="form-control"</pre>
     list="manufactorOptions" id="manufactor" placeholder="Type to search...">↔
163.
               <datalist id="manufactorOptions">←
164.
                               <option value="Yamaha">←
165.
                               <option value="Fender">←
166.
                               <option value="Gibson"</pre>
167.
                               <option value="Ibanez">←
168.
                               <option value="Roland">←
                               <option value="Casio">←
169.
170.
                               <option value="Korg">←
171.
                               ب
172.
               </datalist>↔
```

```
173.
             </div>←
174. ←
175.
             <div class="mb-3">↔
176.
               <label for="category" class="form-label">Category</label>←
177.
                <select required name="category" id="category" class="form-select"</pre>
     aria-label="Default select example">↔
                                <option value="2">←
178.
179.
                      Sopro↔
180.
                    </option>←
181.
                                <option value="3">←
182.
                      Cordas↩
183.
                    </option>←
184.
                                <option value="4">←
185.
                      Teclas↩
186.
                    </option>←
187.
                                <option value="1">←
188.
                      Percussão↩
189.
                    </option>←
190.
                            </select>↔
                        </div>←
191.
192. ←
             <div class="mb-3">↔
193.
194.
               <label for="startDate">Start Date</label>←
195.
                <input required name="startDate" id="startDate" class="form-control</pre>
     w-auto" type="datetime-local" />↩
196.
                        </div>←
197. ←
             <div class="mb-3">↔
198.
199.
               <label for="endDate">End Date
200.
                <input required name="endDate" id="endDate" class="form-control w-</pre>
     auto" type="datetime-local" />↩
201.
                        </div>↩
202.
203.
             <div class="mb-3">↔
204.
               <label for="start_value" class="d-block">Start Value</label>←
205. ←
206.
               <div class="input-group mb-3">←
207.
                 <span class="input-group-text">€</span>←
208.
                 <input required name="startvalue" type="number" step="0.01"</pre>
     min="0.01" value ="0" class="form-control" id="start_value" aria-label="Euro
     amount (with dot and two decimal places)">←
209.
               </div> ←
210.
211.
             </div>←
212. ←
213.
               \sim
             <div class="mb-3">↔
214.
               <label for="minbiddiff" class="d-block">Min Bid difference</label>↔
215.
216. ←
               <div class="input-group mb-3">←
217.
                 <span class="input-group-text">€</span>↔
218.
                 <input required name="minbiddiff" type="number" step="0.01"</pre>
219.
     min="0.01" value ="0" class="form-control" id="minbiddiff" aria-label="Euro
     amount (with dot and two decimal places)">←
220.
                </div>←
221.
             </div>←
222. ←
             <input type="hidden" name="_token"</pre>
223.
     value="MopoblCIOYqzjK0040ueU1gqM2Rh4RFD0XqJMdv0">↔
224.
             <button type="submit" class="btn btn-primary">Submit</button>←
225.
           </form>←
226. ←
227.
           \leftarrow
228. ←
229.
         </div>←
230.
231.
       </article>←
232.
             </section>←
233.
             <div aria-live="polite" aria-atomic="true" class="position-relative">←
                <div id="toast-container" class="toast-container top-0 end-0 p-3">
234.
     </div>←
```

```
235.
           </div>↔
236.
         </main>↔
237.
           <footer class="py-3 my-4">←
238.
            ←
239.
              <a class="nav-link px-2 text-muted"</pre>
    href="https://lbaw2211.lbaw.fe.up.pt/about-us">About Us</a>
240.
              <a class="nav-link px-2 text-muted"</pre>
    href="https://lbaw2211.lbaw.fe.up.pt/contact-us">Contact Us</a>↔
241.
            ←
242.
            © 2022 - Melody Auctions

243.
           </footer>←
244.
           <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min.
    is" integrity="sha384-
    OERcA2EqjJCMA+/3y+gxIOqMEjwtxJY7qPCqsdltbNJuaOe923+mo//f6V8Qbsw3"
    crossorigin="anonymous"></script>↔
245.
246.
         </body>←
247. </html>
Used the HTML parser.
```

Total execution time 34 milliseconds.

About this checker • Report an issue • Version: 22.12.5