


Worksheet #2: Holiday Greeting Card

Using: `position:absolute`, `$.fadeIn(duration)`, `$.slideUp(duration)`, `$.delay(duration)`

- Let's create **card.html** in neocities.org



- Let's search for some **Christmas background** images

For example, I found the following nice background



The following code is also hosted at: <http://bronxnano.neocities.org/card.html>
(Also in: <http://jsbin.com/tigocenico/1/edit>)

```
<style>
  .overlay {
    position: absolute;
    top: 200px;
    left: 200px;
    color: yellow;
    font-size: 26px;
  }
</style>




<div class="overlay overlay-1">
  <h1>Season Greetings!</h1>
  This computer class is awesome!
</div>
<div class="overlay overlay-2">
  <h1>Hi there!</h1>
  Let's have lunch!
</div>

<script src="http://code.jquery.com/jquery-1.11.1.js"></script>
<script>

  $(' .overlay').hide();
  $(' .overlay-1').fadeIn(2000).slideUp(1000);
  $(' .overlay-2').delay(3000).fadeIn(2000);

</script>
```



The screenshot shows a web browser window with the address bar displaying `https://neocities.org/site_files/text_editor/card.html`. The browser's address bar also shows several tabs: "Neocities", "brnrxnano.neocities.org", and "https://neocities.org/site_files/text_editor/card.html". The browser's toolbar includes icons for "Apps", "Sign out", "The Exchange", "Bter NXT/BTC - Bitco", and "Activate X-Ray Gog". The main content area of the browser is a text editor with a dark background and a light blue header bar. The text editor contains the following code:

```
1 <style>
2   .overlay {
3     position: absolute;
4     top: 200px;
5     left: 200px;
6     color: yellow;
7     font-size: 26px;
8   }
9 </style>
10
11 
13
14 <div class="overlay overlay-1">
15   <h1>Season Greetings!</h1>
16   This computer class is awesome!
17 </div>
18 <div class="overlay overlay-2">
19   <h1>Hi there!</h1>
20   Let's have lunch!
21 </div>
22
23 <script src="http://code.jquery.com/jquery-1.11.1.js"></script>
24
25 $( '.overlay' ).hide();
26 $( '.overlay-1' ).fadeIn(2000).slideUp(1000);
27 $( '.overlay-2' ).delay(3000).fadeIn(2000);
28
29 </script>
```

- Make sure to pick your own holiday background
- Try replacing the line:
`$('.overlay-2').delay(3000) .fadeIn(2000) ;`
With:
`$('.overlay-2').delay(3000) .slideDown(2000) ;`
- Add other overlays and animate them.
- Let's add some music!?