



Fase A



Fase B



Fase C

Rest client

URL: `localhost:8080/invasor-usuario/recipe`

Server response

Code: 200

Response body

```
{
  "id": 1,
  "name": "Pan de Pasa",
  "description": "Pan de queso de papa con manzanilla y queso de lacha",
  "defaultIngredient": 0.1,
  "defaultIngredientAmount": 0.1,
  "defaultTemperature": 100,
  "defaultTemperatureAmount": 0.1,
  "defaultCookingTime": 0.1,
  "defaultCookingTimeAmount": 0.1,
  "defaultCookingTimeAmount": 0.1,
  "defaultCookingTimeAmount": 0.1,
  "difficulty": "Fácil",
  "note": "Ver por encima o encima para mejor sabor. Agrega la leche caliente poco a poco.",
  "recipe": true,
  "ingredient": null
}
```

Response headers

```
Content-Type: application/json
Date: Tue, 14 Apr 2015 17:13:35 GMT
X-Frame-Options: DENY
Transfer-Encoding: chunked
```

Responses

Code	Description	URLs
200	OK	No data

Methods

GET

Example: `localhost:8080/invasor-usuario/recipe`

Rest client

URL: `localhost:8080/invasor-usuario/recipe/1`

Server response

Code: 200

Response body

```
{
  "id": 1,
  "name": "Pan de Pasa",
  "description": "Pan de queso de papa con manzanilla y queso de lacha",
  "defaultIngredient": 0.1,
  "defaultIngredientAmount": 0.1,
  "defaultTemperature": 100,
  "defaultTemperatureAmount": 0.1,
  "defaultCookingTime": 0.1,
  "defaultCookingTimeAmount": 0.1,
  "defaultCookingTimeAmount": 0.1,
  "difficulty": "Fácil",
  "note": "Ver por encima o encima para mejor sabor. Agrega la leche caliente poco a poco.",
  "recipe": true,
  "ingredient": null
}
```

Response headers

```
Content-Type: application/json
Date: Tue, 14 Apr 2015 17:13:35 GMT
X-Frame-Options: DENY
Transfer-Encoding: chunked
```

Responses

Code	Description	URLs
200	OK	No data

Methods

GET

Example: `localhost:8080/invasor-usuario/recipe/1`

localhost:8080/invader-ultimate.html?token=0f3dc3b9d

Swagger UI

Swagger

Name	Description
id	required
request (string)	990
path	

Filter

Clear

Responses

Out

```
curl -X GET 'http://localhost:8080/invader-ultimate.html' -H 'accept: text'
```

Request URL

http://localhost:8080/invader-ultimate.html

Server response

Code	Value
404	HTTP response status is 404

Response headers

```
Content-Type: text/plain
Content-Length: 8
Date: Tue, 12 Nov 2025 07:25:44 GMT
Server: Apache/2.4.18
```

Responses

Code	Description	Links
200	OK	No links

1. **Captura de Pantalla:** Una imagen de tu **Swagger UI** donde se vea claramente la descripción de los endpoints y los esquemas de los modelos de datos.

