Sealed Air®
BRAND PROTECTIVE PACKAGING

INFLATABLE BUBBLE

PORTFOLIO CATALOGUE

Sealed Air®
BRAND PROTECTIVE PACKAGING

PERFORMANCE CUSHIONING SOLUTIONS

EXTRA STRONG CUSHIONING

Sealed Air®
BRAND PROTECTIVE PACKAGING

NewAir I.B.® Extreme H 160 Large Quilt

SPECS:

- Bubble Height: 41mm - Quilt (LQ)
- Uninflated Width: 40cm
- Length: 366m, perforated every 9cm
- Available in Extreme H160 grade

NewAir I.B.® Extreme H160 XL



SPECS:

- Bubble Height: 25mm - IB Pattern
- Uninflated Width: 40cm
- Length: 366m, perforated every 30cm
- Available in Extreme H160 grade

STRONG CUSHIONING

Sealed Air®
BRAND PROTECTIVE PACKAGING

NewAir I.B. Quilt®



SPECS:

- Bubble Height: 41mm
- Uninflated Width: 40cm
- Length: 610m, perforated every 9cm
- Available in Premium grade

NewAir I.B.® XL



SPECS:

- Bubble Height: 25mm
- Uninflated Width: 40cm, 80cm
- Length: 427m, perforated every 32cm
- Available in Premium grade

STRONG CUSHIONING

Sealed Air®
BRAND PROTECTIVE PACKAGING

NewAir I.B.® Large



SPECS:

- Bubble Height: 19mm
- Uninflated Width: 40cm, 80cm
- Length: 610m, Perforated every 32cm
- Available in Premium grade

Bubble Wrap IB® Pouch



SPECS:

- Bubble Height: 19mm
- Pouch Depth: 15cm or 30cm
- Length: 200mm or 430mm
- Available in Premium grade

NewAir I.B.® Medium



SPECS:

- Bubble Height: 13mm
- Uninflated Width: 40cm, 80cm
- Length: 762m, Perforated every 16cm and 32cm for width 40cm and every 32cm for width 80cm
- Available in Premium grade

MEDIUM CUSHIONING

Sealed Air®
BRAND PROTECTIVE PACKAGING

NewAir I.B.® XL

SPECS:

- Bubble Height: 25mm
- Uninflated Width: 40cm, 80cm
- Length: 579m, Perforated every 32cm
- Available in Regular grade

NewAir I.B.® Large



SPECS:

- Bubble Height: 19mm
- Uninflated Width: 40cm, 80cm
- Length: 610m, perforated every 32cm
- Available in Regular grade

Bubble Wrap IB® Pouch

SPECS:

- Bubble Height: 19mm
- Uninflated Width: 20cm
- Length: 300mm
- Available in Regular grade

LIGHT CUSHIONING/SURFACE PROTECTION

Sealed Air®
BRAND PROTECTIVE PACKAGING

Bubble Wrap IB® Large Lite

SPECS:

- Bubble Height: 19mm
- Uninflated Width: 40cm
- Length: 1006m, perforated every 32cm
- Available in Lite grade

Bubble Wrap IB® Medium



SPECS:

- Bubble Height: 13mm
- Uninflated Width: 40cm, 80cm
- Length: 1006m, perforated every 16cm and 32cm for width 40cm and every 32cm for width 80cm
- Available in Regular grade

Bubble Wrap IB® Small



SPECS:

- Bubble Height: 6mm
- Uninflated Width: 40cm, 80cm
- Length: 1006m, perforated every 16cm and 32cm for width 40cm and every 32cm for width 80cm
- Available in Regular grade

BubbleWrap®
BRAND PACKAGING

Rocket

Inflatable Void Fill System with Extreme Void Fill Film

MATERIAL BENEFITS

- Inflatable void fill system with high speed
- Quick Start
- Six bag sizes available
- Cross seal identification sensors
- Automated tracking control
- Packaging-on-demand
- Auto-replenishment sensor
- Small and light
- Easy to use
- Patented edge seal technology with ambient temperature sensing
- Quiet mode option

System Weight: 10.8kg
Electrical: 220/240 volt single phase

Extreme films are reusable and compatible with mechanical recycling streams of HDPE and recyclable in many locations. Please check for recycling locations near you to dispose accordingly or find out more at SealedAir.com



	Roll width	200mm		250mm		300mm	
	Roll length	1280m		1280m		1280m	
	Roll net weight	9.30kg		11.60kg		14.80kg	
	Cushion size (uninflated)	200x 130mm	200x 200mm	250x 130mm	250x 200mm	300x 130mm	300x 200mm
	Cushions per minute	216	140	214	135	210	130
	Cushions per roll	9840	6400	9840	6400	9840	6400
	Cushions per m^3	1672	712	1208	536	920	464
	Total m^3 per roll	5.89	8.99	8.15	11.94	10.70	13.79
	Rolls per pallet	48		36		36	

© Sealed Air Corporation 2023. All rights reserved.

BubbleWrap®
BRAND PACKAGING

Rocket

Inflatable Void Fill System with Extreme Efficiency RTE Light Weight Void Fill Film

The innovative thin void fill film made with 50% recycled content has a long film roll length to improve your packaging operation. This reduces the amount of virgin material used, whilst maintaining the performance required for the modern shipping cycle.

MATERIAL BENEFITS

- Inflates on demand, freeing up storage and workshop space compared to bulky materials
- Increases operational efficiencies with longer rolls than traditional films which leads to fewer changeovers and increased operational efficiency
- Its thin film structure reduces the amount of virgin material without compromising on performance, and reduces the number of trucks and consequent GHG emissions
- Made of 99% air and 1% packaging (by volume)
- Reusable and compatible with mechanical recycling streams of HDPE and recyclable in many locations.
  Please check for recycling locations near you to dispose accordingly or find out more at SealedAir.com

System Weight: 10.8kg
Electrical: 220/240 volt single phase



	Roll width	200mm		250mm		300mm	
	Roll length	1799m		1799m		1799m	
	Roll net weight	8,70kg		10,80kg		13kg	
	Cushion size (uninflated)	200 x 130mm	200 x 200mm	250 x 130mm	250 x 200mm	300 x 130mm	300 x 200mm
	Cushions per minute	216	140	214	135	210	130
	Cushions per roll	13838	8995	13838	8995	13838	8995
	Cushions per m^3	1672	712	1208	536	920	464
	Total m^3 per roll	8.28	12.63	11.5	16.8	15	19.4
	Rolls per pallet	48		36		36	

© Sealed Air Corporation 2023. All rights reserved.

BubbleWrap®
BRAND PACKAGING

Extreme E

Ultralight Void Fill Film

The innovative ultralight BUBBLE WRAP® brand Extreme E film is the thinnest from the range with greater roll lengths.

MATERIAL BENEFITS

- Inflates on demand, freeing up storage and workshop space compared to bulky materials
- Increases operational efficiencies with longer rolls than traditional films which leads to fewer changeover
- Reduces the amount of raw materials with an ultra thin film resulting in less trucks and consequent GHG emissions
- The film is reusable and compatible with mechanical recycling streams of HDPE and recyclable in many locations. Please check for recycling locations near you to dispose accordingly or find out more at SealedAir.com
- Compatible with BUBBLE WRAP® brand Rocket inflatable system



	200mm wide	250mm wide
 **Film thickness**	10 micron void-fill film	10 micron void-fill film
Roll length	2408m	2408m
Roll net weight	9,1kg	11,3kg
Cushion size (uninflated)	200 x 130mm 200 x 200mm	250 x 130mm 250 x 200mm
 **Total m^3 per roll**	130mm = 11,08 200mm = 16,91	130mm = 15,33 200mm = 22,46
Rolls per pallet	48 rolls	36 rolls

© Sealed Air Corporation 2023. All rights reserved.