MLSD: Assignment 1 Frequent itemsets and association rules Similar items

- Due date: March 23, 2023 -

For each of the following exercises, you should implement the solutions using Spark. Use small samples of the dataset for developing and initial testing, then run on the full data.

What to submit

For each exercise, submit a documented Jupyter notebook, a python script to run through spark-submit, and the results of the algorithm. If the results are too large, submit a download link instead.

The comments should explain the main steps of the solution with sufficient detail.

1. The file 'conditions.csv.gz' (available on the shared folder) lists conditions for a large set of patients. The file contains the following fields, with multiple non-consecutive entries for each patient:

START, STOP, PATIENT, ENCOUNTER, CODE, DESCRIPTION

PATIENT is the patient identifier CODE is a condition identifier DESCRIPTION is the name of the condition

You may prefer to reorganize the data before applying the algorithms. Try to use Spark for this as well.

- 1.1. Using the A-Priori algorithm, obtain the 10 most frequent itemsets for sizes k = 2 and k = 3. Set a support threshold of 1000.
- 1.2. Obtain associations between conditions by extracting rules of the forms $(X) \to Y$ and $(X, Y) \to Z$, with minimum standardised lift of 0.2.

Write the rules to a text file, showing the standardised lift, lift, confidence and interest values, sorted by standardised lift.

2. Similar items (TBD)