

## Serviço de validação de CSS do W3C

Resultados da validação CSS do W3C para TextArea (CSS nível 3 + SVG)

Ir para: Erros (5) Alertas (91) CSS validada

# Resultados da validação CSS do W3C para TextArea (CSS nível 3 + SVG)

#### Lamento! Encontramos os seguintes erros (5)

RI: TextArea		
20	.adminPage .adminSideBar	left não é um valor align-items : left
93	.adminPage .adminSideBar .adminSideBarOptions	left não é um valor align-items : left
139	<pre>.adminPage .adminSideBar .adminSideBarOptions .adminSideBarOption i</pre>	right não é um valor align-self : right
791	.adminAddForm .adminAddProductForm form	left não é um valor align-items : left
068	.adminEditPromoForm form	left não é um valor align-items : left

↑ TOPO



Interested in "developing" your developer skills? In W3Cx's hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. Find out more!

Donate and help us build better tools for a better web.

#### Alertas (91)

#### URI: TextArea

16	Due to their dynamic nature, CSS variables are currently not statically checked
31	Due to their dynamic nature, CSS variables are currently not statically checked
38	Due to their dynamic nature, CSS variables are currently not statically checked
61	Due to their dynamic nature, CSS variables are currently not statically checked

69	Due to their dynamic nature, CSS variables are currently not statically checked
76	Due to their dynamic nature, CSS variables are currently not statically checked
84	Due to their dynamic nature, CSS variables are currently not statically checked
110	Due to their dynamic nature, CSS variables are currently not statically checked
114	Due to their dynamic nature, CSS variables are currently not statically checked
118	Due to their dynamic nature, CSS variables are currently not statically checked
129	Due to their dynamic nature, CSS variables are currently not statically checked
137	Due to their dynamic nature, CSS variables are currently not statically checked
170	Due to their dynamic nature, CSS variables are currently not statically checked
182	Due to their dynamic nature, CSS variables are currently not statically checked
195	Due to their dynamic nature, CSS variables are currently not statically checked
201	Due to their dynamic nature, CSS variables are currently not statically checked
221	Due to their dynamic nature, CSS variables are currently not statically checked
232	Due to their dynamic nature, CSS variables are currently not statically checked
238	Due to their dynamic nature, CSS variables are currently not statically checked
270	Due to their dynamic nature, CSS variables are currently not statically checked
276	Due to their dynamic nature, CSS variables are currently not statically checked
282	Due to their dynamic nature, CSS variables are currently not statically checked
306	Due to their dynamic nature, CSS variables are currently not statically checked
307	Due to their dynamic nature, CSS variables are currently not statically checked

313	Due to their dynamic nature, CSS variables are currently not statically checked
325	Due to their dynamic nature, CSS variables are currently not statically checked
340	Due to their dynamic nature, CSS variables are currently not statically checked
348	Due to their dynamic nature, CSS variables are currently not statically checked
354	Due to their dynamic nature, CSS variables are currently not statically checked
370	Due to their dynamic nature, CSS variables are currently not statically checked
374	Due to their dynamic nature, CSS variables are currently not statically checked
399	Due to their dynamic nature, CSS variables are currently not statically checked
400	Due to their dynamic nature, CSS variables are currently not statically checked
406	Due to their dynamic nature, CSS variables are currently not statically checked
414	Due to their dynamic nature, CSS variables are currently not statically checked
426	Due to their dynamic nature, CSS variables are currently not statically checked
436	Due to their dynamic nature, CSS variables are currently not statically checked
440	Due to their dynamic nature, CSS variables are currently not statically checked
446	Due to their dynamic nature, CSS variables are currently not statically checked
466	Due to their dynamic nature, CSS variables are currently not statically checked
485	Due to their dynamic nature, CSS variables are currently not statically checked
494	Due to their dynamic nature, CSS variables are currently not statically checked
495	Due to their dynamic nature, CSS variables are currently not statically checked
516	Due to their dynamic nature, CSS variables are currently not statically checked

526	Due to their dynamic nature, CSS variables are currently not statically checked
530	Due to their dynamic nature, CSS variables are currently not statically checked
541	Due to their dynamic nature, CSS variables are currently not statically checked
566	Due to their dynamic nature, CSS variables are currently not statically checked
574	Due to their dynamic nature, CSS variables are currently not statically checked
575	Due to their dynamic nature, CSS variables are currently not statically checked
599	Due to their dynamic nature, CSS variables are currently not statically checked
613	Due to their dynamic nature, CSS variables are currently not statically checked
629	Due to their dynamic nature, CSS variables are currently not statically checked
659	Due to their dynamic nature, CSS variables are currently not statically checked
660	Due to their dynamic nature, CSS variables are currently not statically checked
689	Due to their dynamic nature, CSS variables are currently not statically checked
707	Due to their dynamic nature, CSS variables are currently not statically checked
718	Due to their dynamic nature, CSS variables are currently not statically checked
728	Due to their dynamic nature, CSS variables are currently not statically checked
732	Due to their dynamic nature, CSS variables are currently not statically checked
752	Due to their dynamic nature, CSS variables are currently not statically checked
753	Due to their dynamic nature, CSS variables are currently not statically checked
796	Due to their dynamic nature, CSS variables are currently not statically checked
810	Due to their dynamic nature, CSS variables are currently not statically checked

813	Due to their dynamic nature, CSS variables are currently not statically checked
826	Due to their dynamic nature, CSS variables are currently not statically checked
829	Due to their dynamic nature, CSS variables are currently not statically checked
841	::-webkit-scrollbar não é reconhecido como um pseudoelemento proprietário válido
845	::-webkit-scrollbar-track não é reconhecido como um pseudoelemento proprietário válido
849	::-webkit-scrollbar-thumb não é reconhecido como um pseudoelemento proprietário válido
850	Due to their dynamic nature, CSS variables are currently not statically checked
870	Due to their dynamic nature, CSS variables are currently not statically checked
873	Due to their dynamic nature, CSS variables are currently not statically checked
892	Due to their dynamic nature, CSS variables are currently not statically checked
893	Due to their dynamic nature, CSS variables are currently not statically checked
918	Due to their dynamic nature, CSS variables are currently not statically checked
928	Due to their dynamic nature, CSS variables are currently not statically checked
932	Due to their dynamic nature, CSS variables are currently not statically checked
951	Due to their dynamic nature, CSS variables are currently not statically checked
952	Due to their dynamic nature, CSS variables are currently not statically checked
997	Due to their dynamic nature, CSS variables are currently not statically checked
998	Due to their dynamic nature, CSS variables are currently not statically checked
1033	Due to their dynamic nature, CSS variables are currently not statically checked
1044	Due to their dynamic nature, CSS variables are currently not statically checked

1073	Due to their dynamic nature, CSS variables are currently not statically checked
1087	Due to their dynamic nature, CSS variables are currently not statically checked
1090	Due to their dynamic nature, CSS variables are currently not statically checked
1118	Due to their dynamic nature, CSS variables are currently not statically checked
1121	Due to their dynamic nature, CSS variables are currently not statically checked
1141	Due to their dynamic nature, CSS variables are currently not statically checked
1142	Due to their dynamic nature, CSS variables are currently not statically checked

↑ TOPO

### Informações CSS válidas

```
.adminPage {
    dispLay : flex;
    flex-direction : row;
    justify-content : space-between;
    align-items : flex-start;
    width : 100%;
    height : 100%;
    margin : 0;
    padding : 0;
}

.adminPage .adminSideBar {
    width : 14.642%;
    min-height : 100vh;
    dispLay : flex;
    flex-direction : column;
    justify-content : flex-start;
    padding-top : 2rem;
    padding-top : 2rem;
    padding-bottom : 2rem;
    position : sticky;
    top : 0;
    left : 0;
}

.adminPage .adminOptionContent {
    width : 85.358%;
    height : 100%;
    display : flex;
    flex-direction : column;
}
```

```
.adminPage .adminSideBar .adminSearchBarOnSideBar {
  height : 3.5rem;
  display : flex;
  flex-direction : row;
  justify-content : center;
  align-items : center;
  border-radius : 1rem;
  margin-bottom : 2rem;
  margin-left : 2rem;
  margin-right : 2rem;
}
.adminPage .adminSideBar .adminSearchBarOnSideBar form {
  width : 100%;
  height : 100%;
display : flex;
  flex-direction: row;
  justify-content : space-between;
  padding-left : 1rem;
  padding-right : 1rem;
.adminPage .adminSideBar .adminSearchBarOnSideBar input {
  width : 80%;
  border : none;
  outline : none;
  font-size : 1.5rem;
.adminPage .adminSideBar .adminSearchBarOnSideBar button {
  width : 20%;
  border : none;
  outline : none;
  font-size : 1.5rem;
.adminPage .adminSideBar .adminSearchBarOnSideBar button:hover {
  cursor : pointer;
.adminPage .adminSideBar .adminSideBarOptions {
  width : 100%;
  height : 100%;
  display : flex;
  flex-direction : column;
  justify-content : flex-start;
.adminPage .adminSideBar .adminSideBarOptions .adminSideBarOption {
  width : 100%;
height : 3.5rem;
  display : flex;
  flex-direction : row;
  justify-content : flex-start;
  align-items : center;
  padding-bottom : 2rem;
  padding-top : 2rem;
.adminPage .adminSideBar .adminSideBarOptions #rectangle {
  width : 1rem;
  height: 4rem;
.adminPage .adminSideBar .adminSideBarOptions .adminSideBarOption p {
  width : 100%;
  height : 100%;
  display : flex;
  flex-direction : row;
```

```
justify-content : flex-start;
  align-items : center;
  text-decoration : none;
  padding-left : 2rem;
  font-size : 1.75rem;
  margin-top : 1rem;
  margin-bottom : 1rem;
.adminPage .adminSideBar .adminSideBarOptions .adminSideBarOption i {
  font-size : 1.75rem;
  margin-right : 2rem;
.adminPage .adminSideBar .adminSideBarOptions .adminSideBarOptionSubOptions {
  width : 100%;
  display : flex;
  flex-direction : column;
  justify-content : flex-start;
  background-color : rgb(51, 51, 51);
}
.adminPage .adminSideBar .adminSideBarOptions .adminSideBarOptionSubOptions
.adminSideBarOptionSubOption {
  width : 100%;
  height: 3.5rem;
display: flex;
  flex-direction : row;
  justify-content : flex-start;
  align-items : center;
  padding-bottom : 2rem;
  padding-top : 2rem;
}
.adminPage .adminSideBar .adminSideBarOptions .adminSideBarOptionSubOptions
.adminSideBarOptionSubOption p {
  width : 100%;
height : 100%;
  display : flex;
  flex-direction : row;
  justify-content : flex-start;
  align-items : center;
  text-decoration : none;
  padding-left : 4rem;
  font-size : 1.5rem;
  margin-top : 1rem;
  margin-bottom : 1rem;
}
.adminPage .adminOptionContent {
  display : flex;
  flex-direction : column;
justify-content : flex-start;
  min-height : 100vh;
.adminPage .adminOptionContent .adminOptionContentTitle {
  width : 100%;
  display : flex;
  flex-direction : row;
  justify-content : flex-start;
  padding-left : 2rem;
  margin-bottom : 1rem;
padding-top : 2rem;
  padding-bottom : 2rem;
  box-shadow: 0 4px 4px rgb(0, 0, 0, 0.25);
}
```

```
.adminPage .adminOptionContent .adminOptionContentTitle h1 {
 font-size : 4rem;
.adminPage .adminOptionContent .adminOptionRealContent {
  width : 100%;
  display : flex;
  flex-wrap : wrap;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics {
  width : 30%;
  min-height : 20rem;
  display : flex;
  flex-direction : column;
  justify-content : flex-start;
  padding-bottom : 1rem;
  margin-left : 0.5rem;
margin-right : 0.5rem;
  margin-top : 0.5rem;
  margin-bottom : 1rem;
  box-shadow : 2px 4px 4px rgb(0, 0, 0, 0.25);
.adminPage .adminOptionContent .adminOptionRealContent .smallTitle {
  width : 100%;
  display: flex;
 flex-direction : row;
  justify-content : flex-start;
  padding-top : 0.2rem;
  padding-bottom : 0.2rem;
.adminPage .adminOptionContent .adminOptionRealContent .smallTitle h3 {
  font-size : 1.5rem;
  font-weight : 900;
  padding-left : 1rem;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.statisticsContent {
  width : 100%;
  display : flex;
  flex-direction : column;
justify-content : flex-start;
  padding-top : 1rem;
  padding-bottom : 1rem;
  padding-left : 2rem;
  padding-right : 2rem;
  gap : 1rem;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.statisticsContent .statsCont {
  display : flex;
  justify-content : space-between;
  align-items : center;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.statisticsContent .statsCont .statText {
  display : flex;
  flex-direction : column;
  justify-content : flex-start;
  align-items : flex-start;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.statisticsContent .statsCont .statText p {
```

```
font-size : 1.4rem;
  font-weight : 500;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.statisticsContent .statsCont .statText h2 {
  font-size : 2.2rem;
  font-weight : 900;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.statisticsContent .statsCont .statNumber {
  font-size : 2rem;
  font-weight : 900;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.averageSalesTable {
  width : 100%;
  display : flex;
  flex-direction : column;
  justify-content : flex-start;
  padding-top : 1rem;
padding-bottom : 1rem;
  padding-left : 2rem;
  padding-right : 2rem;
  margin-top : 2rem;
  margin-bottom : 2rem;
}
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.averageSalesTable .tableTitleAvg {
  width : 100%;
  display : flex;
flex-direction : row;
  justify-content : flex-start;
  padding-top : 0.2rem;
  padding-bottom : 0.2rem;
  padding-left : 1rem;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.averageSalesTable .tableTitleAvg h3 {
  font-size : 1.5rem;
  font-weight : 900;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.averageSalesTable .tableValuesAvg {
  width : 100%;
  display: flex;
  flex-direction : row;
  align-items : center;
  padding-top : 1rem;
  padding-bottom : 1rem;
  padding-left : 2rem;
  padding-right : 2rem;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.averageSalesTable .tableValuesAvg .tableValueAvg {
  width : 100%;
height : 100%;
  display : flex;
  flex-direction : column;
  justify-content : center;
  align-items : center;
}
```

.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics

```
.averageSalesTable .tableValuesAvg .separator {
  width : 3px;
height : 100%;
  margin-top : 1rem;
  margin-bottom : 1rem;
}
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.averageSalesTable .tableValuesAvg .tableValueAvg p {
  font-size : 1.4rem;
  font-weight : 500;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.averageSalesTable .tableValuesAvg .tableValueAvg h2 {
  font-size : 2.2rem;
font-weight : 900;
  margin-right : 1rem;
}
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.averageSalesTable .tableValuesAvg .tableValueAvg .tableValueAvgNumber {
  display : flex;
  flex-direction : row;
  justify-content : center;
  align-items : center;
}
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.averageSalesTable .tableValuesAvg i {
  font-size : 2rem;
}
. admin Page \ . admin Option Content \ . admin Option Real Content \ . general Statistics \\
.tableTop5SoldProducts {
  width : 100%;
  display : flex;
flex-direction : column;
  justify-content : flex-start;
  padding-top : 1rem;
  padding-bottom : 1rem;
  padding-left : 2rem;
  padding-right : 2rem;
  margin-top : 2rem;
  margin-bottom : 2rem;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.tableTop5SoldProducts .tableTitleTop5 {
  width : 100%;
  display : flex;
  flex-direction : row;
  justify-content : flex-start;
  padding-top : 0.2rem;
  padding-bottom : 0.2rem;
  padding-left : 1rem;
}
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.tableTop5SoldProducts .tableTitleTop5 h3 {
  font-size : 1.5rem;
  font-weight : 900;
}
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.tableTop5SoldProducts .top5Products {
  width : 100%;
  display : flex;
  flex-direction : column;
justify-content : flex-start;
```

```
}
. admin Page \ . admin Option Content \ . admin Option Real Content \ . general Statistics \\
.tableTop5SoldProducts .top5Products .top5ProductInfo {
  width : 100%;
  display : flex;
  flex-direction : row;
justify-content : space-between;
  padding-top : 1rem;
  padding-bottom : 1rem;
  padding-left : 2rem;
  padding-right : 2rem;
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.tableTop5SoldProducts .top5Products .top5ProductInfo:last-child {
  border-bottom : none;
}
.adminPage .adminOptionContent .adminOptionRealContent .generalStatistics
.tableTop5SoldProducts .top5Products .top5ProductInfo a {
  font-size : 1.4rem;
  font-weight : 500;
. admin Page \ . admin Option Content \ . admin Option Real Content \ . general Statistics \\
.tableTop5SoldProducts .top5ProductInfo p {
  font-size : 1.4rem;
  font-weight : 900;
.adminPage .adminOptionContent .adminOptionRealContent .grafs {
  width: 68.5%;
  display: flex;
  flex-direction : column;
  justify-content : flex-start;
  margin-bottom : 0.5rem;
.adminPage .adminOptionContent .adminOptionRealContent .grafs .salesGraf, .adminPage
.adminOptionContent .adminOptionRealContent .grafs .moneyGraf {
  width : 100%;
  min-height : 20rem;
  display : flex;
flex-direction : column;
  justify-content : flex-start;
  padding-bottom : 1rem;
  margin : 0.5rem;
  box-shadow : 2px 4px 4px rgb(0, 0, 0, 0.25);
}
.adminPage .adminOptionContent .adminOptionRealContent .grafs .month-selection {
  width : 100%;
  display : flex;
  flex-direction : row;
  justify-content : flex-start;
  align-items : center;
  padding-top : 1rem;
  padding-bottom : 1rem;
  padding-left : 2rem;
  padding-right : 2rem;
}
adminPage .adminOptionContent .adminOptionRealContent .grafs .month-selection label.
  font-size : 1.5rem;
  font-weight : 900;
  margin-right : 1rem;
}
```

```
.adminPage .adminOptionContent .adminOptionRealContent .grafs .month-selection select
  width: 15rem;
  height : 2.5rem;
  font-size : 1.5rem;
font-weight : 500;
  outline : none;
.adminPage .adminOptionContent .adminOptionRealContent .grafs .graf {
  width : 100%;
  min-height : 20rem;
  display : flex;
  flex-direction : column;
  justify-content : center;
  align-items : center;
  padding : 1.5rem;
.adminPage .adminOrderContent {
  width : 99%;
  display : flex;
  flex-direction : column;
justify-content : flex-start;
  min-height : 100vh;
  margin : 1rem;
  padding : 2rem;
  box-shadow : 2px 4px 4px rgb(0, 0, 0, 0.25);
}
.adminPage .adminOrderContent .tableSortable a {
  font-size : 1.7rem;
.adminPage .adminOrderContent .tableSortable .myProductImage {
  display : flex;
  justify-content : center;
  align-items : center;
.adminPage .adminOrderContent .tableSortable .myProductImage img {
  border-radius : 15%;
.adminPage .adminOrderContent .tableSortable .myProductImage img:hover {
  cursor : pointer;
  box-shadow: 1px 2px 2px rgb(0, 0, 0, 0.25);
.adminPage .adminOrderContent .tableSortable .myProductStock {
  display : flex;
  justify-content : center;
  align-items : center;
}
.adminPage .adminOrderContent .tableSortable .myProductStock form {
  display : flex;
flex-direction : row;
  justify-content : center;
  align-items : center;
}
.adminPage .adminOrderContent .tableSortable .myProductStock form input {
  width : 7rem;
  font-size : 1.5rem;
  text-align : center;
  outline : none;
  margin-right : 1rem;
```

```
}
 .adminPage .adminOrderContent .tableSortable .myProductStock form button \{
        width : 3rem;
        height : 3rem;
        border : none;
        outline : none;
        border-radius : 50%;
       display : flex;
        justify-content : center;
        align-items : center;
}
. admin Page \ . admin Order Content \ . table Sortable \ . my Product Stock \ form \ button: hover \ \{ box{0.5cm} \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product Stock \ form \ button \ . The product \ . The product Stock \ form \ button \ . The product \ 
        cursor : pointer;
        opacity: 0.8;
. admin Page \ . admin Order Content \ . table Sortable \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . my Product Edit, \ . admin Page \ . admin P
.adminOrderContent .tableSortable .myProductDelete {
        display : flex;
        justify-content : center;
        align-items : center;
.adminPage .adminOrderContent .tableSortable .myProductEdit a, .adminPage
.adminOrderContent .tableSortable .myProductDelete a {
       font-size : 1.7rem;
.adminPage .adminOrderContent .tableSortable .myProductEdit a:hover, .adminPage
.adminOrderContent .tableSortable .myProductDelete a:hover {
       opacity: 0.8;
.adminPage .adminOptionContent .adminHighlightContent {
        width : 99%;
        display : flex;
        flex-direction : column;
        justify-content : flex-start;
        min-height : 50vh;
       margin : 1rem;
        padding : 2rem;
        box-shadow: 2px 4px 4px rgb(0, 0, 0, 0.25);
.adminPage .adminOptionContent .adminHighlightContent .adminHighlightContentTitle {
    display : flex;
        justify-content : flex-start;
        align-items : center;
       margin-bottom : 2rem;
 .adminPage .adminOptionContent .adminHighlightContent .adminHighlightContentTitle h2
        font-size : 3rem;
.adminPage .adminOptionContent .adminHighlightContent .productsPageProducts {
        display : flex;
       flex-direction : row;
justify-content : center;
       align-items : center;
       width : 100%;
       margin-bottom : 2rem;
.adminPage .adminOptionContent .adminHighlightContent .highlightProductListItem {
```

```
display : flex;
  flex-direction : column;
justify-content : space-between;
  align-items : center;
  width : 20%;
  height: 37rem;
.adminPage .adminOptionContent .adminHighlightContent .removeHighlight {
  width : 100%;
  display : flex;
  flex-direction : row;
  justify-content : center;
  align-items : center;
.adminPage .adminOptionContent .adminHighlightContent .removeHighlight button {
  border : none;
  outline : none;
  border-radius :
                  5px;
  display : flex;
  justify-content : center;
 align-items : center;
padding-left : 1rem;
padding-right : 1rem;
  padding-top : 0.5rem;
  padding-bottom : 0.5rem;
  font-size : 1.5rem;
.adminPage .adminOptionContent .adminHighlightContent .removeHighlight button:hover {
  cursor : pointer;
  opacity: 0.8;
.adminPage .adminOptionContent .adminHighlightContent .maxHighlights {
  width: 100%;
  display: flex;
  flex-direction: row;
  justify-content : center;
  align-items : center;
.adminPage .adminOptionContent .adminHighlightContent .maxHighlights p {
  font-size : 1.5rem;
.adminPage .adminOptionContent .adminHighlightContent .highlightsEmpty {
  width : 100%;
  display : flex;
  flex-direction : column;
  justify-content : center;
  align-items : center;
.adminPage .adminOptionContent .adminHighlightContent .highlightsEmpty img {
  margin-top : 1rem;
  margin-bottom : 2rem;
.adminPage .adminOptionContent .adminHighlightContent .highlightsEmpty h3 {
 font-size : 2rem;
.adminPage .adminOptionContent .adminHighlightContent .tableSortable .myProductImage
  display : flex;
  justify-content : center;
  align-items : center;
```

```
}
adminPage .adminOptionContent .adminHighlightContent .tableSortable .myProductImage.
  border-radius : 15%;
.adminPage .adminOptionContent .adminHighlightContent .tableSortable .myProductImage
img:hover {
  cursor : pointer;
  box-shadow: 1px 2px 2px rgb(0, 0, 0, 0.25);
.adminPage .adminOptionContent .adminHighlightContent .tableSortable a {
  font-size : 1.7rem;
.adminPage .adminOptionContent .adminHighlightContent .tableSortable
.myProductAddToHighlights {
  display : flex;
  justify-content : center;
  align-items : center;
.adminPage .adminOptionContent .adminHighlightContent .tableSortable
.myProductAddToHighlights form {
  width : 50%;
  display : flex;
  flex-direction : row;
  justify-content : center;
  align-items : center;
.adminPage .adminOptionContent .adminHighlightContent .tableSortable
.myProductAddToHighlights form button {
  width : 3rem;
height : 3rem;
  border : none;
  outline : none;
  border-radius : 50%;
  display : flex;
  justify-content : center;
  align-items : center;
.adminPage .adminOptionContent .adminHighlightContent .tableSortable
.myProductAddToHighlights form button:hover {
  cursor : pointer;
  opacity: 0.8;
.adminPage .adminOptionContent .adminHighlightContent .tableSortable
.myProductAddToHighlights form i {
  font-size : 1.5rem;
.adminPage .adminAddForm {
  min-height : 81vh;
}
.adminAddForm .adminAddProductForm {
  display : flex;
  flex-direction : column;
  justify-content : center;
  align-items : center;
  width : 100%;
}
```

```
.adminAddForm .adminAddProductForm .productEditImg {
   margin: 0;
.adminAddForm .adminAddProductForm form {
   width : 30%;
   display : flex;
   flex-direction : column;
.adminAddForm .adminAddProductForm form label {
   font-size : 2rem;
   padding-bottom : 1rem;
   font-weight : 600;
   margin-top : 1rem;
.adminAddForm .adminAddProductForm .inputBox .adminAddProduct {
   width : 100%;
   display: flex;
   flex-direction : column;
.adminAddForm .adminAddProductForm .inputBox .adminAddProduct input {
   height : 3rem;
   padding-left : 0.5rem;
font-size : 1.5rem;
   width : 100%;
   outline : none;
   background : transparent;
   margin-bottom : 1rem;
.adminAddForm .adminAddProductForm .inputBox .adminAddProduct input:focus {
   box-shadow : 0 0 0.5rem rgb(0, 0, 0, 0.4);
. admin Add Form \ . admin Add Product Form \ . input Box \ . admin Add Product \ textarea \ \{ admin Add Product \ textarea \ \} \}
   height : 9.5rem;
   padding-left : 0.5rem;
   font-size : 1.5rem;
   width : 100%;
   outline : none;
   background : transparent;
   margin-bottom : 1rem;
   resize : none;
}
.adminAddForm .adminAddProductForm .inputBox .adminAddProduct textarea:focus {
   box-shadow : 0 0 0.5rem rgb(0, 0, 0, 0.4);
.adminAddForm .adminAddProductForm .inputBox .adminAddProduct textarea::-webkit-
scrollbar {
   width: 0.5rem;
.adminAddForm .adminAddProductForm .inputBox .adminAddProduct textarea::-webkit-
scrollbar-track {
   background : transparent;
.adminAddForm .adminAddProductForm .inputBoxSpecial {
   width : 100%;
   display: flex;
   flex-direction : row;
   justify-content : space-between;
```

```
align-items : center;
.adminAddForm .adminAddProductForm .inputBoxSpecial .adminAddProduct {
  width : 100%;
  display : flex;
  flex-direction : column;
  align-items : center;
.adminAddForm .adminAddProductForm .inputBoxSpecial input {
  height : 3rem;
  padding-left : 0.5rem;
  font-size : 1.5rem;
  width : 48%;
  outline : none;
  background : transparent;
  margin-bottom : 1rem;
.adminAddForm .adminAddProductForm .addProductButton {
  width : 100%;
  display : flex;
  justify-content : center;
  align-items : center;
  margin-top : 2rem;
  margin-bottom : 2rem;
}
.adminAddForm .adminAddProductForm .addProductButton input {
  width : 20rem;
  height: 3rem;
  border : none;
  outline : none;
border-radius : 5px;
  display : flex;
  justify-content : center;
  align-items : center;
  font-size : 1.5rem;
.adminAddForm .adminAddProductForm .addProductButton input:hover {
  cursor : pointer;
  opacity: 0.8;
. admin Page \ . admin Option Content \ . table Sortable \ . user Foto Name \ \{
  display : flex;
  flex-direction : row;
  justify-content : center;
  align-items : center;
.adminPage .adminOptionContent .tableSortable .userFotoName img {
  border-radius : 50%;
}
.adminPage .adminOptionContent .tableSortable .userFotoName img:hover {
  cursor : pointer;
  box-shadow: 1px 2px 2px rgb(0, 0, 0, 0.25);
.adminPage .adminOptionContent .tableSortable .userFotoName .userNameInAdminTable p {
  font-size : 1.7rem;
.adminPage .adminOptionContent .tableSortable .userAdminButtons {
  display: flex;
```

```
flex-direction : row;
  justify-content : center;
  align-items : center;
}
.adminPage .adminOptionContent .tableSortable .userAdminButtons form {
  display : flex;
  flex-direction : row;
  justify-content : center;
  align-items : center;
.adminPage .adminOptionContent .tableSortable .userAdminButtons form button {
  border : none;
  outline : none;
border-radius : 5px;
  display : flex;
  justify-content : center;
  align-items : center;
  font-size : 1.5rem;
  padding-left : 1rem;
  padding-right : 1rem;
  padding-top : 0.5rem;
  padding-bottom : 0.5rem;
.adminPage .adminOptionContent .tableSortable .userAdminButtons form button:hover {
  cursor : pointer;
  opacity: 0.8;
.adminPage .adminOptionContent .topOfTable .faqTopTable {
  width : 100%;
  display : flex;
flex-direction : row;
  justify-content : space-between;
  align-items : center;
  margin-bottom : 1rem;
}
.adminPage .adminOptionContent .topOfTable .faqTopTable .adminFAQButtons {
    display : flex;
  flex-direction : row;
  justify-content : flex-end;
  align-items : center;
  width : 20rem;
}
.adminPage .adminOptionContent .topOfTable .faqTopTable .adminFAQButtons form \{
  display : flex;
  flex-direction : row;
  justify-content : flex-end;
  align-items : center;
}
.adminPage .adminOptionContent .topOfTable .faqTopTable .adminFAQButtons form button
  border : none;
  outline : none;
  border-radius : 5px;
  display : flex;
  justify-content : center;
  align-items : center;
  font-size : 1.5rem;
  padding-left : 1rem;
  padding-right : 1rem;
padding-top : 0.5rem;
  padding-bottom : 0.5rem;
}
```

```
.adminPage .adminOptionContent .topOfTable .faqTopTable .adminFAQButtons form
button:hover {
  cursor : pointer;
  opacity: 0.8;
.adminPage .adminOptionContent .tableSortable .faqButtons {
  display : flex;
  flex-direction : row;
  justify-content : center;
  align-items : center;
.adminPage .adminOptionContent .tableSortable .faqButtons form {
    display : flex;
  flex-direction : row;
  justify-content : center;
  align-items : center;
.adminPage .adminOptionContent .tableSortable .faqButtons form button {
  border : none;
outline : none;
  display: flex;
  justify-content : center;
  align-items : center;
  font-size : 1.7rem;
.adminPage .adminOptionContent .tableSortable .faqButtons form button:hover {
  cursor : pointer;
.adminEditPromoForm {
  display : flex;
  flex-direction : column;
justify-content : center;
  align-items : center;
  width : 100%;
.adminEditProductForm .addPromoCodeForm {
  display : flex;
flex-direction : column;
  justify-content : center;
  align-items : center;
  width : 100%;
}
.adminEditPromoForm form {
  width : 30%;
  display : flex;
  flex-direction : column;
.adminEditPromoForm form label {
  font-size : 2rem;
padding-bottom : 1rem;
  font-weight : 600;
  margin-top : 1rem;
}
.adminEditPromoForm .inputBox .adminAddProduct {
  width : 100%;
  display: flex;
  flex-direction : column;
```

```
.adminEditPromoForm .inputBox .adminAddProduct input {
  height : 3rem;
  padding-left : 0.5rem;
  font-size : 1.5rem;
  width : 100%;
  outline : none;
  background : transparent;
  margin-bottom : 1rem;
.adminEditPromoForm .inputBox .adminAddProduct input:focus {
  box-shadow : 0 0 0.5rem rgb(0, 0, 0, 0.4);
.adminEditPromoForm .inputBoxSpecial {
  width : 100%;
  display : flex;
  flex-direction : row;
  justify-content : space-between;
  align-items : center;
.adminEditPromoForm .inputBoxSpecial .adminAddProduct {
  width : 100%;
  display : flex;
  flex-direction : column;
  align-items : center;
.adminEditPromoForm .inputBoxSpecial input {
  height: 3rem;
  padding-left : 0.5rem;
  font-size : 1.5rem;
width : 50%;
  outline : none;
  background : transparent;
  margin-bottom : 1rem;
}
.adminEditPromoForm .addProductButton {
  width : 100%;
  display : flex;
  justify-content : center;
  align-items : center;
  margin-top : 2rem;
  margin-bottom : 2rem;
.adminEditPromoForm .addProductButton input {
  width : 20rem;
height : 3rem;
  border : none;
  outline : none;
  border-radius : 5px;
  display : flex;
  justify-content : center;
  align-items : center;
  font-size : 1.5rem;
.adminEditPromoForm .addProductButton input:hover {
  cursor : pointer;
  opacity : 0.8;
```

Home Sobre Documentação Download Feedback Créditos



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG),
ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK,
DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS
WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY
STATEMENTS.