
## **Ejercicio 1**

Crea al servidor remot un nou usuari xyyyy on x és el teu nom e yyyy el teu cognom en el servidor.

```
root@ip-172-31-41-232:/# sudo adduser pquill
 info: Adding user `pguill'
 info: Selecting UID/GID from range 1000 to 59999 ...
info: Adding new group `pguill' (1002) ...
info: Adding new user `pguill' (1002) with group `pguill (1002)' ...
 info: Creating home directory `/home/pguill' ...
 info: Copying files from `/etc/skel' ...
 New password:
 Retype new password:
 passwd: password updated successfully
 Changing the user information for pguill
 Enter the new value, or press ENTER for the default
          Full Name []:
          Room Number []:
          Work Phone []:
          Home Phone []:
          Other []:
 Is the information correct? [Y/n] Y
 info: Adding new user `pguill' to supplemental / extra groups `users' ...
 info: Adding user `pguill' to group `users' ...
```

· Activa l'autenticació per contrasenya



 Connecta't des de la màquina local al servidor utilitzant la contrasenya d'aquest nou usuari.

```
batoi@batoi-SSD-2024:~/Documentos/DAW 2/Desarrollo WEB en cliente/Ej 2.1/librosbatoi$ ssh pguill@54.81.47.114
pguill@54.81.47.114's password:
Welcome to Ubuntu 24.04 LTS (GNU/Linux 6.8.0-1017-aws x86 64)
 * Documentation: https://help.ubuntu.com
* Management: https://landscape.canonical.com
* Support: https://ubuntu.com/pro
 * Support:
System information as of Wed Oct 30 16:54:42 UTC 2024
 System load: 0.0
                                                           130
                                   Processes:
 Usage of /: 41.5% of 6.71GB Users logged in:
Memory usage: 54% IPv4 address for 6
                                                           Θ
                                  IPv4 address for enX0: 172.31.41.232
 Swap usage:
 * Ubuntu Pro delivers the most comprehensive open source security and
   compliance features.
  https://ubuntu.com/aws/pro
Expanded Security Maintenance for Applications is not enabled.
108 updates can be applied immediately.
To see these additional updates run: apt list --upgradable
Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status
The list of available updates is more than a week old.
To check for new updates run: sudo apt update
The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.
```

Comprova que tens accés al servidor i que pots utilitzar-lo.

```
pguill@ip-172-31-41-232:~$ mkdir hola
pguill@ip-172-31-41-232:~$ ls -rl
total 4
drwxrwxr-x 2 pguill pguill 4096 Oct 30 16:55 hola
```

## **Ejercicio 2**

Du a terme les següents tasques:

Genera un nou usuari a la màquina remota

```
root@ip-172-31-41-232:/# sudo adduser pedro
  info: Adding user `pedro' ...
  info: Selecting UID/GID from range 1000 to 59999 ...
 info: Adding new group `pedro' (1003) ...
info: Adding new user `pedro' (1003) with group `pedro (1003)' ...
info: Creating home directory `/home/pedro' ...
  info: Copying files from `/etc/skel' ...
 New password:
 Retype new password:
 passwd: password updated successfully
  Changing the user information for pedro
  Enter the new value, or press ENTER for the default
           Full Name []:
           Room Number []:
           Work Phone []:
           Home Phone []:
           Other []:
  Is the information correct? [Y/n] y
  info: Adding new user `pedro' to supplemental / extra groups `users' ...
  info: Adding user `pedro' to group `users' ...
```

Genera un parell de claus SSH a la màquina local

```
batoi@batoi-SSD-2024:~$ ssh-keygen -t rsa -b 4096
Generating public/private rsa key pair.
Enter file in which to save the key (/home/batoi/.ssh/id rsa):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/batoi/.ssh/id rsa
Your public key has been saved in /home/batoi/.ssh/id rsa.pub
The key fingerprint is:
SHA256:bttwPzKFJTt8sZddZpi23Jl0seyV7VsyZkmwL0+YoF0 batoi@batoi-SSD-2024
The key's randomart image is:
+---[RSA 4096]----+
            . 0.0=
           o = ==B
         S. B *oX*
        .. E = @+=
        0+0.B + 00
       ...==.0 .
    -[SHA256]----+
```

Copia la clau pública al servidor.

```
cat ~/.ssh/id_rsa.pub | ssh pedro@54.81.47.114 'cat >> ~/.ssh/authorized_k
```

Habilita l'accés per usuari/contrasenya
 Ya esta habilitado de antes.

• Connecta't al servidor utilitzant la teua clau privada, sense contrasenya.

```
batoi@batoi-SSD-2024:~$ ssh pedro@54.81.47.114
Welcome to Ubuntu 24.04 LTS (GNU/Linux 6.8.0-1017-aws x86 64)
* Documentation: https://help.ubuntu.com
* Management:
                  https://landscape.canonical.com
* Support:
                  https://ubuntu.com/pro
System information as of Wed Oct 30 17:09:45 UTC 2024
 System load: 0.0
                                 Processes:
                                                       131
 Usage of /: 41.6% of 6.71GB Users logged in: 0
 Memory usage: 52%
                                IPv4 address for enX0: 172.31.41.232
 Swap usage: 0%
* Ubuntu Pro delivers the most comprehensive open source security and
  compliance features.
  https://ubuntu.com/aws/pro
Expanded Security Maintenance for Applications is not enabled.
108 updates can be applied immediately.
To see these additional updates run: apt list --upgradable
Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status
The list of available updates is more than a week old.
To check for new updates run: sudo apt update
Last login: Wed Oct 30 17:07:46 2024 from 213.0.87.194
```

```
batoi-SSD-2024:~$ ssh -v pedro@54.81.47.114
OpenSSH 9.6pl Ubuntu-3ubuntu13.5, OpenSSL 3.0.13 30 Jan 2024
debugl: Reading configuration data /home/batoi/.ssh/configdebugl: Reading configuration data /etc/ssh/ssh_config
debugl: /etc/ssh/ssh_config line 19: include /etc/ssh/ssh config.d/*.conf matched no files
debug1: /etc/ssh/ssh_config line 21: Applying options for
debug1: Connecting to 54.81.47.114 [54.81.47.114] port 22.
debug1: Connection established.
debug1: identity file /home/batoi/.ssh/id_rsa type 0
debug1: identity file /home/batoi/.ssh/id_rsa-cert type -1
debug1: identity file /home/batoi/.ssh/id_ecdsa type -1
debug1: identity file /home/batoi/.ssh/id_ecdsa-cert type -1
debug1: identity file /home/batoi/.ssh/id_ecdsa_sk type -1
debugl: identity file /home/batoi/.ssh/id_ecdsa_sk-cert type -1
debugl: identity file /home/batoi/.ssh/id_ed25519 type -1
debug1: identity file /home/batoi/.ssh/id ed25519-cert type -1
debug1: identity file /home/batoi/.ssh/id_ed25519_sk type -1
debug1: identity file /home/batoi/.ssh/id_ed25519_sk-cert type -1
debug1: identity file /home/batoi/.ssh/id_ed25519_sk-cert type -1
debugl: identity file /home/batoi/.ssh/id_xmss-cert type -1
debug1: identity file /home/batoi/.ssh/id_dsa type -1
debug1: identity file /home/batoi/.ssh/id_dsa-cert type -1
debug1: Local version string SSH-2.0-OpenSSH 9.6p1 Ubuntu-3ubuntu13.5
debugl: Remote protocol version 2.0, remote software version OpenSSH_9.6pl Ubuntu-3ubuntul3.4
debugl: compat banner: match: OpenSSH 9.6pl Ubuntu-3ubuntu13.4 pat OpenSSH* compat 0x04000000
debug1: Authenticating to 54.81.47.114:22 as 'pedro'
debugl: load hostkeys: fopen /home/batoi/.ssh/known hosts2: No such file or directory
debug1: load_hostkeys: fopen /etc/ssh/ssh_known_hosts: No such file or directory
debugl: load_hostkeys: fopen /etc/ssh/ssh_known_hosts2: No such file or directory
debug1: SSH2 MSG KEXINIT sent
debug1: SSH2 MSG KEXINIT received
debug1: kex: algorithm: sntrup761x25519-sha512@openssh.com
debug1: kex: host key algorithm: ssh-ed25519
debug1: kex: server->client cipher: chacha20-poly1305@openssh.com MAC: <implicit> compression: none
debug1: kex: client->server cipher: chacha20-poly1305@openssh.com MAC: <implicit> compression: none
debug1: expecting SSH2 MSG KEX ECDH REPLY
debug1: SSH2_MSG_KEX_ECDH_REPLY received
debug1: Server host key: ssh-ed25519 SHA256:ngbpu2ZeY+QJOzOody7qB8uEed2Vmp7g4yB8veTWt+k
debugl: load hostkeys: fopen /home/batoi/.ssh/known_hosts2: No such file or directory
debugl: load_hostkeys: fopen /etc/ssh/ssh_known_hosts: No such file or directory
debugl: load hostkeys: fopen /etc/ssh/ssh known hosts2: No such file or directory
```

## **Actividad 3**

Du a terme les següents tasques:

Modifica el fitxer de configuració de SSH per desactivar l'autenticació per contrasenya.

```
sshd_config × $60-clouding

etc > ssh > ≥ sshd_config

b6  # To disable tunneled clear text

7  PasswordAuthentication no
58  PubkeyAuthentication yes

59  #PermitEmptyPasswords no

sshd_config × $60-clouding

config × $60-clouding

for a sphd_config × $60-clouding

for a sphd_config

for a sphd_c
```

Assegura't que només pots connectar-te al servidor utilitzant la clau privada.
 Usuario que tiene la clave privada

```
batoi@batoi-SSD-2024:~$ ssh pedro@54.81.47.114
Welcome to Ubuntu 24.04 LTS (GNU/Linux 6.8.0-1017-aws x86_64)
```

Usuario que no tiene la clave privada

```
batoi@batoi-SSD-2024:~$ ssh pguill@54.81.47.114
pguill@54.81.47.114: Permission denied (publickey).
batoi@batoi-SSD-2024:~$
```

 (opcional) Per augmentar la seguretat canvia el port per defecte en el que el teu servidor ssh escolta les connexions per el por 32002 i connectat fent us d'aquest port.

## Usando la regla Port 3002

batoi@batoi-SSD-2024:~\$ ssh pedro@54.81.47.114 -P 32002 Welcome to Ubuntu 24.04 LTS (GNU/Linux 6.8.0-1017-aws x86\_64)