

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <link rel="apple-touch-icon" sizes="180x180" href="https://lbaw22123.lbaw.fe.up.pt/apple-touch-icon.png">
    <link rel="icon" type="image/png" sizes="32x32" href="https://lbaw22123.lbaw.fe.up.pt/favicon-32x32.png">
    <link rel="icon" type="image/png" sizes="16x16" href="https://lbaw22123.lbaw.fe.up.pt/favicon-16x16.png">
    <link rel="manifest" href="/site.webmanifest">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="qxDckEXQAfj8nh5fgtRNoHWmq3WvDbVynwvIodHd">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 19, column 5; to line 19, column 92](#)

```
s -->␣␣␣<link rel="stylesheet" href="https://fonts.googleapis.com/icon?family=Material+Icons" />␣␣␣  
<
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 20, column 5; to line 20, column 103](#)

```
s" />␣␣␣<link rel="stylesheet" href="https://fonts.googleapis.com  
/css2?family=Material+Symbols+Outlined" />␣␣␣<
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 27, column 9; to line 27, column 93](#)

```
>␣␣␣<script type="text/javascript" src=https://lbaw22123.lbaw.fe.up.pt/js/index.js defer></scri
```

4. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 30, column 5; to line 30, column 88](#)

```
␣␣␣<script type="text/javascript" src=https://lbaw22123.lbaw.fe.up.pt/js/like.js defer></scri
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 31, column 5; to line 31, column 88](#)

```
ript>␣␣␣<script type="text/javascript" src=https://lbaw22123.lbaw.fe.up.pt/js/cart.js defer></scri
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 32, column 5; to line 32, column 35](#)

```
ript>␣␣␣<script type="text/javascript">␣␣␣
```

7. **Warning** The **type** attribute is unnecessary for JavaScript resources.

[From line 36, column 5; to line 36, column 90](#)

```
ript>␣␣␣<script type="text/javascript" src=https://lbaw22123.lbaw.fe.up.pt/js/global.js defer></scri
```

8. **Error** Duplicate ID **logo-div**.

[From line 71, column 9; to line 71, column 27](#)

```
>␣␣␣<div id="logo-div">␣␣␣
```

9. **Warning** The first occurrence of ID **logo-div** was here.

[From line 42, column 9; to line 42, column 27](#)

```
>␣␣␣<div id="logo-div">␣␣␣
```

10. **Error** Duplicate ID **logo**.

[From line 72, column 45; to line 72, column 126](#)

```
0.1:8000"></a>␣␣␣
```

11. **Warning** The first occurrence of ID **logo** was here.

[From line 43, column 46; to line 43, column 127](#)

```
.1:8000">  </a>
```

12. **Error** Duplicate ID **site-name**.

[From line 73, column 45; to line 73, column 62](#)

```
0.1:8000"><p id="site-name">EarWor
```

- Warning** The first occurrence of ID `site-name` was here.

From line 44, column 46; to line 44, column 63

```
.1:8000"> <p id="site-name">EarWor
```

- Error Duplicate ID** search-form.

From line 80, column 9; to line 80, column 102

```
><form id="search-form" class="search-form" method="GET" action=http://127.0.0.1:8000
/products>
```

- Warning** The first occurrence of ID search-form was here.

From line 47, column 13; to line 47, column 106

```
<form id="search-form" class="search-form" method="GET" action=http://127.0.0.1:8000
/products>
```

- Error** Duplicate ID visible-search.

From line 81, column 9; to line 81, column 100

```
<input name="search" type="text" class="searchbar" id="visible-search"
placeholder="Search">
```

- Warning** The first occurrence of ID `visible-search` was here.

From line 48, column 9; to line 48, column 100

```
> <input name="search" type="text" class="searchbar" id="visible-search" placeholder="Search">
```

- Error Duplicate ID** profile-icon.

From line 92, column 13; to line 92, column 82

```
<a href="http://127.0.0.1:8000/login" id="profile-icon" title="Login"><span
```

- Warning** The first occurrence of ID `profile-icon` was here.

From line 57, column 13; to line 57, column 82

```
<a href="http://127.0.0.1:8000/login" id="profile-icon" title="Login"><span
```

- Error** **Start tag** body **seen but an element of the same type was already open.**

From line 97, column 5; to line 97, column 10

```
/div>↵      <body>↵↵<mai
```

- Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 101, column 5; to line 101, column 32

```
ard">↵    <article class="promo-desc">↵
```

- Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 100, column 5; to line 100, column 31

```
main> <article class="promocard"> <
```

- Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 109, column 13; to line 109, column 48

<article class="subtitle-container">↵ <

- Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 121, column 13; to line 121, column 47

```
<article class="product-fav-price">↵
```

25. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).
- [From line 119, column 9; to line 119, column 39](#)
- ```
><article class="product-specs">
```

From line 119, column 9; to line 119, column 39

```
>< <article class="product-specs"><
```

```
>< <article class="product-specs"><
```

26. **Warning** Article lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all articles](#).
- [From line 116, column 5; to line 116, column 34](#)
- ```
></a>␣      <article class="product-desc">
```

From line 116, column 5; to line 116, column 34

```
></a>␣      <article class="product-desc">
```

↵ <article class="product-desc">↵

27. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).
- [From line 114, column 57; to line 114, column 86](#)
- ```
<article class="product-card">↵
```

From line 114, column 57; to line 114, column 86

```
<article class="product-card">↵
```

```
<article class="product-card">↵
```

28. **Warning** **Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).**
- [From line 136, column 13; to line 136, column 47](#)
- ```
<article class="product-fav-price">↵
```

From line 136, column 13; to line 136, column 47

```
<article class="product-fav-price">↵
```

```
<article class="product-fav-price">↵
```

29. **Warning** **Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).**
- [From line 134, column 9; to line 134, column 39](#)
- ```
>e <article class="product-specs">e
```

From line 134, column 9; to line 134, column 39

```
><␣<article class="product-specs">
```

```
>< <article class="product-specs"><
```

30. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).  
[From line 131, column 5; to line 131, column 34](#)  
`</a>` `<article class="product-desc">`

31. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).  
[From line 129, column 55; to line 129, column 84](#)  
`<article class="product-card">`

32. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).  
[From line 151, column 13; to line 151, column 47](#)  
`<article class="product-fav-price">`

33. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).  
[From line 149, column 9; to line 149, column 39](#)  
`>` `<article class="product-specs">`

34. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).  
[From line 146, column 5; to line 146, column 34](#)  
`</a>` `<article class="product-desc">`

35. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to](#)

```
<article class="product-card">
```

```
<article class="product-fav-price">
```

```
>␣<article class="product-specs">
```

```
><article class="product-desc">
```

```
<article class="product-card">
```



```
<article class="product-fav-price">↵
```

- From line 179, column 9; to line 179, column 39

```
>↵ <article class="product-specs">↵
```

- From line 176, column 5; to line 176, column 34

```
>↵ <article class="product-desc">↵
```

- From line 174, column 55; to line 174, column 84

```
<article class="product-card">
```

- From line 196, column 13; to line 196, column 47

```
<article class="product-fav-price">↵
```

- From line 194, column 9; to line 194, column 39

```
><article class="product-specs">
```

46. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 191, column 5; to line 191, column 34

```
>↵ <article class="product-desc">↵
```

47. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 189, column 55; to line 189, column 84

```
<article class="product-card">
```

48. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 211, column 13; to line 211, column 47

```
<article class="product-fav-price">↵
```

49. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 209, column 9; to line 209, column 39

```
><article class="product-specs">
```

50. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 206, column 5; to line 206, column 34

```
><article class="product-desc">
```

- ```
<article class="product-card">
```

```
<article class="product-fav-price">
```

```
><article class="product-specs">
```

```
></a>␣<article class="product-desc">
```

```
<article class="product-card">↵
```

```
<article class="product-fav-price">↵
```

```
>< <article class="product-specs">
```

- From line 251, column 5; to line 251, column 34

```
></a>↵      <article class="product-desc">↵
```

- From line 249, column 55; to line 249, column 84

```
<article class="product-card">
```

- From line 301, column 5; to line 301, column 21

```
body> <div id="footer"> <
```

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3.   <head>↵
4.     <meta charset="utf-8">↵
5.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
6.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
7.   ↵
8.     <link rel="apple-touch-icon" sizes="180x180" href="https://lbaw22123.lbaw.fe.up.pt/apple-touch-
   icon.png">↵
9.     <link rel="icon" type="image/png" sizes="32x32" href="https://lbaw22123.lbaw.fe.up.pt/favicon-
```