

Language Reference

Introduction

Decimal script 1.1 is the programming language for the peakset framework. You can print out "Hello, World!" as follows.

```
write("Hello, World!\n");
```

Comment

In decimal script, comment is defined as follows.

```
#comment message
```

Data types

Decimal script has the following data type.

- number
- string
- array

```
123456789.123456788; #number  
"Hello, World!";    #string  
{1, 2, 3, 4, 5, 6}; #array
```

In decimal script, any number of operations can use a fixed decimal point, and a string can use either a "string" or a 'string'.

true and false are automatically converted to 1 and 0.

The string supports the following control characters: \t \n \" \' \\

Operators

In decimal script, operator priorities are as follows.

1. ()
2. * / % ^
3. +-
4. == != >= <= > <
5. & | !
6. = += -= *= /= %= ^=

Variables

A variable can be put in a value by using an operator. In decimal script, variables do not need to be declared first.

```
Number = 123;  
String = "hello";  
Array = {1, 2, 3};
```

Array variables can also refer to indexes as follows.

```
Array = {1, 2, 3};  
Array[0];
```

Control statements

Decimal script in, you can write such letters as follows.

```
if(expression) command;  
else if(expression) command;  
else command;
```

Next, while, until, for loop commands supported.

```
while(expression) command;

until(expression) command;

for(initialization; condition; afterthought) command;
```

You can create blocks of commands as follows.

```
{ command1; command2; ... }
```

Functions

In decimal script, a function can be defined as follows.

```
define(factor1, factor2, ...) command;
```

Returns can be made as follows.

```
return(value);
```

The call of the function is as follows.

```
function(factor1, factor2, ...);
```

Calls to a function can also be made within an expressions.

```
a = 10 + num(10);
```

Default function

- quit(exit code) end program
- write(text) write text
- read() read and return text
- fopen(file name, open type) open file and return file code
- fclose(file code) close file
- fwrite(file code, text) write text for file
- fread(file code) read from file and return
- python(code) exec python code
- exec(code) exec decimal script code
- system(command) exec system command
- num(data) convert data to text
- str(data) convert data to text
- arr(len) create array with length len
- len(array) return len of array
- chr(ascii) ascii code to char
- ord(char) char to ascii code

Examples

Decimal script code to obtain Fibonacci sequence.

```
#define function
define F(n) {
    if(mem[n]) return(mem[n]);
    if(n <= 1) return(n);
    else {
        mem[n] = F(n - 1) + F(n - 2);
        return(mem[n]);
    }
}

#main
write("n = ");
N = num(read());
mem = arr(N + 1);
result = F(N);
write("F(n) = " + str(result) + '\n');
```