SdkClients Documentation

AwsClient

Method	Description	Example use
public static AwsClient login(String accessKeyId, String secretAccessKey)	Factory method which abstracts away Ec2Client's builder method	AwsClient client = AwsClient.login(accessKeyId, secretAccessKey);
public String createInstance(String imageId, String type)	Consolidates and abstracts away ec2's runInstance, ec2's waiter's waitUntilInsanceRunning methods, and Instance's instanceId() methods. createInstance returns the value that is returned by instanceId	instanceIds.add(client.createInstance("resolve:ssm:/aws/service/ami-amazon-linux-latest/al2023-ami-kernel-default-x86_64", "t3.small"))
public WaiterResponse<DescribeInstancesResponse> terminateInstance(String instanceId)	Consolidates and abstracts away ec2's terminateInstances and ec2's waiter's waitUntilInsanceTerminated methods	client.terminateInstance(instanceIds.get(Integer.valueOf(scanner.nextLine())-1));
public String[] getInstanceInfo(String instanceId)	Abstracts away methods of Instance class that are platformAsString and nameAsString, as well as ec2's describeInstanceTypes method. Returns a String array with the returns of those methods in sequential order	System.out.println((count++) + ". " + instanceId + " " + client.getInstanceInfo(instanceId)[0] + " " + client.getInstanceInfo(instanceId)[1] + " " + client.getInstanceInfo(instanceId)[2] + "VCPU");