

MealSquare API

MealSquare API

More information: <https://helloeverb.com>

Contact Info: hello@helloeverb.com

Version: 1.0.0

All rights reserved

<http://apache.org/licenses/LICENSE-2.0.html>

Access

Methods

[[Jump to Models](#)]

Table of Contents

[Default](#)

- [DELETE /meals/{id}](#)
- [GET /meals/{id}](#)
- [POST /meals/mealPlan](#)
- [POST /meals/filters](#)
- [POST /meals](#)
- [POST /meals/{id}/image](#)
- [PUT /meals/{id}](#)

Default

[Up](#)

DELETE /meals/{id}

DELETE meals/{id} (**deleteMeal**)

Path parameters

id (required)
Path Parameter —

Request headers

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- */*

Responses

200

OK [Object](#)

[Up](#)

GET /meals/{id}

GET meals/{id} (**getMeal**)

Path parameters

id (required)
Path Parameter —

Request headers

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- */*

Responses

200

OK [Object](#)

[Up](#)

POST /meals/mealPlan

POST meals/mealPlan (**getMealPlan**)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [object](#) (required)
Body Parameter —

Request headers

Query parameters

days (optional)
Query Parameter — format: int32

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- */*

Responses

200

OK [Object](#)

[Up](#)

POST /meals/filters

POST meals/filters (**getMealsFiltered**)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [object](#) (required)

Body Parameter —

Request headers

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- */*

Responses

200

OK [Object](#)

[Up](#)

POST /meals

POST meals (**newMeal**)

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [object](#) (required)

Body Parameter —

Request headers

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- */*

Responses

200

OK [Object](#)

POST /meals/{id}/image

[Up](#)

POST meals/{id}/image (**newMealImage**)

Path parameters

id (required)

Path Parameter —

Request headers

Query parameters

file (required)

Query Parameter — format: binary

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- */*

Responses

200

OK [Object](#)

PUT /meals/{id}

PUT meals/{id} (**updateMeal**)

Path parameters

id (required)
Path Parameter —

Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

Request body

body [object](#) (required)
Body Parameter —

Request headers

Return type

Object

Example data

Content-Type: application/json

```
{ }
```

Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- */*

Responses

200

OK [Object](#)

Models

[[Jump to Methods](#)]

Table of Contents