

pskytta

(https://profile.intra.42.fr)

SCALE FOR PROJECT ROGER-SKYLINE-1 (/PROJECTS/ROGER-SKYLINE-1)

You should evaluate 1 student in this team



Git repository

git@vogsphere-v2.hive.fi:vogsphere/intra-uuid-9e633a21-9637



Introduction

Please respect the following rules:

- Remain polite, courteous, respectful and constructive throughout the correction process. The well-being of the community depends on it.
- Identify with the person (or the group) graded the eventual dysfunctions of the work. Take the time to discuss and debate the problems you have identified.
- You must consider that there might be some difference in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade him/her as honestly as possible. The pedagogy is valid only if the peer-evaluation is conducted seriously.

Guidelines

- Only grade the work that is in the student's VM.
- Check that this is the student's VM.
- To avoid any surprises, carefully check that both the correcting and the corrected students have reviewed the possible scripts used to facilitate the grading.
- Use the flags available on this scale to signal an empty repository, non-functioning program, a norm error, cheating etc. In these cases,

the grading is over and the final grade is 0 (or -42 in case of cheating). However, with the exception of cheating, you are encouraged to continue to discuss your work (even if you have not finished it) in order to identify any issues that may have caused this failure and avoid repeating the same mistake in the future.

Attachments

Subject (https://cdn.intra.42.fr/pdf/pdf/6624/roger-skyline-1.5.en.pdf)

VM Part

Here we evaluate the VM Part.

Checks

We will check in this section that the instructions have been respected. If only one of these points is wrong you must end the evaluation and give a score of 0.

- The VM runs well on a Linux OS.
- Technos such as Traefik as well as that Docker/Vagrant/etc. containers are not used in this project.

✓ Yes

 \times No

Install and Update

We will check in this section that the VM is correctly installed and updated. To validate the evaluation of the VM, the following tests must be passed. If this one fails, the VM evaluation is failed and finished.

- The size of the VM disk is 8 GB.
- There is at least one 4.2 GB partition.
- From the shell of the VM, run the command that lets you know if the OS and packages are up to date.

 If you discover that the OS or packages are not up to date, this test has failed.
- From the shell of the VM, run the command that allows to know which packages are installed. If you discover that docker/vagrant/traefik type packages are installed, this test has failed.





Network and Security Part

Here we evaluate the Network and Security Part.

Network and Security

We are going to check in this section if the VM network is correctly configured. To validate this part, those seven tests has to be successed. If one of those tests is failed then all the Network Part is failed and stopped.

- Ask the evaluated person to create a user with SSH key to be able to connect to the VM. He must be part of the sudo group. If it's not in this case, this test is failed.
- If this user executes the sudo command he must be able to use commands that require special rights. If this is not the case, this test is failed.
- Check that the DHCP service of the VM is deactivated If not, this test is failed.
- Choose a different netmask than /30, ask the evaluated person to configure a network connection with this netmask on the host and guest side. The evaluated person will choose the IPs. If it is not successful, this test is failed.
- From a shell on the VM, check that the port of the SSH has been successfully been modified. SSH access MUST be done with publickeys. The root user should not be able to connect in SSH. If this is not the case, this test is failed.
- From a shell on the VM, run the command that lists all firewall rules. If no rules are in place or that it is not sufficient in relation to the request from the subject, then this test is failed.
- From a shell on your computer, run the command that allows you to to test a DOS (Slowloris or other). Check that everything is still working. In addition, make sure that a Fail2Ban service (or similar service) is installed on the VM. If this is not the case, this test is failed.
- From a shell on the VM, run the command that lists the open ports. Check that the open ports correspond to the subject's request. If not, this test is failed.
- Check if the active services of the machine are only those

necessary for its proper functioning. If not, this test has failed.

- Check that there is a script to update all sources of package, packages, which log into the right file and that it is in cron. If this is not the case, this test is failed.
- Check that there is a script to monitor the changes in the file /etc/crontab and sends an email to root if it has been modified.

 You must therefore receive an email showing that the file has changed, either locally with the mail order, either in your own mailbox. If not, this test has failed.
- Check that there is self-signed SSL on all services. If this is not the case, this test is failed.

✓ Yes

 \times No

Web Part

Here we evaluate the Web Part.

Web Server

We will check in this section that the web server is implemented on the VM. To validate this part, the next three tests must be passed. If at least one of them of them fail, the Web server evaluation is failed and finished. Proceed to the next section of the scale.

- From a shell of the VM, check that the package of a Web server is installed. If this is not the case, this test is failed.
- From a shell of the VM, check that there is only one active configuration on the web server and not the default one. In addition, it should not "Listen" on the localhost of the VM. If it is not respected, this test has failed.
- Check that the web application corresponds to what is required in the subject and is available on any browser on the IP of the VM or a host (init.login.fr for example). If it's not the in this case, this test is failed.

✓ Yes

 \times No

Deployment Part			
	nat the deployment is going well. ving two tests must be succeed.		
- Ask the student to explain ho to do the deployment and why			
- Make a minor modification of deployment is working well.	on the site to ensure that the		
		×N₀	
Ratings Don't forget to check the flag	corresponding to the defense		
	corresponding to the defense		
		■ Cheat	T Crash
Don't forget to check the flag	✓ Ok	☞ Cheat	2 Crash
Don't forget to check the flag	✔ Ok Incomplete work	₽ Cheat	T Crash
Don't forget to check the flag	✔ Ok Incomplete work	□ Cheat	T Crash

Privacy policy (https://signin.intra.42.fr/legal/terms/5)

Terms of use for video surveillance (https://signin.intra.42.fr/legal/terms/1)

Rules of procedure (https://signin.intra.42.fr/legal/terms/4)

Declaration on the use of cookies (https://signin.intra.42.fr/legal/terms/2)

General term of use of the site (https://signin.intra.42.fr/legal/terms/6)

Legal notices (https://signin.intra.42.fr/legal/terms/3)