22 March 2026 12:56

Basic to Advanced ] → features, formulas, projects, Dashboard, freelancing, Interview

AI → "Yes" ] →

Approach → Theory + Practical ]

Data → Application "Accounts Expert"

Comment ⇒ Reply (Doubts)

Time stamps → Topic

Features & formulas → GST Reconciliation

→ Monthly / Weekly / Annually

AI → HR Tracker.

→ Inventory

→ Ecommerce

Automation

Microsoft Excel → MS Suite W, E, P, O, O, rA

Data — What is data

friends & family → food, Travel

Brothers, sports, Raju ⇒ Diary (food ...) ⇒ Information + Record = Data

Staff → Employee

Customers → Our business ⇒ X ⇒ Information + Record = Data




MS Excel → 2007, 2010, 2013, 2021, 2024

Most of the features

Video ⇒ MS Excel 365 → cloud version.




- Workbook → Hold the ctrl button & press Tab
- Sheet → Hold the ctrl button & press pageup/pagedown

Fast Movement → Page up / Page down

- Cells → 1. Use Arrows ← ↕ →
  2. Right → Tab
  3. Left → Hold the shift button & press tab
  4. down → Enter
  5. up → Hold the shift button & press Enter
  6. 1st Cell → Ctrl + Home
  7. End Cell → Ctrl + End

- Data entry → Number, Text, character, Date, time → Cell

→ 1. Recording the information

Data Recording

formatting

→ Cell

Data Recording

formatting → decoration

Shortcut keys → Press F2 | Fn F2

Adjustment shortcut keys.

Cell Height → Alt H O A (Height) →

Cell Width → Alt H O I (Width)

Alt - Activation Key
H - Home
O - Format

- Selection → Mouse, Keyboard

1. All Data - Hold the ctrl button & press A
2. till Data - Hold the ctrl shift button & press Arrows
3. Single Selection - Hold the shift button & press Arrows
4. Sheets Selection - Hold the shift button & press the last sheet

# Formatting -

A. Alignment →




Alt H AC  Alt H AM

B. Font → Bold - ctrl B | ctrl 2 | Path follow

Italic - ctrl I | Ctrl 3 | "

Underline - Ctrl U | Ctrl 4 | "

C. Borders  Activation - Alt  Home - H

| | |
|---|---|
| A | 100 |
| B | 200 |

All Borders | More Borders | Thick Outside Border | No Border

Alt H B A | Alt H B M | Alt H B T | Alt H B N

D. Cell Colour Vs Font Colour :-

100 → CC → Black, Fc → Black

100 → CC → Yellow, Fc → Black

E. Merge



Merge

- Add Row | column | Cells – ctrl + ] Activation - Alt
  Delete Row | column | Cells – ctrl – ] Home - H

1. Merge & Centre – Alt H M C
2. Merge & Across – Alt H M A
3. Merge Cells – Alt H M M
4. Unmerge – Alt H M U

5. Wrap text / Shrink Text

Tamnu Singhal ⇒ Tamnu Singhal ⇒ Tamnu Singhal

# Number format

X → Data Record → Numbers → ₹200, 200, 200.00, 200+e
Text, character
Date & time

Date & Time → 01 - 04 - 2026 → Day (D), Month (M), Year (Y)

| | D | M | Y | |
|---|---|---|---|---|
| 1 - 4 - 26 | 1 | 1 | 2 | D - M - YY |
| 01 - 04 - 26 | 2 | 2 | 2 | DD - MM - YY |
| thu - Apr - 2026 | 3 | 3 | 4 | DDD - MMM - YYYY |
| Thursday - April - 2026 | 4 | 4 | 4 | DDDD - MMMM - YYYY |

Days of the Week – Mon, Tue, Wed, Thu, Fri, Sat, Sun

Months – Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, sep, Oct, Nov, Dec

Bonus :- 01/04/2026 → DD/MM/YYYY

Question → 01/Apr/26 → ?

# Formulae – Excel ← function – predefined for Calculation
formula – Manual

(=) → operator

Add = +, Subtract = –, Multiply = *, Divide = /

Construction → Number, Text, Character, Cell

JFK

C2, E2 ⇒ Total of C2 and E2

C2:E2 ⇒ C2 से लेकर E2 तक

↳ C2, D2, E2

- Shortcut key of Autosum = Alt =

# Count formulae




# Conditional formatting – decoration



→ Sale - 5000

# clipboard →

Copy → Sheet 1 - - - -> Sheet 2 ✓ Ctrl C

Cut → - - - -> ✓ Ctrl X

Paste → Pasting Ctrl V

Paste special → Special Cases for Pasting → Ctrl Alt V

# filter → (Ctrl Shift L)










- Custom Date filter ⇒




# Sorting –

Arrangement → Number, Text, Date → A to Z, Z to A

Oldest to Newest

# Sorting -

Arrangement → Number, Text, Date → A to Z, Z to A → Oldest to Newest / Newest to oldest

Asc (smallest to largest)
Dsc (Largest to smallest)

- Colour Arrangement → Similar like filter

# Table Creation - (Ctrl T)

Data v/s Table →




A1 : D1 ⇒ 500
A1 : F1 ⇒ 700

| | |
|---|---|
| Manual formatting | Automatic formatting |
| Not Dynamic formulae | Dynamic formula |
| No Extra tab | Extra Tab |
| filter, No slicer | filter + slicer |
| Cell Referencing | No Need to do Cell Referencing |
| No Autosum | Autosum (Grand total) |

- My table has headers




# Fill Series → Number, Date → Month, Weekdays, Normal

Linear, Growth

Shortcut key → Activation key + Home + Fill + Series

Alt H FI S

- Linear → Addition / Subtraction

| 1 | 2 | → | 1+2 = 3 |
|---|---|---|---|
| first value | step value | | +2 = 5 |
| | | | +2 = 7 |

| 15 | -3 | | 15 |
|---|---|---|---|
| first value | step value | | 15-3 = 12 |
| | | | -3 = 9 |
| | | | -3 = 6 |

- Growth → Multiply / Divide

| 2 | 2 | → | 2 |
|---|---|---|---|
| first value | step value | | 2*2 = 4 |
| | | | *2 = 8 |

$*2 = 16$

100 (first value) 0.10 (Step value) ⇒ 100

$100 \times \frac{10}{100} = 10$

$10 \times \frac{10}{100} = 1$

- Shortcut key of Date = Ctrl ;
  " of Time = Ctrl : (Ctrl Shift ;)
- Assumption → Weekend – Saturday, Sunday
- Fill → Down – Ctrl D
  Right – Ctrl R
  Path following [ Up – Alt H F I U
  Left – Alt H F I L

# Go to / special → (Ctrl G)

Boolean / Logical – Constant True | False formula "

Error – #N/A = Some ⇒ #Name

Ctrl End – Last Cell Row Difference = Ctrl \

Ctrl Home – first Cell

# Paste special -

Transpose → Ctrl Alt V E Enter

Value → Ctrl Alt V V Enter

# Find & Replace – Find - Ctrl F

Replace – Ctrl H

# Clear (E) – Content (Data) - Alt H E C / Delete

Activation - Alt
Home - H

formatting - Alt H E F

ALL (Data + formatting) - Alt H E A

# Cell Referencing -

formula / function → Number → fix (Drag)
Cell → keep changing → fix (Cell Referencing)
Text or character → fix

↳ Text or character → fix

Cell fix (A1)

• Types of Cell Referencing → 1. Relative - Not fix - A1

2. Absolute - Everything fix - $A$1

(To fix anything we have to apply $ sign)

3. Mixed - Half fix - $A1 / A$1

(Relative + Absolute)

F1 - 400

Example:-

| A1 | B1 | C1 | D1 |
|---|---|---|---|
| 200 | 240 | 320 | 160 |

% ⇒ Total Marks obtained / Total Marks allotted ⇒ 200 A1 / 400 $F$1 ; 240 B1 / 400 $F$1 ; 320 C1 / 400 $F$1 ; 160 D1 / 400 $F$1

= 1/2 ; 3/5 ; 4/5 ; 2/5

= 0.50 ; - ; - ; -

# Example: 2 — Calculation of Rank

| A | B | C | D |
|---|---|---|---|
| 50% | 60% | 45% | 75% |
| III | II | IV | I |

Rank → Khudke Marks, Sabke Marks

A1 / A1:D1 ; B1 / A1:D1

C1 / A1:D1 ; D1 / A1:D1

# Text formulas (20)

A1. Left - MS. Tannu Singhal → Left (text, chars) ⇒ Left (A1, 3) ⇒ MS.

A2. Right - MS. Tannu Singhal → Right (text, chars) ⇒ Right (A2, 7) - Singhal

A3. Mid - MS. Tannu Singhal → Mid (text, start, chars) ⇒ Mid (A3, 4, 5) - Tannu

4. Len - Length Check (GST Code, Phone No)

5. Trim - Remove all unwanted space.

6. Upper - ABCD....

7. Lower - abcd...

8. Proper - Abcd . . . .

* SPK — formulas: Number → Directly; Cell → Directly; Text or character → " "

# Example - A1 = Tannu B1 = Singhal C1 = Join?

Answer → Tannu Singhal

= Concatenate (text1, text2, - - -)

= Concatenate (tannu, , Singhal)

= Concatenate (A1, " ", B1) → Tannu Singhal

# Delimeter / Separator -

Accounts - Expert → - ✓

Tannu Singhal - space ✓

Example :- Tannu Singhal ⇒ firstname ↓ "Tannu" | delimeter ↓ " " | Surname ↓ "Singhal"

Join ⇒ & (Ampersend)

formula → = "Tannu" & " " & "Singhal"

Tannu Singhal

9. Replace - as per position

10. Substitute - as per character

# Number formulae -

1. Rand - 0 to 1 → keep changing

2. Randbtw - bottom Range, Top Range → Integer (whole No) → 100 to 1000, 0 to 100

3. Randarray - Complete Random Array.

4. Round - Round off → 53.876 (2 decimal)

5 or ↑ — upgrade +1

or ↓ — Not change

⇒ 53.876 ⇒ 53.88

⇒ 53.873 ⇒ 53.87

Round up - 53.873 ⇒ 53.88

Round down- 53.876 ⇒ 53.87

# Date & Time formulae-

| | | Shortcut key | formula |
|---|---|---|---|
| Current Date | = | Ctrl ; | today() |
| Current Time | = | Ctrl : , Ctrl Shift ; | Now() |

⇒ (DD-MM-YYYY)

10 - 04 - 2026 —— ?

Day ← 10 ↓ Month ↘ 2026 Year

Date → Year, month, Day

10th April 2026 / 04th Oct 2026 ]-?

⇒

14:10:25 (HH:MM:SS)

Hour ← 14 ↓ Minute → 25 Second

Time → Hour, Minute, Second

# Day → Extraction

Days → Between the two dates (ex- Days, Days360, Networkdays etc)

Days → Actual difference b/w 2 dates

Days360 → Difference b/w 2 dates (Assumption - Every month has 30 days)

NetWorkdays → Difference b/w 2 dates (Assumption - Excluding Saturday, Sunday)

Workday → Calculation of last working day (Excluding Saturday, Sunday)

Resign (30days Notice) → 10/4/2026 + 30 day ⇒ 10/5/2026 - Party

10/4/2026 + 30 working days ⇒ ----- Workday

Customise Weekend - Workday.intl

- Edate → End date (Calculation of Due Date)




- Eomonth - End of Month

if I applied 0 in months, then answer will be the last date of Month.

If I applied 0 in months, then answer will be the last date of Month.

30/6/2026

# Logical formulae - True | false (Boolean)

→ Condition check — king 👑 → if formula

Example → 🧍 – 33% ↑ toh pass (value if true) warna fail → value if false

↳ condition

Logical value




Step 1 :- A's Marks
Step 2 :- Condition – 33% ↑ → Jisko hum check kr rahe h - Logical value
Step 3 :- Condition Apply → Logical test
Step 4 :- value if true – "pass" → value if true
Step 5 :- value if false – "fail" → value if false

= if ( logical test, value if true, value if false )

logical value + Condition

A = 100 50
B = 500 500

= if ( A >= 100 , A+B , B-A )

= if ( 100 >= 100, 100+500, 500-100) ⇒ 600

= if ( 50 >= 100, 50+500, 500-50) ⇒ 450

# And & OR →

🧍 Pizza and Burger → Dono

Pizza or Burger → Anyone

Exam
Section A
Section B
→ Section A – 50 & Section B – 50 → Sab pass

English
Essay
OR
10 marks
→ Anyone

🧍 → Sales person → Bonus ?

Condition → Sale > 50000

Sales person → Bonus ?

Condition → Sales ≥ 50000, Rating ≥ 3 → Bonus ✓ otherwise No Bonus

And → for Both Condition

OR → Anyone Condition

| Example → | | And | or |
|---|---|---|---|
| A – 30000, | Rating - 4 | False | True |
| B - 60000, | Rating - 5 | True | True |
| C - 40000, | Rating - 2 | false | False |

# Switch →

= Switch ( expression, value, Result . . . .)

= Switch ( A1, "A+", 10000, "A", 5000, 1000)

# Sum if → Sum + If

Sum ↓ Total of any Range

If ↓ As per any one condition → Sum karna h lekin kisi Condition pr.

Example




→ 10 parties → Mr. X → Total sale

= Sumif ( Range, Criteria, Sum Range)




Range → Jisme wah name search karna h

(Master Data → Party Name column)

Criteria = Jiska answer nikalna h

(Reporting – Name (Mr. X))

Sum Range - Jis value ka aapko sum karna h

(Master Data – Amount wala column)

# Sumifs → same as Sumif but having more than 1 Criteria

Report → Party Names + Month → = Sumifs ( Sum Range, Criteria Range 1, Criteria

Report → Party Names + Month → = Sumifs ( Sum Range, Criteria Range 1, Criteria 1, Criteria Range 2, Criteria 2 . . . )

= Sumifs ( Amount, Party Name (Master Data), Party Name (Report), Month Name ( M.D ), M.N (Reporting) )

# Lookup & Reference formulae –

↳ Search karna




Master Data → fetch → Report

- Vlookup → Vertical

| SN | PN | Q | R | A |
|---|---|---|---|---|
| | | | | |

Vertical Data

(Traditional)

- Hlookup → Horizontal

| S.No | 1 | 2 | 3 |
|---|---|---|---|
| PN | | | |
| Q | | | |
| R | | | |
| A | | | |

Horizontal Data

(Traditional)

- Xlookup → Kuchh bhi 199 ka

(After 2019)

(2021, 2024, 365)

(Modern)

# Vlookup –

Vertical search







1. first column should consist Lookup value.

2. Table Array = God for the formula







Lookup value - 1001
Table Array -
Col. Index No - 3
Answer = 10k

* Answer behind the lookup value — Can't Apply.
* Lookup Value should be unique otherwise you can't demand accuracy.
* Lookup value doesn't exist in the column, formula will give you an error.

= Vlookup ( Lookup value, Table Array, column Index No, T/F ) → Condition as per situation

- Lookup value → Search Value
- Table Array → Table in which we have to search the data
- column Index No → Answer's Column No according the table Array

# Index + Match

Index — Intersection Value

→ 5th — Answer

Match — position

(Array, Row No, Column No)




= Index ( Array, Row No. , Column No)

- Array → Master Data
- Row No. → Match
- Column No → Match

Index + Match

# Hlookup -

Horizontal

= Hlookup (Lookup Value, Table Array, Row Index No, T/F)

# Xlookup - (X, Y Axis)

= Xlookup ( Lookup value, Lookup Array, Return Array )

- Search Value
- Array in which you search your Lookup value
- Answer's column

- Lookup Value should be unique.
- If lookup value doesn't exist in Master data, then your formula gives an error.

# filter → feature — Ctrl shift L, Advance filter
→ formula — Different condition (search box)

= filter ( Array, include )

- Complete data
- kiske basis pr Ans. Chahiye.

# Financial formulae -

PMT, IPMT, PPMT

1,10,000 - 10,000 = 1,00,000

Emi ⇒ 12000 per Month →
Time ⇒ 12
Total ⇒ 12 x 12000 = 144000
Interest ⇒ 144000 - 100000 = 44000




nper, Rate → Monthly




# A.I → Artificial Intelligence

Chat bot Assistant.







- Chat GPT, copilot, Google Gemini, claude, deepseek, Nova,
- A.I Manus, → Chat Bot

Smartly →

# Pagelayout tab →

- Margins →



2. Orientation → → landscape

→ potrait

3. Page Size → A3, A4, A5, A6, ↓
A4, A3, A2, A1 ↑

4. Scaling → Adjustment of print

# Chart Element




# Dashboard Creation –




1. Requirement → Specific, General
2. Data → Dummy data
3. Data check → No. of procedures applied
   - a → Raw data – Data cleaning
   - a → KPIs – Pivot table
   - a → Dashboard – Reporting
4. Quotation – Written format

Process of Creating Dashboard

Data cleaning – Data check – Analysis – Planning / Mapping – Kpi creation – Dashboard (Visualisation)