
CONTRACTOR INFORMATION FOR HEALTH AND SAFETY FILE



O&M MANUAL
ZZ JOB Regular

1 Test Street, London

SW1A 1AA

Volume Book 1 O&M Manuals documentation

Construction (Design and Management) Regulations 2015

Operation and maintenance manuals and As Built Information

Contractor Details			
Name:	Sandbox Roofing Ltd		
Email:	andy.cramp+pm@rtbroofinglimited.com		
Client:	ZZ Test Client		
Job number:	SBX-113		
Revision Details			
Revision Number:	1	Date:	31/10/2026

1. Introduction

This document confirms the formal handover of the completed roofing works at ZZ JOB Regular, 1 Test Street, London, SW1A 1AA - on behalf of Sandbox Roofing Ltd to ZZ Test Client.

This document records the scope of works carried out, materials and systems installed, guarantee and maintenance provisions, health and safety information, and the parties' formal sign-off.

2. Scope of Works Completed

The following works were carried out to Main Roof:
a. Strip old roof

3. Materials Log - Data & COSHH

Log No.	Element	Product	Manufacturer
1			

4. Guarantees & Warranties

Manufacturer / Item	Ref	Expiry	Maintenance

5. Maintenance Procedures

General

• Roof access is for competent persons only, using safe access (fixed ladders, edge protection or a harness system) - never stand on rooflights or other fragile surfaces.
• Inspect the roof after severe weather (storms, heavy snow, high winds) as well as on the routine visits below.
• Keep a record of every inspection and any work done, and keep this manual with the building's health and safety file.
• Do not fix through, cut into or add anything to the roof covering (aerials, plant, signs, solar) without first speaking to the roofing contractor or manufacturer - it can affect the guarantee.
• Do not store materials or equipment on the roof. Protect the roof surface when other trades work on it.

6. Specifications & Drawings


File Name	Ref	Date	Provider
wo		31/10/2026	
wo		31/10/2026	
O&M Documentation	O&M ZZ JOB Regular	31/10/2026	Sandbox Roofing Ltd

7. Health & Safety Information


Residual risks for anyone working on or maintaining the roof:
• Working at height - use safe access and edge protection or a harness system; roof access by competent persons only.
• Fragile surfaces - rooflights and any fragile sheeting must not be walked on.
• Hot works - any torch-on repairs need a hot works permit and fire watch.
• Hazardous substances - products used for maintenance must be used in line with their COSHH assessments (see the Materials Log and attached COSHH).
• Overhead services and plant - isolate before working nearby.

RAMS and COSHH assessments for this project are held on the project in the OpHUB app.


8. Photographs



Strip old roof



Strip old roof



Strip old roof

9. Handover & Sign-off

	Contractor	Client / Main Contractor
Name	andy pm	
Position		
Signature		
Date		

Contacts

	Sandbox Roofing Ltd
Contact name	andy pm
Position	
Telephone	
Email	andy.cramp+pm@rtbroofinglimited.com