

Publication install

Screen dumps and comments

CouchDB selections

← → ↻ ⓘ localhost:5984/_utils/index.html#setup/singlenode

Appar ROCK MAKER® We...

Setup Apache CouchDB

Specify your Admin credentials

admin

Bind address the node will listen on

0.0.0.0

Port that the node will use

5984

✓ Configure Node

Is tornado port number related to CouchDB port number?

The tornado port number in settings.yaml is currently 8885.

5984 or 8885?


The CouchDB is at the local host so I Guess 127.0.0.0:5984 should be used here.

Or should I use ki.se (193.10.17.14)

```
PS C:\psf\publications> tracert ki.se
Tracing route to ki.se [193.10.17.14]
over a maximum of 30 hops:

 1  <1 ms    1 ms     <1 ms    172.18.201.2
 2   1 ms     <1 ms    <1 ms    kise.ki.se [193.10.17.14]
```

Configure Node fail - Not server admin!!



Settings.yaml or c2rockmakeweb01.yaml

```
PS C:\Users\marmoc> python
Python 3.9.1 (tags/v3.9.1:1e5d33e, Dec  7 2020, 17:08:21) [MSC v.1927 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license" for more information.
>>> import socket
>>> socket.gethostname().split('.')[0]
'c2rockmakeweb01'
>>>
```

PowerShell paths where "/" equals C:\

```
PS C:\Users\marmoc\Publications> ls /

Directory: C:\

Mode                LastWriteTime         Length Name
----                -
d-----          2021-01-13      15:23         CouchDB
d-----          2020-04-06      16:34        inetpub
d-----          2020-07-07       08:35       PerfLogs
d-r---          2021-01-13      16:21     Program Files
d-----          2020-04-06      16:34  Program Files (x86)
d-r---          2020-10-02      10:42         Users
d-----          2021-01-13      15:48        Windows
```

Created /var/log/nginx equal to C:\var\log\nginx...

```
PS C:\var\log\nginx> cd C:\var\log\nginx\  
PS C:\var\log\nginx> cd /var/log/nginx  
PS C:\var\log\nginx>
```

Choise during git install

