Actividad 5 — Anonimización

12.1 Generalizar la edad

```
123
124  SELECT
125      CASE
126          WHEN edad BETWEEN 18 AND 30 THEN '18-30'
127          WHEN edad BETWEEN 31 AND 45 THEN '31-45'
128          ELSE '46+'
129      END AS rango_edad,
130      COUNT(*) AS total
131  FROM clientes
132  GROUP BY 1;
133
```

Data Output | Messages | Notifications

SQL

	rango_edad text	total bigint
1	31-45	4
2	46+	1

12.2 Generalizar la región

```
133
134  SELECT
135      LEFT(codigo_postal, 2) AS region,
136      COUNT(*) AS total
137  FROM clientes
138  GROUP BY 1;
139
```

Data Output | Messages | Notifications

SQL

	region text	total bigint
1	82	1
2	80	3
3	81	1

12.3 Combinar atributos

```sql
SELECT
    CASE
        WHEN edad BETWEEN 18 AND 30 THEN '18-30'
        WHEN edad BETWEEN 31 AND 45 THEN '31-45'
        ELSE '46+'
    END AS rango_edad,
    LEFT(codigo_postal, 2) AS region,
    COUNT(*) AS total
FROM clientes
GROUP BY 1, 2;
```

Data Output | Messages | Notifications

	rango_edad text	region text	total bigint
1	31-45	81	1
2	46+	82	1
3	31-45	80	3

12.4 Suprimir grupos pequeños

```sql
SELECT
    CASE
        WHEN edad BETWEEN 18 AND 30 THEN '18-30'
        WHEN edad BETWEEN 31 AND 45 THEN '31-45'
        ELSE '46+'
    END AS rango_edad,
    LEFT(codigo_postal, 2) AS region,
    COUNT(*) AS total
FROM clientes
GROUP BY 1, 2
HAVING COUNT(*) >= 5;
```

Data Output | Messages | Notifications

	rango_edad text	region text	total bigint

13. Actividad 6 — Análisis del riesgo de reidentificación

¿Qué identificadores directos fueron eliminados?
Nombre, correo, teléfono y RFC

¿Qué cuasi-identificadores permanecen?
El rango de edad y la región del código postal

¿Qué combinaciones de atributos podrían reducir el anonimato?
Edad con región. Separados los grupos son más grandes

¿Qué sucede cuando un grupo contiene pocos registros?
Si un grupo tiene 1 registro, prácticamente se está mostrando a una persona

¿Qué atributos deberían generalizarse?
La edad con rangos más grandes y el código postal con menos dígitos

¿Qué información debería suprimirse?
Los grupos con menos de 5 registros

¿Es correcto afirmar que el conjunto de datos es “100 % anónimo”? ¿Por qué?
No, porque siempre puede haber forma de cruzar la información con otros datos. Lo que se hizo fue reducir el riesgo, no eliminarlo