Plan:

Step 1:
give gemini the file instructions for ex3 and ex7 and explain what this is about and ask the clanker to make the code

Step 2:

Screenshot the errors and ask it to currect it self and remembering to say to use a specific python version (3.14.2)

Step 3:

Ask the clanker to make it again without the external library it used even though I specifcly said not to use any external libraries

Promts:

1:

i want you to make me a python code of ex7 to that:

i need you to read and process the ex3 file carefully and use as much presssing as possible

then i want you to read ex7 where it is explained the changes that are needed to be made

the i want you to write me this in python and let me download the file you made or copy the code if you cant make the file also dont use any extern libraries
before you start working on the code i want you to list the changes that were made in ex7 file to make sure you got that and also expin the computer ai logic so I see you got that (the ex3 and ex7 instruction files were attached)

2:

what is sys library that you used?


3:

i want you to that again without sys change what you need if needed

4:


i need you to fix a couple of bugs im getting make sure all that you are doing is good for pyton 3.14.2

go through each error explain why is that and currect the code please (the error screenshot was attached)



5:

this is giving me this error why is that? and fix it (the error screenshot was attached)



6:

now go through this coding style and go through the code to chage what you need to uphold the coding style

do take in mind that some of the stuff there are directed towards c and are not relevent towards python (coding style file was attached)

7:

you didnt follow it enough i want you to follow it stricly this time

8:

2 שמות

2.0.1 שמות עבריים בתעתיק אנגלי

אין להשתמש בשמות עבריים בתעתיק אנגלי בתוך הקוד.

לדוגמה - rati shemP ,voT ina.

2.0.2 שם משתנה

שם משתנה יהיה קצר ובעל משמעות וייכתב בסגנון camelCase.

לדוגמה - playerHealth ,emaN tsrif.

משתנה שהשימוש בו קצר טווח יכול לקבל שם קצר וסתמי (x, y, i, j, k).

לדוגמה:

ניתן יחסית בקלות לנחש מה הלולאה עושה.

על כל חיים שיש לשחקן, הניקוד שלו עולה ב100.

הוא משתנה קצר טווח (ללולאה בלבד), ואילו החיים של השחקן - משתנה ארוך טווח ולכן בעל שמות משמעותי.

2.0.3 שם פונקציה

שם פונקציה צריך לתאר במידת האפשר את הפעולה המבוצעת על ידי הפונקציה וייכתב בסגנון camelCase.

לדוגמה - emiTteS ,tupnIteg.

2.0.4 שמות פונקציות בוליאניות ומשתנים בוליאנים

שמות אלו יתחילו במילה is) isEmpty, alidisV, כאילו מתחילים שאלה).

במקרים מסוימים, יתכן שמילה אחרת תתאים יותר - אבל עדיין יש לשמור על הרעיון של שאלה.

לדוגמה - ecnaulavEnac ,dlroSdluohs.

2.0.5 קבועי #define

הנ"ל יהיו בסגנון CASE_REP UP.

לדוגמה - TUPNI_XAM ,P I.

follow those instructions carefully and change all that is needed

9:

I copied the result of the automatic test showing 0 out of 100 with the expected output and its output

this is the result of the automatic test please change every out put to match what they are asking

for convinience i attached the code you wrote me

10:

now add \n at every sentence print exepct the board one because it seems that works fine