FED HIT (65364-2)

Team members:

Name: Peleg vadbeker id: 209485838 e-mail: peleg40@gmail.com phone: 054-2820500

Name: Eden blau id: 208571927 e-mail: eden4129@gmail.com phone: 052-3878906

Name: dudi kreis <u>id</u>: 311333900 <u>e-mail</u>: dudi104567@gmail.com <u>phone</u>: 052-6676694

Link to YouTube video: https://youtu.be/Y0AdbRY1LPk

Link to GitHub: https://github.com/pelegvd/Cost-Manager

<mark>App.js</mark>

```
app.js
import Home from './home';
import Reports from "./reports";
import {BrowserRouter as Router, Route, Switch} from 'react-router-dom';
import About from "./about";
function App() {
        <Router>
            <div className="App">
                <Navbar/>
                <div className="content">
                    <Switch>
                        <Route exact path="/">
                            <Home/>
                        </Route>
                        <Route path="/about">
                            <About/>
                        </Route>
                        <Route path="/report">
                            <Reports/>
                        </Route>
                    </Switch>
               </div>
            </div>
        </Router>
export default App;
```

<mark>navbar.js</mark>

```
navbar.js
  Dudi Kreis 311333900
import React from 'react';
import AppLogo from './AppLogo.JPG';
import {Link} from "react-router-dom";
const Navbar = () => {
        <nav className="navbar">
            <a className="backHome" href="/">
                <img className={"logo"} src={AppLogo} alt={"logo"}/>
           </a>
           <div className="links_container">
                <Link to="/" className="links">Home</Link>
               <Link to="/report" className="links">Report</Link>
                <Link to="/about" className="links">About</Link>
           </div>
        </nav>
export default Navbar;
```

Index.js

```
index.js
   Eden Blau 208571927
   Dudi Kreis 311333900
import React from 'react';
import ReactDOM from 'react-dom/client';
import './index.css';
import App from './app';
import reportWebVitals from './reportWebVitals';
const root = ReactDOM.createRoot(document.getElementById('root'));
root.render(
 <React.StrictMode>
   <App />
  </React.StrictMode>
reportWebVitals();
```

home.js

```
home.js
/* Peleg Vadbeker 209485838
   Eden Blau 208571927
   Dudi Kreis 311333900
import React from 'react';
import './Home.css';
import {useState, useEffect} from 'react';
import LocalStorage from "./localStorage";
const Home = () => {
    useEffect(() => {
        document.title = 'Cost Manager';
    }, []);
    useEffect(() => {
        // This useEffect hook retrieves the inputs saved in local storage and sets them to the inputs state variable
        const inputsFromLocalStorage = LocalStorage.get('inputs');
        if (inputsFromLocalStorage) {
            setInputs(inputsFromLocalStorage);
    }, [j);
    const [date, setDate] = useState('');
    const [item, setItem] = useState('');
    const [price, setPrice] = useState('');
    const [category, setCategory] = useState('food');
    const [description, setDescription] = useState('');
    const [inputs, setInputs] = useState([]);
    const [error, setError] = useState('');
```

```
// This function is called when the user clicks the add cost button
const today = new Date();
const todayStr = today.toISOString().slice(0, 10);
return (
    <div className="Home">
        <h1>Add your expense here</h1>
        <div className="form-container">
            <div className="inputGroup">
                <label htmlFor='name'>Date:</label>
                <input type="date" value={date} onChange={e => setDate(e.target.value)} required
                      autoComplete={'off'} max={todayStr}/>
            </div>
            <div className="inputGroup">
                <label>Item: </label><input type="text" value={item} onChange={e => setItem(e.target.value)}/>
            </div>
            <div className="inputGroup">
                <label>Price: </label><input type="number" value={price} onChange={e => setPrice(e.target.value)}/>
            </div>
            <div className="inputGroup">
                <label>Category:</label>
                <select value={category} onChange={e => setCategory(e.target.value)}>
                    <option value="food">Food</option>
                    <option value="personalSpending">Personal spending</option>
                    <option value="children">Children</option>
                    <option value="rent">Rent</option>
                    <option value="transportation">Transportation</option>
                    <option value="utilities">Utilities
                    <option value="medical">Medical</option>
                    <option value="insurance">Insurance</option>
                    <option value="entertainment">Entertainment</option>
                    <option value="others">Others</option>
                </select>
            </div>
```

```
</div>
    <div className="inputGroup">
       <label>Description: </label>
       <textarea value={description} onChange={e => setDescription(e.target.value)}
                 placeholder="Enter description"></textarea>
    </div>
    <div className="submit-cost">
       <button className={"add-cost"} id="plus" onClick={() => {
           if (!date | | !item | | !price) { // If any of the inputs are empty, display an error message
               alert("please enter all field")
           setError('');
           setInputs([...inputs, {date, item, price, category, description}]); // Add the new input to the inputs state variable
           localStorage.setItem('inputs', JSON.stringify([...inputs, { // Add the new input to local storage
               date,
               item,
               price,
               category,
               description
           }1));
           setDate(''); // Clear the date input
           setItem(''); // Clear the item input
           setPrice(''); // Clear the price input
           setCategory('food'); // Reset the category to default
           setDescription(''); // Clear the description input
           alert("Cost added successfully");
       }}>Add cost
       </button>
       {error && {error}}
    </div>
</div>
```

```
<thead>
     Date
        Item
        Price
        Category
        Description
        Delete item
     </thead>
     {inputs.map((input, index) => ( // Map over the inputs state variable
        {input.date}
           {input.item}
           {input.price}
           {input.category}
           {td>{input.description}
           >
              <button
                 className={'delete-button'}
                 onClick={() => {
                    inputs.splice(index, 1); // Remove the item from the inputs state variable
                    LocalStorage.set('inputs', inputs); // Update local storage
                 Delete
              </button>
           </div>
```

localstorage.js

Report.js

```
reports.js
import React, {useState, useEffect} from 'react';
import './Reports.css';
import LocalStorage from "./localStorage";
const Reports = () => {
    useEffect(() => {
        document.title = 'Reports';
   }, []);
    //state variables
   const [selectedYear, setSelectedYear] = useState('');
   const [selectedMonth, setSelectedMonth] = useState('');
    const [expenses, setExpenses] = useState([]); //expenses
    const [totalExpenses, setTotalExpenses] = useState(0);
    const [filteredExpenses, setFilteredExpenses] = useState([]);
    const categories = {};
    filteredExpenses.forEach(expense => {
        if (categories[expense.category]) {
            categories[expense.category] += parseInt(expense.price);
            categories[expense.category] = parseInt(expense.price);
```

```
const inputsFromLocalStorage = LocalStorage.get('inputs');
    if (inputsFromLocalStorage) {
        setExpenses(inputsFromLocalStorage);
    if (selectedYear && selectedMonth) {
        let total = 0:
        const filtered = expenses.filter(exp => new Date(exp.date).getFullYear().toString() === selectedYear && new Date(exp.date).getMonth().toString() === selectedMonth);
        console.log("filtered", filtered);
        setFilteredExpenses(filtered);
        filteredExpenses.forEach(expense => {
            total += parseInt(expense.price);
        alert('Please select a year and a month');
    let total = 0;
    filteredExpenses.forEach(expense => {
        total += parseInt(expense.price);
}, [filteredExpenses]);
    <div className="reports">
        <div className="select-container">
            <label className="label">Year</label>
            <select className="select" value={selectedYear} onChange={e => setSelectedYear(e.target.value)}>
                <option value="" disabled>Select a year</option>
                <option value="2019">2019</option>
                <option value="2020">2020</option>
                <option value="2021">2021</option>
                <option value="2022">2022</option>
                <option value="2023">2023</option>
```

```
<option value="2023">2023</option>
   </select>
</div>
<div className="select-container">
   <label className="label">Month</label>
   <select className="select" value={selectedMonth} onChange={e => setSelectedMonth(e.target.value)}>
       <option value="" disabled>Select a month
      <option value="0">January</option>
      <option value="1">February</option>
      <option value="2">March</option>
      <option value="3">April</option>
      <option value="4">May</option>
      <option value="5">June</option>
      <option value="6">July</option>
      <option value="7">August</option>
      <option value="8">September</option>
      <option value="9">October</option>
      <option value="10">November</option>
      <option value="11">December</option>
   </select>
</div>
   <button className="submit" onClick={calculateTotalExpenses}>Show expenses
</div>
{filteredExpenses.length > 0 && (
   <thead>
      >
          Date
          Item
          Price
          Category
          Description
      </thead>
      {filteredExpenses.map((expense, index) => (
          {td>{expense.date}
              {td>{expense.item}
              {td>{expense.price}
              {td>{expense.category}
              {td>{expense.description}
```

About.js

```
about.js
/* Peleg Vadbeker 209485838
   Eden Blau 208571927
import React, {useEffect} from 'react';
import TeamMember from './teamMember';
import peleg from './peleg.jpg
import eden from './eden.jpeg'
import dudi from './dudi.jpeg'
//array of 3 group members
const teamMembers = [
        name: 'Peleg Vadbeker',
        role: 'Computer Science student - HIT and System Administrator',
        picture: peleg
        name: 'Eden Blau',
        picture: eden
        name: 'Dudi Kreis',
        picture: dudi
About us function tell us about the project and team members.
```

teamMember.js

Reportwebvital.js