

Document checking completed. No errors or warnings to show.

Used the HTML parser. Externally specified character encoding was UTF-8.
Total execution time 195 milliseconds.

Agenda

1.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 468, column 25; to line 468, column 46

`<h1 class="ag-titulo">1ª Sem`
2.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 320, column 25; to line 320, column 46

`<h1 class="ag-titulo"> 25ª B`
3.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 385, column 25; to line 385, column 46

`<h1 class="ag-titulo">Eneged`
4.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 448, column 25; to line 448, column 46

`<h1 class="ag-titulo">Exposi`
5.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 361, column 25; to line 361, column 46

`<h1 class="ag-titulo">I WITL`
6.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 488, column 25; to line 488, column 46

`<h1 class="ag-titulo">Seminá`
7.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 425, column 25; to line 425, column 46

`<h1 class="ag-titulo">Jornad`
8.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 341, column 25; to line 341, column 46

`<h1 class="ag-titulo">Semana`
9.

Warning

Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).

From line 405, column 25; to line 405, column 46

`<h1 class="ag-titulo">Simpós`

Mapa do Site

1.

Error

Element `div` not allowed as child of element `h3` in this context. (Suppressing further errors from this subtree.)

From line 317, column 21; to line 317, column 37

`<div class="row">`

Contexts in which element `div` may be used:

Where `flow content` is expected.

As a child of a `div` element.
2.

Error

End tag `li` seen, but there were open elements.

From line 356, column 123; to line 356, column 127

`os Autores`
3.

Error

Unclosed element `a`.

From line 356, column 37; to line 356, column 98

`Manife`
4.

Error

Start tag `a` seen but an element of the same type was already open.

From line 357, column 37; to line 357, column 96

`Autor`
5.

Error

End tag `a` violates nesting rules.

From line 357, column 37; to line 357, column 96

`Autor`
6.

Fatal Error

Cannot recover after last error. Any further errors will be ignored.

From line 357, column 37; to line 357, column 96

`Autor`

ROMANTISMO – Contexto // Obras - OK // Autor - OK

2. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).
From line 331, column 21; to line 331, column 59
`<h1 class="sub-titulo titulo-c-brasil">Context`
3. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).
From line 315, column 17; to line 315, column 49
`<h1 class="sub-titulo titulo-ch">Preced`
4. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).
From line 350, column 21; to line 350, column 59
`<h1 class="sub-titulo titulo-c-europa">Context`

REALISMO – Contexto // Obras // Autor

2. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).
From line 314, column 21; to line 314, column 57
`<article class="col-xs-12 col-md-6 "><div`
2. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).
From line 314, column 17; to line 314, column 61
`<article class="col-xs-12 col-md-6 col-lg-6"><`
1. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).
From line 314, column 17; to line 314, column 52
`<article class="col-xs-12 col-md-8"><`

SIMBOLISMO – Contexto - OK // Obras - OK // Autor - OK

Sem observações

PRÉ-MODERNISMO – Contexto - OK // Obras // Autor - OK

2. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).
From line 316, column 21; to line 316, column 55
`<h1 class="titulo cor-obras1 line">Os Ser`
3. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).
From line 365, column 21; to line 365, column 60
`<h1 class="titulo cor-obras1 line lima">Triste`
4. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).
From line 389, column 21; to line 389, column 55
`<h1 class="titulo cor-obras1 line">Urupês`
5. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).
From line 342, column 21; to line 342, column 55
`<h1 class="titulo cor-obras1 line">Eu e o`

MODERNISMO – Contexto // Obras // Autor

Pendente

Pendente