


## **Fonts**

The Agile user interface employs a single font face and a limited number of font styles to reduce visual clutter.

The chosen font face (Arial) has been selected for its clean and simple appearance.

These fonts, combined with well-defined page layouts, provide an easy to read user interface that does not intimidate the user with an overly complicated or "busy" presentation.

## **Element Specification**






## **Data Fonts**

Used to display the bulk of the data as well as buttons, menus, tabs, labels, and table column headers that are closely related to the data.

The Normal Font is the baseline from which all other fonts (in this section and in the sections that follow) are derived.






#### **Normal Font**

Used for:

Most of the informational text displayed in the Agile User Interface.

Exceptions include those elements rendered in the fonts described in the following sections.



Except where otherwise noted, all of the fonts used in the Agile User Interface conform to the attributes listed below:

•	font-family	Arial, Verdana, sans-serif	
•	font-size	11 pixels (10)	see note 1
•	font-weight	400	
•	font-style	normal	
•	color:	#333333	
•	text-transform	none	
•	text-decoration	none	
•	letter-spacing	normal	
•	word-spacing	normal	
•	line-height	13.4 pixels	
•	text-align	start	
•	vertical-align	baseline	
•	direction	Itr	see note 2



#### Notes:

- 1) Because of anti-aliasing, the Arial font is reliably rendered (in terms of the observed pixels that differ from the background color) by all of the tested OS/browser combinations slightly smaller (10 pixels) than the size (11px) declared in the cascading style sheets.
  - Throughout this document, the declared size will be given, followed by the rendered size as observed in parenthesis.
- Applies to English and to language localization into other western languages that are written left-to-right.




#### **Bold Font**

Used for: Object Type in Object Header

Active Tab

Root Nodes in Left Pane Trees Current Selection in Menus

Required Field Labels in Forms



As Normal Font except for:

• font-weight bold




## **Light Font**

Used for:

Labels (except Required Labels)

Disabled UI Elements



#### As Normal Font except for:

• color #666666

#### Please Note:


- This font is not used within disabled buttons and menus. These elements are
  disabled by applying reduced opacity to the entire button as described in the
  <u>Buttons</u> UI Specification. The result looks like Light Font even though it is achieved
  through another mechanism.
- Bold Font (rather than Light Font) will be used to highlight the labels of required fields.



#### **Error Font**

Used for

Required Indicator (\*) on Form Labels
Erroneous Content in Form Controls
Error Messages Displayed Below Form Elements
Erroneous Content in Table Cells



As Normal Font except for:


• color #990000



### **Bold Error Font**

Used for

Labels for Erroneous Fields in Form Controls<sup>1</sup> Erroneous Content in Some Form Controls<sup>2</sup>



#### As Normal Font except for:

color #990000

#### Notes:

- 1) Applies to controls that detect and report errors when user tries to save the
- 2) Applies to controls that detect erroneous data as it is entered.




### **Link Fonts**

Hyperlinks are used extensively throughout the Agile User Interface to allow the user to navigate between business objects by:

- 1) Following the relationships between objects by clicking on links within the objects.
- Applying the tools found in the Left Pane. These tools organize links in various ways including predefined searches, bookmarks, recently used history and object type specific Navigator tools.

Details can be found in the Left Pane UI Specification.






#### **Tree Link Font**

Used for:

Links to other pages from Left Pane navigation aids.



#### As Normal Font except for:

#### Mouse Over


text-decoration: underline



#### **Link Font**

Used for:

Links to other pages from the Content Pane.



#### As Normal Font except for:

color #336699

#### Mouse Over


• text-decoration: underline



### **Structure Fonts**

These fonts bring order to the display by highlighting key information such as the name of the object and the sections into which the object data is organized.

The Capital Font provides additional differentiation between the Left Pane drawers and the contents of these drawers.






#### **Title Font**

Used for: Page Title

Object Identifier in Object Header Status / Lifecycle in Object Header



#### As Normal Font except for:

• font-size 20 pixels (19)

line-height 20 pixels




#### **Header Font**

Used for: Section Header within Content Pane

Field Set with Separator

Table Title



#### As Normal Font except for:

• font-size 16 pixels (15)

line-height 16 pixels



### **Capital Font**

Used for: Left Pane Drawer Labels 🜈 Agile Product Lifecycle Management (PLM) - Welcome , Admin, Unique - Windows Internet Exp http://10.0.7.4:8888/web/j\_security\_check agile P . . 4 F C f Create New \* D 0 - ? - 0 P02936 PO Capital Font Pre FOLDERS < rs allowed for this field and the thing REPORTS 4 is system maximum length is 240, user defined le NAVIGATOR Site: ALL Rev: Introductory \* + Navigator To display data here, click BOM . Changes Manufacturers Title Block 'Navigator' for Search Results, An item is any unique part, document, material, subassembly, or product. An teand Rev lists let you access other revisions of the item, including revisions sportite Block tab of an item (part or document) has fields that contain the informal More... Bills of Materials, or Programs. Number: P02936 Part Type: FG Equipment Lifecycle Phase: Preliminary Description: All characters allowed for this field and

#### As Normal Font except for:

• font-weight bold


text-transform uppercase



## **Special Fonts**

These fonts are used for a number of miscellaneous purposes in the Agile PLM user interface where none of the standard fonts would do.

## **Inverse Flag Font**



#### As Bold Font except for:

color #FFFFFtext-align center



## Issues

Some of the text, which is deeply embedded in standard UI elements, is displayed in the browser specific default font. This text includes tooltips.

Need error reporting on forms to mature before revising the screenshot of the Error Font.

# **Change History**

November 20, 2007	Vern McGeorge	Revised description of Bold Error Font
October 30, 2007	Vern McGeorge	Added Bold Error font and reclassified Inverse Flag Font as the first of the Special Fonts.
August 24, 2007	Vern McGeorge	Revised screenshots and inserted additional scope sections to contain the three kinds of fonts. Published as complete.
August 23, 2007	Vern McGeorge	Complete.
August 17, 2007	Vern McGeorge	Review comments in.
August 7, 2007	Vern McGeorge	Re-organized.
August 3, 2007	Vern McGeorge	Sprint 7 review comments in.
July 27, 2007	Vern McGeorge	Published in support of other specs.
June 27, 2007	Vern McGeorge	Published "as is" as a reference in support of the review of Date Picker (now Date Control).
June 12, 2007	Vern McGeorge	Complete? Probably not.
May 3, 2007	Vern McGeorge	Template